

Strategies to improve livestock system robustness: moving toward diversity

Fabienne Blanc, Emilie Ollion, Bertrand Dumont, Stéphane Ingrand


▶ To cite this version:

Fabienne Blanc, Emilie Ollion, Bertrand Dumont, Stéphane Ingrand. Strategies to improve livestock system robustness: moving toward diversity. Seminaire Metaprogramme Inra Recolad, Feb 2015, Paris, France. , 112 p., 2015, Worshop 2015 ReColAd. hal-01195389

HAL Id: hal-01195389 https://hal.science/hal-01195389

Submitted on 3 Jun2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.








Strategies to improve livestock system robustness: moving toward diversity

E. Ollion, B. Dumont, S. Ingrand and F. Blanc





Current systems raises concerns



Current systems raises concerns





Current systems raises concerns





Current systems raises concerns





Current systems raises concerns





Current systems raises concerns





Current systems raises concerns

Instability of productions contexts



Current systems raises concerns

Instability of productions contexts







Current systems raises concerns

Instability of productions contexts





11/02/2015





Current systems raises concerns


Instability of productions contexts





11/02/2015






Current systems raises concerns

Instability of productions contexts








The index is derived from a trade-weighted average of a selection of representative internationally traded dairy products.






Current systems raises concerns

Instability of productions contexts

But essential roles: proteins, jobs income, draught power, social role





The index is derived from a trade-weighted average of a selection of representative internationally traded dairy products.



Asia time, Wheat Price

11/02/2015

Current systems raises concerns

Instability of productions contexts

But essential roles: proteins, jobs income, draught power, social role

The index is derived from a trade-weighted average of a selection of representative internationally traded dairy products.



Asia time, Wheat Price


A change of paradigm is needed to develop sustainable and socially acceptable robust livestock systems in a changing world




























Scientific discipline that applies ecological theory to the design and management of sustainable agroecosystems (Altieri, 1987)































| 5 principles | |
|------------------------------------|---|
| Integrated health managmt | |
| ↓ inputs | |
| ↓ pollution | |
| Diversity to ↑ resilience | |
| Preserve biodiversity | |
| RCGIAd Matchine 2011 11/02/2015 | 4 |

5 principles





Intensificatior





| Integrated | |
|------------|--|
| health | |
| managmt | |
| Ŭ | |

↓ inputs

 \downarrow pollution

Diversity to ↑ resilience

Preserve biodiversity



5 principles










| Integrated health managmt | | | Intens | sification ** | * | ** |
|---------------------------------|-----|-----|--------|------------------|-----|-----|
| ↓ inputs | ** | *** | *** | *** | *** | ** |
| ↓ pollution | * | *** | ** | | *** | *** |
| Diversity to ↑ resilience | *** | ** | ** | ** | * | |
| Preserve biodiversity | ** | * | | * | | |

| _ | | |
|---|------------|--|
| 5 | principles | |









| Integrated health managmt | | | Intens | sification ** | * | ** |
|---------------------------------|-----|-----|--------|-------------------|-----|-----|
| ↓ inputs | ** | *** | *** | *** | *** | ** |
| ↓ pollution | * | *** | ** | | *** | *** |
| Diversity to ↑ resilience | *** | ** | ** | ** | * | |
| Preserve biodiversity | ** | * | | * | | |
| REGINA Necessary 11/02/2015 | | | | del de la company | | 4 |


| 5 principles | | N | | | | |
|---------------------------------|-----|-----|--------|-----|-----|-----|
| Integrated health managmt | | | Intens | ** | * | ** |
| ↓ inputs | ** | *** | *** | *** | *** | ** |
| ↓ pollution | * | *** | ** | | *** | *** |
| Diversity to ↑ resilience | *** | ** | ** | ** | * | |

PreservWhich form and use of diversity ?biodiversity



Productions diversity (Dumont et al., 2013)

Livestock



Rice, fruits, sugar cane





Nhan et al. 2006 Phong et al. 2010 Karim et al. 2011




Fish (carp, tilapia)



Productions diversity (Dumont et al., 2013)






Nhan et al. 2006 Phong et al. 2010 Karim et al. 2011




Fish (carp, tilapia)



Productions diversity (Dumont et al., 2013)





Productions diversity (Dumont et al., 2013)








Productions diversity (Dumont et al., 2013)


















11/02/2015




11/02/2015











11/02/2015












Physiologic status



Physiologic status

Diversity of individual capacities to face disturbances robustness




Physiologic status


Diversity of individual capacities to face disturbances robustness


Case study: dairy cows






















11/02/2015





⇒ Robust cows:

 Able to produce and reproduce in a wide range of environments (Knap, 2005)



⇒ Robust cows:


- Able to produce and reproduce in a wide range of environments (Knap, 2005)
- "A cow that you do not hear in the herd, a cow lasting in the herd" (Ollion et al. unpublished)

⇒ Robust cows:


- Able to produce and reproduce in a wide range of environments (Knap, 2005)
- "A cow that you do not hear in the herd, a cow lasting in the herd" (Ollion et al. unpublished)

A robust cow gives **adaptive answers** to disturbances maintaining her in the range of farmer's expectations and so contributing to her longevity














Essential functions










 Used the period 0-90d postpartum: suboptimal nutritional period (negative energy balance)



 Used the period 0-90d postpartum: suboptimal nutritional period (negative energy balance)

11/02/2015



 Used the period 0-90d postpartum: suboptimal nutritional period (negative energy balance)




- Used the period 0-90d postpartum: suboptimal nutritional period (negative energy balance)
- Data from Inra experimental units of Mirecourt (2002-2012) et du Pin-au-Haras (2006-2011)


Data on milk yield, BCS, reproduction, individual characteristics (number lactation, âge at 1st calving...)

→ 334 validated lactations



Limited ressources









Limited ressources

11/02/2015




Limited ressources




- Milk - Body condition score







- Milk - Body condition score





















Blanc et al., 2013













.

.

ELEVAGE L'homogénéité du troupeau chez les ruminants

L'une des premières causes de mauvaise santé animale en bâtiment vient d'une inadaptation de la ration. I n'est pas rare que pour faire face à l'hétérogénéité le production des animaux les individus les moins erformants soient suralimentés et les plus performants pient sous alimentés. L'homogénéité du troupeau est ne étape indispensable pour adapter au mieux la ration.

rormation

La Maison des Paysans vous prop former. L'objectif est de redécouvrir la ph de la digestion des ruminants et la mét Obsalim[®]. La présentation de quelque situations permet à l'éleveur de change ses animaux et de s'interroger sur l'effe alimentaires. Les prochaines formation C le 13 janvier dans le secteur de Giat et secteur de Thiers. Plus d'infos : 04 7.

la propreté, la vitalité des anima animaux. Sur un troupeau homogène "tirer qui présente un ensemble et d chos d'animaux maigres, sale ou fatigué, le paysan aura tout intérêt à adapter Pou l'alimentation de son troupeau hor afin d'améliorer sa qualité. En revanche, un troupeau our vérifier que son lot (gestation, mise bas...). Le nécessaire que le troupeau soit hétérogène, avec quelques

"Herd homogeneity is an essential step to optimize animal feeding"

ins. Devant un groupe ment, il précise les généité du troupeau. ectivement, sur les aphies qui défilent, la stration est frappante.

doivent se dérouler sur une du comportement social, le aysans des alentours dizaine de jours (les ruminants troupeau doit également offrir n'aiment pas les changements). ents objectifs de 11 n'est en revanche pas qui concerne l'état d'entretien, de se débarrasser des

une homogénéité visuelle en ce

présentent des symptômes. Il serait contreproductif



.

.

39 surveyed dairy farms in three distinct dairy areas



39 surveyed dairy farms in three distinct dairy areas



39 surveyed dairy farms in three distinct dairy areas



- Surveyed dairy farms in three distinct dairy areas
- Already existing diversity:
 - Herd size: from 25 to 200
 - 72% one breed, 18% two breeds, 18% crossbred
 - 26% in organic agriculture

- Surveyed dairy farms in three distinct dairy areas
- Already existing diversity:
 - Herd size: from 25 to 200
 - 72% one breed, 18% two breeds, 18% crossbred
 - 26% in organic agriculture
- ⇒ 72% see diversity in their herd

- Surveyed dairy farms in three distinct dairy areas
- Already existing diversity:
 - Herd size: from 25 to 200
 - 72% one breed, 18% two breeds, 18% crossbred
 - 26% in organic agriculture
- ⇒ 72% see diversity in their herd
- ⇒ 44% see interest in diversity of physiological status

- Surveyed dairy farms in three distinct dairy areas
- Already existing diversity:
 - Herd size: from 25 to 200
 - 72% one breed, 18% two breeds, 18% crossbred
 - 26% in organic agriculture
- ⇒ 72% see diversity in their herd
- ⇒ 44% see interest in diversity of physiological status
- ⇒ 51% see interest in individual diversity



- Surveyed dairy farms in three distinct dairy areas
- Already existing diversity:
 - Herd size: from 25 to 200
 - 72% one breed, 18% two breeds, 18% crossbred
 - 26% in organic agriculture
- ⇒ 72% see diversity in their herd
- ⇒ 44% see interest in diversity of physiological status
- ➡ 51% see interest in individual diversity
- 13% see the link between diversity and robustness



- Surveyed dairy farms in three distinct dairy areas
- Already existing diversity:
 - Herd size: from 25 to 200
 - 72% one breed, 18% two breeds, 18% crossbred
 - 26% in organic agriculture
- ⇒ 72% see diversity in their herd
- ⇒ 44% see interest in diversity of physiological status
- ➡ 51% see interest in individual diversity

There is still a gap between farmers seeing diversity and farmers managing diversity

| • | | |
|---|--|--|
| | | |
| | | |
| | | |



Agroecology is a transition pathway to move toward more sustainable livestock systems



10

- Agroecology is a transition pathway to move toward more sustainable livestock systems
- Diversity is a resource contributing to systems capacities to face disturbances *e.g.* climate change




- Agroecology is a transition pathway to move toward more sustainable livestock systems
- Diversity is a resource contributing to systems capacities to face disturbances *e.g.* climate change
- A gradient of diversity can be found in livestock production systems: resources, species, physiological status, individual robustness

- Agroecology is a transition pathway to move toward more sustainable livestock systems
- Diversity is a resource contributing to systems capacities to face disturbances *e.g.* climate change
- A gradient of diversity can be found in livestock production systems: resources, species, physiological status, individual robustness
- These diversities are already experimented on the field. More knowledge is needed to give tools for farmers to manage diversity




Thank you for your attention














Essential functions













Essential functions






Essential functions




11/02/2015

Essential functions





Essential functions



11/02/2015

18