

Properties of variational estimates of a mixture model for random graphs

Jean-Jacques Daudin, Alain Célisse, Steven Gazal, Stephane Robin

▶ To cite this version:

Jean-Jacques Daudin, Alain Célisse, Steven Gazal, Stephane Robin. Properties of variational estimates of a mixture model for random graphs. ECCS10 European Conference on Complex Systems, Sep 2010, Lisbonne, France. hal-01197575

HAL Id: hal-01197575

https://hal.science/hal-01197575

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

ECCS'10 LISBON

European Conference on Complex Systems eccs2010.eu





European Conference on Complex Systems '10

Lisbon University Institute

Introduction to the ECCS'10 Scientific Programme

ECCS'10 - European Conference on Complex Systems became, in the last few years, the main annual event in the domain of Complex Systems research. Following the very well succeeded conferences in Torino, Paris, Oxford, Dresden, Jerusalem and Warwick, the 2010 edition of ECCS will take place at the Lisbon University Institute, from 13 to 17 September.

The main plenary speakers will be **Christoph von der Malsburg**, **José Fernando Mendes**, **Didier Sornette**, **Henri Berestycki**, **Dirk Helbing**, **Rosaria Conte**, **João Fiadeiro** and **Carlo Ratti**, that will create the context for the scientific debates during the conference.

The ECCS'10 Scientific Programme includes more than 100 papers and 100 posters concerning a variety of research areas organized in the following tracks:

- Track A: Policy, Planning & Infrastructure Policymaking; Design Processes; Environmental Decision Making; Management; Construction and Manufacturing; Energy and Sustainability; Urban Planning; Built Environment; Internet; Transport & Power Networks; Medical & Health Systems.
- Track B: Collective Human Behaviour and Society Philosophy of Science; Economics & Finance; Sociology; Psychology; Game theory.
- Track C: Interacting Populations and Environment Climate Change; Geography; Pollution; Demography; Ecology; Epidemiology.
- Track D: Complexity and Computer Science Natural and Pervasive Computing; Global Computing Infrastructure; Swarms and Robot Teams; Mobile and Fleet Computing; Graphs and Neural Networks; Language and Cognition; Collaborative Human Computer Networks.
- Track E: From Molecules to Living Systems Self-assembly & Self-organisation; Biochemistry, Cell Biology, Neuroscience; Systems Biology; Medicine & Physiology.
- Track F: Mathematics and Simulation Mathematics; Theoretical Physics; Modelling; Theory of Simulation (both numerical mathematics and agent based); Network Theory.

A selected number of these papers will be published in several prestigious journals, such as "Advances in Complex System", "The European Physical Journal B", "International Journal of Agent Technologies and Systems", "Theory in Biosciences", "Foundations of Science", "International Journal of General Systems", "Real-World Economics Review", "Emergence: Complexity & Organization (E:CO)", and others.

Complementing the main conference tracks, ECCS'10 will include 12 Satellite Meetings with more than 100 presentations, concerning a variety of research domains such as emergence in geographical space, networks theory, socially intelligent ICT, biological systems, policy making and others.

Two special sessions will be featured this year: the Global Problems Panel Discussion, focusing on the impact of measures of policies on global change, and the [k]NO(w)BODY Workshop on Real Time Composition, an intensive workshop during the two days just before the conference, concerning experiments on the human processes of creativity, decision-making and group self-organization.

The ECCS'10 Organizing Committee would like to warmly thank the programme chair Tsou Sheung Tsun, together with all the Programme Committee members, Satellite Meetings organizers, and ECCS Steering Committee members, for ensuring that the 2010 edition of our conference meets the highest scientific standards.

Lisbon, September 2010

The ECCS'10 Organizing Committee

ECCS'10

Conference Venue

Lisbon University Institute, Building II, Lisbon, Portugal

Conference Organising Chair

Jorge Louçã (Lisbon University Institute)

Conference Programme Chair

Tsou Sheung Tsun (University of Oxford)

Complex Systems Society:

Jeffrey Johnson (Open University, London; President of the CSS)

Conference Programme Committee members:

Jeffrey Johnson (Open University, London)

Arnaud Banos (CNRS; Université Paris I)

Theodore Zamenopoulos (Open University, London)

Katerina Alexiou (Open University, London)

John Symons (University of Texas at El Paso)

Olga Pombo (University of Lisbon)

Antonio Firmino da Costa (Lisbon University Institute)

Bruce Edmonds (Manchester Metropolitan University Business School)

Luis Antunes (University of Lisbon)

Tanya Araújo (ISEG, Lisbon)

Guillaume Deffuant (Cemagref, France)

András Lorincz (Eotvos Lorand University, Budapest)

Rui Lopes (Lisbon University Institute)

Anders Lyhne Christensen (Lisbon University Institute)

Nadine Peyrieras (DEPSN, CNRS, France)

Dirk Drasdo (INRIA, France)

Eduardo Mendoza (Ludwig-Maximilians-Universität, Munich)

Paul Verschure (Universitat Pompeu Fabra, Barcelona)

Fatihcan Atay (Max Planck Institute, Leipzig)

Ali Rana Atilgan (Sabancı Universitesi, Istanbul)

Complex Systems Society Conference Steering Committee members:

Markus Kirkilionis (University of Warwick; Committee Chair)

Fatihcan Atay (Max Planck Institute for Mathematics in the Sciences, Leipzig)

Jürgen Jost (Max Planck Institute for Mathematics in the Sciences, Leipzig)

Scott Kirkpatrick (The Hebrew University of Jerusalem)

David Lane (University of Modena and Reggio Emillia)

Andreas Lorincz (Hungarian Academy of Sciences)

Denise Pumain (University Paris I Panthéon-Sorbonne)

Felix Reed-Tsochas (University of Oxford)

Eörs Szathmáry (Eötvös Loránd University, Budapest)

Stephan Thurner (Medical University of Vienna)

Paul Verschure (Universitat Pompeu Fabra, Barcelona)

Riccardo Zecchina (ISI Foundation and Politecnico di Torino)

Vittoria Colliza (ISI Foundation, Torino)

Organising Committee

Lisbon University Institute (IUL):

Jorge Louçã, David Rodrigues, Elisabete Raimundo, Marie Mignot, Décio Telo, José Monteiro, Luis Miguel Serrano, Filipe Casal Ribeiro

Doctoral Programme in Complexity Sciences (IUL/FCUL):

Manuel Tânger, Rui Esteves, António Fonseca, Rita Margarido, Rui Dias, Rui Ligeiro, Nuno Caseiro, Sandra Barão, Alberto Murta, José Tomaz, José Loff, Laura Wise, Sérgio Bacelar, José Matos, Guilherme Statter, Hugo Mendes, José António Silva, Pedro Loureiro

Conference Supporters















Conference Sponsors





























ECCS'10 Schedule

Sept. 17		Rosaria Conte	Coffee Break		Tracks B2, C, E, F		Lunch, Posters,	Videos and Demos	Funding Session		5 min break	.loão Fiadeiro	Coffee Break	Carlo Ratti	Closing Session		Closing Party	A night at	Braço de Prata	
Sept. 16		Satellite Meetings	Coffee Break		Satellite Meetings		Lunch, Posters,	Videos and Demos	Satellite	Meetings		Coffee Break	Satellite	Meetings						
Sept. 15		Satellite Meetings	Coffee Break		Satellite Meetings		Lunch, Posters,	Videos and Demos	Satellite	Meetings		Coffee Break	Satellite	Meetings		Conference	Dinner at	Furnas do Guincho	Cascais	
Sept. 14		Henri Berestycki	Coffee Break		Tracks A, B2, C, E, F		Lunch, Posters,	Videos and Demos	Tracks	A, B2, D, E, F		Coffee Break	Dirk Helbing	Public Event -	The Complexity of Global Change					
Sept. 13	Registration	Welcome Address	Christoph von der Malsburg	Coffee Break	Tracks	,, _,,	Lunch, Posters,	Videos and Demos	Tracks	A, B1, B2, D, F		Coffee Break	José Fernando Mendes	Didier Sornette Springer Complexity Lecture	Welcome Drinks					
Sept. 12									[k]NO(w)BODY	Workshop				Registration						
Sept. 11												[k]NO(w)BODY	Workshop							
	8:00	9:00	00.01	00:01	11:00	12:00	00:21	13:00	14:00	0	00:61	96.00	00:01	17:00	18:00	10.00	19:00			

European Conference on Complex Systems '10

Lisbon University Institute

SCIENTIFIC PROGRAMME

PLENARY SPEAKERS	1
SEPTEMBER 13	1
CHRISTOPH VON DER MALSBURG 9:30-10:30 - The Brain as Organizing Entity	1
JOSÉ FERNANDO MENDES 16:30-17:30 - Structural properties of complex networks	1
DIDIER SORNETTE 17:30-18:30 - Parallels Between Earthquake Prediction, Financial Crash Prediction and Epileptic Seizures Predictions	1
SEPTEMBER 14	1
HENRI BERESTYCKI 9:00-10:00 - TBA	1
DIRK HELBING 16:30-17:30 - The FuturICT crises relief project: Unleashing the power of information for a sustainable future	1
SEPTEMBER 17	1
ROSARIA CONTE 9:00-10:00 - Dynamics of (II)legality	1
JOÃO FIADEIRO 15:30-17:00 – Anatomy of a Decision	1
CARLO RATTI 17:30-18:30 - Senseable Cities: Exploring Urban Future	1
TRACKS	3
SEPTEMBER 13 MORNING - TRACKS A, B1 AND C	3
TRACK A - POLICY, PLANNING & INFRASTRUCTURE 11:00-11:30 Healthcare Organizations as Complex Adaptive Systems: Lessons for Nurse Leaders 11:30-12:00 Measuring Critical Infrastructures dependency by means of the Phase Synchronization 12:00-12:30 A Multi-Agent System for the simulation of urban dynamics	3
TRACK B1 - PHILOSOPHY OF SCIENCE 11:00-11:50 Complexity and Laws of Nature 11:50-12:20 Structural Coherence of Knowledge Representations in Learning Science	3
TRACK C - INTERACTING POPULATIONS AND ENVIRONMENT 11:00-11:45 Spatial sampling in HMRF mapping problems: Static and adaptive algorithms 11:45-12:30 Population Dynamics on Complex Food Webs	3
SEPTEMBER 13 AFTERNOON - TRACKS A, B1, B2, D AND F	4
TRACK A - POLICY, PLANNING & INFRASTRUCTURE 14:00-14:30 Modeling the growth of distributed energy generation for a low carbon economy: Part I the	4
approach 14:30-15:00 Innovation policy modeling from a complex systems perspective 15:00-15:30 Urban Built Form Grows Critical 15:30-16:00 A Case Study in the Application of an Agent-Based Approach in the Formulation of Policies for UK Transport Emission Reduction	
TRACK B1 - PHILOSOPHY OF SCIENCE 14:00-14:50 Complexity and Context-Dependency 14:50-15:40 Models and representations of knowledge organization	4

TRACK B2 - COLLECTIVE HUMAN BEHAVIOUR AND SOCIETY 14:00-14:45 Power-Law Distributions in Scientific Publishing and Reviewers' Workload 14:45-15-15 On Positional Consumption and Technological Innovation – An Agent-Based Approach 15:15-16:00 HedN Game, a Relational Framework for Network Based Cooperation	4
TRACK D - COMPLEXITY AND COMPUTER SCIENCE 14:00-14:30 The Observatorium – The structure of news: topic monitoring in online media with mutual information 14:30-15:15 The Web of Data is a Complex System - first insight into its multi-scale network properties 15:15:15:45 Network synchronization interval and local Kolmogorov-Sinai entropy	4
TRACK F - MATHEMATICS AND SIMULATION 14:00-14:45 Beyond Lyapunov 14:45-15:15 Controlling the Bak-Tang-Wiesenfeld model 15:15-16:00 Noisy Random Boolean Networks and Cell Differentiation	5
SEPTEMBER 14 MORNING - TRACKS A, B2, C, E AND F	5
TRACK A - POLICY, PLANNING & INFRASTRUCTURE 10:30-11:00 Rebuild vs. Renovate vs. Buy: Decision-making for the Enterprise Software Industry 11:00-11:30 A complex adaptive system perspective on the periurban area: exploring transitions in urban-ru relationships 11:30-12:00 Control as Learning Process in Human Complex Adaptive Systems: A few Remarks for Policy Mal 12:00-12:30 Sustainable Urban Design Experiments	
TRACK B2 - COLLECTIVE HUMAN BEHAVIOUR AND SOCIETY 10:30-11:15 Effective free energy for individual dynamics 11:15-11:45 Optimal Life Insurance, Consumption and Investment Decisions 11:45-12:30 Compensations in the Shapley value and the compensation solutions for forest games	5
TRACK C - INTERACTING POPULATIONS AND ENVIRONMENT 10:30-11:15 Comparing large-scale computational approaches to epidemic modeling: agent based versus structured metapopulation models 11:15-11:45 Mixing patterns among epidemic groups 11:45-12:30 A stochastic model of social interaction in wild house mice	6
TRACK E - FROM MOLECULES TO LIVING SYSTEMS 10:30-11:15 A stochastic model of autocatalytic reaction networks 11:15-11:45 Extending the 'Life' Concept to Complex Systems 11:45-12:30 Towards an Integrated Understanding of Protein Graph Characteristics for Protein Folding	6
TRACK F - MATHEMATICS AND SIMULATION 10:30-11:15 Modeling of Demand in Housing Market through Multi-Agents Behavioral Modeling 11:15-11:45 Possible thermodynamic structure underlying the laws of Zipf and Benford 11:45-12:30 The Unreasonable Effectiveness of Tree-Based Theory for Bond Percolation on Networks with Clustering	6
SEPTEMBER 14 AFTERNOON - TRACKS A, B2, D, E AND F	7
TRACK A - POLICY, PLANNING & INFRASTRUCTURE 14:00-14:30 Performance of Self-organizing Control in a Cellular Automaton Model of City Traffic 14:30-15:00 Design Complexity Management through Systematic Decomposition and Formulation 15:00-15:30 MAS approach to political prospection and alliance analysis	7
TRACK B2 - COLLECTIVE HUMAN BEHAVIOUR AND SOCIETY 14:00-14:45 Modeling Cognitive Dynamics: self-organization in crowd dynamics 14:45-15:15 Labour mobility, industry evolution and social networks: a co-evolutionary model 15:15-16:00 Schelling's segregation model for an open city: emergence of physical frontiers from a socio-spat dynamics	7 tial
TRACK D - COMPLEXITY AND COMPUTER SCIENCE 14:00-14:45 On Coverage Bounds of Unstructured Peer-to-Peer Networks 14:45-15:15 Context-Aware Agent-Based Modeling of Social Complex Systems 15:15-16:00 Modularity Measure of Networks With Overlapping Modules	7
TRACK E - FROM MOLECULES TO LIVING SYSTEMS 14:00-14-30 Water dynamics in the hydration shell of a protein 14:30-15:00 Increased specificity in a model with molecular frustration 15:00:15:30 Agent Based modelling of realistic molecules	7

15:30:16:00 Evaluating Robustness of a Complex Multiscale Biochemical Model with an Algorithmic Model Reduction Technique	
TRACK F - MATHEMATICS AND SIMULATION 14:00-14:45 How opinion dynamics generates group hierarchies 14:45-15:15 Parametric Resonance in Time-Dependent Networks of Hopf Oscillators	8
15:15-15:45 Characterising Steady-State Topologies of SIS Dynamics on Adaptive Networks	
SEPTEMBER 17 MORNING - TRACKS B2, C, E AND F	8
TRACK B2 - COLLECTIVE HUMAN BEHAVIOUR AND SOCIETY 10:30-11:00 Cooperation in the International Relations System 11:00-11:45 Simulating Opinion Dynamics in Heterogeneous Communication Systems 11:45-12:15 The determinants of network formation: a dynamic perspective 12:15-12:45 Inferring Significance of Meeting Groups in Human Contact Networks	8
TRACK C - INTERACTING POPULATIONS AND ENVIRONMENT 10:30-11:15 Modeling Settlement Patterns in Real Territories 11:15-12:00 Ecotoxicity risks during influenza pandemic	8
TRACK E - FROM MOLECULES TO LIVING SYSTEMS 10:30-11:15 Integrating Heterogeneous Gene Expression Data for Gene Regulatory Network Modelling 11:15-11:45 Knockouts, Robustness and Cell Cycles 11:45-12:30 Estimation of time-variant risks by Physarum polycephalum	8
TRACK F - MATHEMATICS AND SIMULATION 10:30-11:00 Using Wavelet Analysis to Disentangle the Different Movement Regimes of Foraging Animals 11:00-11:45 Statistical and spectral properties of self-organizing macromolecular systems 11:45-12:15 The soft consensus model: dynamics, complexity, and modularity	9
SATELLITE MEETINGS	11
SEPTEMBER 15	11
SM 1 - EMERGENCE, PATH DEPENDENCE AND TRANSITIONS IN GEOGRAPHICAL SPACE Organisers: Denise Pumain, Arnaud Banos and Lidia Diappi	11
SM 2 - HIGH THROUGHPUT HUMANITIES Organisers: Maximilian Schich, Sune Lehmann, Riley Crane, and Gourab Ghoshal	12
SM 3 - MODELLING THE NON-SEPARABILITY OF A VERY COMPLEX WORLD Organizers: Kirsty Kitto, Fabio Boschetti, and Peter Bruza	14
SM 4 - SCNET 2010 - SCIENCE OF COMPLEX NETWORKS Organizers: J.F.F. Mendes, G. Caldarelli, S.N. Dorogovtsev, A. V. Goltsev, M. Ostilli, F. Abreu	15
$SM\ 5\ -\ Young\ Researchers\ Session\ at\ ECCS'10$ Organizers: Andrea Apolloni, António Fonseca, David Rodrigues, Iain Kusel, Larisa Mihoreanu, and Martine J. Barons	16
SM 6 - COSI-ICT: SCIENCE OF COMPLEX SYSTEMS FOR SOCIALLY INTELLIGENT ICT Organizers: Jeffrey Johnson and the ASSYST team	17
SEPTEMBER 16	18
SM 7 - DYNAMICS ON AND OF COMPLEX NETWORKS IV Organizers: Monojit Choudhury, Niloy Ganguly, Animesh Mukherjee, and Fernando Peruani	18
SM 8 - EPNACS 2010 - EMERGENT PROPERTIES IN NATURAL AND ARTIFICIAL COMPLEX SYSTEMS Organizers: M.A. Aziz-Alaoui, Cyrille Bertelle, Gérard H.E. Duchamp, and Miguel A.F. Sanjuan	19
SM 9 - Graphical models for reasoning on Biological Systems: computational challenges Organizers: Nathalie Peyrard, Stéphane Robin, Régis Sabbadin, and Matthieu Vignes	20
SM 10 - POLICY MAKING IN COMPLEX ADAPTIVE SYSTEMS Organizers: Sylvie Occelli, Yasmin Merali, Ferdinando Semboloni, Jeffrey Johnson, and Jorge Louçã	21
SM 11 - SCIVE'10 - SOCIAL COMPLEXITY OF INFORMAL VALUE EXCHANGE Organizers: Bruce Edmonds, David Hales, Mario Paolucci, Juliette Rouchier	22
SM 12 - ILACS - INTERNATIONAL LATINO AMERICA COMMITTEE OF THE COMPLEX SYSTEMS SOCIETY Organizers: Carla Taramasco, Andrés Véjar, and Jonás Carmona	23

POSTERS AND DEMOS	25
SEPTEMBER 13 - TRACKS A, C, AND E	25
TRACK A: POLICY, PLANNING & INFRASTRUCTURE	25
TRACK C: INTERACTING POPULATIONS AND ENVIRONMENT	26
TRACK E: FROM MOLECULES TO LIVING SYSTEMS	26
SEPTEMBER 14 - TRACKS B, D AND F	27
TRACK B: COLLECTIVE HUMAN BEHAVIOUR AND SOCIETY	27
TRACK D: COMPLEXITY AND COMPUTER SCIENCE	27
TRACK F: MATHEMATICS AND SIMULATION	28
SEPTEMBER 15 - TRACKS A, D AND F	29
TRACK A: POLICY, PLANNING & INFRASTRUCTURE	29
TRACK D: COMPLEXITY AND COMPUTER SCIENCE	29
TRACK F: MATHEMATICS AND SIMULATION	30
SEPTEMBER 16 - TRACKS B AND E	31
TRACK B: COLLECTIVE HUMAN BEHAVIOUR AND SOCIETY	31
TRACK E: FROM MOLECULES TO LIVING SYSTEMS	31
SEPTEMBER 17 - TRACKS B AND F	32
TRACK B: COLLECTIVE HUMAN BEHAVIOUR AND SOCIETY	32
TRACK F: MATHEMATICS AND SIMULATION	33
SPECIAL SESSIONS	35
[K]NO(W)BODY WORKSHOP	35
Presentation and Coordination of Experiments João Fiadeiro	35
PUBLIC SESSION ON GLOBAL PROBLEMS	35
MARKUS KIRKILIONIS Concept and Introduction	35
João Caraça Theme: Economics	35
BRIAN CARTWRIGHT Theme: Financial Stability	35
ROBERT MEYERS Theme: Technological Change and Sustainability	35
JIM HALL Theme: Climate Change	35
DIDIER SORNETTE Theme: Risk Assessment	35

Plenary speakers

September 13

Christoph von der Malsburg

9:30-10:30 - The Brain as Organizing Entity

José Fernando Mendes

16:30-17:30 - Structural properties of complex networks

Didier Sornette

17:30-18:30 - Parallels Between Earthquake Prediction, Financial Crash Prediction and Epileptic Seizures Predictions

September 14

Henri Berestycki

9:00-10:00 - TBA

Dirk Helbing

16:30-17:30 - The FuturICT crises relief project: Unleashing the power of information for a sustainable future

September 17

Rosaria Conte

9:00-10:00 - Dynamics of (II)legality

João Fiadeiro

15:30-17:00 - Anatomy of a Decision

Carlo Ratti

17:30-18:30 - Senseable Cities: Exploring Urban Future

2		

Tracks

September 13 morning - tracks A, B1 and C

Track A - Policy, Planning & Infrastructure

Room: B103

11:00-11:30 Healthcare Organizations as Complex Adaptive Systems: Lessons for Nurse Leaders Holly G. Johnson and Sergio Camorlinga

11:30-12:00 Measuring Critical Infrastructures dependency by means of the Phase Synchronization

Vincenzo Fioriti, Silvia Ruzzante, Elena Marchei, Alberto Tofani and Gregorio D'Agostino

12:00-12:30 A Multi-Agent System for the simulation of urban dynamics Julien Perret , Florence Curie , Julien Gaffuri , and Anne Ruas

Track B1 - Philosophy of Science

Room: C104

11:00-11:50 Complexity and Laws of Nature

John Symons

11:50-12:20 Structural Coherence of Knowledge Representations in Learning Science

Ismo T. Koponen and Maija Pehkonen

Track C - Interacting Populations and Environment

Room: B203

11:00-11:45 Spatial sampling in HMRF mapping problems: Static and adaptive algorithms Nathalie Peyrard, Régis Sabbadin, Daniel Spring, Ralph Mac Nally, and Barry Brook

11:45-12:30 Population Dynamics on Complex Food Webs

Gian Marco Palamara, Vinko Zlatic and Guido Caldarelli

September 13 afternoon - tracks A, B1, B2, D and F

Track A - Policy, Planning & Infrastructure

Room: B103

14:00-14:30 Modeling the growth of distributed energy generation for a low carbon economy: Part I the approach

Liz Varga

14:30-15:00 Innovation policy modeling from a complex systems perspective

Petra Ahrweiler

15:00-15:30 Urban Built Form Grows Critical

Romulo Krafta, Vinicius de Moraes Netto, Leonardo Lima

15:30-16:00 A Case Study in the Application of an Agent-Based Approach in the Formulation of Policies for UK Transport Emission Reduction

Araz Taeihagh and René Bañares-Alcántara

Track B1 - Philosophy of Science

Room: C104

14:00-14:50 Complexity and Context-Dependency

Bruce Edmonds

14:50-15:40 Models and representations of knowledge organization

Olga Pombo

Track B2 - Collective Human Behaviour and Society

Room: B204

14:00-14:45 Power-Law Distributions in Scientific Publishing and Reviewers' Workload

Ding-wei Huang

14:45-15-15 On Positional Consumption and Technological Innovation – An Agent-Based Approach

João Bernardino and Tanya Araújo

15:15-16:00 HedN Game, a Relational Framework for Network Based Cooperation

F. Delaplace and P. Lescanne

Track D - Complexity and Computer Science

Room: B203

14:00-14:30 The Observatorium – The structure of news: topic monitoring in online media with mutual information

David Rodrigues

14:30-15:15 The Web of Data is a Complex System - first insight into its multi-scale network properties

Christophe Guéret, Shenghui Wang, and Stefan Schlobach

15:15:15:45 Network synchronization interval and local Kolmogorov-Sinai entropy

Acilina Caneco, Sara Fernandes, Clara Grácio, and J. Leonel Rocha

Track F - Mathematics and Simulation

Room: B204

14:00-14:45 Beyond Lyapunov

R. Vilela Mendes

14:45-15:15 Controlling the Bak-Tang-Wiesenfeld model

Daniel O. Cajueiro and Roberto F. S. Andrade

15:15-16:00 Noisy Random Boolean Networks and Cell Differentiation

Marco Villani, Roberto Serra, Alessia Barbieri, Andrea Roli, Stuart A. Kauffman, and Annamaria Colacci

September 14 morning - tracks A, B2, C, E and F

Track A - Policy, Planning & Infrastructure

Room: B103

10:30-11:00 Rebuild vs. Renovate vs. Buy: Decision-making for the Enterprise Software Industry Paul Abraham, Srini Chari and Vishal Sikka

11:00-11:30 A complex adaptive system perspective on the periurban area: exploring transitions in urban-rural relationships

Ward Rauws, Gert de Roo

11:30-12:00 Control as Learning Process in Human Complex Adaptive Systems: A few Remarks for Policy Making

Simone Landini, Sylvie Occelli

12:00-12:30 Sustainable Urban Design Experiments

Matthew Cook

Track B2 - Collective Human Behaviour and Society

Room: B104

10:30-11:15 Effective free energy for individual dynamics

Sébastian Grauwin, Éric Bertin, and Pablo Jensen

11:15-11:45 Optimal Life Insurance, Consumption and Investment Decisions

I. Duarte, D. Pinheiro, A. A. Pinto and S. R. Pliska

11:45-12:30 Compensations in the Shapley value and the compensation solutions for forest games

Sylvain Béal, Eric Rémila, and Philippe Solal

Track C - Interacting Populations and Environment

Room: B203

10:30-11:15 Comparing large-scale computational approaches to epidemic modeling: agent based versus structured metapopulation models

Marco Ajelli, Bruno Gonçalves, Duygu Balcan, Vittoria Colizza, Hao Hu, José J. Ramasco, Stefano Merler, Alessandro Vespignani

11:15-11:45 Mixing patterns among epidemic groups

Christel Kamp

11:45-12:30 A stochastic model of social interaction in wild house mice

Nicolas Perony, Barbara König, and Frank Schweitzer

Track E - From Molecules to Living Systems

Room: C104

10:30-11:15 A stochastic model of autocatalytic reaction networks

Alessandro Filisetti , Roberto Serra , Marco Villani , Rudolf M. Füchslin , Norman Packard , Stuart A. Kauffman, and Irene Poli

11:15-11:45 Extending the 'Life' Concept to Complex Systems

Jean Le Fur

11:45-12:30 Towards an Integrated Understanding of Protein Graph Characteristics for Protein Folding

Susan Khor

Track F - Mathematics and Simulation

Room: B204

10:30-11:15 Modeling of Demand in Housing Market through Multi-Agents Behavioral Modeling Maryam Esmaeili

11:15-11:45 Possible thermodynamic structure underlying the laws of Zipf and Benford Carlo Altamirano and Alberto Robledo

11:45-12:30 The Unreasonable Effectiveness of Tree-Based Theory for Bond Percolation on Networks with Clustering

Sergey Melnik, Adam Hackett, Mason A. Porter, Peter J. Mucha, and James P. Gleeson

September 14 afternoon - tracks A, B2, D, E and F

Track A - Policy, Planning & Infrastructure

Room: B103

14:00-14:30 Performance of Self-organizing Control in a Cellular Automaton Model of City Traffic

Jacek Szklarski

14:30-15:00 Design Complexity Management through Systematic Decomposition and Formulation

Anas Alfaris, Afreen Siddigi, Charbel Rizk, Olivier de Weck, Davor Svetinovic

15:00-15:30 MAS approach to political prospection and alliance analysis

A. N. Proto and C. Costea

Track B2 - Collective Human Behaviour and Society

Room: B104

14:00-14:45 Modeling Cognitive Dynamics: self-organization in crowd dynamics

Armando Bazzani, Luca Cerboni, Bruno Giorgini, and Sandro Rambaldi

14:45-15:15 Labour mobility, industry evolution and social networks: a co-evolutionary model

Ricardo Mamede

15:15-16:00 Schelling's segregation model for an open city: emergence of physical frontiers from a socio-spatial dynamics

Laetitia Gauvin, Jean-Pierre Nadal, and Jean Vannimenus

Track D - Complexity and Computer Science

Room: B203

14:00-14:45 On Coverage Bounds of Unstructured Peer-to-Peer Networks

Joydeep Chandra and Niloy Ganguly

14:45-15:15 Context-Aware Agent-Based Modeling of Social Complex Systems

Tarek Ben Mena, Narjès Bellamine Ben Saoud, Mohamed Ben Ahmed, and Bernard Payard

15:15-16:00 Modularity Measure of Networks With Overlapping Modules

Anna Lázár, Dániel Ábel, and Tamás Vicsek

Track E - From Molecules to Living Systems

Room: C104

14:00-14-30 Water dynamics in the hydration shell of a protein

J. Servantie, C. Atilgan, and A. R. Atilgan

14:30-15:00 Increased specificity in a model with molecular frustration

Andre M. Lindo and Fernao V. de Abreu

15:00:15:30 Agent Based modelling of realistic molecules

Sara Fortuna and Alessandro Troisi

15:30:16:00 Evaluating Robustness of a Complex Multiscale Biochemical Model with an Algorithmic Model Reduction Technique

Panayotis D. Kourdis and Dimitris A. Goussis

Track F - Mathematics and Simulation

Room: B204

14:00-14:45 How opinion dynamics generates group hierarchies

F. Gargiulo, S. Huet

14:45-15:15 Parametric Resonance in Time-Dependent Networks of Hopf Oscillators Julio Rodriguez and Max-Olivier Hongler

15:15-15:45 Characterising Steady-State Topologies of SIS Dynamics on Adaptive Networks Stefan Wieland, Tomás Aquino, Andrea Parisi, and Ana Nunes

September 17 morning - tracks B2, C, E and F

Track B2 - Collective Human Behaviour and Society

Room: B104

10:30-11:00 Cooperation in the International Relations System

Matus Halas

11:00-11:45 Simulating Opinion Dynamics in Heterogeneous Communication Systems

Walter Quattrociocchi, Rosaria Conte, and Elena Lodi

11:45-12:15 The determinants of network formation: a dynamic perspective

Lorenzo Cassi and Anne Plunket

12:15-12:45 Inferring Significance of Meeting Groups in Human Contact Networks

Eiko Yoneki and Dan Greenfield

Track C - Interacting Populations and Environment

Room: B203

10:30-11:15 Modeling Settlement Patterns in Real Territories

Joaquim Carvalho, João Tojo and Rui Lopes

11:15-12:00 Ecotoxicity risks during influenza pandemic

Andrew C. Singer, Vittoria Colizza, Heike Schmitt, Johanna Andrews, Duygu Balcan, Wei E. Huang, Virginie D. J. Keller, Alessandro Vespignani, Richard J. Williams,

Track E - From Molecules to Living Systems

Room: C104

10:30-11:15 Integrating Heterogeneous Gene Expression Data for Gene Regulatory Network Modelling

Alina Sîrbu, Heather J. Ruskin, and Martin Crane

11:15-11:45 Knockouts, Robustness and Cell Cycles

Gunnar Boldhaus, Nils Bertschinger, Johannes Rauh, Eckehard Olbrich and Konstantin Klemm, Eckehard Olbrich

11:45-12:30 Estimation of time-variant risks by Physarum polycephalum

Bernd Meyer, Cedrick Ansorge and Toshiyuki Nakagaki

Track F - Mathematics and Simulation

Room: B204

10:30-11:00 Using Wavelet Analysis to Disentangle the Different Movement Regimes of Foraging Animals

Arnold Fertin and Vincent Fourcassié

11:00-11:45 Statistical and spectral properties of self-organizing macromolecular systems Deniz Turgut, Ali Rana Atilgan, Canan Atilgan

11:45-12:15 The soft consensus model: dynamics, complexity, and modularity Campanella, T. Araújo, and R. A. Marques Pereira

10		

Satellite Meetings

September 15

SM 1 - Emergence, Path dependence and Transitions in Geographical Space

Organisers: Denise Pumain, Arnaud Banos and Lidia Diappi
September 15, room **B104** - http://eccs2010.eu/sm_emergence

9:00 - 10:00 1st session

Keynote: The Complexity of Structure, Strategy and Decision Making Peter Allen

10:30 - 12:30 2nd session

Dynamic of World cities'system through multinational firms'networks: Micro, meso and macro processes Celine Rozenblat, Daniele Ietri

Network Externality Induced Path Dependence in the IT sector Torsten Heinrich

Between Constraint and Noise, Emergence in an industrial system: Mulhouse 1746-1902 Jean-Luc Mercier , Daniel M. Dubois, Isabelle Bernier, Michel Hau and Raymond Woessner

14:00 - 16:00 3rd session

Cascading Effects in Social Networks Jasmin Kominek, Jürgen Scheffran

Multiscale mobility networks and the large scale spreading of infectious diseases Duygu Balcan, Vittoria Colizza, Bruno Gonçalves, Hao Hu, José J. Ramasco, Alessandro Vespignani

From structure to dynamics: a multi-agent urban traffic simulation Pierrick Tranouez, Éric Daudé, Patrice Langlois

16:30 - 18:30 4th session

Keynote: Swarm intelligence to model spatial dynamics Cyrille Bertelle

Discussion:

Social networks, emerging patterns and path dependence in geographical space

SM 2 - High Throughput Humanities

Organisers: Maximilian Schich, Sune Lehmann, Riley Crane, and Gourab Ghoshal
September 15, room **B103** - http://hth.eccs2010.eu/ - hth.eccs2010.eu@gmail.com

9:00 - 10:00 1st session

9:00 - 9:15 9:15 - 10:00	Introduction Keynote: Leveraging online social networks for large-scale population demographics Alan Mislove		
	10:30 - 12:30 2 nd session		
10:30 - 11:00	Invited talk: The Network of Contemporary Musicians Juyong Park		
11:00 - 11:30	Invited talk: Mapping Flavour Space Sebastian Ahnert		
11:30 - 11:45	How Predictable: Mining Consumer Transaction Data to Explore Human Economic Trajectories Coco Krumme		
11:45 - 12:00	Urban Migration Patterns from Residential Street Directories Charles Loeffler		
12:00 - 12:15	Multi-relational social dynamics in a large-scale online game society Michael Szell, Renaud Lambiotte, and Stefan Thurner		
12:15 - 12:30	Complex Network Analysis on a Cloud Computing Architecture Lorenzo Zolesio, Vincenzo De Leo, Alessandro Chessa, Gianni Fenu, Michelangelo Puliga, and Luca Secchi		

14:00 - 16:00 3rd session

14:00 - 14:30	Invited talk: Googling Social Interactions: Web Search Engine Based Social Network Construction Sang Hoon Lee
14:30 - 15:00	Invited talk: Generating Linguistic Networks Based on Large Corpora of Linguistic Data Alexander Mehler
15:00 - 15:15	Invited talk: A NeoGeo approach to classical resources Leif Isaksen, Elton Barker, and Eric C. Kansa
15:15 - 15:30	The Need to Categorize: A Comparative Look at Categorization in Wikipedia and the Universal Decimal Classification System Almila Akdag Salah, Cheng Gao, Krzysztof Suchecki and Andrea Scharnhorst
15:30 - 15:45	Image_grid. The Big Metadata of Arachne. Context, Communication and Complexity of Big Data in Archaeology Paul Scheding and Sebastian Cuy
15:45 - 16:00	A Mathematical Approach to the Study of the United States Code Daniel Martin Katz and Michael Bommarito
	16:30 - 18:30 4 th session
16:30 - 17:00	16:30 - 18:30 4 th session Invited talk: Networks of Internet mediated prostitution Luis EC Rocha, Fredrik Liljeros, and Petter Holme
16:30 - 17:00 17:00 - 17:30	Invited talk: Networks of Internet mediated prostitution
	Invited talk: Networks of Internet mediated prostitution Luis EC Rocha, Fredrik Liljeros, and Petter Holme Invited talk: How to read 1000000 Manga pages? – Visualizing patterns in games, comics, art, films, TV, animation, and print media Lev Manovich Collective Emotional Behavior on Blogs: Data-Driven Modeling and Theoretical Survey
17:00 - 17:30	Invited talk: Networks of Internet mediated prostitution Luis EC Rocha, Fredrik Liljeros, and Petter Holme Invited talk: How to read 1000000 Manga pages? – Visualizing patterns in games, comics, art, films, TV, animation, and print media Lev Manovich Collective Emotional Behavior on Blogs: Data-Driven Modeling and Theoretical Survey Bosiljka Tadic, Marija Mitrovic and Georgios Paltoglou Mind Economy: Modeling Influence in Communication Networks with Social Capital
17:00 - 17:30 17:30 - 17:45	Invited talk: Networks of Internet mediated prostitution Luis EC Rocha, Fredrik Liljeros, and Petter Holme Invited talk: How to read 1000000 Manga pages? – Visualizing patterns in games, comics, art, films, TV, animation, and print media Lev Manovich Collective Emotional Behavior on Blogs: Data-Driven Modeling and Theoretical Survey Bosiljka Tadic, Marija Mitrovic and Georgios Paltoglou Mind Economy: Modeling Influence in Communication Networks with

SM 3 - Modelling the non-separability of a very complex world

Organizers: Kirsty Kitto, Fabio Boschetti, and Peter Bruza

September 15, room **B203**

http://www.per.marine.csiro.au/staff/Fabio.Boschetti/context.htm

	9:00 - 10:00 1 st session
9:00 - 9:10 9:10 - 10:00	Introduction Invited Talk 1: Causal Decompositions of Spacetime Jim Crutchfield
	10:30 - 12:30 2 nd session
10:30 - 11:30	Invited Talk 2: Endogenous versus Exogenous Origins of Crises and Triumphs Didier Sornette
11:30 - 12:00	Contributed Talk 1: Social tagging, guppy effect, and the role of interference Riccardo Franco and Guido Zuccon
12:00 - 12:30	Contributed Talk 2: Syntactic Order for Free Cedric Boeckx
	14:00 - 16:00 3 rd session
14:00 - 15:00	Invited Talk 3 Michel Bitbol
15:00 - 15:30	Contributed Talk 3: Meaning in Context Kirsty Kitto and Peter Bruza
15:30 - 16:00	Discussion Session: Is CSS 'complex' enough? panel members to be announced
16:00	Close and invitation to further informal discussion

SM 4 - SCNET 2010 - Science of Complex Networks

Organizers: J.F.F. Mendes, G. Caldarelli, S.N. Dorogovtsev, A. V. Goltsev, M. Ostilli, F. Abreu September 15, room B204 - http://www2.fis.ua.pt/scn2010/scn.htm

9:00 - 10:00 1 st session	
9:00 - 9:20	TBA
9:20 - 9:40	Francisco Santos TBA
J.20 J.10	Z. Burda
9:40 - 10:00	TBA
	G. Caldarelli
	10:30 - 12:30 2 nd session
10:30 - 10:50	TBA S. Dorogovtsev
10:50 - 11:10	Ageing phenomena in non-equilibrium critical systems M. Henkel
11:10 - 11:30	TBA
11:30 - 11:50	J. Pekka An evolutionary network model for understanding economic dynamics
11.50 - 11.50	Stefan Thurner
11:50 - 12:10	Network splitting due to cascading failures under stochastic intermittent
	flows Konstantinos Trantopoulos
12:10 - 12:30	How to Forget the Second Side of the Story: A New Method for the One-
	Mode Projection of Bipartite Graphs
	Katharina A. Zweig
14:00 - 16:00 3 rd session	
14:00 - 14:20	TA Meta-Model for Studying Collaboration Networks: Extension and Generalization of Guimerá et al.'s Team-Assembly-Based Model Haoxiang Xia
14:20 - 14:40	Simple 2D Cellular Automata in Natural Geohazard Simulation
4440 4500	Maja Adamska-Szatko
14:40 - 15:00	Trade, Conflict and Sentiments: Multi-relational Organization of Large- scale Social Networks
	Michael Szell
15:00 - 15:20	Reaching Consensus through Distributed Probabilistic Polling
15:20 - 15:40	Moez Draief Long-term community evolution in an animal society
13.20 - 13.40	N. Perony
15:40 - 16:00	Generating random graphs with multifractals Gergely Palla

16:30 - 18:30 4th session

16:30 - 16:50	The unreasonable effectiveness of tree-based theory for clustered networks Sergey Melnik
16:50 - 17:10	Stability of Boolean Dynamics
	Fakhteh Ghanbarnejad
17:10 - 17:30	TBA
	A. Scala
17:30 - 18:30	Discussion

SM 5 - Young Researchers Session at ECCS'10

Organizers: Andrea Apolloni, António Fonseca, David Rodrigues, Iain Kusel, Larisa Mihoreanu, and Martine J. Barons

September 15, room **B202** - http://phd.eccs2010.eu

9:00 - 10:00 1 st session	
9:00 - 10:00	Keynote: TINA: mapping the science for scholars and decision-makers David Chavalarias
	10:30 - 12:30 2 nd session
10:30 - 10:45	Evolution of social norms in a dynamic scale free network Sérgio Bacelar
10:45 - 11:00	Maintenance of sexual reproduction in a world of structured resources Yixian Song
11:00 - 11:15	Formulation of Transport Emission Reduction Policies: A Case Study in the Application of Network Analysis
11:15 - 11:30	Araz Taeihagh, Zun Wangand, René Bañares-Alcántara A tool for relations detection José António Silva
11:30 - 11:45	Exploring the Dynamics of Economic Networks using Agent-Based Modeling Fabien Held
11:45 - 12:00	Modelling fleet behaviour with rule-based fuzzy cognitive maps Laura Wise, Sérgio A. Carvalho, Alberto G. Murta, João P. Carvalho
12:00 - 12:15	A Dynamic Approach to Spatio-temporal Collaborative Filtering Sofia Torrão, Francisco Restivo
14:00 - 16:00 3 rd session	
14:00 - 15:00	Keynote: Assembling the superset of 4 critical research areas in Complexity: Evolution, Self-Organization, Cognition, Network Topology Vitorino Ramos
15:00 - 15:15	A Framework for Hypernetwork Modelling and Analysis José Loff

15:15 - 15:30 15:30 - 15:45 15:45 - 16:00	Modeling for a Tardean Quantitative Sociology Sebástien Grauwin Predicting patient outcomes: artificial neural network analysis of a complex intervention for back pain Martine Barons Network characteristics of news text sources
	Manuel Tânger
16:30 - 18:30 4 th session	
16:30 - 16:45	The emergence of linear sequencing in children: A continuity account and a formal model Iain Kusel
16:45 - 17:00	Demo
17:00 - 17:15	Dynamic Bayesian analysis of protein signalling connectivity reveals heterogeneity within single breast cancer subtype
17:15 - 18:15	Steven Hill, Yiling Lu, Jennifer Molina, Gordon B. Mills, Sach Mukherjee Keynote: Experiments In Swarm Robotics Anders Lyhne Christensen

SM 6 - COSI-ICT: science of COmplex Systems for socially Intelligent ICT

Organizers: Jeffrey Johnson and the ASSYST team

September 15, room **B201** - http://eccs2010.eu/cosi-ict

Programme TBA.

September 16

SM 7 - Dynamics on and of Complex Networks IV

Organizers: Monojit Choudhury, Niloy Ganguly, Animesh Mukherjee, and Fernando Peruani September 16, room **B104** - http://users.isi.it/%7Edoocn/

	9:00 - 10:00 1 st session - Internet
9:00 - 9:30	Web traffic: analysis of navigation data and modeling at single user level
9:30 - 10:00	José Ramasco The metric properties of the Internet Marian Boguna
1	10:30 - 12:30 2 nd session - Social / Communication Network
10:30 - 11:00	Complex systems science : dreams of universality, reality of interdisciplinarity Pablo Jensen
11:00 - 11:30	TBA Victor Eguiluz
11:30 - 12:00	Temporal correlations and spreading dynamics in communication networks Jari Saramaki
12:00 - 12:30	Information cascades in mobile-phone data Fernando Peruani
	14:00 - 16:00 3 rd session - Internet / Social Network
14:00 - 14:30	Coverage-maximization in networks under resource constraints Subrata Nandi
14:30 - 15:00	Relying on statistical properties for measuring evolving complex networks: case studies Fabien Tarissan
15:00 - 15:30	Analysis of face-to-face behavioral networks from wearable sensors Ciro Cattuto
15:30 - 16:00	Statistics of human movements: from mobility networks to urban polycentric structure Marc Barthélemy

16:30 - 18:30 4th session - Agent

16:30 - 17:00	Collective dynamics of memory webs
	Petter Holme
17:00 - 17:30	An agent-based approach to sociality in wild house mice
	Nicolas Perony
17:30 - 18:00	Patterns of cooperation: fairness and coordination in networks
	of interacting agents
	Anne-Ly Do
18:30 - 19:00	Closing Ceremony

SM 8 - EPNACS 2010 - Emergent Properties in Natural and Artificial Complex Systems

Organizers: M.A. Aziz-Alaoui, Cyrille Bertelle, Gérard H.E. Duchamp, and Miguel A.F. Sanjuan September 16, room B103 - http://www-lih.univ-lehavre.fr/~bertelle/epnacs2010/

9:00 - 10:00 1st session

9:00 9:35	Meeting opening Minority Game: Mesoscopic Explanation of Macroscopic Observables in Herd Regime Karol Wawrzyniak and Wojciech Wislicki
10:30 - 12:30 2 nd session	
10:30 - 11:00	Detection of Synchronization Phenomena in Networks of Hindmarsh- Rose neuronal Models Nathalie Corson, Stefan Balev, and M. A. Aziz-Alaoui
11:00 - 11:30	Collaboration and Competition in Boids Simulation with Predation Antoine Dutot, Damien Olivier and Guilhelm Savin
11:30 - 12:00	Modeling Urban Dynamics Complexity with Swarm Intelligence Processes
12:00 - 12:30	Rawan Ghnemat, Cyrille Bertelle and Gérard H.E. Duchamp Segregation in social dilemmas Roger Waldeck

14:00 - 16:00 3rd session

GraphStream workshop, Part 1 : a java library for dynamical complex networks, concepts and introduction Damien Olivier, Yoann Pigné, Antoine Dutot, Guilhelm Savin

16:30 - 18:30 4th session

GraphStream workshop, Part 2 : : a java library for dynamical complex networks, applications and practical lab Frédéric Guinand, Antoine Dutot, Yoann Pigné, Guilhelm Savin

SM 9 - Graphical models for reasoning on biological systems: computational challenges

Organizers: Nathalie Peyrard, Stéphane Robin, Régis Sabbadin, and Matthieu Vignes September 16, room **B203** - http://mia.toulouse.inra.fr/graph.mod.biol

	9:00 - 10:00 1 st session			
9:00 - 9:15 9:15 - 10:00	Introducing the meeting Invited Speaker: Approximate Bayesian Computation (ABC) to Learn the Structure and Dynamics of Complex Systems Michael Stumpf			
	10:30 - 12:30 2 nd session			
10:30 - 11:00	Properties of variational estimates of a mixture model for random graphs			
11:00 - 11:30	Jean-Jacques Daudin, Alain Celisse, Steven Gazal, and Stephane Robin Extended Bayesian scores for reconstructing gene regulatory networks Jimmy Vandel, Brigitte Mangin, Matthieu Vignes, and Simon de Givry			
11:30 - 12:00	A Graphical Method for Reducing and Relating Models in Systems Biology Steven Gay, Sylvain Soliman and François Fages			
14:00 - 16:00 3 rd session				
14:00 - 14:45	Invited Speaker: Ecological applications of spatial point process theory - examples of spatial complexity Janine Illian			
14:45 - 15:05	Solving Adaptive Sampling Problems in Graphical Models using Markov Decision Processes			
15:05 - 15:25	Mathieu Bonneau, Nathalie Peyrard, and Régis Sabbadin Spatiotemporal modeling of a spread of Apple Scab			
10.00	Rémi Crété, Valérie Caffier, Frédérique Didelot, Besnik Pumo and Pierre Santagostini			
15:25 - 15:55	Hybrid parameter learning using Dirichlet distributions for modelling the dynamics of multi-scale phenomena occurring in food processes Cédric Baudrit, Pierre-Henri Wuillemin, and Nathalie Perrot			
15:55 - 16:00	Wrap up			

SM 10 - Policy making in complex adaptive systems

Organizers: Sylvie Occelli, Yasmin Merali, Ferdinando Semboloni, Jeffrey Johnson, and Jorge Louçã

September 16, room **B202** - http://eccs2010.eu/sm_policy

	9:00 - 10:00 1 st session
9:00 - 9:05	Opening L. C.
0.04.000	Jeffrey Johnson and the ASSYST team
9:05 - 9:30	Managing Networks of Social Innovators
0.20 10.00	David Lane
9:30 - 10:00	Co-evolutionary Dynamics Change Policy Making Eve Mitleton-Kelly
	10:30 - 12:30 2 nd session
10:30 - 11:00	Intervention and Policy Making in Complex Socio-Economic and
	Technical Systems
11:00 - 11:30	Peter Allen Policy Molring for Smort Cride
11:00 - 11:50	Policy Making for Smart Grids Liz Varga
11:30 - 12:00	Managing green politics of the crisis times: from revealed problems to
11.00 12.00	complex solutions
	Carmen Costea
12:00 - 12:30	University Spin-Offs and lessons learned from Audax
	José Paulo Esperança
12:30 - 13:00	Policy and Design of Complex Systems
	Jeffrey Johnson
	14:00 - 16:00 3 rd session
14:00 - 14:30	Planning without a plan. Evolution and emergent strategies in the
	Florence metropolitan area
	Ferdinando Semboloni
14:30 - 15:00	Exploring the role of ICT in urban planning policy: some political and
	ethical considerations
	Matthew Cook
15:00 - 15:30	Epiwork IP project: a first year balance
15 20 16 00	Daniela Paolotti
15:30 - 16:00	Agent-based Self-Determination for Policy-oriented Infrastructure
	Management Jeremy Pitt
	jereniy i ici

16:30 - 17:30 BOF session and general discussion

SM 11 - SCIVE'10 - Social Complexity of Informal Value Exchange

Organizers: Bruce Edmonds, David Hales, Mario Paolucci, Juliette Rouchier September 16, room B204 - http://cfpm.org/scive/

9:00 - 10:00 1st session

Invited speaker: Informal Hawala/Hundi Systems of Value Transfer Roger Ballard

10:30 - 12:30 2nd session

Network Externalities in Hawala Exchanges

Anamaria Berea

Obligation, trust and information in an Agent-Based Model of the Hawala System of International Value Exchange

Bruce Edmonds

Prices as conventions in an agent based model of growing economies Sarah Wolf, Antoine Mandel, Steffen Furst, and Carlo Jaeger

14:00 - 16:00 3rd session

Invited speaker: Social Dynamics and ICT

Rosaria Conte

Evolving informal cooperatives for a risky activity when networks matter

Victorien Barbet, Renaud Bourles, and Juliette Rouchier

Emergence of Money on a Network Topology

Mario Paolucci

Towards a Financial Commons?

David Hales

16:30 - 18:30 4th session

Discussion - future projects and directions

SM 12 - ILACS - International Latino America Committee of the Complex Systems Society

Organizers: Carla Taramasco, Andrés Véjar, and Jonás Carmona

September 16, room B201 - http://ilacs.csregistry.org/Satellite+Meeting+2010

	15:00 - 16:00 1 st session
15:00 - 15:15	A introduction about the ILACS Carla Taramasco, Andrés Véjar, Jonás Carmona
15:15 - 16:00	Follow that cell! In toto reconstruction of early zebrafish development Miguel Luengo
	16:30 - 18:30 2 nd session
16:30 - 17:10	Action potential initiation: a complex dynamical process? Jonathan Platkiewicz
17:10 - 17:50	Transition to aggregation in bacterial colonies: myxobacteria mutants as self-propelled rods Fernando Peruani
17:50 - 18:30	Workshop of the committee - in Spanish Carla Taramasco, Andrés Véjar, Jonás Carmona

24		

Posters and Demos

September 13 - tracks A, C, and E

Track A: Policy, Planning & Infrastructure

P1 - The importance of mid-level feedback to foster motivation in a multi-agent system Paolo Battino Viterbo and Valentina Barsotti

P2 - Formulation of Transport Emission Reduction Policies: A Case Study in the Application of Network Analysis Araz Taeihagh, Zun Wang and René Bañares-Alcántara

P3 - Hospital Refurbishment to provide resilience in changing climatic conditions: a complexity challenge
Pam Garthwaite and Claudia Eckert

P4 - Modelling the Impact of Women Empowerment on the Eradication of Poverty using Concepts and Tools of Complexity Science Isaac Lunywere

P5 - Vulnerability Assessment of Multi-layer Infrastructure Networks Konstantinos Trantopoulos, Andreas Vögeli and Wolfgang Kröger

P6 - Hospital Refurbishment to provide resilience in changing climatic conditions: a complexity challenge
Pam Garthwaite and Claudia Eckert

P7 - Traffic Simulation with Focus on Pedal-Bicycles Jelena Vasic and Heather J. Ruskin

Track C: Interacting Populations and Environment

P46 - Ageing and quality of life – new responses from the real estate sector Fátima Loureiro de Matos

P47 - Age-dependent immune response and antigenic drift in influenza Andrea Parisi, Ana Nunes, Gabriela Gomes

P48 - Modelling complex systems with cellular automata Alexandre Makarovitsch, Jean-Pierre Foll and Pierre Chauvet

P49 - The precipitation and temperature regime over Turkey as a result of climate change Hamza Altinsoy, Alperen Yuncu and Levent Kurnaz

P51 - The Effects of Climate Change on the Production of the crops in Turkey Hamza Altinsoy, Cihat Kurt, Rumeysa Mus and Levent Kurnaz

D52 - A unified theory for geographic parthenogenesis and sexual reproduction Yixian Song, Stefan Scheu and Barbara Drossel

Track E: From Molecules to Living Systems

P66 - Modelling Complex Epigenetic Changes Ruskin Heather J. , Perrin Dimitri, Raghavan Karthika and Goasmat Francois

P67 - Systemic Processes of Evolutionary Knowledge Organization in Pharmaceuticals Carl Henning Reschke

P68 - A theoretical approach to identify indispensable proteins of the Type III secretion systems of Salmonella enterica serovar Typhimurium strain LT2 Chandrajit Lahiri and Radhakrishnan Sabarinathan

P69 - The Ambivalent Role of IFN-γ in Immunology – a Matter of Feedback Andreas Heitger and Birgit Jürgens

P70 - Modeling the Operator of Schizophrenic Behavior Within the Mechanism of Societal Operators
Dallas F. Bell, Jr.

P71 - Role of Regulatory Mechanisms in Pathogen Persistence

Katherine Wendelsdorf, Josep Bassaganya-Rieria, Raquel Hontecillas, Stephen Eubank, and Madhav MaratheKatherine Wendelsdorf, Josep Bassaganya-Rieria, Raquel Hontecillas, Stephen Eubank, and Madhav Marathe

P72 - A unified theory for geographic parthenogenesis and sexual reproduction Yixian Song, Stefan Scheu and Barbara Drossel

P73 - Optimal vaccine allocation and vulnerability Andrea Apolloni, Bryan Lewis, Chris Barrett, Madhav Marathe, Stephen Eubank and Jangzuo Chen

September 14 - tracks B, D and F

Track B: Collective Human Behaviour and Society

P14 - Scale-free characteristics of co-occurrence network in keywords: stem-cell case Sang-Jin Ahn and Sang-il Kim

P15 - Opinion Model Meets Reality: Empirical Confirmation Using Statistical Data Sven Banisch and Tanya Araújo

P16 - Emergence of collective action under coordination dilemmas Francisco C. Santos, Brian Skyrms, Max O. Souza and Jorge M. Pacheco

P18 - Group decision-making: comparison of the two models based on a phase transition approach

Tatiana Bouzdine-Chameeva

P19 - Risk-Identification and Strategic Foresight based on History, Management and Complex Systems Perspectives - The Example of the Bio-Pharmaceutical Industry Carl Henning Reschke

 $\mbox{P20}$ - Population structure induces a symmetry breaking favoring the emergence of cooperation

Flavio Pinheiro, Francisco C. Santos and Jorge M. Pacheco

P21 - Birth and Death Systems with 2D Spatial Diffusion: Applications to Population and Economic Dynamics Pedro de Mendonça and Ellak Somfai

Track D: Complexity and Computer Science

P53 - Complex Adaptive Robotics in Logistics Systems - SystemC as an Appropriate Approach for Modeling (CARLS)?

M.Hülsmann and R.Colmorn

P54 - Closed-Loop Coding-Decoding Procedures as Technological Base of the Living and Organized Complex Systems
Dobilas Kirvelis

P55 - Complex engineering systems design: from mapping requirements to system optimization

Ivo Ferreira

P56 - Second-Order Assortative Mixing in Networks Shi Zhou, Ingemar J. Cox and Lars K. Hansen

P57 - Bipartite Graphs for Densification in Social Networks Szymon Chojnacki and Mieczyslaw Klopotek P58 - Towards Community Detection Problem Formalization Mohammed Haddad, Belkacem Serrour and Hamamache Kheddouci

P59 - "Joint Attention Realized in a Robot with Intentional Agency S. Nagataki, M. Shibata, T. Konno, T. Hashimoto and H. Hattori

Track F: Mathematics and Simulation

P82 - Rosen's Modelling Relations via Categorical Adjunctions Elias Zafiris

P83 - Topological entropy and conductance on complete clustered networks Clara Grácio, Sara Fernandes, Acilina Caneco e José Rocha

P84 - Prediction of Lava flows at Mt. Etna with a Cellular Automata based Methodology Gino Mirocle Crisci, Maria Vittoria Avolio, Salvatore Di Gregorio, Donato D'Ambrosio, Valeria Lupiano, Rocco Rongo and William Spataro

P85 - New transition due to repulsion in Axelrod models of social influence Marcelo del Castillo-Mussot, Alejandro Radillo-Díaz and Luis A. Pérez

P86 - Networks of ground states of frustrated systems Malgorzata J. Krawczyk and Krzysztof Kulakowski

P87 - Simple 2D Cellular Automata in Natural Geohazard Simulation Maja Adamska-Szatko

P88 - Functionality and Speciation in Boolean Networks Jamie Luo and Matthew Turner

P89 - Robustness of networks under stochastic intermittent flows Konstantinos Trantopoulos and Markus Schläpfer

September 15 - tracks A, D and F

Track A: Policy, Planning & Infrastructure

P8 - Urban Land as a Critical System Daniel Vasata, Pavel Exner and Petr Seba

P9 - A Complex Systems Approach to Production Management in the Automotive Industry Vasco Teles and Francisco Restivo

P10 - Evaluating Agent-Based Models of Business Relationships & Networks as Complex Adaptive Systems
Fabian Held

P11 - Chaotic behaviour in innovation dynamics: Impact on managerial decision Annick Castiaux

P12 - Disentangling the Complex Conceptual History of Mental Models and Actions by Big Data Analysis Reschke and Carl Henning

D13 - Concentration Christophe Bruchansky

P50 - Impacts of the increasing climate variability to the Andorran Winter Tourism M. Pons, C. Pérez, B. Sureda, M. Rosas-Casals and E. Jover

Track D: Complexity and Computer Science

P60 - Multi-Objective Swarm Optimization for Grid Scheduling María Arsuaga-Ríos, Miguel A. Vega-Rodriguez and Francisco Prieto-Castrillo

P61 - Common e-mail statistical features and priority task model of short-time dynamics in work groups

Satoko Itaya, Naoki Yoshinaga, Peter Davis, Rie Tanaka, Taku Konishi, Shinichi Doi and Keiji Yamada

P62 - Describing Mental States and Bodily Behaviors S. Hirose and N. Nagataki

P63 - Dynamic Adaptation to Available Nodes on Open Cloud Computing Rui Esteves

P64 - "Aging in a Language Change Model Gareth Baxter

P65 - Network characteristics of news text sources Manuel Tânger

Track F: Mathematics and Simulation

P90 - Structured Populations in the N-Person Snowdrift Game Marta D. Santos, Francisco. C. Santos and Jorge M. Pacheco

P91 - Complex information: Beyond Shannon Nilo Koscheck and Marcos Estellita

P92 - Networks of motifs from sequences of symbols Roberta Sinatra, Daniele Condorelli and Vito Latora

P93 - Bipartite Graphs for Densification in Social Networks Szymon Chojnacki and Mieczyslaw Klopotek

P94 - Modelling the Emergent Dynamics of Microbial Communities in the Human Colon Helen Kettle, Petra Louis, Harry Flint, Grietje Holtrop and Ruairi Donnelly

P95 - Complexity, information transfer and collective behavior in chaotic dynamical networks M. Escalona-Morán, G. Paredes and M.G. Cosenza

P96 - "Network of commuting and municipality characterization M. Lenormand, F. Gargiulo and S. Huet

P97 - Topology Dependent Instability of BA Networks Takeshi Ozeki, Yosuke Takeda, Naotaka Eguchi and Teruhiko Kudo

P98 - Shift of percolation thresholds for epidemic spread between static and dynamic smallworld networks J.K. Ochab and P.F. Góra

P99 - Routing in Scale-free Networks under Bursty Traffic Subrata Nandi, Praveen Kumar and Niloy Ganguly

September 16 - tracks B and E

Track B: Collective Human Behaviour and Society

P22 - Opinion Dynamics Anthony Woolcock, Colm Connaughton and Yasmin Merali

P23 - Bounded confidence model: addressed information maintain diversity of opinions Krzysztof Malarz and Krzysztof Kulakowski

P24 - Influence of emotions on the length of Internet discussions J. A. Holyst, A. Chmiel, J. Sienkiewicz, M. Thelwall, G. Paltoglou and K. Buckley, A. Kappas

P25 - Evolutionary dynamics of cooperation when individual fitness derives from group decisions taken in the past João A. Moreira, Flávio L. Pinheiro, Ana Nunes and Jorge M. Pacheco

P26 - Developing Cybercultur@ as a complex communication strategy Jorge A. González

P27 - A meta-population model with two sub-populations Andrea Apolloni, Chiara Poletto, Jose Javier Ramasco, Pablo Jensen and Vittoria Colizza

P28 - A tool for relations detection Iosé António Silva

P29 - Complex systems science : dreams of universality, reality of interdisciplinarity Sebastian Grauwin, Guillaume Beslon, Eric Fleury, Sara Franceschelli, Celine Robardet, Jean-Baptiste Rouquier and Pablo Jensen

P30 - Statistical properties of population density of Japan Hiroto Kuninaka

P31 - Social influence model of language competition Wojciech Borkowski and Andrzej Nowak

P111- Modeling Financial Markets Pedro Loureiro

Track E: From Molecules to Living Systems

P74 - Stochastic modeling of infectious diseases Ganna Rozhnova and Ana Nunes

P75 - The mathematical structures of the brain. Category Theory in neural science Jaime Gómez Ramírez, Ricardo Sanz and Manuel Bedia

P76 - Sparseness in model gene regulatory networks Marcin Zagórski $\mbox{P77}$ - Gene regulation in time and space: a model of the interdependence between genome structure and gene network dynamics

Thimo Rohlf, Ivan Junier and Francois Kepes

P78 - Receptor cross-talk in angiogenesis: Mapping environmental cues to cell phenotype in a stochastic, Boolean signaling network model
Thimo Rohlf and Amy L. Bauer

P79 - Processing of complex environmental cues in circadian systems composed of two-oscillators

Daniel Damineli and Andreas Bohn

P80 - Modelling the miRNA - mRNA network Göker Arpağ, Ayse Erzan and Pradeep Kumar Mohanty

P81 - Dynamic Bayesian analysis of protein signalling connectivity reveals heterogeneity within single breast cancer subtype
Steven M. Hill, Yiling Lu, Jennifer Molina, Gordon B. Mills and Sach Mukherjee

September 17 - tracks B and F

Track B: Collective Human Behaviour and Society

P32 - Dynamics of quality negotiations Andrzej Nowak, Karolina Lisiecka, Katarzyna Samson and Michal Ziembowicz

 $P33-Evolutionary\ dynamics\ of\ multiplayer\ social\ dilemmas\ in\ bigraph\ structured\ populations$

Jorge Peña, Yannick Rochat and Henri Volken

P34 - Mapping hashtag networks on Twitter I. Amaral, J. Silva, S. Lanceros-Mendez and H. Sousa

P35 - IT Governance process: a network evaluation approach José Tomaz

P36 - Empirical evidence for a persistent fear-factor in stock markets Emeric Balogh, Zoltán Néda, Bálint Zs. Nagy and Ingve Simonsen

P37 - Dynamic Hierarchical Structure of Currencies in Artificial International Money Market Masanori Tsujino and Takashi Hashimoto

P38 - In Search of Organizational Fitness: The Linkage of Organizational Design Parameters to Emerging Structural Configuration José V. Matos

P39 - Does Consensus Increase Egalitarianism in Social Choice? Dorota Marciniak and Josep Freixas

P40 - A Study on Financial Data using Random Matrix Theory and Information Theory methods

José Salgado and José Matos

P41 - The complexity and structure of science and technology innovation networks in the biotechnology sectors of the European countries

Dong Hee Lee and Duk Hee Lee

P42 - The global food system and environmental change: The potential of a dynamic network theory perspective Rita Margarido

P43 - Creative economy & creative communities-feasible option during crisis time. Challenges and opportunities for Romania

Marta-Christina Suciu, Mina Ivanovici, Klaus Bruno Schebesch and Vasile Goldis

P44 - Evolution of social norms in a dynamic scale free network Sérgio Bacelar

P45 - Using interactive computer visualization of complex phenomena for Teaching Negotiation. Demonstration of an Attractor Software Platform Wieslaw Bartkowski

Track F: Mathematics and Simulation

P100 - Renormalization group approach to complex clustering on networks Varga Melinda, Botond Molnár and Zoltán Néda

P101 - Causal State Models of FRET Spectra David Kelly, Mark Dillingham and Karoline Wiesner

P102 - A parameterless community-cluster detection algorithm

A. Ma, R. J. Mondragon, K.V. Shoop and L. Tokarchuk

P103 - Data Integration Models Bruce Edmonds

D104 - Rule 3D – A Cellular Automaton Tool for the study and generation of 3D Patterns Filipe Casal Ribeiro, José Monteiro and Luís Miguel Serrano

34		

Special sessions

[k]NO(w)BODY Workshop

11 September 2010, 14:00-19:00 and 12 September 2010, 13:00-17:30. Room TBA. http://eccs2010.eu/knowbody

Presentation and Coordination of Experiments

João Fiadeiro

Public Session on Global Problems

14 September 2010, 17:30-19:30. Room TBA.

 $http://lora.maths.warwick.ac.uk/groups/global/wiki/ff903/Concept_for_ECCS'10_Global_Problems_Panel_Discussion.html$

Panel:

Markus Kirkilionis

Concept and Introduction

João Caraça

Theme: Economics

Brian Cartwright

Theme: Financial Stability

Robert Meyers

Theme: Technological Change and Sustainability

Jim Hall

Theme: Climate Change

Didier Sornette

Theme: Risk Assessment

36		

European Conference on Complex Systems '10

Lisbon University Institute

ABSTRACTS

Posters & Demos

TRACK A	37
Policy, Planning & Infrastructure	37
HEALTHCARE ORGANIZATIONS AS COMPLEX ADAPTIVE SYSTEMS: LESSONS FOR NURSE LEADERS Holly G. Johnson and Sergio Camorlinga	37
MEASURING CRITICAL INFRASTRUCTURES DEPENDENCY BY MEANS OF THE PHASE SYNCHRONIZATION Vincenzo Fioriti, Silvia Ruzzante, Elena Marchei, Alberto Tofani, Gregorio D'Agostino	37
A MULTI-AGENT SYSTEM FOR THE SIMULATION OF URBAN DYNAMICS Julien Perret, Florence Curie, Julien Gaffuri, Anne Ruas	38
MODELING THE GROWTH OF DISTRIBUTED ENERGY GENERATION FOR A LOW CARBON ECONOMY: PART I THE APPROACH	38
Liz Varga INNOVATION POLICY MODELING FROM A COMPLEX SYSTEMS PERSPECTIVE Petra Ahrweiler	38
Urban Built Form Grows Critical	38
Romulo Krafta, Vinicius de Moraes Netto, Leonardo Lima	117
A CASE STUDY IN THE APPLICATION OF AN AGENT-BASED APPROACH IN THE FORMULATION OF POLICIES FOR UTRANSPORT EMISSION REDUCTION	JK 39
Araz Taeihagh and René Bañares-Alcántara REBUILD VS. RENOVATE VS. BUY: DECISION-MAKING FOR THE ENTERPRISE SOFTWARE INDUSTRY Paul Abraham, Srini Chari, Vishal Sikka	39
A COMPLEX ADAPTIVE SYSTEM PERSPECTIVE ON THE PERI-URBAN AREA: EXPLORING TRANSITIONS IN URBAN-RURELATIONSHIPS	IRAL 39
Ward Rauws, Gert de Roo	
CONTROL AS A LEARNING PROCESS IN HUMAN COMPLEX ADAPTIVE SYSTEMS: SOME REMARKS FOR POLICY MAI	40
Simone Landini, Sylvie Occelli SUSTAINABLE URBAN DESIGN EXPERIMENTS	40
Matthew Cook PERFORMANCE OF SELF-ORGANIZING CONTROL IN A CELLULAR AUTOMATON MODEL OF CITY TRAFFIC	40
Szklarski, J. DESIGN COMPLEXITY MANAGEMENT THROUGH SYSTEMATIC DECOMPOSITION AND FORMULATION Anas Alfaris, Afreen Siddiqi, Charbel Rizk, Olivier de Weck, Davor Svetinovic	40
MAS APPROACH TO POLITICAL PROSPECTION AND ALLIANCE ANALYSIS Araceli N. Proto and Carmen Costea	41
POSTERS AND DEMOS	41
TRACK B1	43
PHILOSOPHY OF SCIENCE	43
COMPLEXITY AND CONTEXT-DEPENDENCY	43
Bruce Edmonds STRUCTURAL COHERENCE OF KNOWLEDGE REPRESENTATIONS IN LEARNING SCIENCE Ismo Koponen, Maija Pehkonen	43
TRACK B2	<u>45</u>
COLLECTIVE HUMAN BEHAVIOUR AND SOCIETY	45
EFFECTIVE FREE ENERGY FOR INDIVIDUAL DYNAMICS Sébastian Grauwin, Eric Bertin and Pablo Jensen	45
COMPENSATIONS IN THE SHAPLEY VALUE AND THE COMPENSATION SOLUTIONS FOR FOREST GAMES S. Béal, E. Rémila, P. Solal	45
POWER-LAW DISTRIBUTIONS IN SCIENTIFIC PUBLISHING AND REVIEWERS' WORKLOAD Ding-wei Huang	46
HEDN GAME, A RELATIONAL FRAMEWORK FOR NETWORK BASED COOPERATION Franck Delaplace, Pierre Lescanne	46
On Positional Consumption and Technological Innovation – an Agent-based Approach	46

João Bernardino and Tânya Araújo	
LABOUR MOBILITY, INDUSTRY EVOLUTION AND SOCIAL NETWORKS: A CO-EVOLUTIONARY MODEL	46
Ricardo Mamede MODELING COGNITIVE DYNAMICS: SELF-ORGANIZATION IN CROWD DYNAMICS	46
Armando Bazzani, Luca Cerboni, Bruno Giorgini, Sandro Rambaldi	40
COOPERATION IN THE INTERNATIONAL RELATIONS SYSTEM	47
Matus Halas	
SCHELLING'S SEGREGATION MODEL FOR AN OPEN CITY: EMERGENCE OF PHYSICAL FRONTIERS FROM A SOCIO-SPATENTIAL WAS	
DYNAMICS L. Gauvin, JP. Nadal, J. Vannimenus	47
SIMULATING OPINION DYNAMICS IN HETEROGENEOUS COMMUNICATION SYSTEMS	47
Walter Quattrociocchi, Rosaria Conte, Elena Lodi	
THE DETERMINANTS OF NETWORK FORMATION: A DYNAMIC PERSPECTIVE	48
Lorenzo CASSI and Anne PLUNKET	40
OPTIMAL LIFE INSURANCE, CONSUMPTION AND INVESTMENT DECISIONS I. Duarte, D. Pinheiro, A. A. Pinto, S. R. Pliska	48
Inferring Significance of Meeting Groups in Human Contact Networks	48
Eiko Yoneki and Dan Greenfield	
POSTERS AND DEMOS	48
TRACK C	51
INTERACTING POPULATIONS AND ENVIRONMENT	51
SPATIAL SAMPLING IN HMRF MAPPING PROBLEMS: STATIC AND ADAPTIVE ALGORITHMS	51
Nathalie Peyrard and Régis Sabbadin and Daniel Spring and Ralph Mac Nally and Barry Brook	51
MIXING PATTERNS AMONG EPIDEMIC GROUPS Christel Kamp	51
POPULATION DYNAMICS ON COMPLEX FOOD WEBS	52
Gian Marco Palamara, Vinko Zlatic, Guido Caldarelli	
COMPARING LARGE-SCALE COMPUTATIONAL APPROACHES TO EPIDEMIC MODELING: AGENT BASED VERSUS	
STRUCTURED METAPOPULATION MODELS	52
Marco Ajelli, Bruno Gonçalves, Duygu Balcan, Vittoria Colizza, Hao Hu, José J. Ramasco, Stefano Merler, Alessandro Vespignani	
A STOCHASTIC MODEL OF SOCIAL INTERACTION IN WILD HOUSE MICE	52
Nicolas Perony, Barbara König, Frank Schweitzer	02
MODELING SETTLEMENT PATTERNS IN REAL TERRITORIES	53
Joaquim Carvalho, Rui Lopes, João Tojo	
ECOTOXICITY RISKS DURING INFLUENZA PANDEMIC	53
Andrew C. Singer, Vittoria Colizza, Heike Schmitt, Johanna Andrews, Duygu Balcan, Wei E. Huang, Virginie D Keller, Alessandro Vespignani, Richard J. Williams	. J.
Posters and Demos	53
TRACK D	<u>55</u>
COMPLEXITY AND COMPUTER SCIENCE	55
THE OBSERVATORIUM – THE STRUCTURE OF NEWS: TOPIC MONITORING IN ONLINE MEDIA WITH MUTUAL	
INFORMATION	55
David Rodrigues	
NETWORK SYNCHRONIZATION INTERVAL AND LOCAL KOLMOGOROV-SINAI ENTROPY	55
Acilina Caneco, Sara Fernandes, Clara Grácio and J. Leonel Rocha THE WEB OF DATA AS A COMPLEX SYSTEM	56
Christophe Gueret, Shenghui Wang and Stefan Schlobach	30
On Coverage Bounds of Unstructured Peer-to-Peer Networks	56
Joydeep Chandra, Niloy Ganguly	
CONTEXT-AWARE AGENT-BASED MODELING OF SOCIAL COMPLEX SYSTEMS	56
Tarek Ben Mena, Narjès Bellamine-Ben Saoud, Mohamed Ben Ahmed, Bernard Pavard	F /
MODULARITY MEASURE OF NETWORKS WITH OVERLAPPING MODULES Anna Lazar, Danel Abel, Tamas Vicsek	56
POSTERS AND DEMOS	56

TRACK E	<u>59</u>
FROM MOLECULES TO LIVING SYSTEMS	59
EXTENDING THE 'LIFE' CONCEPT TO COMPLEX SYSTEMS Jean Le Fur	59
A STOCHASTIC MODEL OF AUTOCATALYTIC REACTION NETWORKS Alessandro Filisetti, Roberto Serra, Marco Villani, Rudolf M. Fuchslin, Norman Packard, Stuart A. Kauffman, I Poli	59 rene
TOWARDS AN INTEGRATED UNDERSTANDING OF PROTEIN GRAPH CHARACTERISTICS FOR PROTEIN FOLDING Susan Khor	60
INTEGRATING HETEROGENEOUS GENE EXPRESSION DATA FOR GENE REGULATORY NETWORK MODELLING Alina Sîrbu, Heather J. Ruskin and Martin Crane	60
KNOCKOUTS, ROBUSTNESS AND CELL CYCLES Gunnar Boldhaus and Nils Bertschinger and Johannes Rau and Eckehard Olbrich and Konstantin Klemm	60
ESTIMATION OF TIME-VARIANT RISKS BY THE SLIME MOLD PHYSARUM POLYCEPHALUM Bernd Meyer, Cedrick Ansorge, and Toshiyuki Nakagaki	60
WATER DYNAMICS IN THE HYDRATION SHELL OF A PROTEIN J. Servantie, C. Atilgan and A. R. Atilgan	61
INCREASED SPECIFICITY IN A MODEL WITH MOLECULAR FRUSTRATION André M. Lindo and Fernao V. de Abreu	61
AGENT BASED MODELLING OF REALISTIC MOLECULES Sara Fortuna and Alessandro Troisi	61
EVALUATING ROBUSTNESS OF A COMPLEX MULTISCALE BIOCHEMICAL MODEL WITH AN ALGORITHMIC MODEL REDUCTION TECHNIQUE	61
P.D. Kourdis and D.A. Goussis POSTERS AND DEMOS	62
TRACK F	63
MATHEMATICS AND SIMULATION	63
BEYOND LYAPUNOV	63
Rui Vilela Mendes CONTROLLING THE BAK-TANG-WIESENFELD MODEL	63
D. O. Cajueiro and R. F. S. Andrade NOISY RANDOM BOOLEAN NETWORKS AND CELL DIFFERENTIATION	63
Marco Villani, Roberto Serra, Alessia Barbieri, Andrea Roli, Stuart A. Kauffman and Annamaria Colacci MODELING OF DEMAND IN HOUSING MARKET THROUGH MULTI-AGENTS BEHAVIORAL MODELING	64
Maryam Esmaeili, A. Vancheri, P. Giordano GENERALIZED THERMODYNAMICS UNDERLYING THE LAWS OF ZIPF AND BENFORD	64
Carlo Altamirano and Alberto Robledo PARAMETRIC RESONANCE IN TIME-DEPENDENT NETWORKS OF HOPF OSCILLATORS Lulia Radianas and May Olivian Handler	64
Julio Rodriguez and Max-Olivier Hongler CHARACTERISING STEADY-STATE TOPOLOGIES OF SIS DYNAMICS ON ADAPTIVE NETWORKS Stefan Wieland, Tomas Aquino, Andrea Parisi, Ana Nunes	65
USING WAVELET ANALYSIS TO DISENTANGLE THE DIFFERENT MOVEMENT REGIMES OF FORAGING ANIMALS Arnold FERTIN and Vincent Fourcassié	65
THE UNREASONABLE EFFECTIVENESS OF TREE-BASED THEORY FOR BOND PERCOLATION ON NETWORKS WITH CLUSTERING	65
Sergey Melnik, Adam Hackett, Mason A. Porter, Peter J. Mucha, and James P. Gleeson	<i>-</i> -
STATISTICAL AND SPECTRAL PROPERTIES OF SELF-ORGANIZING MACROMOLECULAR SYSTEMS Deniz Turgut, Ali Rana Atilgan, Canan Atilgan How orders of the properties of	65
HOW OPINION DYNAMICS GENERATES GROUP HIERARCHIES F.Gargiulo, S.Huet	66
THE SOFT CONSENSUS MODEL: DYNAMICS, COMPLEXITY, AND MODULARITY G. Campanella, T. V. de Araújo, and R. A. Marques Pereira	66
POSTERS AND DEMOS	66

Track A

Policy, Planning & Infrastructure

Healthcare Organizations as Complex Adaptive Systems: Lessons for Nurse Leaders Holly G. Johnson and Sergio Camorlinga

hj_22@hotmail.com

Abstract: We live in an age where we have the ability to connect instantaneously with friends and family around the globe via telephone, internet, or web camera. Pre-school children are able to perform electronic tasks that baby boomers find impossible. Healthcare information and communication technology (ICT) is underutilized in Canada and around the world, although the technology and need exist to improve continuity of care, safety, affordability, efficiency, and reliability. Public and private healthcare organizations have begun the work of making electronic medical records (EMR's) available to most Canadians over the next decade with the goal of "bring[ing] Canada's paper-based healthcare system into the 21st century" (Canada Health Infoway, 2008). Nurse leaders face enormous impediments to technology implementation, including costs, education and training, compatibility of systems, patient and provider attitudes, and organizational complexity. Nurses, as the largest professional sector within healthcare worldwide, have the opportunity to lead healthcare ICT implementation projects in an effort to circumvent barriers. Complexity makes up one of the largest challenges for nurses and nurse leaders in healthcare, but using complexity concepts in a metaphorical way is helpful in easing the quest for absolute control, which can result in suppression of innovation. The components of complexity science applicable to healthcare are valuable in understanding and embracing the inevitable and necessary change, complexity, tension and paradox that accompany leadership and nursing. Using complexity science, nurse leaders can draw knowledge from the masses by creating the conditions in which complexity thrives and innovation emerges. Utilizing the theoretical underpinnings of complexity science and complex adaptive systems, an overview of the nurse leader's role in ICT implementation is examined.

Measuring Critical Infrastructures dependency by means of the Phase Synchronization

Vincenzo Fioriti, Silvia Ruzzante, Elena Marchei, Alberto Tofani, Gregorio D'Agostino

vincenzo.fioriti@enea.it

Abstract: A major problem of Critical Infrastructures (ICT, Internet, power networks and so on) is the quantification of inter-dependencies. In the last years some methodologies have been devised to cope with this issue relying on qualitative procedures or topological metrics. All these approaches have their own drawbacks; moreover, data and information are lacking or are very difficult to collect even off-line. However, sometimes,

high quality data (i.e. the time series) are available. In these cases it is possible to use the Phase Synchronization, based on the Hilbert phase extraction (previously used to analyze meteorological, biological, financial signals) in order to quantify the dependency between the ICT and the Power System. In this paper, we introduce the methodology, asses the feasibility of the tool, compare it with the standard linear cross-correlation, by applying the Phase Synchronization and the cross-correlation to time series derived from some Power System and ICT System. Results prove that Phase Synchronization outperforms cross-correlation.

A Multi-Agent System for the simulation of urban dynamics

Julien Perret, Florence Curie, Julien Gaffuri, Anne Ruas

julien.perret@gmail.com

Abstract: Simulating the evolution of cities suggests the ability to understand and model the laws governing urban dynamics. The approach presented in this paper uses a multi-agent system to model the self-organising properties of urban systems. The proposed multi-agent system is a hierarchy of topographic agents (e.g. buildings, roads, rivers or urban blocks) that are built, modified, merged, split, restructured and destroyed over time. Each agent's behaviour is controlled by a set of constraints and associated actions. In the proposed system, only topographic objects are taken into account, assuming a certain independence between society and the urban form (morphology) as well as a delay between the action of the society on the urban form and the feedback of the latter to the former.

Modeling the growth of distributed energy generation for a low carbon economy: Part I the approach

Liz Varga

liz.varga@cranfield.ac.uk

Abstract: There are many challenges facing the UK power industry, including the anticipated exhaustion of local coal and gas resources over the next 50+ years and statutory reductions requiring significant carbon emission cuts. This is in the context of a privatized market, with the National Grid as the transmission company, regulated by Ofgem which also has responsibility for the sustainability and security of energy supply. There is also a growing diversity of products that generate energy from renewable sources or reduce demand for energy whilst not worsening living or economical standards. These products generally exploit developing technologies, such as photovoltaics, and are often linked to energy services such as the provision of information to the consumer with the potential for intervention to reduce energy use or increase energy efficiency. This paper seeks to establish the framework for a basic agent-based model which describes the growth and dynamics of an electricity market in which the demand for energy can be managed largely from renewable sources.

Innovation policy modeling from a complex systems perspective

Petra Ahrweiler

petra.ahrweiler@ucd.ie

Abstract: This paper will outline a coherent framework for researching innovation in complex social systems. Complexity perspectives are highly relevant to innovation policy modeling. After a short introduction to innovation as a topic for research, the currently widely applied use of computational network analysis to investigate collaborative innovation arrangements will be discussed focusing on structural properties of these configurations. To include procedural and dynamic features of innovation, a systemic perspective will be confirmed for social systems to connect agent-based modeling to the emerging integrated research program.

Urban Built Form Grows Critical

Romulo Krafta, Vinicius de Moraes Netto, Leonardo Lima

krafta@ufrgs.br

Abstract: Our paper suggests that changes of the inner urban built form could be explained as a result of a process of self-organized criticality. Similar to the general behaviour of such kind of a system, urban built form grows discretely up to a point in which new additions could occur both in the boundaries and in inner areas. Once reached this critical point, the urban system stays around it, combining outer and inner growth. While outer growth is quantitative and does not modify the system's structure, inner growth is qualitative as well as quantitative and can transform urban centrality. Replacement of old structures by new ones always occurs with

extraordinary capital concentration, developing new polarization inside the urban fabric. The hypothesis is tested through the comparative evolution of different land, built form and location values within a period of continuous urban growth. Comparative indicator values are obtained by simplified simulation

A Case Study in the Application of an Agent-Based Approach in the Formulation of Policies for UK Transport Emission Reduction

Araz Taeihagh and René Bañares-Alcántara

araz.taeihagh@eng.ox.ac.uk

Abstract: The increased complexity in our socio-economical systems requires the development of new tools to support a better understanding of the intricacies involved in addressing problems associated with such systems. We believe that by introducing a systematic approach for exploring alternative policies we can improve the decomposition of these problems, decrease the required time for analysis and formulate more effective polices. A case in policy formulation and analysis in the transport sector for achieving CO2 emission targets in the UK is presented; this solution is based on a previously proposed framework (Taeihagh et al., 2009a). The results obtained from the analysis of policy measures and their relations are used in the formulation of policy alternatives (packages and clusters) through the application of agent-based modelling. The results have the potential to further promote the use of computational approaches in the formulation of polices through the development of software systems that can support the design of policies for different sectors and geographical scopes.

Rebuild vs. Renovate vs. Buy: Decision-making for the Enterprise Software Industry

Paul Abraham, Srini Chari, Vishal Sikka

paul.abraham@sap.com

Abstract: SAP has a large multi-national software development organization with many diverse products for the complex enterprise systems market. These complex systems and the products that support them are in a constant state of upgrade either through renovation or rebuild or replacement. Of late, the target markets, and supporting technologies, change every couple of years, exponentially increasing the complexity, and necessitating a way of recalibrating that keeps pace with new realties. SAP, with a mature understanding of functional, software and technical relationships, has used a comprehensive financial decision-making approach to evaluate these strategies. However, a variety of factors, including external market forces, rapid technology innovation, and others require a more flexible decision making approach. This short paper explains our approach that augments SAP's current approaches, in a way that can be understood, proven and adopted by management and developers alike. Specific recommendations for practice are provided.

A complex adaptive system perspective on the peri-urban area: exploring transitions in urban-rural relationships

Ward Rauws. Gert de Roo

w.s.rauws@rug.nl

Abstract: The peri-urban area represents a changeable zone within the urban-rural continuum with a mixture of land-uses, where high dynamics can be found. Currently spatial planners and policymakers are not fully equipped to anticipate properly to these dense dynamics. In order to enhance our understanding of peri-urban development processes a complex adaptive system perspective is suggested. This perspective incorporates the idea that peri-urban developments emerge through a mix of processes. This mix consists out of various interacting contextual and case-specific processes and is assumed to evolve in a non-linear way. In addition, transition is presented as a helpful conceptualisation of non-linear change for peri-urban planning. Illustrated by several case studies of European urban regions, insights that may support our understanding of the mechanisms behind peri-urban developments are discussed. Finally resulting in possible implications for planning practices in the peri-urban area.

Control as a Learning Process in Human Complex Adaptive Systems: Some Remarks for Policy Making

Simone Landini, Sylvie Occelli

occelli@ires.piemonte.it

Abstract: Although the notion of control is constitutive to the very concept of CAS, its full potential as far as human organizations are concerned has yet to be realized. A claim is made that such an investigation would be substantial in supporting innovative policy making, where also as a result of ICT progress and societal changes, main changes are occurring. This paper aims to provide a contribution in this respect. An approach is proposed in which the two main meanings of control, that of checking the outcome of behaviors and implementing decisions for effective actions are extended to consider the learning process by which Human Complex Adaptive Systems undertake control activity. To elucidate the approach a conceptual framework is outlined and its main components discussed.

Sustainable Urban Design Experiments

Matthew Cook

matthew.cook@open.ac.uk

Abstract: In many instances complex system scientists interested in the development of sustainable urban environments have neither the mandate nor the funding to undertake or take part in urban design experiments. However, this paper suggests that many opportunities for complex system scientists to undertake such experiments may arise in future as concepts which draw on ideas from complexity science are integrated within urban planning policy frames. A number of these concepts are explored, relational geography, socio-ecological systems and the multi-level perspective on socio-technical transitions to sustainability. As these concepts reconfigure urban planning policy frames, complex systems scientists may be able to work with and build upon new power relations leading to their subsequent enrolment in planning communities. Phronetic planning research and explicatory research may usefully complement complexity science in these endeavours.

Performance of Self-organizing Control in a Cellular Automaton Model of City Traffic

Szklarski. J.

jszklar@ippt.gov.pl

Abstract: With use of a city traffic model based on cellular automaton, we analyze performance of the self-controlling strategy proposed by Lammer and Helbing [2008]. We consider a regular, lattice-like road network in which traffic control is realized at intersections with two conflicting streams. Four distinct scenarios are studied and it is shown shown that a) in the deterministic case the self-controlling strategy always quickly converges to the best fixed-cycle switching periods; and b) in the non-deterministic/irregular network case, this strategy gives better results than the solution based on fixed cycles.

Design Complexity Management through Systematic Decomposition and Formulation

Anas Alfaris, Afreen Siddiqi, Charbel Rizk, Olivier de Weck, Davor Svetinovic

anas@mit.edu

Abstract: Designing a large-scale complex system, such as a city of the future, with a focus on sustainability requires a systematic approach towards integrated design of all sub-systems. Domains such as buildings, transportation, energy and water management are all coupled. Designing each one in isolation can lead to sub-optimality where sustainability is achieved in one aspect but at the expense of other aspects. A methodology comprised of systematic multi-level decomposition and multi-domain parameter dependency formulation is introduced for addressing design problems of complex sustainable systems. The application of the methodology for the design of a new urban development, Masdar city in Abu Dhabi, with over 220 of different form and behavior parameter sets is shown.

MAS approach to political prospection and alliance analysis

Araceli N. Proto and Carmen Costea

aproto@fi.uba.ar

Abstract: The generalization of the Lotka-Volterra model (GLVM), to the N agents case is used in this contribution. The model is applied to model party alliances before election processes, as well as to prospect the final horizons of different candidates in Argentinian future elections which will take place on October 2011. The parameters of the model are setting using public polls. Romanian polls are used to validate the ansatz about the meaning of the parameters considering the available data, as this election results are known.

Posters and Demos

- 1 "The importance of mid-level feedback to foster motivation in a multi-agent system", by Paolo Battino Viterbo and Valentina Barsotti
- 2 "Formulation of Transport Emission Reduction Policies: A Case Study in the Application of Network Analysis", by Araz Taeihagh, Zun Wang and René Bañares-Alcántara
- 3 "Hospital Refurbishment to provide resilience in changing climatic conditions: a complexity challenge", by Pam Garthwaite and Claudia Eckert
- 4 "Modelling the Impact of Women Empowerment on the Eradication of Poverty using Concets and Tools of Complexity Science", by Isaac Lunywere.
- 5 "Vulnerability Assessment of Multi-layer Infrastructure Networks", by Konstantinos Trantopoulos, Andreas Vögeli and Wolfgang Kröger
- 6 "Hospital Refurbishment to provide resilience in changing climatic conditions: a complexity challenge", by Pam Garthwaite and Claudia Eckert
- 7 "Traffic Simulation with Focus on Pedal-Bicycles", by Jelena Vasic and Heather J. Ruskin
- 8 "Urban Land as a Critical System", by Daniel Vasata, Pavel Exner and Petr Seba
- 9 "A Complex Systems Approach to Production Management in the Automotive Industry", by Vasco Teles and Francisco Restivo
- 10 "Evaluating Agent-Based Models of Business Relationships & Networks as Complex Adaptive Systems", Fabian Held
- 11 "Chaotic behaviour in innovation dynamics: Impact on managerial decision", Annick Castiaux
- 12 "Disentangling the Complex Conceptual History of Mental Models and Actions by Big Data Analysis", by Reschke and Carl Henning
- 13 "Concentration", by Christophe Bruchansky

42		

Track B1

Philosophy of Science

Complexity and Context-Dependency

Bruce Edmonds

bruce@edmonds.name

Abstract: It is argued that given the "anti-anthropomorphic" principle, that the universe is not structured for our benefit, that modelling trade-offs will necessarily mean that many of our models will be context-specific. The context heuristic, that divides the processing into rich, fuzzy context-recognition and crisp, conscious reasoning and learning is outlined. The consequences of accepting the impact of this human heuristic in the light of the necessity of accepting context-specificity in our modelling of complex systems is examined. In particular the development of "islands" or related model clusters rather than over-arching laws and theories. It is suggested that by accepting and dealing with context (rather than ignoring it) we can push the boundaries of science a little further.

Structural Coherence of Knowledge Representations in Learning Science

Ismo Koponen, Maija Pehkonen

ismo.koponen@helsinki.fi

Abstract: Knowledge structures are often represented in form of networks or maps of concepts. The recent philosophy of science as well as the educational research has pointed out that the organization and coherence of such knowledge representations are very closely related to knowledge production, acquisition and knowledge processing. In this paper we use network theory and structural characteristics of networks - like the clustering and cyclicity - to characterize the structural coherence of knowledge representation used by teacher students in learning physics. The results suggests that the clustering is related to tendency of learners to use triangular (transitive) schemes in organizing knowledge.

44				
Lisbon University Institute, Sept. 13-17, 2010				

Track B2

Collective Human Behaviour and Society

Effective free energy for individual dynamics

Sébastian Grauwin, Eric Bertin and Pablo Jensen

sebastian.grauwin@ens-lyon.fr

Abstract: Physics and economics are two disciplines which share the common challenge of linking microscopic and macroscopic behaviors. However, while physics is based on collective dynamics, economics is based on individual choices. This conceptual difference, which we enlightened in a recent paper, is one of the main obstacles one has to overcome in order to characterize analytically economic models. In this paper, we build both on statistical mechanics and the game theory notion of Potential Function to introduce a rigorous generalization of the physicist's free energy, which includes individual dynamics. Our approach pave the way to analytical treatments of a wide range of socio-economic models and might bring new insights into them. As first examples, we derive solutions for a congestion model and a residential segregation model.

Compensations in the Shapley value and the compensation solutions for forest games

S. Béal, E. Rémila, P. Solal

eric.remila@ens-lyon.fr

Abstract: We consider an alternative expression of the Shapley value that reveals a system of compensations: each player receives an equal share of the worth of each coalition he belongs to, and has to compensate an equal share of the worth of any coalition he does not belong to. We give an interpretation in terms of formation of the grand coalition according to an ordering of the players and define the corresponding compensation vector. Then, we generalize this idea to cooperative games with a communication graph. Afterwards, we consider forest graphs and extend the compensation vector by considering all rooted spanning trees of the graph (Demange \cite{d04}) instead of orderings of the players. The associated allocation rule, called the compensation solution, is characterized by component efficiency and relative fairness. The latter axiom takes into account the relative position of a player with respect to his component.

Power-law distributions in scientific publishing and reviewers' workload Ding-wei Huang

dwhuang@phys.cycu.edu.tw

Abstract: We analyze the publications in a scientific journal (Chinese Journal of Physics) over the past two decades. We study the productivity and collaboration of Chinese scientists. On average, each author publishes two papers; and each paper lists four coauthors. However, these numbers are highly biased and not representative for the majority of scientists. The productivity distribution can be described by a power law; while the collaboration distribution has an exponential tail. We obtain analytical formulation to address the correlations between productivity and collaboration. We expect that the results are valid for scientific publishing in general. Based on these observations, we also comment on the distribution of reviewer's workload.

HedN Game, a Relational Framework for Network Based Cooperation Franck Delaplace, Pierre Lescanne

franck.delaplace@ibisc.univ-evry.fr

Abstract: The paper proposes a new framework for cooperative games, providing a theoretic tool to study the behavior of players during cooperative network formation. It is based on mathematical relations. Here cooperation is defined as a supportive partnerships represented by a directed network between players (aka hedonic relation). We examine in a specific context, modeled by abstract games how a change of supports induces a modification of strategic interactions between players. Two levels of description are considered: the first one describes the support network formation whereas the second one models the strategic interactions between players. Both are described in a unified formalism, namely CP~game. Stability conditions are stated, emphasizing the connection between these two levels. We also stress the interaction between updates of supports and their impact on the evolution of the context.

On Positional Consumption and Technological Innovation – an Agent-based Approach

João Bernardino and Tânya Araújo

jprbernardino@gmail.com

Abstract: Positional behavior is a source of external costs and arguably sets limits to wellbeing. Remedies against this market failure are defended by some authors and rejected by others, with one of the issues primarily discussed being the role that positional consumption may have in generating technological innovation. We aim to contribute to the understanding of this process by developing a representative agent-based model. We observe a plausible structure of the dynamics behind the process of generation of technological innovation by positional consumption, and obtain results on the influence of some key factors over the pace of innovation.

Labour mobility, industry evolution and social networks: a co-evolutionary model *Ricardo Mamede*

ricardo.mamede@iscte.pt

Abstract: This paper presents a model that was built in order to analyse the interdependencies between labour market dynamics and the evolution of industries' structure, in situations where interpersonal links among workers influence individuals' job decisions. The model was inspired by the case of industries that rely heavily on highly skilled labour and in which problems of incomplete information abound. The causal mechanisms here proposed, based on the co-evolution of the population of firms, the labour market and the social networks among its heterogeneous learning workers, constitute an alternative explanation for a number of well-known regularities of industry evolution and of labour mobility, being arguably more suitable to the analysis of those industries than the formal models available in the literature.

Modeling cognitive dynamics: self-organization in crowd dynamics

Armando Bazzani, Luca Cerboni, Bruno Giorgini, Sandro Rambaldi

bazzani@bo.infn.it

Abstract: Both in animal societies and human crowds many collective behaviors are observed that emerge as self-organized states form microscopic dynamics. Models of crowd dynamics have been proposed to describe individual interactions by means of physical-like forces that allowed to simulate collective behaviors like the spontaneous lane formation in bidirectional flows or the flux oscillations at bottlenecks. However these models do not explicitly consider individual cognitive behaviors which result from behavioral strategies and information based interactions. In this paper we propose a crowd dynamical model that introduces a cognitive dynamics to allow individual to choose between two different possibilities. The model considers the existence of two different strategies that could be applied by individuals according to the information received from the environment: a cooperative and a selfish strategy. We discuss the formation of self-organized states and the transition to a ""panic dynamics" by means of simulation in a simple example.

Cooperation in the International Relations System

Matus Halas

matus.halas@gmail.com

Abstract: Model of the international relations system proposed here uses 63 original Axelrod's strategies in the Prisoner's Dilemma game environment. Occurrence of actors' dyadic interactions is determined with help of distance between players as well as their power. Possibility to build mutual trust based upon history of the previous interactions, and also the small chance of both kinds of noise - misimplementation and misperception - are included. Results suggest that several strategies besides the well-known TFT can win the contest even in the absence of any noise, and also that large generosity level is successful in case of (dis)trust emergence possibility together with noise presence. It seems that if it is formalized properly, international relations system favors generous cooperation. Causes of war should be maybe sought out at lower levels of analysis than the most popular systemic one. However, in noiseless environment TFT remains most successful.

Schelling's segregation model for an open city: emergence of physical frontiers from a socio-spatial dynamics

L. Gauvin, J.-P. Nadal, J. Vannimenus

laetitia.gauvin@lps.ens.fr

Abstract: In the 70's Schelling introduced a multi-agent model to describe the segregation dynamics that may occur with individuals having only weak preferences for 'similar' neighbors. Recently variants of this model have been discussed, in particular, with emphasis on the links with statistical physics models. Whereas these models consider a fixed number of agents moving on a lattice, here we present a version allowing agents to enter and leave the lattice. The density of agents is controlled by a parameter which can be viewed as measuring the attractiveness of the city-lattice. We show that this model is directly related to a physical model usually describing alloys, the Blume Emery Griffiths (BEG) model at zero temperature, with kinetic constraints. These constraints lead to a new variety of ""phases"" whose main features are frontiers between clusters of different agents. We study the model analytically and numerically. In some regimes, we notice the emergence of sociospatial segregation actualized by physical frontiers, being actually vacant regions. (arXiv:1002.3758v1 [physics.soc-ph])

Simulating Opinion Dynamics in Heterogeneous Communication Systems Walter Quattrociocchi, Rosaria Conte, Elena Lodi

walter.quattrociocchi@istc.cnr.it

Abstract: This paper explores opinion dynamics by means of multi-agent based simulations when agents are exposed to different sources of information varying both the contents and the perceived reliability of the messages spread. Agents' internal opinion is updated either by accessing one of the information sources, namely media and experts, or by exchanging information with one another. They are also endowed with cognitive mechanisms to accept, reject or partially consider the acquired information. In this paper, the impact of reliable sources and peer-to-peer communication on the quality of information will be explored. After having shortly presented the hypotheses and the model, the simulation design will be specified and results will be discussed with respect to the hypotheses. Some considerations and ideas for future studies will conclude the paper.

The determinants of network formation: a dynamic perspective Lorenzo CASSI and Anne PLUNKET

lorenzo.cassi@univ-paris1.fr

Abstract: This paper investigates the dynamics of network formation in genomics patenting in France (1986-2007) and it tests the respective role of cumulative mechanisms (e.g. closure) and actor strategies (e.g. filling a structural hole) in determining the evolution of inventor networks. To do that, we consider and analyse four types of co-inventor links. Taking two individual inventors as our focal point, four categories of links are distinguished: (1) a link bridging two components; (2) a link determining the creation of a new component; (3) a pendant to an existing component; or (4) an intra-component link. Besides usual network, geographical and technological aspects, our analysis also considers how the applicant's strategies in terms of cumulative and bridging affect the inventor's link formation.

Optimal Life Insurance, Consumption and Investment Decisions

I. Duarte, D. Pinheiro, A. A. Pinto, S. R. Pliska

dpinheiro@iseg.utl.pt

Abstract: We describe an extension to Merton's famous continuous time model of optimal consumption and investment, in the spirit of previous works by Pliska and Ye, to allow for a wage earner to have a random lifetime and to use a portion of the income to purchase life insurance in order to provide for his estate, while investing his savings in a financial market composed by one risk-free security and an arbitrary number of risky securities whose diffusive term is given by a multi-dimensional Brownian motion. The wage earner's problem is then to find the optimal consumption, investment, and insurance purchase decisions in order to maximize expected utility of his family consumption, of the size of the estate in the event of premature death, and of his total wealth at the time of retirement. Dynamic programming methods are used to obtain explicit solutions for the case of discounted constant relative risk aversion utility functions and some economically relevant results are obtained.

Inferring Significance of Meeting Groups in Human Contact Networks

Eiko Yoneki and Dan Greenfield

Abstrac: The structure of human contact networks in the real world is time dependent and it is a complex task to describe its dynamics. This paper aims to identify dynamics of meeting groups in human connectivity traces, where meeting groups are expected to be a group interacting among the nodes in physical space. Thus, we define 'meeting group' differently from 'community'. We exploit statistical approach that provides quantitative attributes to uncover meeting groups. We identify the power law behavior of meetings that is important for supporting to understanding dynamics of information flow between meeting groups and building group oriented communication protocol.

Posters and Demos

- 14 "Scale-free characteristics of co-occurrence network in keywords: stem-cell case", by Sang-Jin Ahn and Sang-il Kim
- 15 "Opinion Model Meets Reality: Empirical Confirmation Using Statistical Data", by Sven Banisch and Tanya Araújo
- 16 "Emergence of collective action under coordination dilemmas", by Francisco C. Santos, Brian Skyrms, Max O. Souza and Jorge M. Pacheco
- 18 "Group decision-making: comparison of the two models based on a phase transition approach", by Tatiana Bouzdine-Chameeva
- 19 "Risk-Identification and Strategic Foresight based on History, Management and Complex Systems Perspectives The Example of the Bio-Pharmaceutical Industry", by Carl Henning Reschke
- 20 "Population structure induces a symmetry breaking favoring the emergence of cooperation", by Flavio Pinheiro, Francisco C. Santos and Jorge M. Pacheco
- 21 "Birth and Death Systems with 2D Spatial Diffusion: Applications to Population and Economic Dynamics", by Pedro de Mendonca and Ellak Somfai
- 22 "Opinion Dynamics", by Anthony Woolcock, Colm Connaughton and Yasmin Merali

- 23 "Bounded confidence model: addressed information maintain diversity of opinions", by Krzysztof Malarz and Krzysztof Kulakowski
- 24 "Influence of emotions on the length of Internet discussions", by J. A. Holyst, A. Chmiel, J. Sienkiewicz, M. Thelwall, G. Paltoglou and K. Buckley, A. Kappas
- 25 "Evolutionary dynamics of cooperation when individual fitness derives from group decisions taken in the past", by João A. Moreira, Flávio L. Pinheiro, Ana Nunes and Jorge M. Pacheco
- 26 "Developing Cybercultur@ as a complex communication strategy", by Jorge A. González
- 27 "A meta-population model with two sub-populations", by Andrea Apolloni, Chiara Poletto, Jose Javier Ramasco, Pablo Jensen and Vittoria Colizza
- 28 "A tool for relations detection", by José António Silva
- 29 "Complex systems science : dreams of universality, reality of interdisciplinarity", by Sebastian Grauwin, Guillaume Beslon, Eric Fleury, Sara Franceschelli, Celine Robardet, Jean-Baptiste Rouquier and Pablo Jensen
- 30 "Statistical properties of population density of Japan", by Hiroto Kuninaka
- 31 "Social inflence model of language competition", by Wojciech Borkowski and Andrzej Nowak
- 32 "Dynamics of quality negotiations", by Andrzej Nowak, Karolina Lisiecka, Katarzyna Samson and Michal Ziembowicz
- 33 "Evolutionary dynamics of multiplayer social dilemmas in bigraph structured populations", by Jorge Peña, Yannick Rochat and Henri Volken
- 34 "Mapping hashtag networks on Twitter", I. Amaral , J. Silva, S. Lanceros-Mendez and H. Sousa
- 35 "IT Governance process: a network evaluation approach", by José Tomaz
- 36 "Empirical evidence for a persistent fear-factor in stock markets", by Emeric Balogh, Zoltán Néda, Bálint Zs. Nagy and Ingve Simonsen
- 37 "Dynamic Hierarchical Structure of Currencies in Artificial International Money Market", by Masanori Tsujino and Takashi Hashimoto
- 38 "In Search of Organizational Fitness: The Linkage of Organizational Design Parameters to Emerging Structural Configuration", by José V. Matos
- 39 "Does Consensus Increase Egalitarianism in Social Choice?", by Dorota Marciniak and Josep Freixas
- 40 "A Study on Financial Data using Random Matrix Theory and Information Theory methods", by José Salgado and José Matos
- 41 "The complexity and structure of science and technology innovation networks in the biotechnology sectors of the European countries", by Dong Hee Lee and Duk Hee Lee
- 42 "The global food system and environmental change: The potential of a dynamic network theory perspective", by Rita Margarido
- 43 "Creative economy & creative communities-feasible option during crisis time. Challenges and opportunities for Romania", by Marta-Christina Suciu, Mina Ivanovici, Klaus Bruno Schebesch and Vasile Goldis
- 44 "Evolution of social norms in a dynamic scale free network", by Sérgio Bacelar
- 45 "Using interactive computer visualization of complex phenomena for Teaching Negotiation. Demonstration of an Attractor Software Platform", by Wieslaw Bartkowski
- 105 "Modeling Financial Markets", by Pedro Loureiro

50		

Track C

Interacting Populations and Environment

Spatial sampling in HMRF mapping problems: Static and adaptive algorithms Nathalie Peyrard and Régis Sabbadin and Daniel Spring and Ralph Mac Nally and Barry Brook

nathalie.peyrard@toulouse.inra.fr

Abstract: In many environmental management problems, the construction of occurrence maps of species of interest is a prerequisite to their management. However, this task is difficult since observations are often imperfect and costly. There is a lack of methodological tools for designing efficient spatial sampling strategies. We developed original model-based static and adaptive sampling methods dedicated to the construction of occurrence maps. We adopt the classical image analysis probabilistic framework of Hidden Markov Random Fields and we express the sampling strategy as the solution of an optimisation problem. Resolution is intractable and we propose heuristic approaches to derive approximately optimal solutions both for static and adaptive sampling. An empirical comparison, on simulated data, of the adaptive and static HMRF-based sampling methods with random sampling and adaptive cluster sampling, shows that in most cases the adaptive sampling approach, when possible, provides a restored map of better accuracy than the other approaches.

Mixing patterns among epidemic groups Christel Kamp

kamch@pei.de

Abstract: Epidemic modelling has a long tradition in facilitating an understanding of the spread of infectious agents with direct impact on public health. Recent modelling approaches have specifically improved our understanding of the connections between transmission network topology and epidemic spread: Host populations are not generally well mixed and show heterogeneous and dynamic contact behaviour. This results in a broad range of epidemic patterns regarding both speed and width of epidemic expansion. However, there is also a mutual influence between transmission network structure, mixing between susceptible and infected hosts

and the epidemic process: epidemic control gets more difficult if infected hosts mix well within the susceptible population. We present a new mathematical framework which allows for a study of mixing patterns between susceptible and infected hosts in populations with very general structural features. While clustering of infected hosts is a qualitatively well known phenomenon our approach allows for its quantification and puts it in relation to the hosts' overall contact behaviour. It shows that different degrees of assortativity emerge depending on the transmission network structure and epidemic stage. The method's use is demonstrated for synthetic populations. It can however easily be transferred to more realistic settings in which information about mixing patterns of epidemic groups is vital for improved epidemic control.

Population Dynamics on Complex Food Webs

Gian Marco Palamara, Vinko Zlatic, Guido Caldarelli

Guido.Caldarelli@gmail.com

Abstract: In this work we analyze the topological and dynamical properties of a simple model of complex food webs, namely the niche model. We describe the system as an oriented weighted graph and we assign a Lotka-Volterra population dynamics on the structure created by the niche model. After this we introduce ""predators"" and ""prey"" weighted graphs from which we underline patterns of competition among species. We measure topological properties of such graphs comparing simulated food webs with real data. We find that, using a combination of projections weights as competition kernel in the Lotka-Volterra equations, the stability of food webs decreases with its complexity (measured as the average degree of the web)

Comparing large-scale computational approaches to epidemic modeling: agent based versus structured metapopulation models

Marco Ajelli, Bruno Gonçalves, Duygu Balcan, Vittoria Colizza, Hao Hu, José J. Ramasco, Stefano Merler, Alessandro Vespignani

bgoncalv@indiana.edu

Abstract: Recent years have witnessed with increased frequency the use of large-scale computational models for the realistic simulations of epidemic outbreaks. Methodologies adapt to the scale of interest and range from very detailed agent-based models to spatially structured metapopulation models. One major issue thus concerns to which extent the epidemic evolution found by different modeling approaches may differ and depend on the different approximations and assumptions used. We provide for the first time a side by side comparison of the results obtained with a stochastic agent based model and a structured metapopulation stochastic model for the evolution of a baseline pandemic event in Italy, a large and geographically heterogeneous European country. The Agent Based model is based on the explicit representation of the Italian population through highly detailed data on the socio-demographic structure. The metapopulation simulations use the GLobal Epidemic and Mobility (GLEaM) model, based on high resolution census data worldwide, and integrating airline travel flow data with short range human mobility patterns at the global scale. The model also considers age structure data for Italy. GLEaM and the Agent Based models are synchronized in their initial conditions by using the same disease parameterization, and by defining the same importation of infectious cases from International travel. The results obtained show that both models provide epidemic patterns that are in very good agreement at the granularity levels accessible by both approaches, with differences in peak timing of the order of few days. The relative difference of the epidemic size depend on the R0 considered and the metapopulation model consistently yields a larger incidence with respect to the agent based model, as expected due to the differences in the structure in the intra-population contact pattern of the approaches. The age breakdown analysis shows that similar attack rates are obtained for the younger age classes. The good agreement between the two modeling approaches is very important in the definition of the tradeoff between data availability and the information provided by the models. The presented results thus define the possibility of hybrid models combining the agent based and the metapopulation approaches according to the available data and computational resources.

A stochastic model of social interaction in wild house mice

Nicolas Perony, Barbara König, Frank Schweitzer

nperony@ethz.ch

Abstract: We investigate to what extent the interaction dynamics of a population of wild house mouse (Mus musculus domesticus) in their environment can be explained by a simple stochastic model. We use a Markov chain model to describe the transitions of mice in a discrete space of nestboxes, and implement a multi-agent simulation of the model. We find that some important features of our behavioural dataset can be reproduced

using this simplified stochastic representation, and discuss the improvements that could be made to our model in order to increase the accuracy of its predictions. Our findings have implications for the understanding of the complexity underlying social behaviour in the animal kingdom and the cognitive requirements of such behaviour.

Modeling Settlement Patterns in Real Territories

Joaquim Carvalho, Rui Lopes, João Tojo

joaquim.carvalho@gmail.com

Abstract: This paper describes an agent based model of the spreading of a population over a territory. The models aims at reproducing a distribution of settlements with statistical and spatial characteristics similar to a historically produced pattern. The model operates on a representation of a real territory, taking into account hydrography and relief. The two main goals are to obtain a rank size distribution of the size of settlements which corresponds to a power law (also known as the Zipf Law of settlements) and to place the settlements in the territory in patterns that are close to the real ones, in zones where settlement was the result of a long historical process. The goal of the pro ject was to demonstrate that a set of relatively simple rules could produce a complex pattern, similar to the result of a long and complex historical process. So it is an assumed reductionist approach. Our conclusions show that a simple territorial logic, taking into account the quality of land, accessibility, population growth and migration preferences could reproduce Zipf distributions and interesting patterns of agent flow among the settlements created. However, achieving spatial patterns closer to the historical record needs an extra dimension involving field of sight. The best results where achieved by creating an artifical population which chooses to create settlements in places where a wide field of view exists of quality territory.

Ecotoxicity risks during influenza pandemic

Andrew C. Singer, Vittoria Colizza, Heike Schmitt, Johanna Andrews, Duygu Balcan, Wei E. Huang, Virginie D. J. Keller, Alessandro Vespignani, Richard J. Williams

vcolizza@isi.it

Abstract: The global public health community has closely monitored the unfolding of the 2009-10 influenza pandemic to best mitigate its impact on society. However, little attention has been given to the impact that our response to a pandemic might have on the environment. Antiviral and antimicrobial drugs prescribed to treat influenza and influenza-associated complications are poorly metabolized in vivo; once ingested, they are subsequently excreted into wastewater in a biologically-active form. Here we use a global spatially structured epidemic model to simulate the quantities of drugs used during an influenza pandemic under different conditions. We couple this model to a wastewater and river flow model, to project drug concentrations in wastewater treatment plants (WWTPs) and receiving rivers in the Thames basin in Southern England. Ecotoxicologic modeling shows that projected concentrations of antibiotics in WWTPs and receiving rivers would not exceed toxicity thresholds in the case of a mild pandemic, as observed with the current H1N1 pandemic. However, at the peak of a moderate or severe pandemic, the mean antibiotic usage could increase by 13% and 252% as compared to inter-pandemic periods, respectively. Nearly one-third of the microbial community in 70% of the WWTPs in the Thames basin are projected to be growth-inhibited during a severe pandemic, and preliminary empirical evidence signals the potential disruption of bacterial biofilms upon exposure to WWTP-relevant concentrations of Tamiflu. Between 5 to 40% of the length of the Thames River receiving WWTP effluent is projected to exceed thresholds for microbial growth-inhibition from antibiotics. Projections indicate no ecotoxicologic risk for a situation consistent with the 2009-10 H1N1 influenza pandemic. However, a more severe pandemic might result in reduced WWTP efficacy, resulting in the release of partly untreated sewage into receiving rivers, leading to eutrophication, fish kill, and contamination of drinking water abstraction points.

- 46 "Ageing and quality of life new responses from the real estate sector", by Fátima Loureiro de Matos
- 47 "Age-dependent immune response and antigenic drift in influenza", by Andrea Parisi, Ana Nunes, Gabriela Gomes
- 48 "Modelling complex systems with cellular automata", by Alexandre Makarovitsch, Jean-Pierre Foll and Pierre Chauvet
- 49 "The precipitation and temperature regime over Turkey as a result of climate change", by Hamza Altinsoy, Alperen Yuncu and Levent Kurnaz

- 50 "Impacts of the increasing climate variability to the Andorran Winter Tourism", by M. Pons, C. Pérez, B. Sureda, M. Rosas-Casals and E. Jover
- 51 The Effects of Climate Change on the Production of the crops in Turkey", Hamza Altinsoy, Cihat Kurt, Rumeysa Mus and Levent Kurnaz
- 52 "A unified theory for geographic parthenogenesis and sexual reproduction", by Yixian Song, Stefan Scheu and Barbara Drossel

Track D

Complexity and Computer Science

The Observatorium – The structure of news: topic monitoring in online media with mutual information

David Rodrigues

david.rodrigues@gmail.com

Abstract: Large, real time text classification systems are becoming a popular topic. We present a method for automatically extracting correlated news from online media using a dynamic similarity graph and use the variation of information as a measure to identify topics, lifespan and key terms. The presented method has the advantage of requiring no human intervention or training and having no pre-assigned categories because they emerge from the dynamics of the generated network.

Network synchronization interval and local Kolmogorov-Sinai entropy *Acilina Caneco, Sara Fernandes, Clara Grácio and J. Leonel Rocha*

acilina@deetc.isel.ipl.pt

Abstract: The synchronization of a network depends essentially on the connection topology of the network and on the behavior in the local nodes. In this work we fix the connection topology and express the network synchronization interval in terms of the local Kolmogorov-Sinai entropy, for piecewise linear expanding maps with the essential spectrum of the transfer operator being the unit disk. As a consequence the amplitude of the synchronization interval decreases as the local Kolmogorov-Sinai entropy increases.

The Web of Data as a Complex System

Christophe Gueret, Shenghui Wang and Stefan Schlobach

cgueret@few.vu.nl

Abstract: The Web of Data (WoD) is an internet-based network consisting of data-resources and their semantic relations. It has recently taken flight now combines over a hundred of interlinked data-sources containing already more than 15 Billion edges. A consequence of this recent success is that a paradigm shift is currently taking place: could the Web of Data until now still be studied, searched and maintained like a classical data-base, it has now turned into a Complex System, and needs to be studied as such. In this paper we introduce the Web of Data as a challenging object of study and provide initial results on two of network scales: the pure data-layer, and the global connection between graphs. In this analysis we can show that the ""official"" abstract representation of the WoD does not fit the real distribution we can derive from the lower scale. However, as interesting as these results are, bigger challenges await in form of the highly dynamic character of the WoD, and the typed, and implicit, character of the edges which is, to the best of our knowledge, hitherto unstudied.

On Coverage Bounds of Unstructured Peer-to-Peer Networks

Joydeep Chandra, Niloy Ganguly

joydeep_ch@yahoo.co.uk

Abstract: In this paper, we develop methods to estimate the network coverage of a TTL-bound query packet undergoing flooding on an unstructured p2p network. The estimation based on the degree distribution of the networks, reveals that the presence of certain edges, that we name as cross and back edges, reduces the coverage of the peers in p2p networks and also generate a large number of redundant messages, thus wasting precious bandwidth. We therefore develop models to estimate the back/cross edge probabilities and the network coverage of the peers in the presence of these back and cross edges. Extensive simulation is done on random, power-law and Gnutella networks to verify the correctness of the model. The results highlight the fact that for real p2p networks, which are large but finite, the percentage of back/cross edges can increase enormously with increasing distance from a source node, thus leading to huge traffic redundancy.

Context-Aware Agent-Based Modeling of Social Complex Systems

Tarek Ben Mena, Narjès Bellamine-Ben Saoud, Mohamed Ben Ahmed, Bernard Pavard

tarek.benmena@gmail.com

Abstract: In this paper, we present a modelling social complex systems with Multi-Context-Aware Agent Systems (MCAAS). MCAAS are Mul-tiAgent Systems where some or all agents are context-aware. Context- Aware Agent (CAA) can adapt their behavior according to context with all its dimensions: physical, social, emotional, culturial, etc. Wa propose also a platform for CAA deployement and we use this platform for the development of an emergency rescue simulator based on CAA.

Modularity Measure of Networks With Overlapping Modules

Anna Lazar, Danel Abel, Tamas Vicsek

lanna@hal.elte.hu

Abstract: In this paper we introduce a non-fuzzy measure which has been designed to rank the partitions of a network's nodes into overlapping communities. Such a measure can be useful for both quantifying clusters detected by various methods and during finding the overlapping community-structure by optimization methods. The theoretical problem referring to the separation of overlapping modules is discussed, and an example for possible applications is given as well.

- 53 "Complex Adaptive Robotics in Logistics Systems SystemC as an Appropriate Approach for Modeling (CARLS)?", by M.Hülsmann and R.Colmorn
- 54 "Closed-Loop Coding-Decoding Procedures as Technological Base of the Living and Organized Complex Systems", by Dobilas Kirvelis
- 55 "Complex engineering systems design: from mapping requirements to system optimization", by Ivo Ferreira

- 56 "Second-Order Assortative Mixing in Networks", by Shi Zhou, Ingemar J. Cox and Lars K. Hansen
- 57 "Bipartite Graphs for Densification in Social Networks", by Szymon Chojnacki and Mieczyslaw Klopotek
- 58 "Towards Community Detection Problem Formalization", by Mohammed Haddad, Belkacem Serrour and Hamamache Kheddouci
- 59 "Joint Attention Realized in a Robot with Intentional Agency", S. Nagataki, M. Shibata, T. Konno, T. Hashimoto and H. Hattori
- 60 "Multi-Objective Swarm Optimization for Grid Scheduling", by María Arsuaga-Ríos, Miguel A. Vega-Rodriguez and Francisco Prieto-Castrillo
- 61 "Common e-mail statistical features and priority task model of short-time dynamics in work groups", Satoko Itaya, Naoki Yoshinaga, Peter Davis, Rie Tanaka, Taku Konishi, Shinichi Doi and Keiji Yamada
- 62 "Describing Mental States and Bodily Behaviors", by S. Hirose and N. Nagataki
- 63 "Dynamic Adaptation to Available Nodes on Open Cloud Computing", by Rui Esteves
- 64 "Aging in a Language Change Model", by Gareth Baxter
- 65 "Network characteristics of news text sources", by Manuel Tânger

58	

Track E

From Molecules to Living Systems

Extending the 'Life' Concept to Complex Systems

Jean Le Fur

lefur@ird.fr

Abstract: There is still no consensus definition of complex systems (CS). This article explores, as a heuristic approach, the possibility of considering CS as a general category, 'living things'. Living organisms would be considered a specialized class of 'living things'. The main features of the proposal are presented. Concepts associated with "life" are then explored in the context of CS: birth, death and lifespan, adaptation, ontogeny and growth, reproduction... Thereafter, a refutation approach is used to test the proposed classification against a set of diverse systems, including a vertebrate, a breaking wave and an idea. The results of this analysis are then used to generate a definition of CS, given the proposal, and within the background of cybernetics, complex adaptive systems and biology. The definition of CS as 'living things' appears to be a useful heuristic approach, opening up new lines of research for improving the definition of CS.

A stochastic model of autocatalytic reaction networks

Alessandro Filisetti, Roberto Serra, Marco Villani, Rudolf M. Fuchslin, Norman Packard, Stuart A. Kauffman, Irene Poli

alessandro.filisetti@ecltech.org

Abstract: Autocatalytic networks are widespread in nature, but they are difficult to create or to reproduce in laboratory. There are however several models of coupled reactions which describe a phase transition to an autocatalytic cycle when a certain level of heterogeneity in the composition of the chemical soup is reached, so it is interesting to understand why these phenomena are not easily achieved in the laboratory. For this purpose we introduce here a model, inspired by a previous one by Kauffman, tailored for the study of such properties. In particular, we take into account the stochastic nature of the dynamics of interacting molecules, in the case of a well stirred tank reactor. We describe the model and we analyse its behaviour under different circumstances. In particular, the onset of an autocatalytic set is studied as the feed is varied, and its stability is analysed.

Towards an Integrated Understanding of Protein Graph Characteristics for Protein Folding

Susan Khor

slc.khor@gmail.com

Abstract: The principles underlying protein folding remains one of Nature's puzzles with important practical consequences for mankind. An approach that has gathered momentum since the late 1990's, looks at protein hetero-polymers and their folding process through the lens of complex network analysis. As a result, there is now a body of empirical studies describing common topological characteristics of proteins and linking topological characteristics to protein folding. In general, protein folding is a self-sufficient kinetic process making its way through a very large conformation space towards a unique native state in biological time. As such, it can be viewed as a very efficient local search process. In this paper, we use a model to test whether the suggested explanations for the various observed topological characteristics of proteins make sense from a local search perspective. We hope to understand in an integrated way, the influences structural characteristics of proteins have on protein folding.

Integrating Heterogeneous Gene Expression Data for Gene Regulatory Network Modelling

Alina Sîrbu, Heather J. Ruskin and Martin Crane

asirbu@computing.dcu.ie

Abstract: Gene regulatory networks are complex biological systems that have a large impact on protein levels, so that discovering network interactions is a major objective of Systems Biology. Quantitative GRN models have been inferred, to date, from time series measurements of gene expression, but at small scale, and with limited application to real data. Time series experiments are typically short, (number of time points of the order of 10), while regulatory networks can be very large, (containing hundreds of genes). This creates an underdetermination problem, which negatively influences the results of any inferential algorithm. Presented here is an integrative approach to model inference, which has not been previously discussed, to the authors' knowledge. Multi-platform heterogeneous expression time series are used to infer the same model, and results are shown to be more robust to noise and parameter perturbation. Additionally, a wavelet analysis shows these models display limited noise over-fitting within the individual datasets.

Knockouts, Robustness and Cell Cycles

Gunnar Boldhaus and Nils Bertschinger and Johannes Rau and Eckehard Olbrich and Konstantin Klemm

boldhaus@bioinf.uni-leipzig.de

Abstract: The response to a knockout of a node is a characteristic feature of a networked dynamical system. Knockout resilience in the dynamics of the remaining nodes is a sign of robustness. Here we study the effect of knockouts for binary state sequences and their implementations in terms of Boolean threshold networks. Beside random sequences with biologically plausible constraints, we analyze the cell cycle sequence of the species Saccharomyces cerevisiae and the Boolean networks implementing it. Comparing with an appropriate null model we do not find evidence that the yeast wildtype network is optimized for high knockout resilience. Our notion of knockout resilience weakly correlates with the size of the basin of attraction, which has also been considered a measure of robustness.

Estimation of time-variant risks by the slime mold Physarum polycephalum Bernd Meyer, Cedrick Ansorge, and Toshiyuki Nakagaki

bernd.meyer@acm.org

Abstract: Self-organized mechanisms are widely used in nature to achieve flexible, adaptive control and decision-making. It has recently been shown that noise can play a crucial functional role in such systems. Essentially, noise can enable a self-organized system to reliably adapt to short-term changes in the environment while maintaining a generally stable behavior. This is fundamental in biological systems because they must strike a delicate balance between stable and flexible behavior. We investigate the question how noise influences the decision-making of the true slime mold Physarum polycephalum, an important model species for the

investigation of computational abilities in simple organisms. We propose a simple biological experiment to investigate the reaction of P. polycephalum to time-variant risk factors. We present a stochastic extension of an established mathematical model for P. polycephalum to analyze this experiment. It predicts that noise can enable P. polycephalum to correctly assess time-variant risk factors, while the corresponding noise-free system fails to do so. Importantly, our analysis holds interest beyond the study of P. polycephalum. In conjunction with earlier work it demonstrates that the influence of noise on self-organized decision-making is not tied to a specific self-organized mechanism or its physical realization. Rather it is a general property of the underlying process dynamics, which appears to be universal across a wide range of systems. Our study thus provides further evidence that stochastic resonance is a fundamental component of the decision-making in self-organized macroscopic groups and organisms.

Water dynamics in the hydration shell of a protein

J. Servantie, C. Atilgan and A. R. Atilgan

cservantie@sabanciuniv.edu

Abstract: We study the dynamics of hydration water/protein association in folded proteins, using lysozyme and myoglobin as examples. Extensive molecular dynamics simulations are performed to identify underlying mechanisms of the dynamical transition that corresponds to the onset of amplified atomic fluctuations in proteins. The number of water molecules within a cutoff distance of each residue scales linearly with protein depth index and is not affected by the local dynamics of the backbone. Keeping track of the water molecules within the cutoff sphere, we observe an effective residence time, scaling inversely with depth index at physiological temperatures while the diffusive escape is highly reduced below the transition. A depth independent orientational memory loss is obtained for the average dipole vector of the water molecules within the sphere when the protein is functional. While below the transition temperature the solvent is in a glassy state, acting as a solid crust around the protein inhibiting any large scale conformational fluctuations. At the transition, most of the hydration shell unfreezes and water molecules collectively make the protein more flexible, slowly relaxing matter.

Increased specificity in a model with molecular frustration

André M. Lindo and Fernao V. de Abreu

fva@ua.pt

Abstract: In this article we explore a molecular frustration mechanism for specificity amplification. We show that this mechanism can be seen as a more general form of a kinetic proofreading mechanism, with an interesting new property, namely the ability to tune the specificity amplification by changing the reactants concentrations. This contrasts with the classical kinetic proofreading mechanism in which specificity is a function of only the reaction rate constants involved in a chemical pathway.

Agent Based modelling of realistic molecules

Sara Fortuna and Alessandro Troisi

s.fortuna@warwick.ac.uk

Abstract: In this paper we extend our previously developed agent-based (AB) model to the study of a realistic system. We study the 2D self-assembly of rigid organic molecules on a surface, comparing the AB results with Monte Carlo (MC) and MC simulated annealing, a technique traditionally used to solve the global minimisation problem. The AB algorithm is able to give a lower energy configuration in the same simulation time than both the MC simulation techniques.

Evaluating Robustness of a Complex Multiscale Biochemical Model with an Algorithmic Model Reduction Technique

P.D. Kourdis and D.A. Goussis

dagoussi@mail.ntua.gr

Abstract: Complex mathematical models characterized by a wide range of time scales are considered. When the fast time scales are of dissipative nature and are much faster than the rest, the solution quickly relaxes on a manifold and evolves with the slow scales. Interested in the long-term evolution, the full mathematical model can then be divided in two parts; one part relating to the fast scales and identifying the manifold and another

part that relating to the slow scales and describing the slow evolution on the manifold. On this basis, the significance of the various components in the model can be assessed, by examining their contribution to the fast and slow parts. Perturbations to the components contributing to the fast (slow) part will produce an immediate (gradual) effect. These ideas will be applied for the evaluation of the robustness of a model describing the glycolysis pathway.

- 66 "Modelling Complex Epigenetic Changes", by Ruskin Heather J. , Perrin Dimitri, Raghavan Karthika and Goasmat François
- 67 "Systemic Processes of Evolutionary Knowledge Organization in Pharmaceuticals", by Carl Henning Reschke
- 68 "A theoretical approach to identify indispensable proteins of the Type III secretion systems of Salmonella enterica serovar Typhimurium strain LT2", by Chandrajit Lahiri and Radhakrishnan Sabarinathan
- 69 "The Ambivalent Role of IFN- γ in Immunology a Matter of Feedback", by Andreas Heitger and Birgit Jürgens
- 70 "Modeling the Operator of Schizophrenic Behavior Within the Mechanism of Societal Operators", by Dallas F. Bell, Jr.
- 71 "Role of Regulatory Mechanisms in Pathogen Persistence", by Katherine Wendelsdorf, Josep Bassaganya-Rieria, Raquel Hontecillas, Stephen Eubank, and Madhav MaratheKatherine Wendelsdorf, Josep Bassaganya-Rieria, Raquel Hontecillas, Stephen Eubank, and Madhav Marathe
- 72 "A unified theory for geographic parthenogenesis and sexual reproduction", by Yixian Song, Stefan Scheu and Barbara Drossel
- 73 "Optimal vaccine allocation and vulnerability", by Andrea Apolloni, Bryan Lewis, Chris Barrett, Madhav Marathe, Stephen Eubank and Jangzuo Chen
- 74 "Stochastic modeling of infectious diseases", by Ganna Rozhnova and Ana Nunes
- 75 "The mathematical structures of the brain. Category Theory in neural science", by Jaime Gómez Ramírez, Ricardo Sanz and Manuel Bedia
- 76 "Sparseness in model gene regulatory networks", by Marcin Zagórski
- 77 "Gene regulation in time and space: a model of the interdependence between genome structure and gene network dynamics", by Thimo Rohlf, Ivan Junier and Francois Kepes
- 78 "Receptor cross-talk in angiogenesis: Mapping environmental cues to cell phenotype in a stochastic, Boolean signaling network model", by Thimo Rohlf and Amy L. Bauer
- 79 "Processing of complex environmental cues in circadian systems composed of two-oscillators", by Daniel Santa Cruz Damineli and Andreas Bohn
- 80 "Modelling the miRNA mRNA network", by Göker Arpag, Ayse Erzan and Pradeep Kumar Mohanty
- 81 "Dynamic Bayesian analysis of protein signalling connectivity reveals heterogeneity within single breast cancer subtype", by Steven M. Hill, Yiling Lu, Jennifer Molina, Gordon B. Mills and Sach Mukherjee

Track F

Mathematics and Simulation

Beyond Lyapunov

Rui Vilela Mendes

vilela@cii.fc.ul.pt

Abstract: Ergodic parameters like the Lyapunov and the conditional exponents are global functions of the invariant measure, but the invariant measure itself contains more information. A more complete characterization of the dynamics by new families of ergodic parameters is discussed, as well as their relation to the dynamical Rényi entropies and measures of self-organization. A generalization of the Pesin formula is derived which holds under some weak correlation conditions.

Controlling the Bak-Tang-Wiesenfeld model

D. O. Cajueiro and R. F. S. Andrade

danielcajueiro@gmail.com

Abstract: Self-organized criticality is a characteristic of eternally driven systems that organize themselves without fine parameter tuning. The issue considered here is that the process of self-organization of such systems generates events with no characteristic size being very costly to society. In order to deal with this problem, focusing mainly on the direct Dhar model, we have recently shown that an external control can be used to reduce the size of avalanches in systems exhibiting self organized criticality. Here, we explore the problem of controlling self-organized criticality on the undirect Bak-Tang-Wiesenfeld (BTW) model.

Noisy Random Boolean Networks and Cell Differentiation

Marco Villani, Roberto Serra, Alessia Barbieri, Andrea Roli, Stuart A. Kauffman and Annamaria Colacci

alessia.barbieri@gmail.com

Abstract: We propose a modification of the Random Boolean Network model where noise is allowed, in such a way that in its asymptotic state the system can visit several attractors of the deterministic dynamics. The notion of Threshold Ergodic Sets (TES) is introduced, and it is pro- posed that they represent cell types. The degree of differentiation of a cell is related to the number of attractors which belong to its TES, and it shown that this leads to a meaningful description of cell differentia- tion. By coupling the threshold, which is related to the level of

noise, to mutations which may interfere with the control mechanisms of the cell, a description of the the process of cell transformation, from normal to malignant, is provided. This description, albeit abstract, is consistent with several known experimental facts.

Modeling of Demand in Housing Market through Multi-Agents Behavioral Modeling

Maryam Esmaeili, A. Vancheri, P. Giordano

maryam.esmaeili@lu.unisi.ch

Abstract: Housing is a key component of the economy of every country. Having a model which is able to predict the housing market in a few years could be very valuable for different disciplines such as economists, social scientist, geographies, etc. For having such a model first we need to predict the housing mobility patterns to make the demand in housing market. In this paper a decision making system using fuzzy type-2 system has been developed to model the housing relocation in Lugano in some years. In this model the agents are the households which are able to evaluate their housing status and if they were not satisfied they decide to change their house. Every agent is identified by his socio-economic characteristics, the time he lives in the system and the position of his house. In every step of the simulation, the agent observes the features of his house and the environment and compare it with his socio-economic features and if they were matched he will be satisfied by his house and if not he will decide to change his place. Through this process we will model the house relocation reasons, then these reasons will be used in the model the shape the agents' selection regarding new house selection. In the proposed hierarchical structure, the motivations of an agent are modeled in the first stages of the hierarchy through modeling of agent's dissatisfaction. Using Kano model, dissatisfaction process has been modeled by a knowledgebase system. The strengths of the attributes of an available product in firing the rules of the knowledge-base system of the agent are computed and interpreted as motivations of the agent to do an action (selection). After computing the motivations of selecting a new house for every agent, the matching level between the agent's needs and the attributes of a new house is computed by a fuzzy type-2 inference system. Higher matching level means higher probability in selecting a new product. This approach has been used in house selection to make demands in housing market.

Generalized thermodynamics underlying the laws of Zipf and Benford Carlo Altamirano and Alberto Robledo

robledo@fisica.unam.mx

Abstract: We show that the laws of Zipf and Benford, obeyed by scores of numerical data generated by many and diverse kinds of natural phenomena and human activity are the focal expressions of a generalized thermodynamic structure. This structure is obtained from a deformed type of statistical mechanics that arises when configurational phase space is incompletely visited in a strict way. We consider a generalized version of Benford's law for data expressed in full and not by the first digit. The inverse functional of this expression is identified with Zipf's law; but it naturally, and quantitatively, reproduces the bends or tails observed in real data for small and large rank. Thermodynamically, our version of Benford's law expresses a Legendre transform between two entropy (or Massieu) potentials, while Zipf's law is merely the expression that relates the corresponding partition functions. Remarkably, we find that the entire problem is analogous to the transition to chaos via intermittency exhibited by low-dimensional nonlinear maps. Our results also explain the generic form of the degree distribution of scale-free networks.

Parametric Resonance in Time-Dependent Networks of Hopf Oscillators Julio Rodriguez and Max-Olivier Hongler

julio.rodriguez@epfl.ch

Abstract: We study a collection of limit cycle oscillators with different frequencies interacting via networks. With static networks, our specific class of models produces a frequency learning mechanism leading the collection of oscillators to ultimately adopt a single consensual frequency which, once reached, subsists even if interactions are switched off (i.e. interactions produce a plastic deformation of the dynamics). The consensual state is asymptotically reached independent of the networks' topologies. However, the topologies affect the convergence rate. For time-dependent networks, new dynamical patterns may emerge. These produce a time-dependent spectrum of the Laplacian matrices describing the algebraic connectivities. For time-dependent circulant networks, we are able to show that linear stability analysis in the vicinity of the stationary consensual

state produces Hill type equations (i.e a second-oder linear ODEs with oscillating parameters), thus offering the possibility of destabilization via parametric resonance phenomena.

Characterising Steady-State Topologies of SIS Dynamics on Adaptive Networks Stefan Wieland, Tomas Aquino, Andrea Parisi, Ana Nunes

swieland@cii.fc.ul.pt

Abstract: Disease awareness in epidemiology can be modelled with adaptive contact networks, where the interplay of disease dynamics and network alteration often adds new phases to the standard models (Gross 2006; Shaw 2008) and, in stochastic simulations, lets network topology settle down to a steady state that can be static (in the frozen phase) or dynamic (in the endemic phase). In the simple endemic phase of the SIS model, this steady state does not depend on the initial network topology, but only on the disease and rewiring parameters and on the link density of the network, which is conserved. We give an analytic description of the structure of this co-evolving network of infection through its steady-state degree distribution.

Using wavelet analysis to disentangle the different movement regimes of foraging animals

Arnold FERTIN and Vincent Fourcassié

arnold.fertin@gmail.com

Abstract: When foraging in their environment a lot of animals adopt an intermittent search strategy composed of various movement regimes. To understand the functional significance of these regimes their identification is required. We used a method based on Continuous Wavelet Transform (CWT) to highlight these regimes. CWT is a mathematical tool which achieves a time-scale (or time-frequency) analysis of signals and which is especially appropriate to process the transient and non-stationarity properties of the signals generated by intermittent phenomena. This tool was applied to the acceleration component of the movement of foraging individuals of the ant species Odontomachus hastatus. It turned out to be an excellent method for identifying in a totally unsupervised manner the different kinematic regimes in the ants' movement, constituting a first step for the understanding of their functional significance.

The Unreasonable Effectiveness of Tree-Based Theory for Bond Percolation on Networks with Clustering

Sergey Melnik, Adam Hackett, Mason A. Porter, Peter J. Mucha, and James P. Gleeson

sergey.melnik@ul.ie

Abstract: We demonstrate that a tree-based theory for bond percolation yields extremely accurate results for several networks with high levels of clustering. We find that such a theory works well as long as the mean intervertex distance \$\ell\$ is sufficiently small---i.e., as long as it is close to the value of \$\ell\$ in a random network with negligible clustering and the same degree-degree correlations. We confirm this hypothesis numerically using real-world networks from various domains and on several classes of synthetic clustered networks.

Statistical and Spectral Properties of Self-Organizing Macromolecular Systems Deniz Turgut, Ali Rana Atilgan, Canan Atilgan

dturgut@sabanciuniv.edu

Abstract: The characteristics of networks derived from spatial self-organizing systems exemplified by residue networks and macroscopic simulation of block copolymers are studied. We introduce network models inspired by three dimensional crystal structures to approximate these systems. A linear relation between degree and second degree correlations is derived. This relation is used along with the spectral properties to characterize the resulting networks. It is found that networks originating from three dimensional lattices, especially close packed structures, are more successful in capturing the essential properties of networks based on protein structures and micelles.

How opinion dynamics generates group hierarchies

F.Gargiulo, S.Huet

floriana.gargiulo@cemagref.fr

Abstract: We recently proposed a model coupling the evolution of the opinions of the individual with the local network topology. The opinion dynamics is based on the Bounded Confidence model. The social networks is based on a group concept where each individual is totally connected to the members of its group and is linked to the individuals of the other groups with a given probability. During a time step, the individual has to decide between discussing with a member of its own network and applying the opinion dynamics, or moving groups because it has an opinion far from the average opinion of its own group. One of the main results we obtained is that the group sizes, starting from an homogenous situation can be strongly heterogeneous at the equilibrium state. This kind of heterogeneity can be identified in many real networks. In this paper we present the complete set of behaviours that this complex model can exhibit, at group level. In particular we will focus on the mechanisms that lead to the stability of the groups and the appearance of heterogeneity in sizes.

The soft consensus model: dynamics, complexity, and modularity


G. Campanella, T. V. de Araújo, and R. A. Marques Pereira

gianluca@campanella.org

Abstract: We consider the network dynamics of the soft consensus model and we investigate the dynamical behavior of two important measures of network structure, complexity and modularity. The dynamical mechanism of the soft consensus model is driven by the minimization of a cost function combining a collective measure of dissensus with an individual mechanism of opinion changing aversion. The dissensus measure plays a key role in the model and induces a network of pairwise interactions between the individual opinions. The pairwise interaction coefficients take values in the unit interval and define the adjacency matrix of an undirected weighted graph. The measures of complexity and modularity express in two different ways how far the network structure is from some appropriate (transitive) partitioning. We illustrate their dynamical behaviour in the context of the soft consensus model by means of a number of computer simulations.

- 82 "Rosen's Modelling Relations via Categorical Adjunctions", by Elias Zafiris
- 83 "Topological entropy and conductance on complete clustered networks", by Clara Grácio, Sara Fernandes, Acilina Caneco e José Rocha
- 84 "Prediction of Lava flows at Mt. Etna with a Cellular Automata based Methodology", by Gino Mirocle Crisci, Maria Vittoria Avolio, Salvatore Di Gregorio, Donato D'Ambrosio, Valeria Lupiano, Rocco Rongo and William Spataro
- 85 "New transition due to repulsion in Axelrod models of social influence", by Marcelo del Castillo-Mussot, Alejandro Radillo-Díaz and Luis A. Pérez
- 86 "Networks of ground states of frustrated systems", by Malgorzata J. Krawczyk and Krzysztof Kulakowski
- 87 "Simple 2D Cellular Automata in Natural Geohazard Simulation", by Maja Adamska-Szatko
- 88 "Functionality and Speciation in Boolean Networks", by Jamie Luo and Matthew Turner
- 89 "Robustness of networks under stochastic intermittent flows", by Konstantinos Trantopoulos and Markus Schläpfer
- 90 "Structured Populations in the N-Person Snowdrift Game", by Marta D. Santos, Francisco. C. Santos and Jorge M. Pacheco
- 91 "Complex information: Beyond Shannon", by Nilo Koscheck and Marcos Estellita
- 92 "Networks of motifs from sequences of symbols", by Roberta Sinatra, Daniele Condorelli and Vito Latora
- 93 "Bipartite Graphs for Densification in Social Networks", by Szymon Chojnacki and Mieczyslaw Klopotek
- 94 "Modelling the Emergent Dynamics of Microbial Communities in the Human Colon", by Helen Kettle, Petra Louis, Harry Flint, Grietje Holtrop and Ruairi Donnelly
- 95 "Complexity, information transfer and collective behavior in chaotic dynamical networks", by M. Escalona-Morán, G. Paredes and M.G. Cosenza

- 96 "Network of commuting and municipality characterization", by M. Lenormand, F. Gargiulo and S. Huet
- 97 "Topology Dependent Instability of BA Networks", by Takeshi Ozeki, Yosuke Takeda, Naotaka Eguchi and Teruhiko Kudo
- 98 "Shift of percolation thresholds for epidemic spread between static and dynamic small-world networks", by J.K. Ochab and P.F. Góra
- 99 "Routing in Scale-free Networks under Bursty Traffic", by Subrata Nandi, Praveen Kumar and Niloy Ganguly
- 100 "Renormalization group approach to complex clustering on networks", by Varga Melinda, Botond Molnár and Zoltán Néda
- 101 "Causal State Models of FRET Spectra", by David Kelly, Mark Dillingham and Karoline Wiesner
- 102 "A parameterless community-cluster detection algorithm", by A. Ma, R. J. Mondragon, K.V. Shoop and L. Tokarchuk
- 103 "Data Integration Models", by Bruce Edmonds
- 104 "Rule 3D A Cellular Automaton Tool for the study and generation of 3D Patterns", by Filipe Casal Ribeiro, José Monteiro and Luís Miguel Serrano



Conference Supporters









Conference Sponsors



























