



## Integration of auditory, labial and manuals signs in Cued Speech perception by deaf adults : an adaptation of the McGurk paradigm

*Clémence Bayard, Jacqueline Leybaert, Cécile Colin*  
[clemence.bayard@gipsa-lab.grenoble-inp.fr](mailto:clemence.bayard@gipsa-lab.grenoble-inp.fr)

FFAVSP2015



13th September 2015

*The research leading to these results has received funding from the European Research Council under the European Community's Seventh Framework Programme (FP7/2007-2013 Grant Agreement no. 339152.*



# SPEECH PERCEPTION

- For normally hearing (NH) people



*The famous  
McGurk effect*

(McGurk & Mac Donald, 1976)

→ « *Fusion* » response  
audio-visual integration


# SPEECH PERCEPTION

- For deaf people

*Audio-visual integration  
is an adaptative process*




- *Auditory abilities*
- *Quality of the information*




➡ *Audio responses increase and  
visual responses decrease*

(Desai, Slicker & Zeng, 2000, Leyhse, Berthommier & Leybaert, 2012)


# CUED SPEECH, A CORNETT'S IDEA



- Cued Speech is designed to reduce ambiguity related to lipreading
- Each syllable is uttered with a complementary gesture called a manual cue. Each manual cue can code several phonemes, but these phonemes differ in their labial image.
- The combination of visual information allows deaf individuals to perceive all syllables optimally.




Cues for **vowel** sounds




# CS PRODUCTION & PERCEPTION



*These results reverse the classic way  
of considering the CS*



*Is the hand advance  
used in perception ?*



(Attina et al. , 2002, 2004,2005 )

(Troille, 2009 ; Sacher et al., 2008 ; Abqateebia, 2007 ; Gibet, 2006)

# CS PERCEPTION – WITHOUT SOUND

ULB

UNIVERSITÉ LIBRE DE BRUXELLES




*The respective  
weight of  
each info?*



Deaf CS-users

NH CS-users




Lips-hand  
integration

- ➡ Hand responses despite the incongruency (Deaf > Normally-Hearing)
- ➡ Manual responses increase with an ambiguous labial information. Labial response increase with an ambiguous manual information.
- ➡ Combination suggesting a « McGurk effect »

(Alegria & Lechat, 2005; Leybaert, Bayard, Huyse & Colin, 2013)


# CS PERCEPTION – WITH SOUND



- How does CS impact the AV integration?
- What is the contribution of each information?
- Effect of Auditory status?


Identification task with CV syllables consisting of one of the /p, k, t/ phonemes articulated with /a/.

3 CS incongruent cond.






(Bayard, Colin & Leybaert, 2014)

# CS PERCEPTION – WITH SOUND




*Lips-hand-sound  
Integration ?*

- In McGurk condition without manual cue, deaf and NH had the same response pattern.
- The addition of a manual cue impacts AV integration : less fusion response in favor of another kind of response depending on auditory status.
  - NH rely more on auditory information
  - Deaf rely more on visual information (lips and hand).



(Bayard, Colin & Leybaert, 2014)

# NEW STUDY – METHOD




Lips-hand-sound  
Integration ?

- How does CS impact the AV integration?
- What is the contribution of each information?
- **Effect of auditory abilities ?**



## Participants



36 CS  (mean 19 years ; 33 with CI)




35 control  (mean 19 years ; 30 with CI)

# CS-USERS VS CONTROL




# RESULTS – CS « AUDIO »

<span style="color: purple;">█</span> Fusion <span style="color: cyan;">█</span> Lips <span style="color: orange;">█</span> Sound	<span style="color: yellow;">█</span> Other <span style="color: darkred;">█</span> Other-lips <span style="color: green;">█</span> Other-hand
---	---

CS group



Control



## Without CS

- Fusion : CS < Control





## With CS

- Fusion no effect
- ↓ lips ( $p < .001$ )
- ↑ sound ( $p < .005$ )
- ↑ hand ( $p < .005$ )




# RESULTS – CS « LIPS »



CS group



Control






## With CS






- ↓ fusion ( $p < .005$ )
- lips no effect
- audio no effect

# RESULTS – CS « FUSION »

## CS group



## Control



- Fusion ■ Other
- Lips ■ Other-lips
- Sound ■ Other-hand






## With LPC

- ↓ lips ( $p < .001$ )
  - ↑ fusion ( $p < .001$ )

• Fusion : CS > Ctrl

$\text{AO}^+$  VS  $\text{AO}^-$

# RESULTS – CS « AUDIO »



█ Fusion    █ Other  
█ Lips    █ Other-lips  
█ Sound    █ Other-hand


## Without CS

- AO+ : fusion > lips
- AO- : lips > fusion

## With CS

- AO+ gave more fusion and audio response than AO-


# DISCUSSION



Cues for **vowel** sounds

- in - eu (*train bleu*)
- ô - e - a (*oh le lac!*)
- i - on - an (*pigeon blanc*)
- ou - è - o (*où est Paul?*)
- un - é - u (*un zébu*)

Cues for **consonants** sounds



Auditory  
modality



&

Visual  
modality




*CS is an original and  
good way to examine  
integrative process in  
speech perception*


# DISCUSSION



- AO+ rely more on auditory information
- AO- rely more on visual information (lips and hand).



# DISCUSSION



Successful cognitive graft



# CLINICAL IMPLICATION

- T
- N



THANKS FOR YOUR ATTENTION !