

# ECOLOGICAL INDICATOR VALUES OF EUROPE (EIVE) 1.0: A POWERFUL OPEN-ACCESS TOOL FOR VEGETATION SCIENTISTS

[17 January 2016 webmaster](#) [Leave a comment](#)

by <sup>1,2</sup> Jürgen Dengler, <sup>1</sup> Elisabeth Hüllbusch, <sup>3</sup> Claudia Bita-Nicolae, <sup>4</sup> Milan Chytrý, <sup>5</sup> Yakiv P. Didukh, <sup>6</sup> Martin Diekmann, <sup>7</sup> Hartmut Dierschke, <sup>8</sup> Thorsten Englisch, <sup>9</sup> Nikolai Ermakov, <sup>10</sup> Heike Feldhaar, <sup>11</sup> Anna Maria Fosaa, <sup>12</sup> Dieter Frank, <sup>13,14</sup> François Gillet, <sup>15</sup> Riccardo Guarino, <sup>16</sup> Stephan M. Hennekens, <sup>17</sup> Mark O. Hill, <sup>18</sup> Sven D. Jelaska, <sup>4</sup> Borja Jíménez-Alfaro, <sup>19</sup> Philippe Julve, <sup>20</sup> Zygmut Kącki, <sup>21</sup> Gerhard Karrer, <sup>22</sup> Michael P. Nobis, <sup>16,23</sup> Wim A. Ozinga, <sup>24</sup> Sandro Pignatti, <sup>25</sup> Thomas Raus, <sup>4</sup> Marcela Řezníčková, <sup>26</sup> Eszter Ruprecht, <sup>27</sup> Urban Šilc, <sup>28</sup> Manuel J. Steinbauer, <sup>29,30</sup> Jean-Paul Theurillat, <sup>4</sup> Lubomir Tichý, <sup>31</sup> Florian Jansen

<sup>1</sup> Plant Ecology, Bayreuth Center of Ecology and Environmental Research (BayCEER), University of Bayreuth, Universitätsstr. 30, 95447 Bayreuth, Germany

<sup>2</sup> Synthesis Centre (sDiv), German Centre for Integrative Biodiversity Research (iDiv) Halle-Jena-Leipzig, Deutscher Platz 5e, 04103 Leipzig, Germany

<sup>3</sup> Institute of Biology Bucharest, Romanian Academy, 296 Spl. Independentei, 060031 Bucharest, Romania

<sup>4</sup> Department of Botany and Zoology, Masaryk University, Kotlarska 2, 61137, Brno, Czech Republic

<sup>5</sup> Department of Geobotany and Ecology, M.G. Kholodny Institute of Botany National Academy of Science of Ukraine, 01004 Kyiv, Ukraine

<sup>6</sup> Vegetation Ecology and Conservation Biology, Institute of Ecology, FB 2, University of Bremen, Leobener Str., 28359 Bremen, Germany

<sup>7</sup> Department of Vegetation Analysis and Phytodiversity, Albrecht-von-Haller Institute for Plant Sciences, University of Göttingen, Untere Karlsruhe 2, 37073 Göttingen, Germany

<sup>8</sup> V-P-N Büro für Vegetationsmonitoring, Populationsökologie und Naturschutzforschung, Rubin-Bittmann-Promenade 5/1/14, 1030 Vienna, Austria

<sup>9</sup> Laboratory of Ecology and Geobotany, Central Siberian Botanical Garden, Russian Academy of Science, Siberian Branch, Zolotodolinskaya str., 101, 630090 Novosibirsk, Russian Federation

<sup>10</sup> Animal Ecology I, Bayreuth Center of Ecology and Environmental Research (BayCEER), University of Bayreuth, Universitätsstr. 30, 95447 Bayreuth, Germany

<sup>11</sup> Department of Botany, Faroese Museum of Natural History, V.U. Hammershaimbsgoeta 13, P.O. Box 1155, 110 Torshavn, Faroe Islands

<sup>12</sup> Department of Nature Conservation, State Agency for Environmental Protection Saxony-Anhalt, Reideburger Strasse 47, 06116 Halle, Germany

<sup>13</sup> Laboratoire Chrono-environnement, UMR CNRS 6249, Université Bourgogne Franche-Comté, 16 route de Gray, 25030 Besançon cedex, France

<sup>14</sup> Laboratory of Ecological Systems, Ecole Polytechnique Fédérale de Lausanne, Station 2,

*1015 Lausanne, Switzerland*

<sup>15</sup> *Dept. STEBICEF, Botanical Unit, University of Palermo, via Archirafi 38, 90134 Palermo, Italy*

<sup>16</sup> *Alterra, Wageningen UR, Droevedaalsesteeg 3, 6708 PB Wageningen, Netherlands*

<sup>17</sup> *11 Chaucer Road, Cambridge CB2 7EB, United Kingdom*

<sup>18</sup> *Department of Biology, Faculty of Science, University of Zagreb, Marulicev trg 20, 10000 Zagreb, Croatia*

<sup>19</sup> *Laboratoire Ecologie et Biodiversité, FGES – Université Catholique de Lille, 83 boulevard Vauban, 59016 Lille cedex, France*

<sup>20</sup> *Department of Vegetation Ecology, Institute of Environmental Biology, University of Wrocław, ul. Kanonia 6/8, 50-328 Wrocław, Poland*

<sup>21</sup> *Institute of Botany, University of Natural Resources and Life Sciences, Gregor Mendel Str. 33, 1180 Vienna, Austria*

<sup>22</sup> *Swiss Federal Research Institute WSL, Zürcherstr. 111, 8903 Birmensdorf, Switzerland*

<sup>23</sup> *Experimental Plant Ecology, Institute for Water and Wetland Research, Radboud University Nijmegen, 6500 GL Nijmegen, Netherlands*

<sup>24</sup> *Orto Botanico dell'Università, Largo Cristina di Svezia 23, 00153, Roma, Italy*

<sup>25</sup> *Botanic Garden and Botanical Museum Berlin-Dahlem (BGBM), Freie Universität Berlin, Königin-Luise-Str. 6–8, 14195 Berlin, , Germany*

<sup>26</sup> *Hungarian Department of Biology and Ecology, Babeş-Bolyai University, Republicii street 42, Cluj-Napoca, 400015, Romania*

<sup>27</sup> *ZRC SAZU, Institute of Biology, Novi trg 2, 1000 Ljubljana, Slovenia*

<sup>28</sup> *Section Ecoinformatics & Biodiversity, Department of Bioscience, Aarhus University, 8000 Aarhus, Denmark*

<sup>29</sup> *Fondation J.-M. Aubert, C.P. 71, 1938 Champex-Lac, Switzerland*

<sup>30</sup> *Section of Biology, University of Geneva, C. P. 60, 1292 Chambésy, Switzerland*

<sup>31</sup> *Landscape Ecology and Ecosystem Dynamics (LEED), Institute of Botany and Landscape Ecology, University of Greifswald, Soldmannstr. 15, 17487 Greifswald, Germany*

**Keywords:** bioindication, Ellenberg Indicator Value, ecoinformatics, ecological optimum, European Vegetation Archive, site condition, vegetation-plot database

---

**Background:** Ecological indicator values (EIVs) have a long tradition in vegetation ecological research in Europe. EIVs characterise the ecological optimum of species along major environmental gradients using ordinal scales. Calculating mean indicator values per plot is an effective way of bioindication. Following first systems in Russia and Central Europe, about two dozen EIV systems have been published for various parts of Europe.

**Aims:** As there was no EIV system available at European scale that could be used for broad-scale analyses, e.g. in the context of the European Vegetation Archive (EVA), we develop such a system for the first time for the vascular plants of Europe.

**Location:** Europe.

**Methods:** We compiled all national and major regional EIV systems and harmonized their plant nomenclature with a newly developed contemporary European taxonomic backbone (EuroSL 1.0). Using regression, we rescaled the individual EIV systems for the main

parameters to continent-wide quasi-metric scales, ranging from 1 to 99. The data from each individual system were then translated into a probability curve approximated with a normal distribution, weighed with the logarithm of the area represented and summed up across the systems. From the European density curve we extracted then a mean and a variance, which characterise the distribution of this species along this particular ecological gradient.

**Results and conclusions:** Our consensus approach of integrating the expert knowledge of all existing EIV systems allowed deriving the first consistent description of the ecological behaviour for a significant part of the European vascular flora. The resulting Ecological Indicator Values of Europe (EIVE) 1.0 will be published open access to allow bioindication beyond country borders. Future releases of EIVE might contain more parameters, non-vascular plants and regionalisation or could be re-adjusted and extended to hitherto non-covered species through co-occurrence data from EVA.