



HAL
open science

Activity-based simulation of households' energy and water consumptions

Bernard Yannou, Yann Leroy, Toufic Zaraket, Stéphanie Minel, Emilie Chapotot

► **To cite this version:**

Bernard Yannou, Yann Leroy, Toufic Zaraket, Stéphanie Minel, Emilie Chapotot. Activity-based simulation of households' energy and water consumptions. EcoSD annual workshop 2016 on "How ecodesign of products and services can embrace the use stage?", Presse des Mines, 2016. hal-01448717

HAL Id: hal-01448717

<https://hal.science/hal-01448717>

Submitted on 28 Jan 2017

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Activity-based simulation of households' energy and water consumptions

*Bernard Yannou, Yann Leroy, Toufic Zaraket
Université Paris-Saclay, CentraleSupélec, Laboratoire Génie Industriel
Stéphanie Minel, Emilie Chapotot
ESTIA*

INTRODUCTION

The building stock accounts for between 16 and 50 percent of national energy consumption worldwide [1–3]. Governments around the world are thus rolling out energy directives, national regulations and energy-efficiency labels that set minimum requirements for buildings' performance [4], and promote the construction of green buildings [5]. Buildings' stakeholders have thereby started dealing with buildings as products-with-services rather than just simple products. Services may for instance include energy monitoring or equipments' maintenance during a building's use-phase. Moreover, new market expectations such as the 'energy performance contracts' have started to emerge in a number of countries [6]. Such services and offers require thus a better control of performance's variability during a building's lifecycle. Consequently, a better comprehension and consideration of the key determinants of energy performance has become essential for the design and marketing processes of buildings.

Occupant behavior is a substantial source of uncertainty in energy modeling since. It can impact energy consumption by as much as 100% for a given dwelling [2,7–14]. Industrial energy simulation tools such as Energy Plus and eQUEST propose some simplifications regarding occupants' behavior (among other simplifications), which may lead to unrealistic energy estimates, and may eventually be one of the reasons behind high discrepancies between predicted and real energy consumption values [15–18]. Nowadays, such performance discrepancies are no longer tolerated - especially in the case of green (energy-efficient) buildings. More precise methods are therefore needed to model occupants' influence on buildings' energy performance. Such models should result in more accurate energy estimations, and hence improve building designs and marketing offers.

The authors have proposed an activity-based model of residential energy demand (SABEC, standing for *Stochastic Activity Based Energy Consumption*) in a doctoral dissertation [19]. The present paper is not intended to detail the model, but it briefly recalls the adopted modeling methodology. The main focus here is to show how a user-focused model, which accounts for occupants' energy-related needs and activities, can be used within the engineering design, energy management processes, and marketing offers of residential buildings.

A literature review is first presented followed by a brief recall of the proposed modeling methodology and a sample of simulation results. The possible integration of the proposed model into the design and energy management processes of residential buildings is then demonstrated through a number of use cases.

BACKGROUND AND RELATED WORK

Occupants' Behaviour and Energy Use Trends in Residential Buildings

According to Ellegård and Palm [20], energy use is embedded in most aspects of households' daily life. People use energy and water to satisfy their daily living needs and activities such as preparing food and supplying heat and light [21,22]. Scientific literature points out the major end-use groups of energy such as space heating, space cooling, domestic hot water, appliances and lighting [3,23,24]. This energy consumption is highly dependent on the behavior of occupants [2,14,25]. Past experience shows that energy usage can vary dramatically from one household to another [12,13,27]. This variation reflects the heterogeneity in occupants' needs and preferences. Literature confirms the presence of high correlations between household attributes on the one hand, and domestic appliances ownership levels, their energy rating, and their use patterns on the other [25,28–34]. This would explain why general assumptions about occupants' behavior imply ambiguities and inevitably lead to significant uncertainties in energy predictions. Therefore, a better modeling of occupant-related energy consumption must merge from a better understanding of their needs, preferences and usage-contexts, and, thus from a better representation of their socio- economic and demographic attributes that influence their energy consumption trends.

Existing modelling approaches

Literature reveals the existence of a number of different scientific techniques for modeling energy consumption in residential buildings [11]. Some authors, such as Seryak & Kissock [13] and Yohanis et al. [35], use real sub-metering data in order to derive representational loads (so-called “diversity profiles”) of occupants energy use, and thus deduce estimates of buildings' total energy consumption. Other modeling methods are those aiming at simulating occupancy patterns and various energy-load schedules by using stochastic approaches (e.g. Monte Carlo Markov Chains) that are based on national time use surveys (TUS) [18]. Authors such as Tanimoto [36], Richardson et al. [37,38], Widén and Wäckelgård [39], Muratori [40] and Subbiah [41] adopted such type of approaches. These modeling approaches yet still have some drawbacks. First, even though they correlate occupancy schedules to appliance use-patterns and consumption, yet to the authors' knowledge, neither of the existing approaches establishes the link between occupants' daily living needs (Maslow's pyramid) and their related energy consumption. Second, they do not generate energy demand profiles based on the activities performed in each household and more particularly by each household member. Therefore, they lack the capability to depict use-situations such as the sharing phenomena of appliances and activities (e.g. Watching TV). Third, the existing models are not exhaustive in representing household attributes (such as the income, age, etc.),

where in most cases, the main variable considered for representing households is the number of occupants. Consequently, such models cannot assess energy consumption variability between different population segments and household profiles.

Based on these conclusions, we believe that a user-focused statistically-derived approach which correlates occupants' profiles (socio-economic and demographic) on the one hand, to activities, appliance ownership and use trends, and usage contexts on the other hand, can be very useful for the design process of buildings. The benefits of such a model may not be limited to energy consumption predictions, but it can go further to be used for adapting building design solutions and for energy monitoring and management during the use-phase of buildings for instance.

THE SABEC MODEL

Ontology and principles

SABEC model is developed in the scope of forecasting occupant-related energy consumption in residential buildings, while accounting for variability in consumption patterns due to heterogeneity in occupants' socio-economic and demographic profiles [19]. The model accounts mainly for energy consumption related to domestic activities such as watching TV, washing dishes, and doing laundry. The structure of the proposed Activity-Based Energy Consumption SABEC model is presented in Figure , whereas its different objects are very briefly introduced in this section. Occupants' behavior is characterized through a need-activity-action paradigm. We consider that occupants satisfy their daily living needs (e.g. house-caring) by performing a set of daily activities (e.g. washing dishes), which in turn are conducted through a set of actions (e.g. wash dishes by machine, wash dishes by hand). Exhaustive inventories of energy-use needs, activities, actions and appliances are established in accordance with existing literature and related theories (e.g. Maslow's pyramid, activity theory) [19]. An Activity-based model entails that energy consumption of a household is estimated by summing up the energy use of different activities performed (such as cooking, washing clothes, etc.). The model is of a stochastic nature due to the twofold probabilistic mapping (conditional probabilities) established between household attributes (household type, number of occupants, socio-professional category, etc.), as well as the corresponding appliance ownership rates, appliance characteristics and power ratings, and activity quantities. A household model with an exhaustive representation of occupants' attributes is proposed.

Domestic activities are classified according to their nature (shared, additive), and a quantification unit is attributed for each of them (service unit). For a given activity (a given need), the service unit is coupled with appliance's energy rating in order to estimate the resulting energy and water consumption. The proposed model can thus quantify energy consumption per domestic activity at the level of a specific individual or household. We highlight here that the technical and computational aspects of the model are not presented in this paper. For more details, the reader may refer to [19] and [44,45].




Figure 1: Architecture of SABEC model

Deterministic simulation of energy and water consumptions

This SABEC model has been used for stochastic simulations in [46] of households' energy and water consumptions. The detailed work can be found in [19] (Downloadable here: <https://hal.archives-ouvertes.fr/tel-01087894>).

In the following, the authors present the deterministic energy and water consumption simulation of a household's whole set of domestic activities.

For summary, it has been proposed a parametric modelling principle of the energy envelope of an activity of a family of occupants according to their characteristics (number, age, sex, occupation and sociological characteristics of family members) by:

- Considering the amount of this activity,
- Correlating the quality and eco-efficiency of equipment brought by the family
- Calculating the consumption by additive summation of individual consumptions and heuristic estimation of the activity sharing
- Fitting of consumption patterns (electricity and water) related to an activity based on national statistical data of consumption.

In total, 28 domestic energy and water consuming activities have been modeled (see the list in Figure 2). These consumption models are expressed with about twenty parameters featuring the household composition.



Figure 2: The 28 activities of energy and water consumption

Each activity has been modeled in an Excel spreadsheet by: a subset of influencing households variables, a causal graph of influence starting from these households variables and ending with activity quantities passing through a number of quantitative intermediate variables (e.g. occupation rate, number of weekly meals, laundry weight...), modeling assumptions used, incoming data from statistical databases or national consumptions, and procedures used for model fitting to national consumption data. Figure 3 represents such a data streaming for assessing the final electrical consumption for “Watching TV” activity.




Figure 3: Watching TV electrical consumption model

The household simulation of energy and water consumption is monitored through a dedicated Excel spreadsheet allowing the definition of the household features and of some building physical features (see Figure 4). Some graphical outputs of simulations are provided in Figure 5: for a given dwelling and different households considered: Figure 5.a provides a comparison of both energy and water

consumptions, Figure 5.b provides such a comparison under each of the 28 activities.

Données d'entrée : Renseigner les informations nécessaires

Veuillez remplir les cases colorées en gris → Choisir avec la liste déroulante de chaque case !

Ménage



Type de ménage:

	Age	Sexe	Statut d'emploi	Catégorie socio-professionnelle	Salaires (net/mois)
Parent 1	30	Féminin	Salarié	Employés	2000
Parent 2	35	Masculin	Chômeur	Chômeurs	1200
Enfant 1	8	Féminin	Étudiant, lycéen		
Enfant 2	6	Masculin	Salarié		
Enfant 3					
Enfant 4					
Enfant 5					
Enfant 6					

Logement



Localisation:

Type de logement:

Surface: m²

Étage:

Orientation:

Environnement




Saison:

Température extérieure: °C

Figure 4: The SABEC simulation energy and water consumption dashboard for a given household

Comparaisons de consommations pour 5 profils de ménage



Décomposition des consommations par activités




Figure 5: Typical SABEC energy and water consumption of a residence building depending on the household composition

DISCUSSION AND CONCLUSION

Such simulations of energy and water consumptions from different household profiles enable:

- possible refinement or increased accuracy of EPCs (Energy Performance Contracts)
- possible simulations of the influence of certain technical solutions of the frame (e.g. effectiveness or no of pre-installed washing machines)
- to obtain heat gain estimates by activities that are useful inputs for further more accurate dynamic thermal simulations (DTSs).

The originality of our work is the decomposition of electro-domestic consumption by activities. This is of the utmost importance since occupants can and know how to regulate their activities. This model could be central to the development of a connected building approach, to the Internet of Things at the service of information and regulation of consumption. Although to date, we still do not have adequate technical resources for allocating consumption by activities, we can get ahead by calculating consumption by reference activities from the cloud data "for comparable family", develop visualization interfaces and offer occupants means to voluntarily

de-consume (incentives, emulation by social network, diagnostic and support to action plan ...).

BIBLIOGRAPHY

- [1] Saidur, R., Masjuki, H. H., and Jamaluddin, M. Y., 2007, "An application of energy and exergy analysis in residential sector of Malaysia," *Energy Policy*, **35**(2), pp. 1050–1063.
- [2] Masoso, O. T., and Grobler, L. J., 2010, "The dark side of occupants' behaviour on building energy use," *Energy and Buildings*, **42**(2), pp. 173–177.
- [3] Hoes, P., Hensen, J., Loomans, M., De Vries, B., and Bourgeois, D., 2009, "User behavior in whole building simulation," *Energy and Buildings*, **41**(3), pp. 295–302.
- [4] EPBD, 2014, "Concerted Action | Energy Performance of Buildings Directive" [Online]. Available: <http://www.epbd-ca.eu/>. [Accessed: 13-Sep-2014].
- [5] Vierra, S., 2011, "Green Building Standards and Certification Systems | Whole Building Design Guide" [Online]. Available: <http://www.wbdg.org/resources/gbs.php>. [Accessed: 13-Sep-2014].
- [6] CPE, 2012, "Contrats de performance énergétique - Ministère du Développement durable" [Online]. Available: <http://www.developpement-durable.gouv.fr/Contrats-de-performance,28987.html>. [Accessed: 10-Feb-2014].
- [7] Page, J., Robinson, D., Morel, N., and Scartezzini, J. L., 2008, "A generalised stochastic model for the simulation of occupant presence," *Energy and Buildings*, **40**(2), pp. 83–98.
- [8] Yu, Z., Fung, B. C. M., Haghghat, F., Yoshino, H., and Morofsky, E., 2011, "A systematic procedure to study the influence of occupant behavior on building energy consumption," *Energy and Buildings*, **43**(6), pp. 1409–1417.
- [9] Pachauri, S., 2004, "An analysis of cross-sectional variations in total household energy requirements in India using micro survey data," *Energy policy*, **32**(15), pp. 1723–1735.
- [10] Fabi, V., Andersen, R., Corgnati, S., and Olesen, B., 2012, "Occupants' window opening behaviour: A literature review of factors influencing occupant behaviour and models," *Building and Environment*, **58**, pp. 188–198.
- [11] Swan, L. G., and Ugursal, V. I., 2009, "Modeling of end-use energy consumption in the residential sector: A review of modeling techniques," *Renewable and Sustainable Energy Reviews*, **13**(8), pp. 1819–1835.
- [12] Clevenger, and Haymaker, 2006, "The impact of the building occupant on energy modeling simulations," Joint International Conference on Computing and Decision Making in Civil and Building Engineering, Montreal, Canada, pp. 1–10.
- [13] Seryak, J., and Kissock, K., 2003, "Occupancy and behavioral affects on residential energy use," *Proceedings of the Solar Conference*, pp. 717–722.
- [14] Emery, A. F., and Kippenhan, C. J., 2006, "A long term study of residential home heating consumption and the effect of occupant behavior on homes in the Pacific Northwest constructed according to improved thermal standards," *Energy*, **31**(5), pp. 677–693.
- [15] Malavazos, C., Tzovaras, D., Kehagias, D., and Ioannidis, D., 2011, "Energy and behavioural modelling and simulation for ee-buildings design," *Proceedings of the CIB W78-W102 2011: International Conference, Sophia Antipolis, France*.
- [16] Kashif, A., Ploix, S., Dugdale, J., and Binh Le, X. H., 2013, "Simulating the dynamics of occupant behaviour for power management in residential buildings," *Energy and Buildings*, **Volume 56**, pp. 85–93.
- [17] Bourgeois, D., Reinhart, C., and Macdonald, I., 2006, "Adding advanced behavioural models in whole building energy simulation: a study on the total energy impact of manual and automated lighting control," *Energy and buildings*, **38**(7), pp. 814–823.
- [18] Chiou, Y.-S., 2009, "Deriving US household energy consumption profiles from american time use survey data a bootstrap approach," 11th International Building Performance Simulation Association Conference and Exhibition, Glasgow, Scotland, pp. 151–158.
- [19] Zaraket, T., 2014, "Stochastic Activity-based Approach of Occupant-related Energy Consumption in Residential Buildings," *Doctoral Dissertation, Ecole Centrale Paris*.
- [20] Ellegård, K., and Palm, J., 2011, "Visualizing energy consumption activities as a tool for making everyday life more sustainable," *Applied Energy*, **88**(5), pp. 1920–1926.
- [21] Pennavaire, C., 2010, "Comprehensive modeling of energy use in households. An Agent Based case study on potential behavioural and technical measures towards an energy neutral urban environment," *Master of Science in Construction Management and Engineering, University of technology, Eindhoven*.
- [22] Kashif, A., Ploix, S., Dugdale, J., and Le, X. H. B., 2011, "Agent based framework to simulate inhabitants' behaviour in domestic settings for energy management," 3rd International Conference on Agents and Artificial Intelligence (ICAART 2011), Rome.

-
- [23] Swan, and Ugursal, 2009, "Modeling of end-use energy consumption in the residential sector: A review of modeling techniques," *Renewable and Sustainable Energy Reviews*, **13**(8), pp. 1819–1835.
- [24] Yao, R., and Steemers, K., 2005, "A method of formulating energy load profile for domestic buildings in the UK," *Energy and Buildings*, **37**(6), pp. 663–671.
- [25] Yun, G. Y., and Steemers, K., 2011, "Behavioural, physical and socio-economic factors in household cooling energy consumption," *Applied Energy*, **88**(6), pp. 2191–2200.
- [26] Robinson, D., 2006, "Some trends and research needs in energy and comfort prediction," Windsor Conference.
- [27] Paauw, J., Roossien, B., Aries, M. B. C., and Santin, O. G., 2009, "Energy Pattern Generator; Understanding the effect of user behaviour on energy systems," 1st European conference energy efficiency and behaviour, pp. 9–10.
- [28] Weber, C., and Perrels, A., 2000, "Modelling lifestyle effects on energy demand and related emissions," *Energy Policy*, **28**(8), pp. 549–566.
- [29] Mansouri, I., Newborough, M., and Probert, D., 1996, "Energy consumption in UK households: Impact of domestic electrical appliances," *Applied Energy*, **54**(3), pp. 211–285.
- [30] Lutzenhiser, L., and Bender, S., 2008, "The 'Average American' Unmasked: Social Structure and Differences in Household Energy Use and Carbon Emissions."
- [31] Guerin, D. A., Yust, B. L., and Coopet, J. G., 2000, "Occupant predictors of household energy behavior and consumption change as found in energy studies since 1975," *Family and Consumer Sciences Research Journal*, pp. 48–80.
- [32] Nugroho, S. B., Fujiwara, A., Zhang, J., Kanemoto, K., Moersidik, S. S., and Abbas, S., 2010, "DEVELOPMENT OF A HOUSEHOLD ENERGY CONSUMPTION MODEL FOR MEGACITIES IN ASIA," Hong Kong.
- [33] Yun, G. Y., Tuohy, P., and Steemers, K., 2009, "Thermal performance of a naturally ventilated building using a combined algorithm of probabilistic occupant behaviour and deterministic heat and mass balance models," *Energy and buildings*, **41**(5), pp. 489–499.
- [34] McLoughlin, F., Duffy, A., and Conlon, M., 2012, "Characterising domestic electricity consumption patterns by dwelling and occupant socio-economic variables: An Irish case study," *Energy and Buildings*, **48**, pp. 240–248.
- [35] Yohanis, Y. G., Mondol, J. D., Wright, A., and Norton, B., 2008, "Real-life energy use in the UK: How occupancy and dwelling characteristics affect domestic electricity use," *Energy and Buildings*, **40**(6), pp. 1053–1059.
- [36] Tanimoto, J., Hagishima, A., and Sagara, H., 2008, "Validation of probabilistic methodology for generating actual inhabitants' behavior schedules for accurate prediction of maximum energy requirements," *Energy and Buildings*, **40**(3), pp. 316–322.
- [37] Richardson, I., Thomson, M., Infield, D., and Delahunty, A., 2009, "Domestic lighting: A high-resolution energy demand model," *Energy and Buildings*, **41**(7), pp. 781–789.
- [38] Richardson, Murray Thomson, David Infield, and Conor Clifford, 2010, "Domestic electricity use: A high-resolution energy demand model," *Energy and Buildings*, **42**(10), pp. 1878–1887.
- [39] Widén, J., and Wäckelgård, E., 2010, "A high-resolution stochastic model of domestic activity patterns and electricity demand," *Applied Energy*, **87**(6), pp. 1880–1892.
- [40] Muratori, M., 2013, "A Highly Resolved Modeling Technique to Simulate Residential Power demand," *Applied Energy*, **107**, pp. 465–473.
- [41] Subbiah, R., 2013, "An Activity-Based Energy Demand Modeling Framework for Buildings: A Bottom-Up Approach," Virginia Polytechnic Institute and State University.
- [42] Kashif, A., Ploix, S., Dugdale, J., and Binh Le, X. H., 2012, "Simulating the dynamics of occupant behaviour for power management in residential buildings," *Energy and Buildings*.
- [43] Quijano, J., Herpson, C., and Sabouret, N., 2010, "Prédiction de l'activité humaine afin de réduire la consommation électrique de l'habitat," pp. 43–52.
- [44] Zaraket, T., Yannou, B., Leroy, Y., Minel, S., and Chapotot, E., 2013, "A usage model-driven approach for forecasting occupant-related energy consumption in residential buildings," Proceedings of CONFERE 2013, Biarritz, France.
- [45] Zaraket, T., Yannou, B., Leroy, Y., Minel, S., and Chapotot, E., 2014, "A Stochastic activity-based approach for forecasting occupant-related energy consumption in residential buildings," Proceedings of International Design Engineering Technical Conferences (IDETC), American Society of Mechanical Engineering, Buffalo, N.Y, USA.
- [46] Zaraket T., Yannou B., Leroy Y., Minel S., Chapotot E. (2015) 'An occupant-based energy consumption model for user-focused design of residential buildings', *Journal of Mechanical Design*, Vol. 137, No. 7 - special issue on "User Needs and Preferences in Design Engineering"