

# "Massiliomicrobiota timonensis," a new bacterial species isolated from the human gut

Sokhna Ndongo, Saber Khelaifia, Pierre-Edouard Fournier, Didier Raoult

#### ▶ To cite this version:

Sokhna Ndongo, Saber Khelaifia, Pierre-Edouard Fournier, Didier Raoult. "Massiliomicrobiota timonensis," a new bacterial species isolated from the human gut. New Microbes and New Infections, 2016, 13, pp.25-26. 10.1016/j.nmni.2016.05.003. hal-01476127

### HAL Id: hal-01476127 https://hal.science/hal-01476127v1

Submitted on 3 Sep 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

## "Massiliomicrobiota timonensis," a new bacterial species isolated from the human gut

#### S. Ndongo<sup>1</sup>, S. Khelaifia<sup>1</sup>, P.-E. Fournier<sup>1</sup> and D. Raoult<sup>1,2</sup>

1) Unité de Recherche sur les Maladies Infectieuses et Tropicales Emergentes, CNRS (UMR 7278), IRD (198), INSERM (U1095), AMU (UM63), Marseille, France and 2) Special Infectious Agents Unit, King Fahd Medical Research Center, King Abdulaziz University, Jeddah, Saudi Arabia

#### **Abstract**

We report the main characteristics of a new bacterium, "Massiliomicrobiota timonensis" strain SN16 (= CSUR P2264), which was isolated from the stool of a 87-year-old patient.

© 2016 The Author(s). Published by Elsevier Ltd on behalf of European Society of Clinical Microbiology and Infectious Diseases.

**Keywords:** Culturomics, emerging bacterium, gut microbiota, *Massiliomicrobiota timonensis*, taxonomy **Original Submission:** 25 April 2016; **Revised Submission:** 3 May 2016; **Accepted:** 9 May 2016

Article published online: 17 May 2016

Corresponding author: P.-E. Fournier, URMITE, UM63, CNRS 7278, IRD 198, INSERM U1095, Faculté de Médecine, Aix-Marseille Université, 27 Boulevard Jean Moulin, 13385 Marseille Cedex 5, France

E-mail: pierre-edouard.fournier@univ-amu.fr

After applying the culturomics strategy to study the bacterial diversity of a stool specimen collected from a 87-year-old patient [1], we isolated a bacterial strain that could not be identified by matrix-assisted laser desorption/ionization time-of-flight mass spectrometry (MALDI-TOF MS) using a MicroFlex spectrometer (Bruker Daltonics, Leipzig, Germany) [2]. This strain was isolated from a stool specimen collected from an 87-year-old patient hospitalized in September 2015 at the Timone Hospital in Marseilles, France, for cognitive impairment complicated by weight loss. The patient's family provided a signed informed consent. Approval of the study by the local ethics committee of IFR48 (Marseille, France) was obtained under agreement 09-022.

The initial growth of strain SN16 was obtained after a 5-day incubation in a 5% sheep's blood— and filter-sterilized rumenenriched anaerobic blood culture vial (Becton-Dickinson, Pont de Claix, France) at 37°C. Then strain SN16 was subcultured on 5% sheep's blood—enriched Columbia agar (bioMérieux,

Marcy l'Etoile, France) at 37°C in anaerobic atmosphere generated by AnaeroGen (bioMérieux). After 72 hours of incubation, colonies of strain SN16 are pale grey, slightly translucent and exhibit a diameter of I to 2 mm. Cells from strain SN16 are Gram-negative and rod shaped in chains. Cells are not mobile, do not form spores and exhibit a diameter of 0.3 to 0.4 µm and a length of 1.8 to 2.2 µm in electron microscopy. Strain SN16 is strictly anaerobic and exhibits no catalase or oxidase activity. The 16S rRNA gene was sequenced using a 3130-XL sequencer (Applied Biosciences, Saint Aubin, France) as previously described [3]. Strain SN16 exhibits a 91% sequence identity with Coprobacillus cateniformis strain JCMI0604<sup>T</sup> (GenBank accession no. NR\_024733), the phylogenetically closest species with standing in nomenclature (Fig. 1), which potentially classifies it as a member of a new genus within the family Erysipelotrichaceae in the Firmicutes phylum [4].

Strain SN16 shares with *Coprobacillus cateniformis* strain JCM10604<sup>T</sup> several features including an isolation from human faeces, obligate anaerobic growth, cell shape and absence of spore and motility [5].

For strain SN16<sup>T</sup>, exhibiting a 16S rRNA gene sequence divergence of more than 5% with the phylogenetically closest species with a validly published name [6], we formally propose the creation of the new genus, "Massiliomicrobiota" gen. nov.




FIG. 1. Phylogenetic tree showing position of Massiliomicrobiota timonensis strain SN16<sup>T</sup> (red) relative to other phylogenetically close members of family Erysipelotrichaceae. GenBank accession numbers are indicated in parentheses. Sequences were aligned using CLUSTALW, and phylogenetic inferences were obtained using maximum-likelihood method within MEGA software. Numbers at nodes are percentages of bootstrap values obtained by repeating analysis 500 times to generate majority consensus tree. Only values greater than 95% are displayed. Marinococcus luteus was used as outgroup. Scale bar indicates 2% nucleotide sequence divergence.

(mas.si.lio.mi.cro.bio'ta N.L. fem. n., a combination of Massilio, the Latin name of Marseille, and microbiota, in reference to the human gut flora from which strain SN16<sup>T</sup> was isolated). Strain SN16<sup>T</sup> is the type strain of "Massiliomicrobiota timonensis" gen. nov., sp. nov. (ti.mo.nen'sis. L. masc. adj., from timonensis, pertaining to Timone, the name of the main university hospital in Marseille, France, at which the strain was isolated).

#### **MALDI-TOF MS** spectrum accession number

The MALDI-TOF MS spectrum of *M. timonensis* is available at http://www.mediterranee-infection.com/article.php? laref=256&titre=urms-database.

#### Nucleotide sequence accession number

The 16S rRNA gene sequence was deposited in GenBank under accession number LN998062.

#### Deposit in a culture collection

Strain SN16<sup>T</sup> was deposited in the Collection de Souches de l'Unité des Rickettsies (CSUR) under number CSUR P2264.

#### **Acknowledgement**

This study was funded by the Fondation Méditerranée Infection.

#### **Conflict of Interest**

None declared.

#### References

- Lagier JC, Hugon P, Khelaifia S, Fournier PE, La Scola B, Raoult D. The rebirth of culture in microbiology through the example of culturomics to study human gut microbiota. Clin Microbiol Rev 2015;28:237–64.
- [2] Seng P, Abat C, Rolain JM, Colson P, Lagier JC, Gouriet F, et al. Identification of rare pathogenic bacteria in a clinical microbiology laboratory: impact of matrix-assisted laser desorption ionization—time of flight mass spectrometry. J Clin Microbiol 2013;51:2182—94.
- [3] DrancourtM,BolletC, CarliozA, MartelinR, GayralJP, RaoultD. 16Sribosomal DNA sequence analysis of a large collection of environmental and clinical unidentifiable bacterial isolates. J Clin Microbiol 2000; 38:3623–30.
- [4] Euzeby J. Validation list n° 74. Int J Syst Evol Microbiol 2000;50:949–50.
- [5] Kageyama A, Benno Y. Coprobacillus catenaformis gen. nov., sp. nov., a new genus and species isolated from human feces. Microbiol Immunol 2000;44:23–8.
- [6] Kim M, Oh HS, Park SC, Chun J. Towards a taxonomic coherence between average nucleotide identity and 16S rRNA gene sequence similarity for species demarcation of prokaryotes. Int J Syst Evol Microbiol 2014;64:346–51.