



‘Bacteroides mediterraneensis’ sp. nov., a new human-associated bacterium isolated from ileum specimen

M Mailhe, D Ricaboni, V Vitton, Pierre-Edouard Fournier, Didier Raoult

► To cite this version:

M Mailhe, D Ricaboni, V Vitton, Pierre-Edouard Fournier, Didier Raoult. ‘Bacteroides mediterraneensis’ sp. nov., a new human-associated bacterium isolated from ileum specimen. *New Microbes and New Infections*, 2016, 13, pp.48–50. 10.1016/j.nmni.2016.06.003 . hal-01476135

HAL Id: hal-01476135

<https://hal.science/hal-01476135>

Submitted on 4 Jul 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License

'*Bacteroides mediterraneensis*' sp. nov., a new human-associated bacterium isolated from ileum specimen

M. Mailhe¹, D. Ricaboni^{1,2}, V. Vitton³, P.-E. Fournier¹, S. Khelaifia¹ and D. Raoult¹

1) Aix-Marseille Université, URMITE, UM63, CNRS7278, IRD198, Inserm 1095, Institut Hospitalo-Universitaire Méditerranée-Infection, Faculté de médecine, Marseille, France, 2) Département des sciences cliniques et biomédicales, Luigi Sacco, Division des Maladies Infectieuses III, Université de Milan, Milan, Italy and 3) Service de Gastroenterologie, Hopital Nord, Assistance Publique-Hopitaux de Marseille, Marseille, France

Abstract

We report here the main characteristics of '*Bacteroides mediterraneensis*' strain Marseille-P2644^T (CSURP2644) that was isolated from the stored samples of gut.

© 2016 The Authors. Published by Elsevier Ltd on behalf of European Society of Clinical Microbiology and Infectious Diseases.

Keywords: *Bacteroides mediterraneensis*, culturomics, genomics, taxonomy

Original Submission: 25 May 2016; **Revised Submission:** 31 May 2016; **Accepted:** 1 June 2016

Article published online: 6 June 2016

Corresponding author: Aix-Marseille Université, URMITE, UM63, CNRS7278, IRD198, Inserm 1095, Institut Hospitalo-Universitaire Méditerranée-Infection, Faculté de médecine, 27 Boulevard Jean Moulin, 13385, Marseille cedex 05, France
E-mail: khelaifia_saber@yahoo.fr

As part of a culturomics study of the human microbiome [1,2], we isolated in March 2016 a bacterial strain that could not be identified by our systematic matrix-assisted laser desorption-ionization time-of-flight screening on a Microflex spectrometer (MALDI-TOF MS) (Bruker Daltonics, Bremen, Germany) [3]. This strain was first cultivated from an ileum liquid sample [4] of a 58-year-old woman without medical history who underwent an upper endoscopy and colonoscopy because of a positive screening test for colorectal cancer. The patient provided signed informed consent and the study was validated by the ethics committee of the Institut Fédératif de Recherche IFR48 under number 09-022.

Initial growth of Marseille-P2644 was obtained in anaerobic conditions generated using the anaeroGEN system (Oxoid Ltd, Dardilly, France) at 37°C, after 1 day of incubation after direct seeding of the ileum liquid sample on a 5% sheep blood-enriched Columbia agar (bioMérieux, Marcy l'Etoile, France). Agar-grown colonies were white and circular, with a diameter

of 0.6 mm. Bacterial cells were Gram-negative bacilli, rod-shaped, 1.2 µm in length and 0.7 µm in diameter. Strain Marseille-P2644 exhibited no catalase and no oxidase activities.

The complete 16S rRNA gene was sequenced using fD1-rP2 primers as previously described [5], using a 3130-XL sequencer (Applied Biosciences, Saint Aubin, France). Strain Marseille-P2644 exhibited a 95.1% sequence similarity [6] with *Bacteroides coprocola* strain ABIY 20521 (DSM 17136, GenBank Accession no. AB200224), the phylogenetically closest species with standing nomenclature (Fig. 1), which putatively classifies it as a member of the genus *Bacteroides* within the family *Bacteroidaceae* in the phylum *Bacteroidetes*. *Bacteroides coprocola* strain ABIY 20521 was identified for the first time in 2005, from the human faeces of three healthy Japanese individuals [7].

Due to the 16S rRNA sequence divergence of >1.3% from its phylogenetically closest species with standing in nomenclature [8], we propose the creation of the new species '*Bacteroides mediterraneensis*' sp. nov., (me.di.ter.ra.ne.en'sis. N.L. masc. adj., from *Mare Mediterraneum*, the Latin name of the Mediterranean sea) as Marseille, where the strain was first isolated, is in the Mediterranean area. Strain Marseille-P2644^T is the type strain of the new species '*Bacteroides mediterraneensis*' sp. nov.




FIG. 1. Phylogenetic tree showing the position of '*Bacteroides mediterraneensis*' strain Marseille-P2644^T relative to other phylogenetically close members of the family Bacteroidaceae. GenBank Accession numbers are indicated in parentheses. Sequences were aligned using CLUSTALW, and phylogenetic inferences were obtained using the maximum-likelihood method within the MEGA software. Numbers at the nodes are percentages of bootstrap values obtained by repeating the analysis 500 times to generate a majority consensus tree. Only the bootstraps that score $\geq 95\%$ were retained. The scale bar indicates a 2% nucleotide sequence divergence.

MALDI-TOF Spectrum

MALDI-TOF spectrum of '*Bacteroides mediterraneensis*' Strain Marseille-P2644^T is available at <http://www.mediterrane-infection.com/article.php?laref=256&titre=urms-database>.

Nucleotide Sequence Accession Number

The 16Sr RNA gene sequence was deposited in GenBank under Accession number LT558804.

Deposit in a Culture Collection

Strain Marseille-P2644^T was deposited in the collection de Souches de l'Unités des Rickettsies (CSUR, WDCM 875) under number P2644.

Funding

This work was funded by Méditerranée-Infection Foundation.

Conflict of Interest

The authors have no conflicts of interest to declare.

References

- [1] Lagier JC, Armougom F, Million M, Hugon P, Pagnier I, Robert C, et al. Microbial culturomics: paradigm shift in the human gut microbiome study. *Clin Microbiol Infect* 2012;18:1185–93.
- [2] Lagier JC, Hugon P, Khelaifia S, Fournier PE, La Scola B, Raoult D. The rebirth of culture in microbiology through the example of culturomics to study human gut microbiota. *Clin Microbiol Rev* 2015;28:237–64.
- [3] Seng P, Drancourt M, Gouriet F, La Scola B, Fournier PE, Rolain JM, et al. Ongoing revolution in bacteriology: routine identification of bacteria by matrix-assisted laser desorption ionization time-of-flight mass spectrometry. *Clin Infect Dis* 2009;49:543–51.
- [4] Raoult D, Henrissat B. Are stool samples suitable for studying the link between gut microbiota and obesity? *Eur J Epidemiol* 2014;29:307–9.
- [5] Drancourt M, Bollet C, Carlioz A, Martelin R, Gayral JP, Raoult D. 16S ribosomal DNA sequence analysis of a large collection of environmental and clinical unidentifiable bacterial isolates. *J Clin Microbiol* 2000;38:3623–30.
- [6] Kim M, Oh HS, Park SC, Chun J. Towards a taxonomic coherence between average nucleotide identity and 16S rRNA gene sequence similarity for species demarcation of prokaryotes. *Int J Syst Evol Microbiol* 2014;64:346–51.

- [7] Kitahara M, Sakamoto M, Ike M, Sakata S, Benno Y. *Bacteroides plebeius* sp. nov. and *Bacteroides coprocola* sp. nov., isolated from human faeces. *Int J Syst Evol Microbiol* 2005;55:2143–7.
- [8] Huson DH, Auch AF, Qi J, Schuster SC. MEGAN analysis of metagenomic data. *Genome Res* 2007;17:377–86.