

Grape Berry: A model for study trafficking and sequestration of anthocyanins

Agnes Ageorges, Camila Gomez, Geneviève Conejero, Nancy Terrier, Veronique Cheynier

▶ To cite this version:

Agnes Ageorges, Camila Gomez, Geneviève Conejero, Nancy Terrier, Veronique Cheynier. Grape Berry: A model for study trafficking and sequestration of anthocyanins. 6. International workshop on Anthocyanins, Sep 2011, Charlotte/Condord, United States. 2011. hal-01601790

HAL Id: hal-01601790

https://hal.science/hal-01601790

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





ABSTRACTS AND PROGRAM BOOKLET

6th International Workshop on Anthocyanins

SEPTEMBER 11 – 14, 2011 GREAT WOLF LODGE CHARLOTTE/CONCORD, NORTH CAROLINA

Celebrating the Vivacity of Color

plantsforhumanhealth.ncsu.edu



Program

ANT	THOCYANINS T	RAFFICKING AND VACU	OLAR FUNCTIONS	
4:40 - 5:3	35 pm	Symposium	David H. Murdock Core Laboratory Event Room	
Convener:	Richard Esp	ey, New Zealand Institut		
4:40 Introduction (R. Espley)				
4:45 S-13		rape Berry: A Model for of Anthocyanins	Study Trafficking and	
	Agnes Ageo	ges, INRA, France		
5:15 S-14 Acyltransferases Involved in Anthocyanin Biosyr			anin Biosynthesis: A	
	Functional and Evolutionary Perspective			
		Kallam Kalyani, John Innes Centre, UK		
5:40 pm Board Buses for Pity's Sake Lodge, Home of David H.			lome of David H.	
	Murdock			
6:00 - 8:00) pm	BarBQ & Bluegrass	Pity's Sake Lodge	
8:00 pm Board Buses to Return to Great Wolf Lodge				
Tuesday	, Septembe	er 13		
	ANTHOCY	ANINS AND HUMAN HE	ALTH – II	
8:30 - 10:0		Symposium	White Pine 3	
Convener: Mary Ann Lila, NCSU's Plants for Human Health Institut		an Health Institute,		
8:30	Introduction	(M. Lila)		
8:35 S-15	KEYNOTE: Factors Affecting Anthocyanin Detection in Animal Samples			
	3	(alt, Agriculture and Agri	i-Food Canada. Canada	
9:05 S-16 Anti-diabetic Effects of Anthocyanins from Maqui			from Maqui Berry	
	(Aristotelia cl	•	LICA	
9:25 S-17		S <i>EBS, Rutgers University,</i> Blackcurrant Anthocyanir		
J.23 J 17	induced Natu		is raciillates Exercise-	
	Suzanne Hurst, New Zealand Institute for Plant & Food			
	Research, NZ			

IWA: 6th International Workshop on Anthocyanins:

September 11 – 14, 2011 Charlotte/Concord, North Carolina

Key Note - Invitée

- 1-AGEORGES AGNES
- 2-Trafficking, anthocyanin, grapevine
- **3-**Category : Anthocyanins Trafficking and Vacuolar Functions
- **4-**Oral Presentation
- 5- Ageorges Agnes

Gomez Camila

Conejero Geneviève

Terrier Nancy

Cheynier Véronique

6- Grape Berry : A Model for Study Trafficking and Sequestration of Anthocyanins.

AGNES AGEORGES¹, Camila Gomez¹, Geneviève Conejero², Nancy Terrier¹ and Véronique Cheynier¹ ¹INRA, UMR1083 Sciences Pour l'Œnologie, F-34060 Montpellier, FRANCE; ²INRA, UMR5004 Plate-forme Histocytologie et Imagerie Cellulaire Végétale, CIRAD, F-34398 Montpellier, FRANCE. Email: ageorges@supagro.inra.fr

Anthocyanins are polyphenolic pigments responsible for most of the color diversity found in plants, and represent a huge proportion of soluble flavonoids present in grapevine (*Vitis vinifera* L.). Although the biosynthesis of these compounds has been described in details in many plants, the mechanisms responsible for their transport and accumulation within plant cells remain unclear. We will review the known proposed mechanisms of flavonoid uptake and accumulation in grapevine, with reference to the transport models and membrane carrier proteins.

We used MybA1 transformed hairy roots⁽¹⁾ as a grapevine model tissue producing anthocyanins to study their cellular trafficking and vacuolar sequestration. In these tissues, anthocyanin accumulate in different sub-vacuolar structures. We will discuss about the possible origin of these colored structures and the consequences for pigmentation will be presented. Moreover different molecular actors putatively involved in vacuolar sequestration of anthocyanins were recently identified: a Glutathion S-transferase (GST)⁽²⁾ and two MATE-type transporters, which specifically mediate acylated anthocyanin transport *in vitro*⁽³⁾. We will describe the different grapevine molecular actors participating to the anthocyanin transport, and discuss possible transport mechanisms in grapevine tissues and show how these results provide a new perspective on the transport and sequestration of flavonoids in plants.

- (1) Cutanda-Perez et al. Plant Mol Biol <u>69</u>, 633-648 (2009)
- (2) Conn et al. J Exp Bot <u>59</u>, 3621-3634 (2008)
- (3) Gomez et al. Plant Physiol 150, 402-415 (2009)