

Regional scale analysis of arbuscular mycorrhizal fungi: the case of Burgundy vineyards

Diederik van Tuinen, Marie-Lara Bouffaud, Eric Bernaud, Annie Colombet,
Daniel Wipf, Dirk Redecker

▶ To cite this version:

Diederik van Tuinen, Marie-Lara Bouffaud, Eric Bernaud, Annie Colombet, Daniel Wipf, et al.. Regional scale analysis of arbuscular mycorrhizal fungi: the case of Burgundy vineyards. 2. International Molecular Mycorrhiza Meeting, Sep 2015, Cambridge, United Kingdom. hal-01602117

HAL Id: hal-01602117 https://hal.science/hal-01602117v1

Submitted on 5 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Poster présenté au:

The 2^{nd} International Molecular Mycorrhiza Meeting, September 3-4, 2015-09-15 Cambridge, UK

Regional scale analysis of arbuscular mycorrhizal fungi: the case of Burgundy vineyards

van Tuinen D¹, M-L Bouffaud^{2,3,4*}, E Bernaud¹, A Colombet¹, D Wipf², D Redecker²

- ¹ Institut National de la recherche Agronomique, UMR Agroécologie INRA 1347/Agrosup/Université de Bourgogne, Pôle Interaction Plantes-Micro-organismes, ERL CNRS 6300, 17 rue Sully, BP 86510, 21065 Dijon Cedex, France.
- ² Université de Bourgogne, UMR Agroécologie INRA 1347/Agrosup/Université de Bourgogne, Pôle Interaction Plantes-Micro-organismes, ERL CNRS 6300, 17 rue Sully, BP 86510, 21065 Dijon Cedex, France.

Present address: ³Department of Soil Ecology, UFZ-Helmholtz Centre for Environmental Research, D-06120 Halle (Saale), Germany; ⁴German Centre for Integrative Biodiversity Research (iDiv) Halle-Jena-Leipzig, D-04103 Leipzig, Germany.

Corresponding author: Diederik van Tuinen <u>tuinen@dijon.inra.fr</u>

Abstract

Vitis vinifera (L) is an economically important crop, in particular in France, the first producer of wine in the world. However, grape production and quality is highly dependent on soil quality, in term of physical and biological properties. In Burgundy, a region producing high-quality vines, vineyards are subject to soil erosion and diseases, and it is necessary to find a way to preserve this area, while adopting agricultural practices more respectful for the environment and especially soil biodiversity. We assessed AMF diversity, using 454 pyrosequencing based on the ITS marker, in 16 plots across Burgundy in vine roots under contrasted soil properties and agricultural practices. The results show that AMF could be retrieved from all plots across Burgundy, both in biologically-managed and conventional vineyards with high chemical inputs. From the sequences obtained 99% were affiliated to molecular species-level taxa in the Glomerales, including six core species, i.e. species found in all plots, corresponding to 77% of total sequences, suggesting a relatively low diversity of the species in vine roots. Among all sequences, some could be assigned to known species in the genera *Rhizophaqus* and Septoglomus, a large part of the taxa had no close similarity to previously-reported sequences. This is the first large-scale study of arbuscular mycorrhiza fungal diversity in France for this important culture crop, and it provides essential knowledge basis for future applications in sustainable management of vineyards.