



HAL
open science

A Markov decision process model to compare ecosystem services provided by agricultural landscapes

Sabrina Gaba, Nathalie Dubois Peyrard, Julia Radoszycki, Régis Sabbadin

► To cite this version:

Sabrina Gaba, Nathalie Dubois Peyrard, Julia Radoszycki, Régis Sabbadin. A Markov decision process model to compare ecosystem services provided by agricultural landscapes. 8th International Congress on Environmental Modelling and Software - iEMSs 2016, Jul 2016, Toulouse, France. hal-01602920

HAL Id: hal-01602920

<https://hal.science/hal-01602920>

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Copyright



Jul 13th, 3:10 PM - 3:30 PM

A Markov Decision Process model to compare Ecosystem Services Provided by agricultural landscapes

Sabrina Gaba

INRA-UMR Agroécologie, sgaba@dijon.inra.fr

Nathalie Peyrard

INRA-MIAT, nduboispeyr@toulouse.inra.fr

Régis Sabbadin

INRA-MIAT, rsabbadin@toulouse.inra.fr

Julia Radoszykic

ITK, julia.radoszycki@itk.fr

Follow this and additional works at: <http://scholarsarchive.byu.edu/iemssconference>

 Part of the [Civil Engineering Commons](#), [Data Storage Systems Commons](#), [Environmental Engineering Commons](#), [Hydraulic Engineering Commons](#), and the [Other Civil and Environmental Engineering Commons](#)

Sabrina Gaba, Nathalie Peyrard, Régis Sabbadin, and Julia Radoszykic, "A Markov Decision Process model to compare Ecosystem Services Provided by agricultural landscapes" (July 13, 2016). *International Congress on Environmental Modelling and Software*. Paper 45.

<http://scholarsarchive.byu.edu/iemssconference/2016/Stream-B/45>

This Event is brought to you for free and open access by the Civil and Environmental Engineering at BYU ScholarsArchive. It has been accepted for inclusion in International Congress on Environmental Modelling and Software by an authorized administrator of BYU ScholarsArchive. For more information, please contact scholarsarchive@byu.edu.

A Markov Decision Process model to compare Ecosystem Services Provided by agricultural landscapes

Sabrina Gaba^a, Nathalie Peyrard^b, Julia Radoszycki^c, Régis Sabbadin^b

^a INRA-UMR Agroécologie, Dijon, France, sgaba@dijon.inra.fr

^b INRA-MIAT, Castanet-Tolosan, France, {nduboispeyr,rsabbadin}@toulouse.inra.fr

^c ITK, Montpellier, France, julia.radoszycki@itk.fr

Abstract: One current challenge in managing agricultural landscapes, is to reach a trade-off between provision of food and biodiversity conservation. Two extreme land-use strategies, land sharing and land sparing, are often discussed. The design of decision rules for allocating crops and lands for biodiversity conservation (e.g. grasslands) can be formalized as an optimization problem. However the target to optimize, representing the trade-off between ecosystem services (ES) can be complex to model since ES are usually not defined on comparable scales and may rely on different sides of biodiversity. Here, we will investigate how landscape composition and structure affect the magnitude of ES produced (rape and wheat production, honey production, biodiversity) in farmland as well as the trade-off between provisioning ES and cultural ones. .

We used the Markov Decision Process (MDP) framework for optimizing sequential decision under uncertainty to solve landscape design problems for reaching ES trade-offs using a case study of the relationship between two interacting networks “honey bees – wild bees” and “crops –weeds” in an intensive agricultural landscapes. Since weeds decrease crop production through competition, but may indirectly increase rape production and enhance honey production through the maintenance of honey bees, weed diversity in the agricultural landscape is at the crux of a trade-off between crop production and biodiversity conservation. The MDP model relies on a spatially explicit population dynamic model for weeds as well as reward functions modeling the trade-off of provision between ES. The target to maximize is the sum of rewards over time. We will show that the percentage of grasslands significantly impact the magnitude of ES delivered and that the interaction between this percentage and the degree of aggregation of the grassland can provide non-dominated solutions (in the sense of Pareto) revealing trade-offs between ES.

Keywords: land-sparing, weeds spatio-temporal dynamics, ES trade-off optimization, Pareto optimality..