



HAL
open science

Impact of climate aggregation over different scales on regional NPP modelling

Matthias Kuhnert, Jagadeesh Yeluripati, Pete Smith, Holger Hoffmann, Gang Zhao, Julie Constantin, Helene Raynal, Daniel Wallach, Elsa Coucheney, Elisabet Lewan, et al.

► To cite this version:

Matthias Kuhnert, Jagadeesh Yeluripati, Pete Smith, Holger Hoffmann, Gang Zhao, et al.. Impact of climate aggregation over different scales on regional NPP modelling. EGU General Assembly 2016, Apr 2016, Vienne, Austria. Geophysical Research Abstracts, 18, 2016, Geophysical Research Abstracts. hal-01604815

HAL Id: hal-01604815

<https://hal.science/hal-01604815v1>

Submitted on 3 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Impact of climate aggregation over different scales on regional NPP modelling

Kuhnert, Matthias^{1}; Yeluripati, Jagadeesh^{1,8}; Smith, Pete¹; Hoffmann, Holger²; Zhao, Gang²; Constantin, Julie³; Raynal, Helene³; Wallach, Daniel³; Coucheney, Elsa⁴; Lewan, Elisabet⁴; Eckersten, Henrik⁵; Specka, Xenia⁶; Kersebaum, Kurt-Christian⁶; Nendel, Claas⁶; Grosz, Balázs⁷; Dechow, Rene⁷; Kiese, Ralf⁸; Haas, Edwin⁹; Klatt, Steffen⁹; Teixeira, Edmar¹⁰; Bindi, Marco¹¹; Trombi, Giacomo¹¹; Moriondo, Marco¹²; Doro, Luca¹³; Roggero, Pier Paolo¹³; Zhao, Zhigan¹⁴; Wang, Enli¹⁴; Vanuytrecht, Eline¹⁵; Tao, Fulu¹⁶; Rötter, Reimund¹⁶; Cammarano, Davide¹⁷; Asseng, Senthold¹⁷; Weihermüller, Lutz¹⁸; Siebert, Stefan²; Gaiser, Thomas²; Ewert, Frank²*

¹ Biological and Environmental Sciences, School of Biological Sciences, University of Aberdeen, 23 St Machar Drive, Aberdeen AB24 3 UU, Scotland, UK

² Institute of Crop Science and Resource Conservation/Crop Science Group, University of Bonn, Katzenburgweg 5, 53115 Bonn, DE

³ Equipe MAGE, INRA, 24 Chemin de Borde Rouge – Auzeville CS 5267, 31326 Castanet-Tolosan Cedex, FR

⁴ Biogeophysics and water quality, Department of Soil and Environment, Swedish University of Agricultural Sciences, Lennart Hjelm's väg 9, 750 07 Uppsala, SE

⁵ Department of Crop Production Ecology, Swedish University of Agricultural Sciences, Ulls väg 16, 750 07 Uppsala, SE

⁶ Institute of Landscape Systems Analysis, Leibniz Centre for Agricultural Landscape Research, 15374 Müncheberg, DE

⁷ Thünen-Institute of Climate-Smart-Agriculture, Bundesallee 50, 38116 Braunschweig, DE

⁸ The James Hutton Institute, Craigiebuckler, Aberdeen, AB15 8 QH, UK

⁹ Institute of Meteorology and Climate Research – Atmospheric Environmental Research, Karlsruhe Institute of Technology, Kreuzackbahnstraße 19, 82467 Garmisch-Partenkirchen, DE

¹⁰ Systems Modelling Team (Sustainable Production Group), The New Zealand Institute for Plant and Food Research Limited, Canterbury Agriculture & Science Centre, Gerald St, Lincoln 7608, NZ

¹¹ Department of Agri-food Production and Environmental Sciences - University of Florence, Piazzale delle Cascine 18, 50144 Firenze, IT

¹² Marco Moriondo, CNR-Ibimet, Via Madonna del Piano 10, 50019 Sesto Fiorentino, Italy

¹³ Desertification Research Group, Università degli Studi di Sassari, Viale Italia 39, 07100 Sassari, IT

¹⁴ CSIRO Land and Water, Clunies Ross Street, Canberra, ACT, AU

¹⁵ Division Soil & Water Management, KU Leuven, Celestijnenlaan 200E, PO 2411, 3001 Heverlee, BE

¹⁶ Climate Impacts Group, Natural Resources Institute Finland (Luke), 00790 Helsinki, FI

¹⁷ Agricultural & Biological Engineering Department, University of Florida, Frazier Rogers Hall, Gainesville, FL 32611, USA

¹⁸ Institute of Bio- & Geosciences Agrosphere (IBG-3), Forschungszentrum Jülich, 52425 Jülich, DE

* Corresponding author: Matthias Kuhnert, Tel: (+44) (0)1224 273810, email: matthias.kuhnert@abdn.ac.uk

In spatial modelling of Net Primary Productivity (NPP), predictability and uncertainty depends on the availability of input data, as well as on the scale of the available data sets. Therefore, the study presented here quantifies the impact of aggregation effect of input data of different scales for a regional modelling approach using 5 different resolutions. As part of this study, the presentation focuses on the impact of the climate aggregation on the simulation of NPP. The effect is investigated on the

model results of 11 different crop and biogeochemical models simulating NPP for wheat and maize for the area of the German state of North Rhine-Westphalia. The focus of the study is on the impact of drought effects across the scales considered. The data are analysed on annual time steps we followed two approaches to investigate the impact of water limitation on primary production: First, two model runs, one considers water limitation and the other one ignores the impacts of water limitation on plant production second, an external definition of dry conditions by a drought index, only considering climate data, enables a separation of grid-cells and years with drought impacts, independent of the model internal functions. The results show hardly any difference between the overall average NPP across the scales, but some variability for the impact of extreme weather conditions on the simulated NPP.