



**HAL**  
open science

## Adsorption of hemicelluloses onto model cellulose surfaces studied by QCM-D

Zahraa Jaafar, Alexandre Boissière, Ana Villares Garicochea, Jacqueline Vigouroux, Sophie Le Gall, Nadège Beury, Céline Moreau, Marc Lahaye, Bernard Cathala

### ► To cite this version:

Zahraa Jaafar, Alexandre Boissière, Ana Villares Garicochea, Jacqueline Vigouroux, Sophie Le Gall, et al.. Adsorption of hemicelluloses onto model cellulose surfaces studied by QCM-D. 11èmes Journées du Réseau Français des Parois, Jun 2017, Orleans, France. hal-01605312

**HAL Id: hal-01605312**

**<https://hal.science/hal-01605312v1>**

Submitted on 5 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - ShareAlike 4.0 International License

# Adsorption of hemicelluloses onto model cellulose surfaces studied by QCM-D

Zahraa Jaafar, Alexandre Boissière, Ana Villares, Jacqueline Vigouroux, Sophie Le Gall, Nadège Beury, Céline Moreau, Marc Lahaye, Bernard Cathala

*INRA, UR1268 BIA, rue de la Géraudière, BP 71627, F-44316 Nantes, France*

Cellulose is the most abundant biopolymer on earth. It is the object of intense research which particularly focuses on nanocelluloses due to their excellent functionalities, such as surface properties, high mechanical performance, barrier properties or thermal stability. In nature, cellulose microfibrils are embedded within a network of hemicelluloses and pectins forming the primary plant cell wall [1]. Hemicelluloses are key polysaccharides in the regulation of mechanical properties of plant cell walls during organ development and in fruit texture [2]. Yet the relation between their large structural variability and their mechanical functions remains to be discovered. The study of nanocellulose- hemicellulose complexes offers an attractive mean to further our understanding of the cell wall organization and to develop new biobased materials.

Adsorption of xyloglucan and different apple hemicelluloses [2] onto cellulose was investigated in an attempt to develop our understanding on cellulose-hemicelluloses interactions. Cellulose model surfaces were prepared by spin-coating one layer of cellulose nanocrystals (CNC) onto gold-coated quartz crystals. Hemicellulose adsorbed mass was monitored in situ using a quartz crystal microbalance with dissipation (QCM-D) [3,4]. The impact of hemicelluloses molar mass and sugar composition on adsorption will be reported as these results provide the first steps in the determination of the hemicellulose structural basis determining the regime of adsorption and allowing comparison of adsorption processes.

## Références bibliographiques

[1] Y. B. Park & D. J. Cosgrove. (2012) *Plant Physiol.*,158, 33-43 [2] S. Ray et al. (2014) *Carbohydr. Polym.*,108, 46-57[3] A. Dammak et al. (2015) *Biomacromolecules*,16, 589-596 [4] A. Villares et al. (2015) *Soft Matter*,11, 6472-6481

**Mots-clés** bio-based materials, nanocellulose, hemicellulose, interaction, adsorption