



Dehydrated pelleted sainfoin for the growing rabbit: first results from intake and growth test

Francois Tudela, Mireille Laurent, Herve Hoste, Mickael Routier, Pascale Gombault, Thierry Gidenne

► To cite this version:

Francois Tudela, Mireille Laurent, Herve Hoste, Mickael Routier, Pascale Gombault, et al.. Dehydrated pelleted sainfoin for the growing rabbit: first results from intake and growth test. 68. Annual Meeting of the European Association for Animal Production (EAAP), Aug 2017, Tallinn, Estonia. 513 p. hal-01613622

HAL Id: hal-01613622

<https://hal.science/hal-01613622>

Submitted on 9 Oct 2017

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - ShareAlike 4.0 International License


Introduction and objectives

Sainfoin (*Onobrychis viciifolia*) contains high ADF and ADL levels associated with a high level of protein, and could be a good alternative to alfalfa for rabbit feeding, but no informations are available about its effect on intake and growth of the rabbit.

Nowadays dehydrated pelleted sainfoin "DpS" (PERLY variety) is available on the market (Multifolia company).

Our aim is to evaluate the intake, growth and health of rabbit fed DpS, as a sole feed (trial 1), or in free choice with a commercial complete feed (trial 2).

Trials design



Breeding unit : INRA, Carmaux



Sainfoin: plant, field, and dehydrated pellets

Feeds characteristics

Sainfoin big pellets : 6mm diameter, 15-23mm length, hardness=93 Mpa, crude protein=17.2%, NDF=37.2 % ADF=30.4%, ADL=12.0%.


Complete pelleted feed: 4mm diam., 9-12mm length, hardness= 6.5 Mpa, crude protein=15.9%, ADF=18.0, ADL=5.5%)



Results

Among the two trials, no health problems were detected on the animals.

Trial 1



Growth of rabbit fed only Sainfoin reached 18.5 g/d (39-73d) and was logically lower than with a complete feed (31.2 g/d, $P < 0.001$).

Although the size and hardness of Sainfoin pellets was much higher than for complete feed, the **palatability of Sainfoin was high**, since during the first week after weaning the intake was 78.5g/d for Sainfoin raw pellets, and 69.7 g/d for the complete pelleted feed ($P < 0.05$).

	Complete feed	Sainfoin pellets	RMSE	Prob.
Weight gain 39-73d., g/d	31.2	18.5	3.0	<0.01
Feed intake 39-73d., g/d	84.3	85.7	2.5	NS

Trial 2

Intake* of sainfoin and complete feed - free choice group

	Sainfoin	Complete feed	Total	%
39-66 d	32.0	84.5	116.5	27.5 %
66-73 d	47.0	69.3	116.3	40.4%
39-73 d	35.1	81.4	116.5	30.1%

* : g/d/rabbit, for 2 pens (8 cages associated)

On a free choice basis rabbits ate 30% of Sainfoin pellets and 70% of a complete feed. Sainfoin intake increased at the end of the fattening period

Comparative intake* : free choice group & complete feed

	Sainfoin + complete feed	Complete feed alone
39-66 d	116.5	90.3
66-73 d	116.3	69.3
39-73 d	116.5	81.4

* : g/d/rabbit, for 2 pens (8 cages associated)

The whole feed intake (S+C) was 30% higher than that of control (116.5 vs 81.4 g/d, $P < 0.05$) and the rabbit growth was higher (34.6 vs 30.6, $P < 0.05$).

Conclusion

Palatability of Sainfoin is high although the pellets were hard and of a large size. Dehydrated pelleted sainfoin could be fed alone to growing rabbits, without any health problems (as for alfalfa). Added to a complete feed, Sainfoin supply led to a supplementary growth. Further studies are needed to measure the nutritive value of the sainfoin incorporated in a complete feed, and to assess its antiparasitic (coccidiostatic & anthelmintic) potential effect in the rabbit.