

# Draft Genome Sequence of Pseudomonas syringae PDD-32b-74, a Model Strain for Ice-Nucleation Studies in the Atmosphere

Ludovic Besaury, P. Amato, M. Sancelme, A. M. Delort

### ► To cite this version:

Ludovic Besaury, P. Amato, M. Sancelme, A. M. Delort. Draft Genome Sequence of Pseudomonas syringae PDD-32b-74, a Model Strain for Ice-Nucleation Studies in the Atmosphere. Genome Announcements, 2017, 5 (30), pp.e00742-17. 10.1128/genomeA.00742-17. hal-01654908

### HAL Id: hal-01654908 https://hal.science/hal-01654908v1

Submitted on 13 Sep 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

### PROKARYOTES



## Draft Genome Sequence of *Pseudomonas syringae* PDD-32b-74, a Model Strain for Ice-Nucleation Studies in the Atmosphere

gen@meAnnouncements™

### L. Besaury, P. Amato, M. Sancelme, A. M. Delort

AMERICAN SOCIETY FOR MICROBIOLOGY

CNRS, Institut de Chimie de Clermont-Ferrand, Université Clermont Auvergne, Clermont-Ferrand, France

**ABSTRACT** We report here the whole genome sequence of *Pseudomonas syringae* PDD-32b-74, a gammaproteobacterium isolated from cloud water. This microorganism is equipped with ice-nucleation protein and biosurfactant genes that could potentially be involved in physicochemical processes in the atmosphere and clouds.

A tmospheric microorganisms can play a role in numerous atmospheric physicochemical processes, including cloud droplet formation, ice nucleation, and precipitation initiation (1–4). Among those microorganisms isolated from cloud water, bacteria affiliated with the genus *Pseudomonas* are the most abundant and frequent (5). *P. syringae* PDD-32b-74 was recovered by the culture of cloud water sampled in November 2009 from the meteorological station on Puy de Dôme Mountain in France (altitude of 1,465 m) on R2A agar medium incubated at 17°C under aerobic conditions. Once purified from the original colony, the strain was identified based on its 16S rRNA gene sequence (GenBank accession no. HQ256872). *P. syringae* PDD-32b-74 has the ability to produce siderophores to satisfy its iron requirements (6); it thus potentially interferes with cloud chemical reactivity. This strain has been found to be highly ice-nucleation positive (7, 8) and to produce biosurfactants known for facilitating its spread on surfaces (9). We report here the draft genome sequence of *P. syringae* PDD-32b-74 to allow for further investigation into the role of this bacterium in clouds, as well as its capacity to survive and adapt to atmospheric stresses.

Whole-genome shotgun sequencing (2 × 150 bp) was prepared using the Nextera DNA sample preparation kit (Illumina, San Diego, CA, USA) following the manufacturer's user guide and sequenced on the Illumina MiSeq platform (MR DNA [Molecular Research] Shallowater, TX, USA). Sequence data files were filtered for quality using FastQC, trimmed using Prinseq-Lite (10), and then *de novo* assembled with SPAdes (11). A total of 49 contigs were generated with an average coverage of 22.6-fold. The average contig size was 116,408 bp, and the  $N_{50}$  contig size was 288,783 bp. The size of the assembled genome is 5,704,000 bp with a GC content of 59.1%, which is within the range of known values for *Pseudomonas* genomes (12).

The draft genome of *P. syringae* PDD-32b-74 was annotated using the RAST annotation server (http://rast.nmpdr.org). The genome contains 65 RNAs, 4 rRNAs, 57 tRNAs, and 4,934 protein-coding genes, of which 50% were assigned to a total of 520 SEED subsystems. Among these SEED subsystems, 181 were affiliated to stress response (79 to oxidative stress, 32 to osmotic stress, 5 to cold shock, 17 to heat shock, 29 detoxification, and the rest were unclassified). As expected from its phenotype, one ice-nucleation protein (INA\_Z; 1,259 amino acids long) was detected in the genome content of *P. syringae* PDD-32b-74, as well as four protein-coding genes associated with dormancy and sporulation, two affiliated with the persistence of cells in the environment, and two associated with the spore core dehydration and sporulation processes. Received 14 June 2017 Accepted 15 June 2017 Published 27 July 2017

**Citation** Besaury L, Amato P, Sancelme M, Delort AM. 2017. Draft genome sequence of *Pseudomonas syringae* PDD-32b-74, a model strain for ice-nucleation studies in the atmosphere. Genome Announc 5:e00742-17. https://doi.org/10.1128/genomeA.00742-17.

**Copyright** © 2017 Besaury et al. This is an open-access article distributed under the terms of the Creative Commons Attribution 4.0 International license.

Address correspondence to L. Besaury, ludovic.besaury@uca.fr.

All of these could contribute to the survival of *P. syringae* PDD-32b-74 and influence some of the physicochemical processes happening in clouds.

**Accession number(s).** This whole-genome shotgun project has been deposited in GenBank under accession number MTSA00000000.

### ACKNOWLEDGMENTS

We thank Magali Abrantes for the DNA extraction of *P. syringae* PDD-32b-74. This study was funded by the BIOCAP Project, which is supported by the French National Research Agency (ANR).

#### REFERENCES

- 1. Ariya PA, Amyot M. 2004. New directions: the role of bioaerosols in atmospheric chemistry and physics. Atmos Environ 38:1231–1232. https://doi.org/10.1016/j.atmosenv.2003.12.006.
- Deguillaume L, Leriche M, Amato P, Ariya PA, Delort A-M, Pöschl U, Chaumerliac N, Bauer H, Flossmann AI, Morris CE. 2008. Microbiology and atmospheric processes: chemical interactions of primary biological aerosols. Biogeosciences Discuss 5:841–870. https://doi.org/10.5194/ bgd-5-841-2008.
- Möhler O, DeMott PJ, Vali G, Levin Z. 2007. Microbiology and atmospheric processes: the role of biological particles in cloud physics. Biogeosciences 4:1059–1071. https://doi.org/10.5194/bg-4-1059-2007.
- DeMott PJ, Prenni AJ. 2010. New directions: need for defining the numbers and sources of biological aerosols acting as ice nuclei. Atmos Environ 44:1944–1945. https://doi.org/10.1016/j.atmosenv.2010.02.032.
- Vaïtilingom M, Attard E, Gaiani N, Sancelme M, Deguillaume L, Flossmann Al, Amato P, Delort AM. 2012. Long-term features of cloud microbiology at the Puy de Dôme (France). Atmos Environ 56:88–100. https:// doi.org/10.1016/j.atmosenv.2012.03.072.
- Vinatier V, Wirgot N, Joly M, Sancelme M, Abrantes M, Deguillaume L, Delort AM. 2016. Siderophores in cloud waters and potential impact on atmospheric chemistry: production by microorganisms isolated at the Puy de Dôme station. Environ Sci Technol 50:9315–9323. https://doi.org/ 10.1021/acs.est.6b02335.

- Joly M, Attard E, Sancelme M, Deguillaume L, Guilbaud C, Morris CE, Amato P, Delort AM. 2013. Ice nucleation activity of bacteria isolated from cloud water. Atmos Environ 70:392–400. https://doi.org/10.1016/j .atmosenv.2013.01.027.
- Attard E, Yang H, Delort A-M, Amato P, Pöschl U, Glaux C, Koop T, Morris CE. 2012. Effects of atmospheric conditions on ice nucleation activity of *Pseudomonas*. Atmos Chem Phys 12:10667–10677. https://doi.org/10 .5194/acp-12-10667-2012.
- Renard P, Canet I, Sancelme M, Wirgot N, Deguillaume L, Delort AM. 2016. Screening of cloud microorganisms isolated at the Puy de Dôme (France) station for the production of biosurfactants. Atmos Chem Phys 16:12347–12358. https://doi.org/10.5194/acp-16-12347-2016.
- Schmieder R, Edwards R. 2011. Quality control and preprocessing of metagenomic datasets. Bioinformatics 27:863–864. https://doi.org/10 .1093/bioinformatics/btr026.
- Bankevich A, Nurk S, Antipov D, Gurevich AA, Dvorkin M, Kulikov AS, Lesin VM, Nikolenko SI, Pham S, Prjibelski AD, Pyshkin AV, Sirotkin AV, Vyahhi N, Tesler G, Alekseyev MA, Pevzner PA. 2012. SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. J Comput Biol 19:455–477. https://doi.org/10.1089/cmb.2012.0021.
- Silby MW, Winstanley C, Godfrey SA, Levy SB, Jackson RW. 2011. Pseudomonas genomes: diverse and adaptable. FEMS Microbiol Rev 35: 652–680. https://doi.org/10.1111/j.1574-6976.2011.00269.x.