

# Electronic structure and dynamics of $\text{CH}_3\text{NH}_3\text{PbI}_3$ hybrid organic-inorganic perovskite

Min-I Lee<sup>1</sup>, Z. Chen<sup>2</sup>, A. Barragán<sup>1</sup>, Z. Zhang<sup>3</sup>, F. Lédée<sup>4,5</sup>, M.N. Nair<sup>1,6</sup>, K. Jemli<sup>4,5</sup>, G. Trippé-Allard<sup>4</sup>, H. Diab<sup>4</sup>, P. Fertey<sup>6</sup>, D. Garrot<sup>7</sup>, E. Papalazarou<sup>1</sup>, C. Poncea<sup>8</sup>, V.L.R. Jacques<sup>1</sup>, D. Le Bolloc'h<sup>1</sup>, M. Marsi<sup>1</sup>, E. Deleporte<sup>4,5</sup>, L. Perfetti<sup>2</sup>, A. Taleb-Ibrahimi<sup>6</sup>, and A. Tejeda<sup>1</sup>

<sup>1</sup>Laboratoire de Physique des Solides, Orsay

<sup>2</sup>Laboratoire des Solides Irradiés, Palaiseau

<sup>3</sup>Institut de Minéralogie et de Physique des matériaux et de cosmochimie (IMPMC), Paris

<sup>4</sup>Laboratoire Aimé Cotton, Orsay

<sup>5</sup>Laboratoire de Photophysique et Photochimie Supramoléculaires et Macromoléculaires, Cachan

<sup>6</sup>Synchrotron SOLEIL, Gif-sur-Yvette

<sup>7</sup>Groupe d'Etudes de la Matière Condensée, Versailles

<sup>8</sup>Division of Chemical Physics, Lund University, Lund, Sweden

Organic-inorganic hybrid perovskites are promising absorber materials for low-cost photovoltaic solar cells or optoelectronic devices [1-4]. Among these perovskites, methylammonium triiodideplumbate ( $\text{CH}_3\text{NH}_3\text{PbI}_3$ , MAPbI<sub>3</sub> or MAPI) exhibits currently the highest efficiency. Here we have analyzed the structural transition in MAPI by X-ray diffraction at the  $\beta$  phase and we have correlated it to its electronic properties. Despite all the extensive work on hybrid organic-inorganic halide perovskites, their experimental band structure measured with k-resolution has remained elusive. Such an experimental determination is a necessary requirement for an accurate theoretical description and understanding of the system. The impact of the structural phase transitions on the band structure in the operation temperature range of solar cells needed also to be elucidated. Herein, we present the experimental determination of the band structure of MAPI with k resolution by angle-resolved photoemission at 170 K [5]. Our results show that the spectral weight is strongly affected by the cubic symmetry although traces of the tetragonal band structure are appreciated. Some deviations with respect to theoretical calculations are observed, which may help to reach a more precise description of this paradigmatic system of the hybrid perovskite family. On a second step, we have studied the relaxation dynamics after photoexcitation, particularly important in a photovoltaic material. Time-resolved two-photon photoemission spectroscopy allows to directly visualize the electronic cooling at early delay times. It follows that photoexcited carriers thermalize on a subpicosecond timescale, presumably because of the coupling to the vibrations of organic cations [6]. The project leading to this application has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 687008 (GOTSolar).

[1] S.D. Stranks and H.J. Snaith, Nature Nanotech 10, 391 (2015).

[2] M. Grätzel, Nature Materials 13, 838 (2014).

[3] Y. Wei et al., J. Phys. D: Appl. Phys. 46, 135105 (2013).

[4] H. Diab, G. Trippé-Allard, F. Ledee, K. Jemli, C. Vilar, G. Bouchez, V. L. R. Jacques, A. Tejeda, J. Even, J.S. Lauret, E. Deleporte, and D. Garrot, J. Phys. Chem. Lett. 7, 5093 (2016).

[5] M.-I. Lee, A. Barragán, M. N. Nair, V. L. R. Jacques, D. Le Bolloc'h, P. Fertey, K. Jemli, F. Ledee, G. Trippé-Allard, E. Deleporte, A. Taleb-Ibrahimi, and A. Tejeda, J. Phys. D: Appl. Phys. 50, 26LT02 (2017).

[6] Z. Chen, M.-I. Lee, Z. Zhang, H. Diab, D. Garrot, F. Ledee, P. Fertey, E. Papalazarou, M. Marsi, C. Poncea, E. Deleporte, A. Tejeda, and L. Perfetti, Phys. Rev. Mat. 1, 045402 (2017).