

AF 9590, a Yellow Coffin from the Egyptian Antiquities Department of the Louvre Museum: analytical methodology developed in the C2RMF within the Vatican Coffin Project

Lucile Brunel-Duverger, V Asensi Amoros, Laurent Binet, Hélène Guichard, Elsa Lambert, Juliette Langlois, Anne Maigret, Patricia Rigault-Déon, Nancy Brodie-Linder, Sandrine Pagès-Camagna

▶ To cite this version:

Lucile Brunel-Duverger, V Asensi Amoros, Laurent Binet, Hélène Guichard, Elsa Lambert, et al.. AF 9590, a Yellow Coffin from the Egyptian Antiquities Department of the Louvre Museum: analytical methodology developped in the C2RMF within the Vatican Coffin Project . ICOM-CC, Sep 2017, Copenhagen, Denmark. 2017. hal-01715060

HAL Id: hal-01715060 https://hal.science/hal-01715060v1

Submitted on 23 Feb 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

maging data

















AF 9590, a Yellow Coffin from the Egyptian Antiquities Department of the Louvre Museum: analytical methodology developped in the C2RMF within the Vatican Coffin Project

Brunel-Duverger L.1,2,3, Asensi Amoros V.6, Binet L.3, Guichard H.4, Lambert E.2, Langlois J.2, Maigret A.2, Rigault P.4, Brodie-Linder N.1,5, Pagès-Camagna S.2,3

Laboratoire de Chimie Biologique Université Cergy-Pontoise 1, Centre de Recherche et de Restauration des Musées de France 2, PCMTH – IRCP – PSL UMR 8247 CNRS 3, Musée du Louvre 4, Laboratoire Léon Brilloin, Iramis, CEA Saclay ⁵, Xylodata

The Vatican Coffin Project is a collaboration between European museums and laboratories for the study of the Theban "yellow coffins". The objective of the project is to understand this Egyptian production from the 21st dynasty, with the ultimate aim of defining workshops, priests family practices and/or chronological evolution. These huge artefacts are three-dimensional composite objects; they are hard to handle as they have abundant colors and are partially varnished. It was therefore necessary to develop a specific, mainly non-invasive, methodology to understand the manufacturing process. AF 9590, a coffin from the Louvre Museum that is part of a 15-set corpus, illustrates the development of a multi-scale methodology at the Centre de Recherche et de Restauration des Musées de France (C2RMF).

<u>Organic materials</u>

X-Ray Radiography

- Structure of the coffin, assemblies (pegs) Nature of wood panels Degradation, conservation interventions
- beard, now removed)

UV Imaging



coating, dve or products The vellow fluorecence is due to the presence of original

yellow arsenic surlfures exist → Orpiment (As₂S₃) and Pararealgar (As₄s₄)

Orpiment in 3 distinct positions: 2 in the yellow background (mixed with Fe or as a

Wood anatomy



coffin construction by microscopic observation of the three sections: tangential and radial.

Planks Ficus sycomorus L. Ficus sycomorus L Acacia cf. nilotica Pegs Acacia cf. nilotica Tenons Tamarix type aphylla

Identify the material used

Layer of varnish (UV) with

yellow grains in

suspension applied on a

yellow layer (NL)

2 morphology types:

(a) sheet structure

Same elementary

composition: As - S


(b) round shape grain

Two main problems with arsenic sulfure materials:

pure layer) and in suspension in the varnish

Know the precise position of the arsenic inside the stratigraphy

Varnish GC/MS analysis



The identified material is mastic resin which is an exudate from the Pistacia lentiscus sp.

Colour materials

IR Imaging

IRFC Imaging

VIL Imaging








Infra-Red Imaging \rightarrow highlights **carbon-black** presence which appears black Infra-Red False Color Imaging → Egyptian Blue appears purple and Fe pigments Visible induced Infra-red Luminescence Imaging → reveals only the **Egyptian**

Blue because of the property of the cuprorivaite to re-emittate IR radiation around c. 910 nm, appears in white.

In-situ analysis





permits to obtain diffuse reflectance

spectra used to determine colorant

agent. To avoid any subjective interpretation of the colours, the

trichromatic coordinates L*a*b* (CIE:

Colour Index European) are used to

distinguish the different tones



3mm spot) is mobile permitting to obtain a first idea about the global composition for each colour, without distinction about the stratigraphy.

Sampling study In all cases





Observation

- Optical Microscope
 - → Stratigraphy
 - → Mixture
- **SEM-FEG Imaging**
 - → Morphology
 - → Grain sizes

Elementary analysis

Structural analysis

μ-Raman, FT-IR, XRD, GC/MS

Development

Methodology, techniques RBS, ESR

Copper green pigments

In-situ analysis \rightarrow green pigments = synthetic copper chlorides materials

- Identify precisely the nature of the green pigments Understand the presence of copper chlorides (original or neoformed materials)
- Identify the process of synthesis

Various shades of

green on the same object Thickness between 20-

Various morphologies: (c) rhombohedric 1-

5um. (d) tiny grains <1μm, (e) with externa crown 3-10µm







Traces of Sn · Copper green with Cl, S Altered material Silica amorphous phase 开 Heat treatment







copper chlorides (atacamite and paratacamite)

Identification of

Results of degradation: chlorides



ESR

bronze scraps): an organometallic material and a glass-type one made by heat treatment, and both with copper chlorides. Because of the difficulty in correctly identifying the copper greens, laboratory samples will mimic sintered and organometallic compounds, altered in chloride conditions. ESR, $\mu\text{-Raman}$ and FTIR, FEG-SEM imaging make it possible to define the original structure of the pigment

Materials analysis data

(As2S3) in the varnish and Pararealgar (As₄S₄) in the yellow layer is confirmed

Presence of orpiment

RBS (AGLAE) methodology is developped to know the e position of the arsenic inside the

stratigraphy by a non-destructive way Lab preparations simulate the different stratigraphies and will be studied before the corpus Information which can be significative to identify workshops



By the iconography of the

sure Pararealgar (As₄S₄)

has been properly used as



μ-Raman

This entire multi-scale, multispectral and multi-techniques methodology provides a complete understanding of the coffin and its production. For now, it was applied on a dozen of coffins and funerary sets from the Egyptian Antiquities Department of the Louvre Museum. Different painting treatments, regarding the background application,

have been observed between the inner and outer walls of the box and also on the upper and lower parts of the lid. Classical Egyptian polychromy pigments were identified: calcite, huntite, red ochre, yellow ochre, carbon black, orpiment and three artificial pigments – Egyptian blue and two groups of copper greens. The binder was animal glue or gum. Beyond the workshop identification, the overarching goal of this study is the conservation of the corpus, which cannot occur without the prior analytical phase.