



HAL
open science

STOCHASTIC DEFLATOR FOR AN ECONOMIC SCENARIO GENERATOR WITH FIVE FACTORS

Po-Keng Cheng, Frédéric Planchet

► **To cite this version:**

Po-Keng Cheng, Frédéric Planchet. STOCHASTIC DEFLATOR FOR AN ECONOMIC SCENARIO GENERATOR WITH FIVE FACTORS. 2018. hal-01730072v3

HAL Id: hal-01730072

<https://hal.science/hal-01730072v3>

Preprint submitted on 28 Aug 2018 (v3), last revised 6 Feb 2019 (v4)

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

STOCHASTIC DEFLATOR FOR AN ECONOMIC SCENARIO GENERATOR WITH FIVE FACTORS

Po-Keng Cheng*

Frédéric Planchet*

Univ Lyon - Université Claude Bernard Lyon 1,

ISFA, Laboratoire SAF EA2429, F-69366, Lyon, France

Prim'Act, 42 avenue de la Grande Armée, 75017 Paris, France

Version 1.7 du 28/08/2018

Abstract

In this paper, we implement a stochastic deflator with four economic and financial risk factors: interest rates, stock prices, default intensities, and convenience yields. We examine the deflator with different financial assets, such as stocks, zero-coupon bonds, vanilla options, and corporate coupon bonds. Our numerical results show the reliability of the deflator approach in pricing financial derivatives.

Summary

1.	Introduction	2
2.	Deflator approach	3
2.1.	Generate correlated Brownian motions.....	3
2.2.	General form of deflator with five factors	4
2.2.1.	Dynamics of each process	4
2.2.2.	General form of deflator.....	5
3.	Implementation of time discretization.....	7
3.1.	Euler method	7
3.2.	Milstein method	8
3.3.	Simplified Second Milstein method.....	9
4.	Numerical results.....	10
4.1.	Example with CIR model and geometric Brownian motion	12
4.2.	Example with CIR model and corporate coupon bond	13
4.3.	Comparisons of numerical results with antithetic sampling and discussion.....	14
5.	Conclusion.....	15
6.	References	15
7.	Tables and figures.....	18

* Po-Keng Cheng and Frédéric Planchet are researcher at SAF laboratory (EA n°2429). Frédéric Planchet is also consulting actuary at Prim'Act. Contact: ansd39@gmail.com / frederic@planchet.net.

1. INTRODUCTION


The Arrow-Debreu model of general equilibrium introduced the existence of an equilibrium in which the allocation of consumption and production is Pareto optimal with a system of prices for contingent commodities.¹ Their works have inspired tremendous research in fields of macroeconomics, financial economics, and asset pricing theory. Based on the concept of Arrow-Debreu securities, researchers had developed the fundamental theorems of asset pricing, which the second theorem tells us that an arbitrage-free market is complete if and only if the equivalent martingale measure is unique.²

In the case of Brownian diffusion, the Girsanov's Theorem enables us to change probability measure from a physical world to a risk-neutral world. Under risk-neutral measure, we have a closed-form solution for Black-Scholes options pricing model. However, we wouldn't always have analytical solutions for various classes of stochastic processes, which motivates us to study numerical methods for approximating solutions.

Due to the complicatedness of life insurance contracts and interactions among economic and financial risk factors, a reliable tool for asset/liability management (ALM) and calculations of reserves would be demanded. In practice, “economic scenario generators” assist insurers in pricing insurance contracts and managing long-term risk³.

The usual pricing scheme is as follows.

Fig. 1 - Calculating the best estimate reserve for a life insurance contract



Usually, economic scenarios are computed under a risk-neutral measure; the actualization process involving risk-free rate is quite simple, numerically speaking. However, we like to point out that many “unusual” scenarios occur (e.g. 10-year rate $\geq 50\%$) under risk-neutral measure, which increases the difficulty to justify the calibration of “reaction functions” embedded in the ALM-projection model used to compute cash flows.

For example, the lapse rate is often a function of the difference between the revalorization rate of the contract and a reference rate; the parameters are calibrated observing “usual” values of economic parameters but may become difficult later to justify for atypical values of economic risk factors. We could use a stochastic deflator to

¹ See, for example, Arrow and Debreu (1954), Geanakoplos (1989), and Mas-Colell et al. (1995) Chapter 19.

² See, for example, Harrison and Kreps (1979), Harrison and Pliska (1981), Delbaen and Schachermayer (1994), and Shreve (2004) Chapter 5.4.

³ See, for example, Varnell (2011), Laurent et al. (2016) Chapters 3,4, and 5, and Pedersen et al. (2016).

address this problem, using only scenarios under physical measure⁴. The numerical calculations become tedious due to the complexity of the deflator, which involves a risk-free rate process and a change of measure between physical and risk-neutral measure. But the benefit is that we could calculate the deflator separately and multiply the deflator with projected cash flows for pricing insurance contracts.

In this paper, we adopt the deflator approach initiated by Dastarac and Sauveplane (2010) and include the processes of default and convenience yield from Longstaff et al. (2005) to calculate prices for financial derivatives. We compare the values calculated from the deflator approach with the values suggested by analytical formulas in simple cases. Our numerical results show the reliability in statistics of the deflator approach for quite simple financial derivatives. Our goal is then to use this deflator to compute best estimates for a life insurance contract.

The remainder of the paper is organized as follows. Section 2 shows the deflator approach. Section 3 discusses the implementation of time discretization. Section 4 presents the numerical results. Section 5 concludes.

2. DEFLATOR APPROACH

Before discussing and deriving the general form of deflator, we need to generate correlated Brownian motions for the stochastic processes in our model. In our model, we consider the processes of interest rates, market prices of risk, stock prices, default intensities and convenience yields. Sections 2 and 3 discuss the technical details of implementations of the deflator and time discretization. Readers who are familiar with stochastic deflator and time discretization could directly skip to numerical results in Section 4.

2.1. GENERATE CORRELATED BROWNIAN MOTIONS

Let the Brownian motion part of each process \mathbf{W}_{ESG} and the correlations matrix \mathbf{C}_{ESG} among interest rates, stock prices, default intensities, and convenience yields be as follows.⁵

$$\mathbf{W}_{ESG} = \begin{bmatrix} W_r \\ W_S \\ W_\chi \\ W_\gamma \end{bmatrix}, \quad \mathbf{C}_{ESG} = \begin{matrix} & \begin{matrix} W_r & W_S & W_\chi & W_\gamma \end{matrix} \\ \begin{matrix} W_r \\ W_S \\ W_\chi \\ W_\gamma \end{matrix} & \begin{bmatrix} 1 & \rho_{rS} & \rho_{r\chi} & \rho_{r\gamma} \\ \rho_{rS} & 1 & \rho_{S\chi} & \rho_{S\gamma} \\ \rho_{r\chi} & \rho_{S\chi} & 1 & \rho_{\chi\gamma} \\ \rho_{r\gamma} & \rho_{S\gamma} & \rho_{\chi\gamma} & 1 \end{bmatrix} \end{matrix} \quad (1)$$

Denote r interest rate; S stock price; χ default intensity; γ convenience yield; $W_i, i=r, S, \chi, \gamma$ Brownian motion part of each process; and $\rho_{jk}, j \neq k$ correlation between each two processes. To generate correlated $W_i, i=r, S, \chi, \gamma$, we require four

⁴ See, for example, Bonnin et al. (2014), Borel-Mathurin et al. (2015), and Vedani et al. (2017).

⁵ Here the correlations matrix \mathbf{C}_{ESG} describes the linear correlation between each two processes of their Brownian motion parts. For discussions of dependence structure among random variables, see, for example, McNeil et al. (2005) Chapter 5 and Rachev et al. (2011) Chapter 2.6.4 .

independent Brownian motions W_i , $i = 0, 1, 2, 3$. Following is the construction of \mathbf{W}_{ESG} , technical details are provided in the Appendix 1 of Supplementary materials.

$$\mathbf{W}_{ESG} = \begin{bmatrix} W_r \\ W_S \\ W_\chi \\ W_\gamma \end{bmatrix} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ \rho_{rS} & \sqrt{1-\rho_{rS}^2} & 0 & 0 \\ \rho_{r\chi} & \rho'_{S\chi} & \rho''_{\chi\chi} & 0 \\ \rho_{r\gamma} & \rho''_{S\gamma} & \rho''_{\chi\gamma} & \rho''_{\gamma\gamma} \end{bmatrix} \begin{bmatrix} W_0 \\ W_1 \\ W_2 \\ W_3 \end{bmatrix} \quad (2)$$

where

$$\rho'_{S\chi} = \frac{\rho_{S\chi} - \rho_{rS}\rho_{r\chi}}{\sqrt{1-\rho_{rS}^2}}, \quad \rho''_{\chi\chi} = \sqrt{\frac{1-\rho_{rS}^2 - \rho_{r\chi}^2 - \rho_{S\chi}^2 + 2\rho_{rS}\rho_{r\chi}\rho_{S\chi}}{1-\rho_{rS}^2}},$$

$$\rho''_{\chi\gamma} = \frac{\rho_{\chi\gamma} - \rho_{r\chi}\rho_{r\gamma} - \rho_{S\chi}\rho_{S\gamma} - \rho_{rS}^2\rho_{\chi\gamma} + \rho_{rS}\rho_{r\chi}\rho_{S\gamma} + \rho_{rS}\rho_{r\gamma}\rho_{S\chi}}{\sqrt{1+\rho_{rS}^4 - 2\rho_{rS}^3\rho_{r\chi}\rho_{S\chi} - 2\rho_{rS}^2 + \rho_{rS}^2\rho_{r\chi}^2 + \rho_{rS}^2\rho_{S\chi}^2 - \rho_{r\chi}^2 - \rho_{S\chi}^2 + 2\rho_{rS}\rho_{r\chi}\rho_{S\chi}}},$$

$$\rho''_{\gamma\gamma} = \sqrt{1-\rho_{r\gamma}^2 - \rho_{S\gamma}^2 - \rho_{\chi\gamma}^2}.$$

2.2. GENERAL FORM OF DEFLATOR WITH FIVE FACTORS⁶

Let $r(t)$, $B(t)$, $P(t, T, r(t))$, $S(t)$, $\chi(t)$, $\gamma(t)$, $D(t)$ be processes of interest rate, short-term saving, zero coupon bond of no risk with maturity T , stock price, default density, convenience yield, and deflator respectively.⁷ Denote $E(\cdot)$ expectation under physical measure and $E^Q(\cdot)$ expectation under risk-neutral measure. Let a discount process $\delta(t)$ equal $e^{-\int_0^t r(s)ds}$. For a nonnegative random variable X , we would like to have $E^Q(\delta(t)X) = E[D(t)X]$ (i.e. $D(t) = \delta(t)\frac{d\mathbf{Q}}{d\mathbf{P}}$, where $\frac{d\mathbf{Q}}{d\mathbf{P}}$ is a Radon-Nikodym derivative). We describe the dynamics of each process in the following paragraphs, in a quite general Markovian framework.

2.2.1. Dynamics of each process

$$dr(t) = \alpha(t, r(t))dt + \beta(t, r(t))dW_r(t) \quad (3)$$

$$dB(t) = B(t)r(t)dt \quad (4)$$

⁶ For discussions of stochastic deflator in insurance, see, for example, Dastarac and Sauveplane (2010) and Caja and Planchet (2011). For a reference of stochastic calculus related to Itô's lemma and Girsanov's Theorem, see Shreve (2004) Chapters 4 and 5.

⁷ Note that research studies of pricing, default and liquidity are fundamental no matter which currency we use.

Equations 3 and 4 are the dynamics of interest rate and short-term saving respectively, where $\alpha(t, r(t))$ and $\beta(t, r(t))$ are the drift term and diffusion term of interest rate process respectively and $B(t)r(t)$ is the drift term of short-term saving process.

Let the process of zero coupon bond of no risk with maturity T be $\frac{dP(t, T, r(t))}{P(t, T, r(t))} = \tilde{\mu}(t, r(t))dt + \tilde{\sigma}(t, r(t))dW_r(t)$. We would like to derive the drift term $\tilde{\mu}(t, r(t))$ and the diffusion term $\tilde{\sigma}(t, r(t))$ for $P(t, T, r(t))$, and the technical details are provided in the Appendix 2 of Supplementary materials.

$$\frac{dP(t, T, r(t))}{P(t, T, r(t))} = [r(t) + \tilde{\sigma}(t, r(t))\theta(t)]dt + \tilde{\sigma}(t, r(t))dW_r(t), \quad \tilde{\sigma}(t, r(t)) = \frac{P_r\beta(t, r(t))}{P(t, r(t))} \quad (5)$$

$$dP(t, T, r(t)) = P(t, T, r(t))[r(t) + \tilde{\sigma}(t, r(t))\theta(t)]dt + P(t, T, r(t))\tilde{\sigma}(t, r(t))dW_r(t)$$

$$\frac{dS(t)}{S(t)} = \mu_s(t)dt + \sigma_s(t)dW_s(t)$$

$$\begin{aligned} dS(t) &= S(t)\mu_s(t)dt + S(t)\sigma_s(t)dW_s(t) \\ &= S(t)\mu_s(t)dt + S(t)\sigma_s(t)\rho_{rs}dW_r(t) + S(t)\sigma_s(t)\sqrt{1-\rho_{rs}^2}dW_1(t) \end{aligned} \quad (6)$$

Equations 5 and 6 show the dynamics of zero coupon bond $P(t, T, r(t))$ and stock price $S(t)$. Following the model settings in Longstaff et al. (2005), we let the processes of default density $\chi(t)$ and convenience yield $\gamma(t)$ as follows.⁸

$$\begin{aligned} d\chi(t) &= [e - f\chi(t)]dt + \sigma_\chi\sqrt{\chi(t)}dW_\chi(t); e, f, \sigma_\chi > 0 \\ &= [e - f\chi(t)]dt + \sigma_\chi\rho_{r\chi}\sqrt{\chi(t)}dW_r(t) + \sigma_\chi\rho'_{s\chi}\sqrt{\chi(t)}dW_1(t) + \sigma_\chi\rho'_{xx}\sqrt{\chi(t)}dW_2(t) \end{aligned} \quad (7)$$

$$d\gamma(t) = \eta dW_\gamma(t) = \eta\rho_{r\gamma}dW_r(t) + \eta\rho''_{s\gamma}dW_1(t) + \eta\rho''_{x\gamma}dW_2(t) + \eta\rho''_{\gamma\gamma}dW_3(t) \quad (8)$$

2.2.2. General form of deflator

We are now able to derive the general form of deflator. First, let

$$dD(t) = \Omega(t)dt + \Phi(t)dW_r(t) + \Psi(t)dW_1(t) + \Gamma(t)dW_2(t) + I(t)dW_3(t). \quad (9)$$

⁸ Different from Longstaff et al. (2005), η in our model could be negative. The regularity condition introduced later require η equalling $-\frac{\gamma(t)r(t)}{\rho_{r\gamma}\theta(t)}$. If we impose η to be positive, then $\rho_{r\gamma}$ has to be negative (positive) when $\gamma(t)$ is positive (negative) given $r(t)$ and $\theta(t)$ are positive in our numerical examples later in Section 4. The switch of sign of $\rho_{r\gamma}$ could be a further research question.

We would like to have $D(t)B(t)$, $D(t)P(t, T, r(t))$, $D(t)S(t)$, $D(t)\chi(t)$, and $D(t)\gamma(t)$ be \mathbf{P} -martingales. By Itô product rule again, we have $d[D(t)X(t)] = X(t)dD(t) + D(t)dX(t) + dX(t)dD(t)$ for a stochastic process $X(t)$. We derive $\Omega(t)$, $\Phi(t)$, $\Psi(t)$, $\Gamma(t)$, and $I(t)$ step by step in the Appendix 3 of Supplementary materials.

Let

$$K_\Psi(t) = \frac{\Psi(t)}{D(t)} = \frac{r(t) + \theta(t)\sigma_s(t)\rho_{rs} - \mu_s(t)}{\sigma_s(t)\sqrt{1 - \rho_{rs}^2}},$$

$$K_\Gamma(t) = \frac{\Gamma(t)}{D(t)} = \frac{\theta(t)\rho_{r\chi} + \frac{r(t)\chi(t) - e + f\chi(t)}{\sigma_\chi\rho'_{\chi\chi}\sqrt{\chi(t)}} + \frac{\rho'_{s\chi}[\mu_s(t) - r(t) - \theta(t)\sigma_s(t)\rho_{rs}]}{\rho'_{\chi\chi}\sigma_s(t)\sqrt{1 - \rho_{rs}^2}},$$

$$K_I(t) = \frac{I(t)}{D(t)} = \frac{\rho_{r\gamma}\theta(t)}{\rho''_{\gamma\gamma}} + \frac{r(t)\gamma(t)}{\eta\rho''_{\gamma\gamma}} - \frac{\rho''_{\chi\gamma}\rho_{r\chi}\theta(t)}{\rho''_{\gamma\gamma}\rho'_{\chi\chi}} + \frac{\rho''_{\chi\gamma}[e - r(t)\chi(t) - f\chi(t)]}{\rho''_{\gamma\gamma}\rho'_{\chi\chi}\sigma_\chi\sqrt{\chi(t)}}, \text{ then}$$

$$+ \frac{(\rho''_{s\gamma}\rho'_{\chi\chi} - \rho''_{\chi\gamma}\rho'_{s\chi})[\mu_s(t) - r(t) - \rho_{rs}\theta(t)\sigma_s(t)]}{\rho''_{\gamma\gamma}\rho'_{\chi\chi}\sigma_s(t)\sqrt{1 - \rho_{rs}^2}}$$

$$dD(t) = -D(t)r(t)dt - D(t)\theta(t)dW_r(t) + D(t)K_\Psi(t)dW_1(t) + D(t)K_\Gamma(t)dW_2(t) + D(t)K_I(t)dW_3(t).$$

We have the general form of deflator $D(t)$ as follows.

$$D(t) = D(0) \exp \left\{ -\int_0^t r(s)ds - \int_0^t \frac{1}{2} [\theta^2(s) + K_\Psi^2(s) + K_\Gamma^2(s) + K_I^2(s)] ds \right\}$$

$$\times \exp \left[-\int_0^t \theta(s)dW_r(s) + \int_0^t K_\Psi(s)dW_1(s) + \int_0^t K_\Gamma(s)dW_2(s) + \int_0^t K_I(s)dW_3(s) \right]$$

In addition, we require $\mu_s(t) = r(t) + \theta(t)\sigma_s(t)\rho_{rs}$,

$e = r(t)\chi(t) + f\chi(t) + \sigma_\chi\rho_{r\chi}\theta(t)\sqrt{\chi(t)}$, and $\eta = -\frac{\gamma(t)r(t)}{\rho_{r\gamma}\theta(t)}$ as regularity condition, such

that $\delta(t)S(t)$, $\delta(t)\chi(t)$, and $\delta(t)\gamma(t)$ are \mathbf{Q} -martingales (technical details are provided in the Appendix 4 of Supplementary materials). As a result, $K_\Psi(t) = 0$, $K_\Gamma(t) = 0$, and $K_I(t) = 0$. Then, $dD(t) = -D(t)r(t)dt - D(t)\theta(t)dW_r(t)$.

We could rewrite the general form of deflator $D(t)$ as follows⁹.

⁹ The disappearance of $K_\Psi(t)$ term also tells us that stocks are financial derivatives. Given a rate of time value (growth) $r(t)$ and a rate of market risk $\theta(t)$, the proper expected return of a stock in our model is equal to $r(t) + \theta(t)\sigma_s(t)\rho_{rs}$. Also, the regularity conditions tell us more about the relations among interest rates, market prices of risk, stock prices, default intensities, and convenience yields in our model based on how we derive the deflator. For example, if we choose $\exp[\chi(t)]$ instead of $\chi(t)$ to derive the deflator, the regularity conditions will be different.

$$D(t) = D(0) \exp \left[- \int_0^t r(s) ds - \frac{1}{2} \int_0^t \theta^2(s) ds - \int_0^t \theta(s) dW_r(s) \right] \quad (10)$$

3. IMPLEMENTATION OF TIME DISCRETIZATION

To implement the deflator approach, we need to discretize time steps for each process. We discuss the time discretization here. We adopt the Euler method, the Milstein method, and the simplified Second Milstein method for time discretization in our model.¹⁰

Denote a stochastic process $X(t)$ with its dynamics $dX(t) = b_X(t, X(t))dt + \sigma_X(t, X(t))dW_X(t)$ where $W_X(t)$ is the Brownian part of $X(t)$. We partition the time $[0, T]$ into N segments with each length equalling $(T-0)/N$, then we have a time discretization $\Pi_N = \Pi_N([0, T])$ with $0 = t_0 < t_1 < \dots < t_N = T$.

3.1. EULER METHOD

In Euler method, we approximate $X(t)$ by Y_t discretely, in which $Y_{i+1} = Y_i + b_X(t_i, Y_i)(t_{i+1} - t_i) + \sigma_X(t_i, Y_i)(W_{i+1} - W_i)$, $i = 0, 1, \dots, N-1$, W_i is the value of a Brownian motion at time period i , and Y_0 is equal to $X(0)$. Denote $\Delta t_i = t_{i+1} - t_i = (T-0)/N$ and $\Delta W_{k,i} = W_{k,t_{i+1}} - W_{k,t_i}$, $k = r, 1, 2, 3$. We approximate $r(t)$, $B(t)$, $P(t, T, r(t))$, $S(t)$, $\chi(t)$, $\gamma(t)$, $D(t)$ by the Euler method as follows.

- $dr(t) = \alpha(t, r(t))dt + \beta(t, r(t))dW_r(t)$, then $r_{i+1} = r_i + \alpha(t_i, r_i)\Delta t_i + \beta(t_i, r_i)\Delta W_{r,i}$.
- $dB(t) = B(t)r(t)dt$, then $B_{i+1} = B_i(1 + r_i\Delta t_i)$.
- $dP(t, T, r(t)) = P(t, T, r(t))\left[r(t) + \tilde{\sigma}(t, r(t))\theta(t)\right]dt + P(t, T, r(t))\tilde{\sigma}(t, r(t))dW_r(t)$,
then $P_{i+1} = P_i \left\{ 1 + \left[r_i + \tilde{\sigma}(t_i, r_i)\theta_i \right] \Delta t_i + \tilde{\sigma}(t_i, r_i)\Delta W_{r,i} \right\}$.
- $dS(t) = S(t)\left[r(t) + \theta(t)\sigma_S(t)\rho_{rS}\right]dt + S(t)\sigma_S(t)\rho_{rS}dW_r(t) + S(t)\sigma_S(t)\sqrt{1-\rho_{rS}^2}dW_1(t)$,
then $S_{i+1} = S_i \left\{ 1 + \left[r_i + \theta_i\sigma_{S,t_i}\rho_{rS} \right] \Delta t_i + \sigma_{S,t_i}\rho_{rS}\Delta W_{r,i} + \sigma_{S,t_i}\sqrt{1-\rho_{rS}^2}\Delta W_{1,i} \right\}$.
- $d\chi(t) = \left[r(t)\chi(t) + \sigma_\chi\rho_{r\chi}\theta(t)\sqrt{\chi(t)} \right]dt + \sigma_\chi\rho_{r\chi}\sqrt{\chi(t)}dW_r(t) + \sigma_\chi\rho'_{S\chi}\sqrt{\chi(t)}dW_1(t) + \sigma_\chi\rho'_{\chi\chi}\sqrt{\chi(t)}dW_2(t)$,
then $\chi_{i+1} = \chi_i + \left(r_i\chi_i + \sigma_\chi\rho_{r\chi}\theta_i\sqrt{\chi_i} \right)\Delta t_i + \sigma_\chi\rho_{r\chi}\sqrt{\chi_i}\Delta W_{r,i} + \sigma_\chi\rho'_{S\chi}\sqrt{\chi_i}\Delta W_{1,i} + \sigma_\chi\rho'_{\chi\chi}\sqrt{\chi_i}\Delta W_{2,i}$.
- $d\gamma(t) = -\frac{\gamma(t)r(t)}{\rho_{r\gamma}\theta(t)}\left[\rho_{r\gamma}dW_r(t) + \rho''_{S\gamma}dW_1(t) + \rho''_{\chi\gamma}dW_2(t) + \rho''_{\gamma\gamma}dW_3(t) \right]$,
then $\gamma_{i+1} = \gamma_i - \frac{\gamma_i r_i}{\rho_{r\gamma}\theta_i} \left(\rho_{r\gamma}\Delta W_{r,i} + \rho''_{S\gamma}\Delta W_{1,i} + \rho''_{\chi\gamma}\Delta W_{2,i} + \rho''_{\gamma\gamma}\Delta W_{3,i} \right)$.

¹⁰ For references of time discretization, see, for example, Kloeden and Platen (1992), Iacus (2009), and Glasserman (2013).

- $\frac{dD(t)}{D(t)} = -r(t)dt - \theta(t)dW_r(t)$, then $D_{i+1} = D_i [1 - r_i \Delta t_i - \theta_i \Delta W_{r,i}]$.

3.2. MILSTEIN METHOD

Denote $\sigma_{X'} = \frac{\partial \sigma_X(t, x)}{\partial x}$, we approximate $X(t)$ by Y_i discretely as $Y_{i+1} = Y_i + b_X(t_i, Y_i)(t_{i+1} - t_i) + \sigma_X(t_i, Y_i)(W_{i+1} - W_i) + \frac{1}{2} \sigma_X(t_i, Y_i) \sigma_{X'}(t_i, Y_i) [(W_{i+1} - W_i)^2 - (t_{i+1} - t_i)]$.

Thus, we approximate $r(t)$, $B(t)$, $P(t, T, r(t))$, $S(t)$, $\chi(t)$, $\gamma(t)$, $D(t)$ by the Milstein method as follows.

- $dr(t) = \alpha(t, r(t))dt + \beta(t, r(t))dW_r(t)$,

then $r_{i+1} = r_i + \alpha(t_i, r_i) \Delta t_i + \beta(t_i, r_i) \Delta W_{r,i} + \frac{1}{2} \beta(t_i, r_i) \beta_r(t_i, r_i) [(\Delta W_{r,i})^2 - \Delta t_i]$.

- $dB(t) = B(t)r(t)dt$, then $B_{i+1} = B_i(1 + r_i \Delta t_i)$.

- $dP(t, T, r(t)) = P(t, T, r(t)) [r(t) + \tilde{\sigma}(t, r(t))\theta(t)]dt + P(t, T, r(t))\tilde{\sigma}(t, r(t))dW_r(t)$,

then $P_{i+1} = P_i \left\{ 1 + [r_i + \tilde{\sigma}(t_i, r_i)\theta_i] \Delta t_i + \tilde{\sigma}(t_i, r_i) \Delta W_{r,i} + \frac{1}{2} \tilde{\sigma}^2(t_i, r_i) [(\Delta W_{r,i})^2 - \Delta t_i] \right\}$.

- $dS(t) = S(t) [r(t) + \theta(t)\sigma_S(t)\rho_{rS}]dt + S(t)\sigma_S(t)\rho_{rS}dW_r(t) + S(t)\sigma_S(t)\sqrt{1 - \rho_{rS}^2}dW_1(t)$,

then $S_{i+1} = S_i \left\{ 1 + [r_i + \theta_i \sigma_{S,t_i} \rho_{rS}] \Delta t_i + \sigma_{S,t_i} \rho_{rS} \Delta W_{r,i} + \sigma_{S,t_i} \sqrt{1 - \rho_{rS}^2} \Delta W_{1,i} + \frac{1}{2} [\sigma_{S,t_i} \rho_{rS}]^2 [(\Delta W_{r,i})^2 - \Delta t_i] + \frac{1}{2} [\sigma_{S,t_i} \sqrt{1 - \rho_{rS}^2}]^2 [(\Delta W_{1,i})^2 - \Delta t_i] \right\}$.

- $d\chi(t) = [r(t)\chi(t) + \sigma_\chi \rho_{r\chi} \theta(t) \sqrt{\chi(t)}]dt + \sigma_\chi \rho_{r\chi} \sqrt{\chi(t)} dW_r(t) + \sigma_\chi \rho'_{S\chi} \sqrt{\chi(t)} dW_1(t) + \sigma_\chi \rho'_{\chi\chi} \sqrt{\chi(t)} dW_2(t)$,

then $\chi_{i+1} = \chi_i + (r_i \chi_i + \sigma_\chi \rho_{r\chi} \theta_i \sqrt{\chi_i}) \Delta t_i + \sigma_\chi \rho_{r\chi} \sqrt{\chi_i} \Delta W_{r,i} + \sigma_\chi \rho'_{S\chi} \sqrt{\chi_i} \Delta W_{1,i} + \sigma_\chi \rho'_{\chi\chi} \sqrt{\chi_i} \Delta W_{2,i} + \frac{1}{4} (\sigma_\chi \rho_{r\chi})^2 [(\Delta W_{r,i})^2 - \Delta t_i] + \frac{1}{4} (\sigma_\chi \rho'_{S\chi})^2 [(\Delta W_{1,i})^2 - \Delta t_i] + \frac{1}{4} (\sigma_\chi \rho'_{\chi\chi})^2 [(\Delta W_{2,i})^2 - \Delta t_i]$.

- $d\gamma(t) = -\frac{\gamma(t)r(t)}{\rho_{r\gamma}\theta(t)} [\rho_{r\gamma} dW_r(t) + \rho''_{S\gamma} dW_1(t) + \rho''_{\chi\gamma} dW_2(t) + \rho''_{\gamma\gamma} dW_3(t)]$,

then $\gamma_{i+1} = \gamma_i - \frac{\gamma_i r_i}{\rho_{r\gamma} \theta_i} (\rho_{r\gamma} \Delta W_{r,i} + \rho''_{S\gamma} \Delta W_{1,i} + \rho''_{\chi\gamma} \Delta W_{2,i} + \rho''_{\gamma\gamma} \Delta W_{3,i}) + \frac{1}{2} \gamma_i \left(\frac{r_i}{\theta_i} \right)^2 [(\Delta W_{r,i})^2 - \Delta t_i] + \frac{1}{2} \gamma_i \left(\frac{\rho''_{S\gamma} r_i}{\rho_{r\gamma} \theta_i} \right)^2 [(\Delta W_{1,i})^2 - \Delta t_i] + \frac{1}{2} \gamma_i \left(\frac{\rho''_{\chi\gamma} r_i}{\rho_{r\gamma} \theta_i} \right)^2 [(\Delta W_{2,i})^2 - \Delta t_i] + \frac{1}{2} \gamma_i \left(\frac{\rho''_{\gamma\gamma} r_i}{\rho_{r\gamma} \theta_i} \right)^2 [(\Delta W_{3,i})^2 - \Delta t_i]$.

- $\frac{dD(t)}{D(t)} = -r(t)dt - \theta(t)dW_r(t)$,

then $D_{i+1} = D_i [1 - r_i \Delta t_i - \theta_i \Delta W_{r,i}] + \frac{1}{2} D_i \theta_i^2 [(\Delta W_{r,i})^2 - \Delta t_i]$.

3.3. SIMPLIFIED SECOND MILSTEIN METHOD

We advance to multi-dimensional case in this sub-section. Let X_t be multi-dimensional stochastic processes with the dynamics $dX_t = a(t, X_t)dt + b(t, X_t)dW_t$, where X_t is a $d \times 1$ vector, $a(t, X_t)$ is a $d \times 1$ vector, $b(t, X_t)$ is a $d \times m$ matrix, and W_t is a $m \times 1$ vector. d is the number of different stochastic processes in X_t , and m is the number of independent Brownian motions involved in X_t .

For a continuously twice differentiable function $f(t, x_{d \times 1})$, we could write $df(t, X_t)$ by Itô formula for multi-dimensional case as follows.

$$df(t, X_t) = \left[\frac{\partial f(t, X_t)}{\partial t} + \sum_{i=1}^d \frac{\partial f(t, X_t)}{\partial x_i} a_i(t, X_t) + \frac{1}{2} \sum_{i,j=1}^d \frac{\partial^2 f(t, X_t)}{\partial x_i \partial x_j} \Sigma_{t,ij} \right] dt + \sum_{i=1}^d \sum_{k=1}^m b_{ik}(t, X_t) \frac{\partial f(t, X_t)}{\partial x_i} dW_{t,k}, \quad \Sigma_t = b(t, X_t) b^T(t, X_t) \quad (11)$$

In equation 11, $a_i(t, X_t)$ is the element of i^{th} row of $a(t, X_t)$, $b_{ik}(t, X_t)$ is the element of $b(t, X_t)$ at its i^{th} row and k^{th} column, $b^T(t, X_t)$ is the transpose of $b(t, X_t)$, $\Sigma_{t,ij}$ is the element of Σ_t at its i^{th} row and j^{th} column, and $W_{t,k}$ is the element of k^{th} row of W_t . Next, we introduce operators L^0 and L^k and rewrite $df(t, X_t)$ for multi-dimensional case.

$$L^0 = \frac{\partial}{\partial t} + \sum_{i=1}^d a_i(t, X_t) \frac{\partial}{\partial x_i} + \frac{1}{2} \sum_{i,j=1}^d \Sigma_{t,ij} \frac{\partial^2}{\partial x_i \partial x_j} \quad (12)$$

$$L^k = \sum_{i=1}^d b_{ik}(t, X_t) \frac{\partial}{\partial x_i}, \quad \forall k = 1, \dots, m \quad (13)$$

$$df(t, X_t) = L^0 f(t, X_t) dt + \sum_{k=1}^m L^k f(t, X_t) dW_{t,k} \quad (14)$$

We approximate X_t by Y_t discretely by simplified Second Milstein method, where Y_t is a $d \times 1$ vector. For each $i = 1, \dots, d$,

$$Y_{n+1,i} = Y_{n,i} + a_i(n, Y_n) \Delta t + \sum_{k=1}^m b_{ik}(n, Y_n) \Delta W_{n,k} + \frac{1}{2} L^0 a_i(n, Y_n) (\Delta t)^2 + \frac{1}{2} \sum_{k=1}^m [L^k a_i(n, Y_n) + L^0 b_{ik}(n, Y_n)] \Delta W_{n,k} \Delta t + \frac{1}{2} \sum_{k=1}^m \sum_{j=1}^m L^j b_{ik}(n, Y_n) (\Delta W_{n,j} \Delta W_{n,k} - V_{jk}) \quad (15)$$

$Y_{n+1,i}$ is the element of i^{th} row of Y_t in the time step $n+1$. V_{jk} is an independent random variable with probabilities $\Pr(V_{jk} = \Delta t) = \Pr(V_{jk} = -\Delta t) = \frac{1}{2}$ for $j < k$, $V_{kj} = -V_{jk}$ for $j > k$, and $V_{jk} = \Delta t$ for $j = k$. The following are the X_t , $a(t, X_t)$, W_t , and $b(t, X_t)$ in our model.

$$X_t = \begin{bmatrix} r(t) \\ \theta(t) \\ B(t) \\ P(t, T, r(t)) \\ S(t) \\ \chi(t) \\ \gamma(t) \\ D(t) \end{bmatrix}, a(t, X_t) = \begin{bmatrix} \alpha(t, r(t)) \\ a_\theta - b_\theta \theta(t) \\ B(t)r(t) \\ P(t, T, r(t)) [r(t) + \tilde{\sigma}(t, r(t)) \theta(t)] \\ S(t) [r(t) + \theta(t) \sigma_s(t) \rho_{rs}] \\ r(t) \chi(t) + \sigma_\chi \rho_{r\chi} \theta(t) \sqrt{\chi(t)} \\ 0 \\ -r(t) D(t) \end{bmatrix}, W_t = \begin{bmatrix} W_r(t) \\ W_1(t) \\ W_2(t) \\ W_3(t) \\ W_\theta(t) \end{bmatrix},$$

$$b(t, X_t) = \begin{bmatrix} \beta(t, r(t)) & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & \sigma_\theta \sqrt{\theta(t)} \\ P(t, T, r(t)) \tilde{\sigma}(t, r(t)) & 0 & 0 & 0 & 0 \\ S(t) \sigma_s(t) \rho_{rs} & S(t) \sigma_s(t) \sqrt{1 - \rho_{rs}^2} & 0 & 0 & 0 \\ \sigma_\chi \rho_{r\chi} \sqrt{\chi(t)} & \sigma_\chi \rho'_{s\chi} \sqrt{\chi(t)} & \sigma_\chi \rho'_{\chi\chi} \sqrt{\chi(t)} & 0 & 0 \\ -\frac{\gamma(t)r(t)}{\theta(t)} & -\frac{\rho''_{s\gamma} \gamma(t)r(t)}{\rho_{r\gamma} \theta(t)} & -\frac{\rho''_{\chi\gamma} \gamma(t)r(t)}{\rho_{r\gamma} \theta(t)} & -\frac{\rho''_{\gamma\gamma} \gamma(t)r(t)}{\rho_{r\gamma} \theta(t)} & 0 \\ -\theta(t) D(t) & 0 & 0 & 0 & 0 \end{bmatrix}$$

4. NUMERICAL RESULTS

We implement the deflator approach with three methods for time discretization and adopt CIR interest rate model for short-term saving.¹¹ In addition, we also incorporate parallel computing with a variance technique, antithetic sampling in our algorithm.¹² In CIR interest rate model, $dr(t) = [a_r - b_r r(t)] dt + \sigma_r \sqrt{r(t)} d\tilde{W}_r(t)$; $a_r, b_r, \sigma_r > 0$. The process of interest rate is defined under probability measure \mathbf{Q}' . To convert the process into physical measure \mathbf{P} , we have to consider the process of market price of risk $\theta(t)$. From Section 2.2.1, we let $d\tilde{W}_r(t) = \theta(t) dt + dW_r(t)$. Thus, we could rewrite $dr(t)$ in \mathbf{P} -measure as $dr(t) = [a_r - b_r r(t) + \theta(t) \sigma_r \sqrt{r(t)}] dt + \sigma_r \sqrt{r(t)} dW_r(t)$.

Let $\theta(t)$ also be CIR process here and W_θ is an independent Brownian motion of W_i , $i = r, 1, 2, 3$.¹³ The dynamics of $\theta(t)$ is

¹¹ Here we choose CIR interest rate model because the model has a closed-form formula for prices of zero-coupon bonds of no risk.

¹² The R codes are available from the authors by inquiry. For examples of computing time, user CPU time is 3.363 s, system CPU time is 0.286 s, and elapsed time is 15.747 s in 2500 simulations; user CPU time is 2828.413 s, system CPU time is 161.860 s, and elapsed time is 5127.524 s in 1000000 simulations.

¹³ Here we choose $\theta(t)$ to be CIR process, so that $\theta(t)$ would be positive in any time period t .

$$d\theta(t) = [a_\theta - b_\theta\theta(t)]dt + \sigma_\theta\sqrt{\theta(t)}dW_\theta(t); a_\theta, b_\theta, \sigma_\theta > 0.$$

In CIR interest rate model, the price of zero coupon bond of no risk with maturity T , $P(t, T, r(t))$, is equal to $e^{-r(t)C_p(t, T) - A_p(t, T)}$ where

$$C_p(t, T) = \frac{\sinh(\gamma_{CIR}(T-t))}{\gamma_{CIR} \cosh(\gamma_{CIR}(T-t)) + \frac{1}{2}b_r \sinh(\gamma_{CIR}(T-t))}, \quad \gamma_{CIR} = \frac{1}{2}\sqrt{b_r^2 + 2\sigma_r^2},$$

$$\text{and } A_p(t, T) = -\frac{2a_r}{\sigma_r^2} \ln \left[\frac{\gamma_{CIR} e^{\frac{1}{2}b_r(T-t)}}{\gamma_{CIR} \cosh(\gamma_{CIR}(T-t)) + \frac{1}{2}b_r \sinh(\gamma_{CIR}(T-t))} \right].$$

Note that $\sinh u = \frac{e^u - e^{-u}}{2}$, $\cosh u = \frac{e^u + e^{-u}}{2}$, and $P(0, T, r(0)) = e^{-r(0)C_p(0, T) - A_p(0, T)}$.¹⁴

To calculate the option price for stock under CIR interest rate process, we use the formula proposed by Kim (2002), which we leave the technical detail in the Appendix 5 of Supplementary materials.¹⁵ In addition, notice that the drift term of stock prices in Kim (2002) is a constant, which is different from our model in which $\mu_S(t) = r(t) + \theta(t)\sigma_S(t)\rho_{r,S}$. Thus, our numerical results would be different from the value suggested by the formula in Kim (2002).

We approximate $r(t)$, $\theta(t)$, $P(t, T, r(t))$ by the Euler method and the Milstein method as follows.

$$\bullet dr(t) = [a_r - b_r r(t) + \theta(t)\sigma_r\sqrt{r(t)}]dt + \sigma_r\sqrt{r(t)}dW_r(t)$$

By Euler method, $r_{i+1} = r_i + (a_r - b_r r_i + \theta_i \sigma_r \sqrt{r_i})\Delta t_i + \sigma_r \sqrt{r_i} \Delta W_{r,i}$; and by Milstein method, $r_{i+1} = r_i + (a_r - b_r r_i + \theta_i \sigma_r \sqrt{r_i})\Delta t_i + \sigma_r \sqrt{r_i} \Delta W_{r,i} + \frac{1}{4}\sigma_r^2 [(\Delta W_{r,i})^2 - \Delta t_i]$.

$$\bullet d\theta(t) = [a_\theta - b_\theta\theta(t)]dt + \sigma_\theta\sqrt{\theta(t)}dW_\theta(t)$$

By Euler method, $\theta_{i+1} = \theta_i + (a_\theta - b_\theta\theta_i)\Delta t_i + \sigma_\theta\sqrt{\theta_i}\Delta W_{\theta,i}$; and by Milstein method, $\theta_{i+1} = \theta_i + (a_\theta - b_\theta\theta_i)\Delta t_i + \sigma_\theta\sqrt{\theta_i}\Delta W_{\theta,i} + \frac{1}{4}\sigma_\theta^2 [(\Delta W_{\theta,i})^2 - \Delta t_i]$.

$$\bullet dP(t, T, r(t)) = P(t, T, r(t)) [r(t) + \tilde{\sigma}(t, r(t))\theta(t)]dt + P(t, T, r(t))\tilde{\sigma}(t, r(t))dW_r(t)$$

¹⁴ See, for example, Shreve (2004) Chapter 6.

¹⁵ For references of option pricing under stochastic interest rates, see, for example, Shreve (2004) Chapter 9, and Brigo and Mercurio (2006) Chapter 3 and Appendix B.

$\tilde{\sigma}(t, r(t)) = \frac{P_r \beta(t, r(t))}{P(t, r(t))}$, we could rewrite the process as

$$dP(t, T, r(t)) = \left[P(t, T, r(t))r(t) + P_r \sigma_r \sqrt{r(t)} \theta(t) \right] dt + P_r \sigma_r \sqrt{r(t)} dW_r(t).$$

Note that $P_r = -C_p(t, T) e^{-r(t)C_p(t, T) - A_p(t, T)}$ in CIR interest rate model. By Euler method, $P_{i+1} = P_i + (P_i r_i + P_{r, t_i} \sigma_r \sqrt{r_i} \theta_i) \Delta t_i + P_{r, t_i} \sigma_r \sqrt{r_i} \Delta W_{r, i}$; and by Milstein method, $P_{i+1} = P_i + (P_i r_i + P_{r, t_i} \sigma_r \sqrt{r_i} \theta_i) \Delta t_i + P_{r, t_i} \sigma_r \sqrt{r_i} \Delta W_{r, i} + \frac{1}{2} P_{r, t_i} \sigma_r^2 r_i \theta_i^2 \Delta t_i + P_{r, t_i} \sigma_r \theta_i \Delta W_{r, i} \Delta t_i$.

The details of implementation of simplified Second Milstein method is provided in the Appendix 6 of Supplementary materials.

4.1. EXAMPLE WITH CIR MODEL AND GEOMETRIC BROWNIAN MOTION

The following is the settings describing the dynamics of each process in our example.¹⁶

$$T = 1, \Delta t = 0.01, \rho_{rs} = 0.6, \rho_{r\chi} = 0.7, \rho_{r\gamma} = 0.5, \rho_{s\chi} = 0.1, \rho_{s\gamma} = 0.3, \rho_{\chi\gamma} = 0.1$$

$$d\theta(t) = [0.05 - 0.01\theta(t)] dt + 0.01\sqrt{\theta(t)} dW_\theta(t), \theta(0) = 0.3$$

$$dr(t) = [0.02 - 0.04r(t)] dt + 0.01\sqrt{r(t)} d\tilde{W}_r(t), r(0) = 0.02$$

$$dS(t) = S(t)[r(t) + 0.2\rho_{rs}\theta(t)] dt + 0.2S(t) dW_s(t), S(0) = 1$$

$$d\chi(t) = [r(t)\chi(t) + 0.01\rho_{r\chi}\theta(t)\sqrt{\chi(t)}] dt + 0.01\sqrt{\chi(t)} dW_\chi(t), \chi(0) = 0.05$$

$$d\gamma(t) = -\frac{\gamma(t)r(t)}{\rho_{r\gamma}\theta(t)} dW_\gamma(t), \gamma(0) = 0.01$$

Let $D(0)$ equal 1 in equation (10). The deflator approach tells us that for a nonnegative random variable $X(t)$, we would have $E^Q[\delta(t)X(t)] = E[D(t)X(t)]$. The price of a zero-coupon bond of no risk with maturity T at time period T is equal to 1. We also calculate the price of Put option of $S(T)$ with strike K equalling to 2. Thus, we would expect the following equations to hold.

$$D(0)S(0) = S(0) = E^Q[\delta(T)S(T)] = E[D(T)S(T)] = 1 \quad (16)$$

$$D(0)P(0, T, r(0)) = P(0, T, r(0)) = E^Q[\delta(T)P(T, T, r(T))] = E[D(T)P(T, T, r(T))] = E[D(T)] \quad (17)$$

$$D(0)Put(0, S(0), T, K) = Put(0, S(0), T, K) = E^Q[\delta(T)(K - S(T))^+] = E[D(T)(K - S(T))^+] \quad (18)$$

We compare the numerical results with Black-Scholes put option price, $Put_{kim}(0, S(0), T, K)$. Tables 1, 2, and 3 show the numerical results. Figures 2, 3, 4, 5, 6, 7,

¹⁶ Here we provide a numerical example for the model, in which the chosen values for model settings could be different. In our example, there are strong positive correlations between interest rates and other factors (i.e. stock prices, default densities, and convenience yields), but weak positive correlations between each two of stock prices, default densities, and convenience yields. Note that the Feller condition holds in our numerical examples, e.g. $2 \times 0.05 > 0.01^2$.

8, 9, 10, 11, 12, 13, 14, 15, 16, and 17 show the convergence of approximations to expected values, i.e. $S(0)$, $P(0, T, r(0))$, $Put_{Kim}(0, S(0), T, K)$, and the differences between approximations and expected values. In general, we could see that the simplified Second Milstein method provides better approximations and converges faster than the Euler method and the Milstein method do. This could be explained by convergence order in which the simplified Second Milstein method has larger weak order of convergence.¹⁷

4.2. EXAMPLE WITH CIR MODEL AND CORPORATE COUPON BOND

Longstaff et al. (2005) assumed the independence among interest rate, default intensity, and convenience yield. Thus, we let $\rho_{r\chi} = 0$, $\rho_{r\gamma} = 0$, $\rho_{S\chi} = 0$, $\rho_{S\gamma} = 0$, and $\rho_{\chi\gamma} = 0$.¹⁸ To accommodate the three risk factors (interest rate, default intensity, and convenience yield) with deflator, we let $dB(t) = B(t)[r(t) + \chi(t) + \gamma(t)]dt$.¹⁹ In addition, notice again that the formula provided in Longstaff et al. (2005) is not directly applicable after we add regularity conditions in our model, which we leave technical detail of the formula in Longstaff et al. (2005) in the Appendix 7 of Supplementary materials.

To implement the deflator, we look at the original definition of $CB(c, \omega, T)$.

$$CB(c, \omega, T) = E \left\{ c \int_0^T \exp \left[- \int_0^t (r(s) + \chi(s) + \gamma(s)) ds \right] dt \right\} + E \left\{ \exp \left[- \int_0^T (r(s) + \chi(s) + \gamma(s)) ds \right] \right\} \quad (19)$$

$$+ E \left\{ (1 - \omega) \int_0^T \chi_t \exp \left[- \int_0^t (r(s) + \chi(s) + \gamma(s)) ds \right] dt \right\}$$

For the time period t when a bond holder receives a coupon or a fraction of the par value of the bond (because of default), the payoff at that time period t is equal to c or $(1 - \omega)$ multiply the par value of the bond respectively. Thus, we could implement the deflator as follows, the details of implementation of time discretization is provided in the Appendix 8 of Supplementary materials.

$$D(0)CB(c, \omega, T) = E \left[D(T) \right] + cE \left[\int_0^T D(t) dt \right] + (1 - \omega)E \left[\int_0^T \chi(t) D(t) dt \right] \quad (20)^{20}$$

Tables 4 and 5 show the numerical results. Figures 18, 19, 20, 21, 22, 23, 24, and 25 show the convergence of approximations and the differences between approximations and expected values.

¹⁷ The Euler method and the Milstein method have weak order of convergence 1, and the simplified Second Milstein method has weak order of convergence 2, see, for example, Glasserman (2013) Chapter 6.

¹⁸ We let $dW_i dW_j = 0$ here, i.e. pairwise independence.

¹⁹ Recall that $D(t) = \text{Discount factor} \cdot \frac{dQ}{dP}$, $D(t)$ could not be the same given different discount factors with the same Radon-Nikodym derivative, i.e. different discount factors imply different risk-neutral worlds.

²⁰ We approximate $\int_0^T D(t) dt$ by $\sum_{t_i=0}^T \frac{(D_{t_i} + D_{t_{i+1}})}{2} \Delta t_i$; similarly, we approximate $\int_0^T \chi(t) D(t) dt$ by

$$\sum_{t_i=0}^T \frac{(\chi_{t_i} D_{t_i} + \chi_{t_{i+1}} D_{t_{i+1}})}{2} \Delta t_i.$$

4.3. COMPARISONS OF NUMERICAL RESULTS WITH ANTITHETIC SAMPLING AND DISCUSSION

Table 6 shows the differences of variances with/without antithetic sampling. Given the variance of a random variable X , $Var(X)$, the variance of $\frac{1}{n}X$ is equal to $\frac{1}{n^2}Var(X)$. Suppose the risk factors and parameters involved are constant at time period t , $D(t)$ is lognormal distributed. With the sample size being equal to n , the mean of $D(t)$, $E[D(t)]$, equals $\frac{1}{n} \sum_{n \text{ trials}} D(t)$; and its variance $Var(E[D(t)])$ is equal to $\frac{1}{n}Var(D(t))$. We could calculate its 95% confidence interval as follows.²¹

$$CI_{95\%} = E[D(t)] + \frac{Var(E[D(t)])}{2} \pm t_{d.f.=n-1} \sqrt{\frac{Var(E[D(t)])}{n} + \frac{[Var(E[D(t)])]^2}{2(n-1)}} \quad (21)$$

Here $t_{d.f.=n-1}$ is the t statistics with degree of freedom equalling $n-1$. For example, in our numerical results of Second Milstein method with antithetic sampling and sample size equalling 2500, the 95% confidence interval of $E[D(T)]$ is equal to $[0.9714838, 0.9718523]$.

Suppose the weights of investment in a portfolio on stock, zero coupon bond of no risk with maturity T , and corporate coupon bond equal w_S , w_P , and w_{CB} respectively. Theoretically, the variance of the portfolio is equal to $\sum_{i=S,P,CB} w_i^2 Var(i) + 2 \sum_{j,k=S,P,CB; j \neq k} w_j w_k Cov(j,k)$, where $Cov(j,k)$ is the covariance between j and k . Given stochastic differential equations of two stochastic processes dX and dY , we could calculate $Cov(X,Y)$ by $dXdY$. The multiplication of lognormal random variables is again lognormal distributed, and the sum of lognormal random variables most likely behaves as either normal or lognormal distributions (so that we could still calculate the confidence interval).²² As a numerical example, we let w_S , w_P , and w_{CB} be 0.15, 0.65, and 0.2 respectively. Figure 26 shows the comparison of histograms with/without antithetic sampling of the portfolio.

However, the risk factors and parameters involved are not constant. For example, $r(t)$, $\theta(t)$ and $\chi(t)$ in our numerical examples are not constant. In addition, $r(t)$ rises sharply over long time periods as we could see in Figures 27. By switching the coefficients in the drift term of $\theta(t)$, $0.01-0.05\theta(t)$, we could alleviate this situation observed in Figure 28. Moreover, we observe negative values of $D(t)$ while implementing time discretization over long time periods, which could result from discretization bias and no differentiability of Brownian motion.²³ For example, Figures 29 and 30 show the instability of deflator in

²¹ See, for example, Olsson (2005).

²² See, for example, Dufresne (2004), Lo (2012), and Gulisashvili and Tankov (2016).

²³ See, for example, Glasserman (2013) Chapter 6.3.3, and Mörters and Peres (2010) Chapter 1.3.

Second Milstein method with 10000 simulations after projecting longer than 15 years. Further study would be to improve the time discretization methods for longer time periods and investigate the long-term behaviours of $r(t)$, $S(t)$, $\chi(t)$, $\gamma(t)$, and $D(t)$.

5. CONCLUSION

In this paper, we derive the general form of deflator for four risk factors: interest rates, stock prices, default intensities, and convenience yields and then we find the regularity conditions for the deflator. We examine the deflator with different financial derivatives, comparing the numerical results with values calculated from closed-form formulas. Our results indicate the reliability in statistics of the deflator for financial asset pricing, if the time discretization of the underlying stochastic processes is done carefully.

Except the benefit that we could compute best estimate value by simply averaging the multiplication of deflator and projected cash flows, the fact that we observe data only in physical world would provide the motivation for us to use deflator for the convenience to estimate parameters of “reaction functions” in an ALM projection model as in Chapter 4 of Laurent et al. (2016).

Further work would be to improve the time discretization methods for longer time periods and compare the best estimate values of a life insurance contract by the deflator approach under physical measure and risk-neutral measure.

Acknowledgement

Travaux réalisés dans le cadre de la Chaire « Data Analytics & Models for Insurance », placée sous l’égide de la Fondation du Risque en partenariat avec l’UCBL et BNP Paribas Cardif.

6. REFERENCES

- Arrow, Kenneth J., and Gerard Debreu. “Existence of an equilibrium for a competitive economy.” *Econometrica*, Vol. 22, No. 3 (July 1954), 265-290.
- Bonnin, François, Frédéric Planchet, and Marc Juillard. “Best estimate calculations of savings contracts by closed formulas: application to the ORSA.” *European Actuarial Journal*, Vol. 4, No. 1 (2014), 181-196.
- Brigo, Damiano, and Fabio Mercurio. *Interest Rate Models-Theory and Practice: With Smile, Inflation and Credit*. Springer-Verlag Berlin Heidelberg (2006).
- Caja, Anisa, and Frédéric Planchet. “La mesure du prix de marché du risque: quels outils pour une utilisation dans les modèles en assurance?” *Assurances et gestion des risques*, Vol. 78, No. 3-4 (January 2011), 251-281.
- Dastarac, Hugues, and Paul Sauveplane. “Les Déflateurs stochastiques: quelle utilisation en assurance?” *Mémoire d’actuaire*, ENSAE (2010).
- Delbaen, Freddy, and Walter Schachermayer. “A general version of the fundamental theorem of asset pricing.” *Mathematische Annalen*, Vol. 300, No. 1 (September 1994), 463-520.

- Dufresne, Daniel. "The log-normal approximation in financial and other computations." *Advances in Applied Probability*, Vol. 36, No. 3 (September 2004), 747-773.
- Fabrice Borel-Mathurin, Pierre-Emmanuel Darpeix, Quentin Guibert, Stéphane Loisel. "Main Determinants of Profit Sharing Policy in the French Life Insurance Industry." PSE Working Papers n°2015-16 (2015)
- Geanakoplos, John. "Arrow-Debreu Model of General Equilibrium." In: Eatwell J., Milgate M., Newman P. (eds.) *General Equilibrium*, The New Palgrave, London: Palgrave Macmillan (1989).
- Glasserman, Paul. *Monte Carlo methods in financial engineering*, New York City: Springer Science+Business Media (2013).
- Harrison, J. Michael, and David M. Kreps. "Martingales and arbitrage in multiperiod securities markets." *Journal of Economic theory*, Vol. 20, No. 3 (June 1979), 381-408.
- Gulisashvili, Archil, and Peter Tankov. "Tail behavior of sums and differences of log-normal random variables." *Bernoulli*, Vol. 22, No. 1 (2016), 444-493.
- Harrison, J. Michael, and Stanley R. Pliska. "Martingales and stochastic integrals in the theory of continuous trading." *Stochastic processes and their applications*, Vol. 11, No. 3 (August 1981), 215-260.
- Iacus, Stefano M. *Simulation and inference for stochastic differential equations: with R examples*, New York City: Springer Science+Business Media (2009).
- Kim, Yong-Jin. "Option pricing under stochastic interest rates: an empirical investigation." *Asia-Pacific Financial Markets*, Vol. 9, No. 1 (March 2002), 23-44.
- Kloeden, Peter E., and Eckhard Platen. *Numerical Solution of Stochastic Differential Equations*, Springer-Verlag Berlin Heidelberg (1992).
- Lo, Chi-Fai. "The Sum and Difference of Two Lognormal Random Variables." *Journal of Applied Mathematics*, Vol. 2012 (2012).
- Longstaff, Francis A., Sanjay Mithal, and Eric Neis. "Corporate yield spreads: Default risk or liquidity? New evidence from the credit default swap market." *The Journal of Finance*, Vol. 60, No. 5 (September 2005), 2213-2253.
- Laurent, Jean-Paul, Ragnar Norberg, and Frédéric Planchet (eds.). *Modelling in Life Insurance: A Management Perspective*, Basel: Springer International Publishing AG (2016).
- Mas-Colell, Andreu, Michael Dennis Whinston, and Jerry R. Green. *Microeconomic theory*, New York: Oxford University Press (1995).
- McNeil, Alexander J., Rüdiger Frey, and Paul Embrechts. *Quantitative risk management: Concepts, techniques and tools*, Princeton: Princeton University Press (2005).
- Mörters, Peter, and Yuval Peres. *Brownian motion*, Cambridge: Cambridge University Press (2010).

Olsson, Ulf. "Confidence Intervals for the Mean of a Log-Normal Distribution." *Journal of Statistics Education*, Vol. 13, No. 1 (2005).

Pedersen, Hal, Mary Pat Campbell, Stephan L. Christiansen, Samuel H. Cox, Daniel Finn, Ken Griffin, Nigel Hooker, Matthew Lightwood, Stephen M. Sonlin, and Chris Suchar. "Economic Scenario Generators: A Practical Guide." The Society of Actuaries (July 2016).

Rachev, Svetlozar T., Young Shin Kim, Michele L. Bianchi, and Frank J. Fabozzi. *Financial models with Lévy processes and volatility clustering*, Hoboken: John Wiley & Sons (2011).

Shreve, Steven E. *Stochastic calculus for finance II: Continuous-time models*, New York City: Springer Science+Business Media (2004).

Varnell, E. M. "Economic scenario generators and Solvency II." *British Actuarial Journal*, Vol. 16, No. 1 (May 2011), 121-159.

Vedani, Julien, Nicole El Karoui, Stéphane Loisel, and Jean-Luc Prigent. "Market inconsistencies of market-consistent European life insurance economic valuations: pitfalls and practical solutions." *European Actuarial Journal*, Vol. 7, No. 1 (2017), 1-28.

7. TABLES AND FIGURES

Tab. 1. Stock

# of Simulations	$E[D(T)S(T)]$	$S(0)$
Euler method		
2500	0.997343479989509	
5000	0.998142676642770	
10000	1.001640716236570	
100000	0.999497123579330	1
250000	0.999728283545952	
500000	0.999422542995910	
1000000	0.999875105997983	
Milstein method		
2500	0.997899080544132	
5000	0.998952023077794	
10000	1.002510110002660	
100000	0.999657036176353	1
250000	0.999865720758998	
500000	0.999200134486620	
1000000	0.999777674476404	
Second Milstein method		
2500	1.01190314179327	
5000	1.00792790879748	
10000	1.00428716519342	
100000	1.00219200434419	1
250000	1.00012829759949	
500000	1.00013559893822	
1000000	1.00005213983922	

Tab. 2. Zero coupon bond of no risk with maturity T

# of Simulations	$E[D(T)]$	$E[D(T)P(T,T,r(T))]$	$P(0,T,r(0))$
Euler method			
2500	0.967646653771768	0.967552873529761	
5000	0.968545566976094	0.968451758793272	
10000	0.971055574970586	0.970961666405972	
100000	0.969964099445665	0.969870204097554	0.970957220487724
250000	0.970861713011257	0.970767802364827	
500000	0.970697882733399	0.970603984186568	
1000000	0.971001216710056	0.970907309007362	
Milstein method			
2500	0.969203041882130	0.969109232549717	
5000	0.968364554353440	0.968270761261484	
10000	0.972015353313569	0.971921436693164	
100000	0.969796855984494	0.969702984763468	0.970957220487724
250000	0.970693248836965	0.970599353426790	
500000	0.970367620896040	0.970273749033845	
1000000	0.970880147642130	0.970786256114490	
Second Milstein method			
2500	0.971985461477127	0.971985482351078	
5000	0.973386426354929	0.973386494993151	
10000	0.970979266245196	0.970979241795446	
100000	0.972928673921800	0.972928710489062	0.970957220487724
250000	0.970544559568911	0.970544535585851	
500000	0.970579400873414	0.970579381127470	
1000000	0.970630578417248	0.970630560272500	

Tab. 3. Put option

# of Simulations	$E[D(T)(K - S(T))^+]$	Kim (2002)
Euler method		
2500	0.938055311357493	
5000	0.939027520135428	
10000	0.940530146070407	
100000	0.940465997679685	0.950345063621439
250000	0.942027252944620	
500000	0.942002187823708	
1000000	0.942158826970994	
Milstein method		
2500	0.940598627190120	
5000	0.937876954200679	
10000	0.941578281443178	
100000	0.939970483806778	0.950345063621439
250000	0.941555001874763	
500000	0.941567913811375	
1000000	0.942015368307321	
Second Milstein method		
2500	0.932067781160989	
5000	0.938862519526287	
10000	0.937700180823368	
100000	0.943694035752038	0.950345063621439
250000	0.940993887836878	
500000	0.941059303482625	
1000000	0.941246115302564	

Tab. 4. Stock under Corporate coupon bond setting

# of Simulations	$E[D(T)S(T)]$	$S(0)$
Euler method		
2500	0.997308347973866	
5000	0.997261683067088	
10000	1.001817599261470	
100000	0.999470030668423	1
250000	0.999688899496345	
500000	0.999340679958565	
1000000	0.999767133513361	
Milstein method		
2500	0.995307106022021	
5000	0.997994493796620	
10000	1.001446403686810	
100000	0.999493388467998	1
250000	0.999843236184384	
500000	0.999179257706644	
1000000	0.999732523574961	
Second Milstein method		
2500	1.01363445611378	
5000	1.00677441206457	
10000	1.00507852320876	
100000	1.00213042615806	1
250000	1.00040332127820	
500000	1.00021789790890	
1000000	1.00002871562762	

ECONOMIC SCENARIO GENERATOR WITH FIVE FACTORS


Tab. 5. Corporate coupon bond

# of Simulations	Deflator	Longstaff et al. (2005)
Euler method		
2500	1.03001393884536	
5000	1.02907100520235	
10000	1.03312948158384	
100000	1.03162033904634	1.03313616115971
250000	1.03255241573140	
500000	1.03237954508927	
1000000	1.03271899062813	
Milstein method		
2500	1.02572713722014	
5000	1.02914390668280	
10000	1.03349796386179	
100000	1.03135227993609	1.03313616115971
250000	1.03247145621524	
500000	1.03214895930589	
1000000	1.03261933018597	
Second Milstein method		
2500	1.03584708542322	
5000	1.03243391095283	
10000	1.03330315641903	
100000	1.03468566679080	1.03313616115971
250000	1.03243619762781	
500000	1.03234018373030	
1000000	1.03229088096527	

Tab. 6. Comparisons of numerical results with antithetic sampling

Sample size $n = 1000000$					
	$D(T)$	$D(T)S(T)$	$D(T)P(T, T, r(T))$	$D(T)(K - S(T))^+$	CB
Euler method					
$\widehat{Var}_{original}$	0.10475640	0.06963731	0.10474750	0.22261710	0.10362130
$\widehat{Var}_{antithetic}$	0.05239637	0.03489372	0.05239189	0.11126300	0.05180637
Milstein method					
$\widehat{Var}_{original}$	0.10471860	0.06951604	0.10470970	0.22267030	0.10350410
$\widehat{Var}_{antithetic}$	0.05241453	0.03484841	0.05241010	0.11139420	0.05179191
Second Milstein method					
$\widehat{Var}_{original}$	0.10480380	0.06953398	0.10480950	0.22269700	0.10346770
$\widehat{Var}_{antithetic}$	0.05240066	0.03474529	0.05240348	0.11152750	0.05174220
Portfolio with Second Milstein method					
$\widehat{Var}_{original}$	0.04709286				
$\widehat{Var}_{antithetic}$	0.02355112				

Fig. 2 - Deflator multiplies stock



ECONOMIC SCENARIO GENERATOR WITH FIVE FACTORS

Fig. 3 - Deflator multiplies stock, number of simulations less than 10000




Fig. 4 - Differences between approximation and expected value of multiplication of deflator and stock




Fig. 5 - Differences between approximation and expected value of multiplication of deflator and stock, number of simulations less than 10000





Fig. 6 - Zero coupon bond, $E[D(T)]$



ECONOMIC SCENARIO GENERATOR WITH FIVE FACTORS

Fig. 7 - Zero coupon bond, $E[D(T)]$, number of simulations less than 10000




Fig. 8 - Differences between approximation and expected value of Zero coupon bond, $E[D(T)]$




Fig. 9 - Differences between approximation and expected value of Zero coupon bond, $E[D(T)]$, number of simulations less than 10000





Fig. 10 - Zero coupon bond, $E[D(T)P(T,T,r(T))]$



ECONOMIC SCENARIO GENERATOR WITH FIVE FACTORS

Fig. 11 - Zero coupon bond, $E[D(T)P(T,T,r(T))]$, number of simulations less than 10000




Fig. 12 - Differences between approximation and expected value of Zero coupon bond, $E[D(T)P(T,T,r(T))]$




Fig. 13 - Differences between approximation and expected value of Zero coupon bond, $E[D(T)P(T,T,r(T))]$, number of simulations less than 10000





Fig. 14 - Put option, $E[D(T)(K - S(T))^+]$



ECONOMIC SCENARIO GENERATOR WITH FIVE FACTORS

Fig. 15 - Put option, $E\left[D(T)(K - S(T))^+\right]$, number of simulations less than 10000




Fig. 16 - Differences between approximation and expected value of Put option in Kim (2002)




Fig. 17 - Differences between approximation and expected value of Put option in Kim (2002), number of simulations less than 10000




Fig. 18 - Deflator multiplies stock under Corporate coupon bond setting




Fig. 19 - Deflator multiplies stock under Corporate coupon bond setting, number of simulations less than 10000




Fig. 20 - Differences between approximation and expected value of multiplication of deflator and stock under Corporate coupon bond setting




Fig. 21 - Differences between approximation and expected value of multiplication of deflator and stock under Corporate coupon bond setting, number of simulations less than 10000




Fig. 22 - Corporate coupon bond




Fig. 23 - Corporate coupon bond, number of simulations less than 10000




Fig. 24 - Differences between approximation and expected value of Corporate coupon bond in Longstaff et al. (2005)




Fig. 25 - Differences between approximation and expected value of Corporate coupon bond in Longstaff et al. (2005), number of simulations less than 10000





Fig. 26 - Histogram comparison with antithetic sampling



ECONOMIC SCENARIO GENERATOR WITH FIVE FACTORS

Fig. 27 - Interest rate over long time periods




Fig. 28 - Interest rate over long time periods, alleviated




Fig. 29 - Deflator multiplies stock over long time periods




Fig. 30 - Deflator multiplies stock over long time periods, 16 years

