



Standards for distributed Plant Phenotyping data integration: challenges and solutions.

Cyril Pommier

► To cite this version:

Cyril Pommier. Standards for distributed Plant Phenotyping data integration: challenges and solutions.. COST FA1306 "The quest for tolerant varieties - Phenotyping at plant and cellular level" - WG1 Meeting "Phenotyping: from the lab to the field", Mar 2018, Leuven, Belgium. pp.67 slides. hal-01779751

HAL Id: hal-01779751

<https://hal.science/hal-01779751>

Submitted on 5 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - ShareAlike 4.0 International License



Standards for Distributed Plant Phenotyping data integration



Challenges and Solutions



Cyril Pommier / Standards for Distributed Plant Phenotyping data integration





Outline

- FAIR principles
- Data model
- Standards
- Use cases
 - ◆ Information systems : traceability and integration
 - ◆ Standard File format
 - ◆ Web services for analysis and interoperability
 - ◆ Semantic Web & RDF
- Perspectives



Phenotyping $P = G \times E \times C$



Plant Genotype

Interactions

Environment



Climate



Cultural Practice



Soil



Stress


Phenotype



Phenology, Structure, Biochemical content


- Trait/Variable : a definition of an observable characteristic
 - ◆ Yield
- Phenotype : A trait/Variable with a value
 - ◆ Yield = 15 Kg by hect

Study/Trial organisation




Data life cycle

Raw data




Data Elaboration

Raw data



Elaborated data



Genotype	treatment	rep	LAI
Soisson	fi	1	5
Soisson	fi	2	7

Genotype	treatment	LAI
Soisson	low input	6

Data elaboration

- NIRS

Individual	Genotype	Repetition	Date	4000	4002	4004	4006
662200657-1	662200657	1	Nov11	0.790383794657 181	0.790834341907 288	0.791261293580 598	0.791659233526 804
662200657-2	662200657	2	Nov11	0.817254078896 638	0.817865344054 208	0.818450087726 549	0.819007314250 037
662200659-1	662200659	1	Nov11	0.822434379133 726	0.822871701993 426	0.823268552780 517	0.823649256266 632

- After Calibration and Analysis

Individual	Genotype	Repetition	Gluc_sol	Gluc_solub	Gluc_hydrol	NIRS_id	Date
662200659-1	662200659	1	0.064074733	0.38557928	0.321504547	2274	Nov11

Data elaboration

- LIDAR
 - ◆ Very Big files
 - ◆ Plant Architecture
 - ◆ Raw extraction :
 - Leaf area, leaf angle
 - ◆ Elaboration → % interception
- Metabolomic
 - ◆ MSI Compliant Full description
 - ◆ Elaboration →
 - Leaf Protein concentration
 - Root Cellulose concentration

Data elaboration

- Transformation and computation operation
 - Future new analysis to elaborate new variables.
→ Raw data long term conservation
 - Need
 - ◆ Reproducibility
 - ◆ Traceability
 - ◆ Provenance
- FAIR

FAIR Data Principles

Ids
Metadata
Index

Open Protocols
Perennial Metadata

Semantics
Linked Data
Vocabularies

License
Well described
Provenance
Standards

F
indable




A
ccessible



I
nteroperable



R
eusable



- Avoid Data Silos
- Interoperable Data and Tools Integration
 - ◆ Linked data
- Repositories Complementarity
 - ◆ Volume and Variety Burden Sharing

FAIR: DATA STANDARDS




Metadata
Semantic

Interoperability in International network

National Networks



Global Networks



International data standards



Minimal information



Controlled vocabularies
Trait dictionaries



MCPD



WheatIS standards

- <http://wheatis.org/DataStandards.php>
- Phenotypes guidelines
- MIAPPE
- Cropontology
- Breeding API

Wheat Data Interoperability Guidelines

Home Guidelines ▾ Ontologies & Vocabularies Use cases ▾ Getting involved About ▾

Home / Phenotypes

Phenotypes

Characteristics of an organism resulting from interactions between genes and environment. Plant phenotyping can be used in several fields, such as breeding, germplasm bank management and research in multi-location environments, germplasm bank management. Furthermore, phenotypes are in interaction, like for instance in a plant.

1. Data formats

We recommend following minimum format principles with data management. Phenotypes (traits and associated value) can be used in several fields of variables (trait along with method, units and scales or environment). The principle has been formalized in the [MIAPPE](#) under improvement.

The [Breeding API](#), described below, is a MIAPPE compliant web service API specification.

There is also an emerging initiative to produce a semantic web version of MIAPPE through [RDF transformation \(new!\)](#).

See the [germplasm recommendations](#) for data format regarding germplasm information.

WheatIS standards

- Reuse for other crops: Rice, ...

Wheat Data Interoperability Guidelines

Home Guidelines ▾ Ontologies & Vocabularies Use cases ▾ **Getting involved** About ▾

[Home](#) / [Getting involved](#)

Getting involved

See who endorses the guidelines

To stay relevant and useful for the wheat data community, it is important that the recommendations contained here are maintained. This will be especially true as new technologies are developed requiring standards to be agreed. The maintenance of the guidelines will depend on an ongoing process of monitoring practices across the wheat community, and maintaining communication with those who are producing and using wheat data. There are many ways you can help.

Become an adopter: Please let us know why and how these guidelines are helpful to you and your institution. See the [Current list of adopters](#)

Give your feedback: You can contact us either by email or by leaving a comment on a specific page. This is an easy way to propose improvements or corrections, update the state of the art and share best practices and useful tools.

Getting Involved



Whe



INTEROPERABILITY: SEMANTIC




FAIR

Semantic

- Define concepts: plant, micro_plot, phenotype, experiment, event
- Define Relations: micro_plot contains plant
- Common Vocabularies and ontologies
 - ◆ Agrovoc, Plant Ontology, Crop Ontology, Environment Ontology, ...



Semantic Inference



Semantic Inference

- Enables Provenance and Reuse
- Uncouple
 - ◆ Data capture
 - ◆ Data analysis
 - ◆ Data reuse
- Inference allows to format the data for a target use

Elizabeth Arnaud et al.

Phenotype data in breeding

Germplasm ID	PH	PH2	GCOL	GY
24530	80	1	2	35
85432	120	3	4	48
78452	95	2	4	43
56093	100	2	1	50

The height of the plant

The color of the grain

The grain yield

Annotation must explain:

1/ What is the observation about ?

=

TRAIT or Environment

Elizabeth Arnaud et al.

Phenotype data in breeding

Annotation must explain:

Germplasm ID	PH	PH2	GCOL	GY
24530	80	1	2	35
85432	120	3	4	48
78452	95	2	4	43
56093	100	2	1	50

With a measuring tape

Estimated visually

Calculated
Panicle weight x panicle density

2/ How is the trait observed ?

=

METHOD

Elizabeth Arnaud et al.

Phenotype data in breeding

Annotation must explain:

Germplasm ID	PH	PH2	GCOL	GY
24530	80	1	2	35
85432	120	3	3	48
78452	95	2	3	43
56093	100	2	1	50

cm

1 = short (<90cm)
2 = medium
(>90cm and <110cm)
3 = tall (>110cm)

1 = white
2 = cream
3 = yellow

g/m²

3/ How is the trait
observation expressed?

=

SCALE

Elizabeth Arnaud et al.

Phenotype data in breeding

Germplasm ID	PH	PH2	GCOL	GY
24530	80	1	2	35
85432	120	3	3	48
78452	95	2	3	43
56093	100	2	1	50

1 VARIABLE

=

1 TRAIT/ENV
+ 1 METHOD
+ 1 SCALE



Cyril Pommier / Standards for Distributed Plant

Woody Plant Ontology ONTOLOGY

Ontology name	Woody Plant Ontology
Authors	Célia Michotey
Version	v1
Licence	CC BY 4.0
Links	CropOntology TVD5 format Adonis format

Traits, methods and scales

Search terms...

- Woody Plant Ontology ONTOLOGY
 - Agronomical TRAIT CLASS
 - Fertility TRAIT CLASS
 - Morphological TRAIT CLASS
 - Other TRAIT CLASS
 - Phenological TRAIT CLASS
 - Physiological TRAIT CLASS
 - Quality TRAIT CLASS
 - Stress TRAIT CLASS
 - Stress: Abiotic stress TRAIT CLASS
 - Stress: Biotic stress TRAIT CLASS
 - Bacterial canker girdling index TRAIT
 - Bacterial canker lesion length TRAIT
 - Game damages TRAIT
 - Nests presence TRAIT

NID: Nests presence VARIABLE

Identifier	WOODY:0000067
Name	NID
Synonyms	Nests presence NID[Adonis]
Context of use	Trial evaluation
Status	Standard for INRA
Institution	INRA
Scientist	Célia Michotey
Date	13/03/2017
Crop	Woody Plant

Nests presence TRAIT

Identifier	WOODY:1000056
Name	Nests presence
Description	Presence or absence of nests
Main abbreviation	NID
Status	Standard for INRA
Class	Stress: Biotic stress

Visual scoring METHOD

Identifier	WOODY:2000003
Name	Visual scoring
Description	Visual assessment with a reference scoring scale
Class	Estimation

Presence/ absence SCALE

Identifier	WOODY:3000003
Name	Presence/Absence
Data type	Nominal
Decimal places	0
Min	0

INTEROPERABILITY: STANDARD



Minimum Information About Plant Phenotyping Experiment

- Standard
 - ◆ Data exchange and traceability
 - ◆ Repositories
- Input and output for analysis pipelines developed for phenotyping and genetic
 - ◆ Transplant, Elixir : European eInfrastructure for life science
 - ◆ EPPN and Emphasis European eInfrastructure (ESFRI) for plant Phenotyping
 - ◆ CGIARs
- Implementations
 - ◆ File Archive
 - ◆ Web Service
 - ◆ RDF

Measures for interoperability of phenotypic data: minimum information requirements and formatting

Hanna Ćwiek-Kupczyńska, Thomas Altmann, Daniel Arend, Elizabeth Arnaud, Dijun Chen, Guillaume Cornut, Fabio Fiorani, Wojciech Frohmberg, Astrid Junker, Christian Klukas, Matthias Lange, Cezary Mazurek, Anahita Nafissi, Pascal Neveu, Jan van Oeveren, Cyril Pommier, Hendrik Poorter, Philippe Rocca-Serra, Susanna-Assunta Sansone, Uwe Scholz, Marco van Schriek, Ümit Seren, Björn Usadel, Stephan Weise, Paul Kersey and Paweł Krajewski 

Plant Methods 2016 12:44 | DOI: 10.1186/s13007-016-0144-4 | © The Author(s) 2016

Received: 15 April 2016 | Accepted: 18 October 2016 | Published: 9 November 2016



Towards recommendations for metadata and data handling in plant phenotyping



Paweł Krajewski^{1,*}, Dijun Chen², Hanna Ćwiek¹, Aalt D.J. van Dijk³, Fabio Fiorani⁴, Paul Kersey⁵, Christian Klukas², Matthias Lange², Augustyn Markiewicz⁶, Jan Peter Nap³, Jan van Oeveren⁷, Cyril Pommier⁸, Uwe Scholz², Marco van Schriek⁷, Björn Usadel^{4,9} and Stephan Weise²

[« Previous](#) | [Next Article »](#)
[Table of Contents](#)

This Article

J. Exp. Bot. (2015) 66 (18): 5417–5427.
doi: 10.1093/jxb/erv271
First published online: June 4, 2015
This article appears in: Special

MIAPPE Construction

- Contribution
 - ◆ European Infrastructures : Elixir (Bioinformatics), Emphasis/EPPN (Phenotyping)
 - ◆ National Institutes: France, Germany, Poland, UK, Portugal, Slovenia, Nederland, Belgium, Italy
- Steering committee
 - ◆ Elixir: European Bioinformatic infrastructure
 - ◆ Emphasis: European plant phenotyping infrastructure
 - ◆ Bioversity International - CGIAR
 - ◆ Elizabeth Arnaud, Paul Kersey, Pawel Krajewsky, Matthias Lange, Cyril Pommier, Bjorn Usadel
- Current Versions
 - ◆ Version 1 : Transplant + EPPN + Phenome
 - ◆ Version 1.1 : Elixir, validation in progress
 - Documentation and model: Biologist friendly
 - Adaptations to new implementations
 - Proposal open for consultation contribution welcomed
 - See <http://www.miappe.org> for providing feedback.



MIAPPE v1.1 Overview

Ownership, contact details, [database accessions, publication dates and DOIs, etc.]

Publication metadata

Whole Dataset

Investigation

Primary metadata

investigation metadata

e.g. title, abstract

Experimental design + factors

Plant Material

Observation unit

Study

study metadata

e.g. timing and location: one location, several years; environment, nutrients; sample collection, processing, management

measurement metadata

e.g. observed variables, hardware/software, etc.

Assay

Measures

Data files
Measures

m

m

m

m

m

MIAPPE v1.1 Overview

Plant Material

- Biosource : Plant Material identification
- Multi Crop Passport Descriptor (MCPD) compliant
 - <https://www.bioversityinternational.org/e-library/publications/detail/faobioversity-multi-crop-passport-descriptors-v21-mcpd-v21/>
 - FAO & Bioversity International
 - Genebanks
- ID Field are reused in MIAPPE
- Key : Identification
 - 0. Persistent unique identifier : PUID = URI/DOI
 - 1.Institute code
 - 2.Accession number
 - 5. Genus
 - 6. Species
 - 7. Subspecies : 'subsp.' (for subspecies); 'convar.' (for convariety); 'var.' (for variety); 'f.' (for form); 'Group' (for 'cultivar group')
 - 28. Remarks
- Suitable for non Genbank collections : breeder varietal list, laboratory collection, ...

Variables

- Observation Variables

- Phenotype & environment
- Trait : What is measured
- Method : How is it measured
- Scale : How is it observed
- Variable : trait + method + scale

Traits, methods and scales

[DOWNLOAD](#) [SHOW OBSOLETE TERMS](#)

English ▾

- Wheat traits
 - Abiotic stress traits
 - Acid soil tolerance
 - AcdTol Estimation
 - Aluminum tolerance
 - Boron tolerance
 - Cold tolerance
 - Drought tolerance
 - Frost damage
 - Hail damage
 - Heat tolerance
 - Herbicide damage
 - Leaf rolling incidence

Term information

AcdTol Estimation

Identifier CO_321:0000299

Method class Estimation

Method Observe the growth description low pH (acid) soil field

Method name AcdTol Estimation

Method reference Reynolds et al., 2003

Traits, methods and scales

Search terms...

Woody Plant Ontology ONTOLOGY

Ontology name	Woody Plant Ontology
Authors	Célia Michotey
Version	v1
Licence	CC BY 4.0
Links	CropOntology TVD5 format Adonis format

Physiological TRAIT CLASS

Quality TRAIT CLASS

Stress TRAIT CLASS

Stress: Abiotic stress TRAIT CLASS

Stress: Biotic stress TRAIT CLASS

Bacterial canker girdling index TRAIT

Bacterial canker lesion length TRAIT

Game damages TRAIT

NID: Nests presence VARIABLE

Identifier	WOODY:0000067
Name	NID
Synonyms	Nests presence NID[Adonis]
Context of use	Trial evaluation
Status	Standard for INRA
Institution	INRA
Scientist	Célia Michotey
Date	13/03/2017
Crop	Woody Plant
Nests presence TRAIT	
Identifier	WOODY:1000056
Name	Nests presence
Description	Presence or absence
Main abbreviation	NID
Status	Standard for INRA
Class	Stress: Biotic stress
Visual scoring METHOD	
Identifier	WOODY:200003
Name	Visual scoring
Description	Visual assessment scoring scale
Class	Estimation
Presence/ absence SCALE	
Identifier	WOODY:300003

MIAPPE v1.1 overview: Metabolomic

- Existing standards
 - ◆ Metabolights, Minimum information MSI
 - ◆ Full traceability
 - ◆ Sample treatment : temperature, tissue processing, molecule extraction protocol, measurement protocol....
- MIAPPE
 - ◆ Elaborated data
 - ◆ Elaborated, computed variables: Leaf Sugar content by microplot
 - ◆ Link to Metabo archive
 - Metabolight
 - Metabohub
 - ...

USE CASES




Information Systems for publication and traceability
File archive
Web services
Semantic web and RDF

USE CASE: DATA REPOSITORIES



MIAPPE: Databases



- Production databases
 - ◆ PHIS
- Cleaned data publication repositories
 - ◆ GnPLS
 - <http://dx.doi.org/10.15454/1.4489666216568333E12>
 - ◆ eDale
 - ◆ PlantPhenoDB
- Implementation
 - ◆ Internal
 - ◆ Web services API

Winter wheat (*Triticum aestivum* L) phenotypic data from the multiannual, multilocal f... of the INRA Small Grain Cereals Network.

François-Xavier Oury, Emmanuel Heumez, Bernard Rolland, Jérôme Auzanneau, Pierre Bérard, Maryse Brancourt, Xavier Charrier, Hubert Chirron, Camille Départureaux, Laurent Falchetto, Olivier Gardet, Stéphane Gilles, Alex Giraud, Christophe Lecomte, Jean-Yves Morlais, Pierre Pluchard, Didier Tropée, Maxime Trottet, Patrice Walczak, Gérard Michel Rousset, Gilles Charmet

[Query dataset as a semantic graph.](#)
[Or download the dataset as RDF archive.](#)

Abstract
Published 2015 by INRA

[Back to Form](#)

Search parameter(s):

Geolocation

DATA SETS: 4

Network Data Set : [INRA Wheat Network BRC accession \(A series\)](#)
Network Data Set : [INRA Small Grain Cereals Network](#)
DOI: <http://dx.doi.org/10.15454/1.4489666216568333E12>

Network Data Set : [INRA Wheat Network not BRC accession \(B and C series\)](#)

Map: A map of Europe showing collection sites in Belgium, France, and the UK. Labels include Cork, London, Paris, Genève, Nederland, België, Belgique, Belgen, Luxembourg, Deutschland, Switzerland, and Öster...

Search Parameters:

Origin site Collecting site Evaluation site

Phenotyping campaign(s): 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2009, 2010, 2011, 2012, 2013, 2014, 2015
[remove all](#) [add all](#)

Trial list | Phenotypic data

EURGI GnPLS 813 trials

Name	Campaign	Site	Direct do...
BTH_Champagne-céréales_2004_SetA1	2004	Champagne-céréales	
BTH_Champagne-céréales_2005_SetA1	2005	Champagne-céréales	

MIAPPE databases & FAIR

- Findable: Indexed metadata
- Interoperable : Vocabularies/Ontologies, Plant material ID

Phenotypes

Genotype Variable Trial

Traits, methods and scales

Search terms...

- Wheat Inra Phenotype Ontology ONTOLOGY
 - Abiotic stress TRAIT CLASS
 - Frost susceptibility TRAIT
 - Lodging score TRAIT
 - LS_score: Lodging score,Susceptibility to lodging VARIABLE
 - Agronomical TRAIT CLASS
 - Biotic stress TRAIT CLASS
 - Morphological TRAIT CLASS
 - Other TRAIT CLASS
 - Quality TRAIT CLASS

LS_score: Lodging score,Susceptibility to lodging VARIABLE

Ontology name	Wheat Inra Phenotype Ontology
Identifier	WIPO:0000099
Name	LS_score
Synonyms	Lodging score,Susceptibility to lod
Institution	INRA
Scientist	Jacques Le Gouis
Date	15/06/2016
Crop	Wheat

Lodging score TRAIT

Identifier	WIPO:0010030
Name	Lodging score
Class	Abiotic stress

Direct measure METHOD

Identifier	WIPO:0020016
Name	Direct measure
Description	Mesure directe # ModeOp Arvalis Echelle de 1-10 prenant en compte %surface versée et l'angle de vers

1 to 9 note SCALE

Identifier	WIPO:0030006
Name	1 to 9 note
Data type	Ordinal
Min	1
Max	9
Categories	1 = Resistant 0 = Susceptible

Genotype Variable Trial

Phenotypes

Add accession by Genus Reset Tab

Choose a species Select your taxon names

Add accession by Panel Select your panel names

Add accession by Collection Select your collection names

Add accession by Name Select your accession names

Paste your Accession Name list

Accession

Accession Number	Accession Name	Taxon Name
TX816	02438-6HD-106-1	Triticum aestivum aestivum
TX817	02438-6HD-132-1	Triticum aestivum aestivum
TX818	02438-6HD-141-1	Triticum aestivum aestivum
TX811	02438-6HD-15-1	Triticum aestivum aestivum
TX812	02438-6HD-32-1	Triticum aestivum aestivum
TX813	02438-6HD-56-1	Triticum aestivum aestivum
TX814	02438-6HD-78-1	Triticum aestivum aestivum
TX815	02438-6HD-80-1	Triticum aestivum aestivum

MIAPPE databases & FAIR

- Accessible
- Reusable: License, File standard
- Whole Phenotyping Network

Phenotypes

Winter wheat (*Triticum aestivum* L) phenotypic data from the multiannual, multilocal field trials of the INRA Small Grain Cereals Network.

François-Xavier Oury, Emmanuel Heumez, Bernard Rolland, Jérôme Auzanneau, Pierre Bérard, Maryse Brancourt-Hulmel, Xavier Charrier, Hubert Chiron, Camille Depatureaux, Laurent Falchetto, Olivier Gardet, Stéphane Gilles, Alex Giraud, Christophe Lecomte, Jean-Yves Morlais, Pierre Pluchard, Didier Tropée, Maxime Trottet, Patrice Walczak, Gérard Doussinault, Michel Rousset, Gilles Charmet

[Query dataset as a semantic graph.](#)

[Or download the dataset as RDF archive.](#)

Abstract

Winter wheat phenotypic data from a French experimental network. It includes observations for different characters (agronomic, quality, disease, phenology,...) on more than 10 experimental locations during more than 15 years and for more than 1700 winter wheat genotypes.

Published 2015 by INRA

[Back to Form](#)

[Search parameter\(s\)](#)

[Geolocation](#)

DATA SETS: 4

Network Data Set :

[INRA Wheat Network BRC accession \(A series\)](#)


Network Data Set :

[INRA Small Grain Cereals Network](#)

DOI:<http://dx.doi.org/10.15454/1.4489666216568333E12>

Network Data Set :

[INRA Wheat Network not BRC accession \(B and C series\)](#)



+
-

Origin site Collecting site Evaluation site

Phenotyping campaign(s) 2000 x 2001 x 2002 x 2003 x 2004 x 2005 x 2006 x 2007
2009 x 2010 x 2011 x 2012 x 2013 x 2014 x 2015 x
[remove all](#) [add all](#)

[Trial list](#) [Phenotypic data](#)

LEVEL: TRIAL

Lot Number	Accession Number	Accession Name	itk	Trial Name
AO13047	39291	AO13047	t: traite	BTH_Champagne-céréale
AO14001	AO14001	AO14001	t: traite	BTH_Champagne-céréale
Bermude	TX9	Bermude	fi: faible intrant	BTH_Clermont-Ferrand_2015_SetA1
AO13030	39286	AO13030	t: traite	BTH_Clermont-Ferrand_2015_SetA1
AO13031	AO13031	AO13031	fi: faible intrant	BTH_Clermont-Ferrand_2015_SetA1
ARKEOS	36693	ARKEOS	t: traite	BTH_Clermont-Ferrand_2015_SetA1
DI13002-2	39307	DI13002-2	fi: faible intrant	BTH_Dijon_2015_SetA1
ARKEOS	36693	ARKEOS	t: traite	BTH_Dijon_2015_SetA1
Bermude	TX9	Bermude	t: traite	BTH_Epi-centre_2015_SetA1
AO13022	AO13022	AO13022	nt: non traite fongicides	BTH_Epi-centre_2015_SetA1

[Ephesia data export](#) [Ephesia MIAPPE ISA-Tab export](#)


LEVEL: REPLICATION

Lot Number	Accession Number	Accession Name	itk	Trial Name
RE12080	RE12080	RE12080	fi: faible intrant	BTH_Clermont-Ferrand_2015_SetA1
EM11537	37829	EM11537	fi: faible intrant	BTH_Dijon_2015_SetA1
DI13003	39308	DI13003	t: traite	BTH_Dijon_2015_SetA1
AO13015	AO13015	AO13015	t: traite	BTH_Dijon_2015_SetA1
AO13031	AO13031	AO13031	t: traite	BTH_Dijon_2015_SetA1
AO13100	AO13100	AO13100	nt: non traite fongicides	BTH_Epi-centre_2015_SetA1
RUBISKO	36680	RUBISKO	nt: non traite fongicides	BTH_Epi-centre_2015_SetA1
AO11011	37247	AO11011	fi: faible intrant	BTH_Estrées-Mons_2015_SetA1
DI13003	39308	DI13003	fi: faible intrant	BTH_Estrées-Mons_2015_SetA1
EM12096	39321	EM12096	fi: faible intrant	BTH_Le_Moulon_2015_SetA1

[Ephesia data export](#) [Ephesia MIAPPE ISA-Tab export](#)

MIAPPE databases & FAIR

- Reusable: PHIS high tracability
- Annotation of Observation Units



Example : Data set building with GnpIS-Ephesis

- GnpIS-Ephesis: INRA Information System, part of Phenome and Elixir
- François-Xavier Oury, Emmanuel Heumez, Bernard Rolland, Jérôme Auzanneau, Pierre Bérard, Maryse Brancourt-Hulmel, Xavier Charrier, Hubert Chiron, Camille Depatureaux, Laurent Falchetto, et al (2015) Winter wheat (*Triticum aestivum L*) phenotypic data from the multiannual, multilocal field trials of the INRA Small Grain Cereals Network. doi: [10.15454/1.4489666216568333E12](http://dx.doi.org/10.15454/1.4489666216568333E12)
 - ◆ DOI : <http://dx.doi.org/10.15454/1.4489666216568333E12>
 - ◆ Winter wheat phenotypic French experimental network.
 - ◆ Observations : agronomic, quality, disease, phenology,...
 - ◆ Integration of 10 experimental locations, 15 years, 1700 genotypes.
→ 813 trials/study, 81 000 replications

Wheat datasets publications

- Example of multiple datasets integration
 - ◆ Shared locations
 - ◆ Some common varieties
- Successive publications
 - ◆ Initial publication: Agronomy breeding
 - ◆ Quality
 - Breadmaking
 - Technological
 - ◆ Additional Year: 2009-2015

DATA SETS: 4 [Reset](#)

Genotype	Variable	Trial
Traits, methods and scales	NmieG: Breadmaking test BIPEA: score VARIABLE	
Search terms...	Ontology name Wheat Inra Phenotype C	
Wheat Inra Phenotype Ontology ONTOLOGY	Identifier WIPO:0000238	
Abiotic stress TRAIT CLASS	Name NmieG	
Agronomical TRAIT CLASS	Synonyms Breadmaking test BIPEA	
Biotic stress TRAIT CLASS	Institution INRA	
Morphological TRAIT CLASS	Scientist Arnaud Gauffretau, Fran Oury	
Other TRAIT CLASS	Date 21/09/2017	
Quality TRAIT CLASS		
Alveograph Chopin TRAIT		
Breadmaking test BIPEA (G) TRAIT		
NmieG: Breadmaking test BIPEA: cr		
NpainG: Breadmaking test BIPEA: b		
Breadmaking test BIPEA: d		
Breadmaking test BIPEA: total		
Collecting site Evaluation site		
2000 2001 2002 2003 2004 2005 2006		
2009 2010 2011 2012 2013 2014 2015		
remove all add all		

Scientific Question

- Evolution of wheat mean yield for genebank accessions from 2003 to 2007, including disease interaction.

Wheat Yield dataset building

- MIAPPE Plant Material Selection
- Optionally Panel or Collections

Phenotypes

[Reset Form](#) [Results](#)

[Reset Tab](#)

Add accession by Genus Choose a species Add accession by Panel Add accession by Collection Add accession by Name Paste your Accession Name list	<input type="text" value="Triticum L."/> <input type="text" value="Triticum aestivum aestivum"/> <input type="text" value="Select your panel names"/> <input type="text" value="Select your collection names"/> <input type="text" value="Select your accession names"/>
--	--

Accession

1-10 of 1,729

Accession Number	Accession Name	Taxon Name
Alberic	Alberic	Triticum aestivum aestivum
29843	ALTIGO	Triticum aestivum aestivum
37771	A000001	Triticum aestivum aestivum
AO01001	AO01001	Triticum aestivum aestivum
AO03001	AO03001	Triticum aestivum aestivum
AO03002	AO03002	Triticum aestivum aestivum
AO03003	AO03003	Triticum aestivum aestivum
AO03004	AO03004	Triticum aestivum aestivum
AO04001	AO04001	Triticum aestivum aestivum
AO05001	AO05001	Triticum aestivum aestivum

[Plant Material Export](#)

Wheat Yield dataset building

- MIAPPE investigation : Genebank/BRC accessions dataset selection

Phenotypes

Reset Form

Reset Tab

Genotype	Variable	Trial
--------------------------	--------------------------	-----------------------

[Add trial by Name](#) Select your trial names

[Add trial by Number](#) Select your trial numbers

[Add trial by Campaign](#) Select your trial campaigns

[Add trial by Site](#) Select your trial sites

[Add trial by Data Set](#) INRA Wheat Network BRC accession (A series) [X](#)

[Add trial by Project](#)
INRA Small Grain Cereals Network
INRA Wheat Network not BRC accession (B and C series)

Selected Trials		
◀	1-10 of 258	▶
Trial Number	Trial Name	Trial Site
BTH_Champagne-céréales_2004_SetA1	BTH_Champagne-céréales_2004_SetA1	Champagne-céréales
BTH_Champagne-céréales_2005_SetA1	BTH_Champagne-céréales_2005_SetA1	Champagne-céréales
BTM_1	BTM_1	Champagne-céréales

Wheat Yield dataset building

- MIAPPE Assay/Observation variable:
 - ◆ Yield and stress variables selection
 - ◆ See BrAPPS

Genotype Variable Trial Reset Form Results

Traits, methods and scales

✓ Wheat Inra Phenotype Ontology ONTOLOGY

- ✓ Biotic stress TRAIT CLASS
 - ✓ Disease score Yellow Rust TRAIT
 - ✓ YR-SCORE_score: Yellow rust score VARIABLE
 - ✓ Susceptibility to leaf rust TRAIT
 - ✓ rb: Susceptibility to leaf rust VARIABLE

YR-SCORE_score: Yellow rust score VARIABLE

Ontology name	Wheat Inra Phenotype Ontology
Identifier	WIPO:0000162
Name	YR-SCORE_score
Synonyms	Yellow rust score Susceptibility to stripe rust
Institution	INRA
Scientist	Jacques Le Gouis
Date	15/06/2016
Crop	Wheat

Disease score yellow rust TRAIT

Identifier	WIPO:0010065
Name	Disease score Yellow Rust
Class	Biotic stress

1 to 9 note SCALE

Identifier	WIPO:0030006
Name	1 to 9 note
Data type	Ordinal
Min	1
Max	9
Categories	1 = Resistant 9 = susceptible

Wheat Yield dataset building

- Easy Subsetting
~ Third of 81 000 replications
- Reuse through MIAPPE ISA Tab File export

[Back to Form](#)

[Search parameter\(s\):](#)

Genus:	Triticum
Number of Variable(s):	34

Geolocation

DATA SETS: 7

Network Data Set :
[INRA Wheat Network BRC accession \(A series\)](#)

Network Data Set :
[INRA Small Grain Cereals Network](#)
DOI:<http://dx.doi.org/10.15454/1.4489666216568333E12>

Network Data Set :
[INRA Wheat Network not BRC accession \(B and C series\)](#)

Phenotyping campaign(s) 2003 × 2004 × 2005 × 2006 × 2007 ×
[remove all](#) [add all](#)

[Trial list](#) [Phenotypic data](#)

Data table view : Default

LEVEL: REPLICATION

1-10 of 26,030 replication | Display 10 results per page

Lot Number	Accession Number	Accession Name	TREATMENT	Trial Name		Trial Site
				GENOTYPE ID	itk	
CF99105	20364	CF99105	untreated, no fungicide	BTH Estrées-Mons 2003 SetA1		Estrées-Mons
Recital	6027	RECITAL	low inputs	BTH Le Moulon 2003 SetA1		Le Moulon
Koreli	29814	KORELI	untreated, no fungicide	BTH Orgeval 2003 SetA1		Orgeval
CF00108	23825	CF00108	untreated, no fungicide	BTH Rennes 2003 SetA1		Rennes
Isengrain	13433	ISENGRAIN	treated	BTH Dijon 2003 SetA2		Dijon
RE02101	23821	RE02101	treated	BTH Le Moulon 2003 SetA2		Le Moulon
EM01288	EM01288	EM01288	treated	BTH Lusignan 2003 SetA2		Lusignan
DI03006	DI03006	DI03006	treated	BTH Clermont-Ferrand 2003 SetB1		Clermont-Ferrand
DI03001	DI03001	DI03001	treated	BTH Dijon 2003 SetB1		Dijon
Caphorn	20443	CAPHORN	untreated, no fungicide	BTH Orgeval 2003 SetB1		Orgeval

Ephesis data export Ephesis MIAPPE ISA-Tab export


USE CASE: FILE ARCHIVE



MIAPPE ISA Tab


MIAPPE File Archive

- ISA Tab for Phenotyping
 - ◆ Investigation/Study/Assay
 - ◆ Zip Archive
 - MIAPPE Metadata
 - Raw data
 - CSV
 - Images or binary files
 - Reference to image archive (URI/URL)
 - Elaborated data
 - CSV
 - Provenance
- Training and improvements
 - ◆ File and metadata curation
 - Elixir
 - Célia Miguel & Anne Françoise Adam Blondon
 - ◆ BrAPI to IsaTab portable tool
 - Elixir implementation study for MIAPPE Validation
 - Frederik Coppens& H. Parkinson&M. Courtot + Elixir-fr-nl, ISA Framework, ...



MIAPPE File: Wheat Yield dataset

- Zip archive
- 402 files
- README
- i_Inspection.txt : initial file, bootstrap
- MIAPPE v1.0
 - Not MIAPPE V1.1



MIAPPE File

- Derived data file : d_BTH_Rennes_2003_SetA1.txt

Observation Unit	A	B	C	D	E	F	G	H
Assay Name		Trait Value [r]	Trait Value [rdt]	Trait Value [ht]	Trait Value [prec]	Trait Value [prot]	Trait Value [oid]	Trait Value
Triticum_aestivum_aestivum-CF00108-CF00108-itk:t-2003		96,6	96,4	80	138	10,2		1
Triticum_aestivum_aestivum-AO03001-AO03001-itk:nt-2003		103,3	86,2	93	141			1

- Metadata files

Sample Name	Ma	Factor Value [itk]	Assay Name	Characteristics
Triticum_aestivum_aestivum-FARANDOLE-Farandole		untreated, no fungicide	Triticum_aestivum_aestivum-FARANDOLE-Farandole-itk:nt-2003	Farandoleitknt
Triticum_aestivum_aestivum-Ressor-Ressor		low inputs	Triticum_aestivum_aestivum-Ressor-Ressor-itk:fi-2003	Ressoritkfi

A	B	C	D	E
Source Name	Characteristics [Organism]	Characteristics [Infra-specific]	Characteristics [accession number]	Characteristics [acces
Triticum_aestivum	Triticum aestivum aestivum	Orvantis		14088 ORVANTIS
Triticum_aestivum	Triticum aestivum aestivum	Recital		6027 RECITAL

- Raw data file: analysis input

C	D	E	F	G	H	I	J	K	L	M	N	O
Accession Na	itk	Trial Name	Trial Site	X(m)	Y(m)	Campaign	GDD	prot: Grains p Date [prot]	rdt: Grains ye Date [rdt]	sept: Se		
RECITAL	treated	BTH_Renn	Rennes			2003		10,4		88,4		
TAMARO	untreated, no	BTH_Renn	Rennes			2003				60,7		
DI01022	untreated, no	BTH_Renn	Rennes			2003				95,2		

USE CASE: WEB SERVICES



- Breeding API
- International collaboration
 - ◆ Excellence in Breeding platform (CGIAR)
 - ◆ Coordinator : Peter Selby
 - ◆ Lead: Lukas Mueller, Jan Erik Backlund, Kelly Robbins
- Vision :
 - ◆ Standard Open API
 - ◆ Easy, secure, and efficient
 - ◆ Information Exchange
 - ◆ Between systems and applications
 - ◆ Breeding is the main target

Bill & Melinda Gates Foundation

CassavaBase

T3

IBP

JHI

Bioversity

CIRAD

INRA

IRRI

GOBII

Wageningen

CIP

DaRT


Cornell

iPlant



- Resources
 - ◆ <http://brapi.org/>
 - ◆ Specifications
 - <https://brapi.docs.apiary.io/#reference>
 - <https://github.com/orgs/plantbreeding>
- Servers implementations
 - ◆ CGIARs international network
 - Integrated Breeding Platform, Breeding Management System
 - ◆ Elixir Excelerate
 - ◆ Emphasis: PHIS
 - ◆ Germinate
 - ◆ GnpIS
- Clients implementations
 - ◆ Flapjack : genotyping data visualization
 - ◆ Phenome-fppn portal, GnpIS
 - ◆ R analysis pipelines
- BrAPPS
 - <https://www.brapi.org;brapps.php>
 - ◆ Ontology Widget
 - <https://github.com/gnpis/trait-ontology-widget>


Implicit Phenotyping Model overview



- MIAPPE Compliant
- Modification of Gnpis-ephesis publication
- Full model overview :
<https://github.com/plantbreeding>

USE case WS1: BrAPI for R analysis

Workflow HIDAP-SweetPotatoBase



Brapi/v1/study/table web service → ISA Raw data file

R brapi libraries: on github

GitHub, Inc. [US] | <https://github.com/CIP-RIU;brapi>



 README.md

BrAPI R package

 build passing  build passing  coverage 51%

This version is still under development. The implementation sometimes changes minor details.

README


An R package to use the Breeding API (BrAPI) for accessing plant breeding data.

It can be installed using:

```
install.packages("devtools")
devtools::install_github("CIP-RIU;brapi")
```

USE case WS2: BrAPPS

- Tools integrable in any BrAPI compliant System
 - ◆ <https://www.brapi.org/brapps.php>



Welcome to the BrAPI Application Showcase, or BrAPPS for short. Each of these BrAPPS is an independent tool which can run on its own or can be easily integrated with a larger system. And of course, each BrAPP is completely BrAPI driven and can be used with any BrAPI compliant system. The goal is to keep the BrAPI community informed about what tools are available and encourage functionality sharing. If you have a BrAPP you would like to share with the community please reach out to [a BrAPI Coordinator](#)



GRAPHICAL FILTERING TOOL

FROM [CASSAVABASE](#)

[DEMO](#) [SOURCE](#) [DOCS](#)

Built by CassavaBase, this is a fully BrAPI compliant tool for graphically building complex search and filter queries of Observational Data.



VARIABLE ONTOLOGY WIDGET

FROM [URGI - INRA](#)

[DEMO](#) [SOURCE](#) [DOCS](#)

Built by URGI - INRA, this is a JavaScript widget displaying all the observation variables of a BrAPI endpoint.



STUDY COMPARISON TOOL

FROM [CASSAVABASE](#)

[DEMO](#) [SOURCE](#) [DOCS](#)

Built by CassavaBase, this is a fully BrAPI compliant tool for comparing the performance of germplasm across studies.




PEDIGREE VIEWER

FROM [CASSAVABASE](#)


[DEMO](#) [SOURCE](#) [DOCS](#)

Built by CassavaBase, this is a fully BrAPI compliant tool for viewing and exploring germplasm pedigrees.

- Study Comparison tool



USE case WS3: Distributed Information System



Generic data discovery

- Full text
- Facets

WheatIS

Filters

Sea
Clear

Database	
<input type="checkbox"/> TRITICEAE TOOLBOX (64)	
<input type="checkbox"/> CR-EST (7)	
<input type="checkbox"/> GNPIS (3)	
<input type="checkbox"/> ENSEMBL PLANTS (1)	
<input type="checkbox"/> GNPIS JBROWSE (1)	
<input type="checkbox"/> PLANTPHENODB (1)	
Type	
<input type="checkbox"/> ACCESSION (42)	
<input type="checkbox"/> PHENOTYPE (14)	
<input type="checkbox"/> EXPERIMENT (9)	
<input type="checkbox"/> EXPRESSED SEQUENCE TAGS (7)	
<input type="checkbox"/> SEQUENCE FEATURE (2)	
<input type="checkbox"/> PHENOTYPE (1)	
<input type="checkbox"/> QTL (1)	
<input type="checkbox"/> SEQUENCE FEATURE (1)	
Species	
<input type="checkbox"/> TRITICUM AESTIVUM (69)	
<input type="checkbox"/> HORDEUM VULGARE (6)	
<input type="checkbox"/> TRITICUM AESTIVUM L. (1)	
<input type="checkbox"/> TRITICUM DURUM (1)	
Search	
About	
WheatIS nodes:	
transPlant-MIPS (UP): - CrowsNest: 13324	
transPlant-IPK (UP): - CR-EST: 199220 - GEBIS: 52878 - MetaCrop: 355	

fhb

1-10 of 77
10 results per page
☰
☰

ID	Source	Type	Taxon	Description
Traes_5DL_E12C501B4	Ensembl Plants	-	Triticum aestivum	Sequence feature, Ensembl Plants, Traes_5DL_E12C501B4, Traes_5DL_LPhylla1 [Source:UniProtKB/TrEMBL;Acc:A0FHB0], Triticum aestivum, protein
HDP14M22T	CR-EST	-	Hordeum vulgare	HDP14M22T, expressed sequence tags, CR-EST, Hordeum vulgare, gi 260946666 [Rickettsia prowazekii str. Madrid E] SFHB ; gi 34906406 ref NP_914550.1 At2g37930
HDP20D01w	CR-EST	-	Hordeum vulgare	HDP20D01w, expressed sequence tags, CR-EST, Hordeum vulgare, gi 15604676 ref NP_914550.1 Rickettsia prowazekii str. Madrid E] SFHB ; gi 34906406 ref NP_914550.1
HDP20D01T	CR-EST	-	Hordeum vulgare	HDP20D01T, expressed sequence tags, CR-EST, Hordeum vulgare, gi 15604676 ref NP_914550.1 Rickettsia prowazekii str. Madrid E] SFHB ; gi 34906406 ref NP_914550.1
HDP21C08T	CR-EST	-	Hordeum vulgare	HDP21C08T, expressed sequence tags, CR-EST, Hordeum vulgare, gi 15604676 ref NP_914550.1 Rickettsia prowazekii str. Madrid E] SFHB ; gi 31979237 gb AAP68831.1
HDP31N10w	CR-EST	-	Hordeum vulgare	HDP31N10w, expressed sequence tags, CR-EST, Hordeum vulgare, gi 15604676 ref NP_914550.1 Rickettsia prowazekii str. Madrid E] SFHB ; gi 34906406 ref NP_914550.1
HDP35A10T	CR-EST	-	Hordeum vulgare	HDP35A10T, expressed sequence tags, CR-EST, Hordeum vulgare, gi 260946666 [Rickettsia prowazekii str. Madrid E] SFHB ; gi 34906406 ref NP_914550.1 At2g37930
TS034O07u	CR-EST	-	Triticum aestivum	TS034O07u, expressed sequence tags, CR-EST, Triticum aestivum, Gi 15604676 ref NP_914550.1 thaliana gi 7487460 pir T01820 hypo; Gi 15604676 ref NP_221194.1 SFHB ; gi 34906406 ref NP_914550.1
HWW FHB	Triticeae Toolbox	Experiment	Triticum aestivum	Experiment, Triticeae Toolbox, HWW FHB, phenotype experiment, Includes HWWFB_2014_Fargo, Triticum aestivum, phenotype
URSN_2012_BrookingsSD	Triticeae Toolbox	Experiment	Triticum aestivum	Experiment, Triticeae Toolbox, URSN_2012_BrookingsSD, phenotype trial severity, Fusarium head blight disease index, visually scabby kernels URSN_2012_BrookingsSD

Generic data discovery



Generic Search Growth

Indexing Package

- Community Building
- Indexing node deployment support
- <http://wheatis.org/Tools.php>
- <http://wheat-urgi.versailles.inra.fr/Projects/Wheat-Information-System/SolR-tool-package>

To ease the WheatIS nodes to expose their data to the [WheatIS search](#), we developed a package to help the installation and configuration of the SolR tool.


Download the package: [SolR-tool-package-WheatIS.tar.gz](#) (157.33 kB)

Please [contact us](#) to have support and to add your SolR indexes to the WheatIS search.



Elixir Plant Data Lookup Service

- Phenotype & Study
- Integrated in Elixir collaboration
- Complementarity and convergence with WheatIS datadiscovery network
- Central Index
- GnPLS-Ephesis like data integration over databases network



USE CASE: MIAPPE ONTOLOGY (PPEO)



Plant Phenotyping Experiment Ontology

MIAPPE Semantic: PPEO

- Joint initiative : Elixir (Fr, NL, Pt), Emphasis, CropOntology, RDA, INRA
- MIAPPE OWL Ontology
 - ◆ First draft
 - ◆ <https://github.com/MIAPPE/MIAPPE-ontology>
- BrAPI 2 MIAPPE RDF workflow
 - ◆ <http://www.wheatis.org> data standard page
 - ◆ <http://ist.blogs.inra.fr/wdi/phenotypes-as-rdf/>
- Agroportal
 - ◆ Agronomy bioportal
 - ◆ <http://agroportal.lirmm.fr/ontologies/PPEO>
- Wheat dataset
 - ◆ <http://dx.doi.org/10.15454/1.448966216568333E12>
 - ◆ Future Query: Impact of summer temperature on yield

Wheat Data Interoperability Guidelines

Home Guidelines Ontologies & Vocabularies Use cases Getting involved About

Home / Phenotypes as RDF

Phenotypes as RDF

Phenotypes to Semantic web publication

The sharing and especially the reusability of complex data like phenotypes is a good use case for a publication following the semantic web principles. This page describes how to generate a Phenotype RDF dataset from a Breeding API MIAPPE compliant endpoint. The growing adoption of this API will facilitate the reusability of such a transformation process.

Recommendations

The RDF publication relies among other things on the correct identification of different resources through Permanent

Virtuoso SPARQL Query Editor

Default Data Set Name (Graph IRI)

Query Text

```
PREFIX brapi: <https://brapi.org/rdf/>
SELECT ?network ?study ?attribute ?value
FROM <urn:urgi:pheno-brapi-inra-small-grain-cereals-network>
WHERE ?study a brapi:Study;
      ?attribute ?value.
      ?trial a brapi:Trial;
      brapi:hasName ?network.}
ORDER BY ?network ?study
```

(Security restrictions of this server do not allow you to retrieve remote RDF data, see [details](#).)

Results Format:
 Execution timeout: 0 milliseconds (values less than 1)
 Options: Strict checking of void variables Log debug info

(The result can only be sent back to browser, not saved on the server, see [details](#))

MIAPPE STATUS AND PERSPECTIVES



Adoption

- Plant community involved
 - ◆ Elixir (European bioinformatic infrastructure)
 - ◆ Emphasis (European Phenotyping infrastructure)
 - ◆ Bioversity international CGIAR
- Breeding API is Elixir official Phenotyping standard web service
- MIAPPE and BrAPI high collaboration
 - ◆ adoption and compliance
- Data repositories and management tools
 - ◆ GnpIS <https://urgi.versailles.inra.fr/gnpis/>
 - ◆ eDale <https://edal.ipk-gatersleben.de/>
 - ◆ PlantPhenoDB at IPGPAS <http://cropnet.pl/plantphenodb/>
 - ◆ In progress: COPO, Elixir plant databases (iBet, WUR, VIB, ...), Brassica Information Portal, ...



Perspectives

- Version 2 : Emphasis, Elixir, ...
 - ◆ Environment
 - ◆ Sensor traceability
 - ◆ PhenoHarmonIS Workshop Montpellier may 2018
- Elixir data lookup service, MIAPPE enabled.
 - ◆ Data discovery
 - ◆ Elixir
 - ◆ WheatIS & Emphasis ?
 - ◆ Open source software
- Dataset Validation
 - ◆ Elixir
 - ◆ File archive (ISA Tab) and BrAPI based



Perspectives: Emphasis Ontology & MIAPPE

- Emphasis Ontology in construction
 - High level organization of phenotyping infrastructures
 - Complementary of MIAPPE
 - For instance: Installation ≈ Assay
 - elementary level for data acquisition
 - Set of sensor + vectors




Fig. 1. Main terms used in this document and their functional relationships. Each instance has its own attributes, not represented here for better legibility. *Provider*: group of people involved in a *local infrastructure*, usually involving subgroups at *installation* level. *Project*: any project, (e.g. UE or national) that involves *partners* that perform experiments, themselves part of the *project*. The terms *Partner* (in a project) and *User* (in a phenotyping infrastructure) map to each other. All these terms are implemented in the information system.

Plant Phenotyping Data & FAIR

- FAIR allows handling big data on the long term (decades)
 - ◆ **Findability**
 - in a lot of datasets
 - With different approaches
 - Without relying on any Archive logic/Folder mechanisms
 - ◆ **Accessibility**
 - Avoid storing high volumes for nothing
 - ◆ **Interoperability**
 - Processing lot of data
 - Aggregating several datasets into new ones
 - ◆ **Reusability**
 - Understandability of the data
 - Reducing data format heterogeneity



- IPG PAS
 - ◆ Hanna Cwiek-Kupczynska
 - ◆ Paweł Krajewski



- ◆ Matthias Lange



- iBet
 - ◆ Bruno Costa
 - ◆ Inês Chaves
 - ◆ Célia M. Miguel
- IGC
 - ◆ Daniel Faria



Acknowledgment & Questions



- ◆ Paul Kersey



- ◆ Cyril Pommier
- ◆ Anne Françoise Adam Blondon
- ◆ Guillaume Cornut
- ◆ Thomas Letellier
- ◆ Célia Michotey
- ◆ François Tardieu
- ◆ Pascal Neveu
- ◆ Manuel Ruiz
- ◆ Pierre Larmande



- Bioversity international CGIAR
 - ◆ Elizabeth Arnaud
 - ◆ Marie Angélique Laporte



- ◆ Frederik Coppens



- ◆ Richard Finkers



- ◆ Bjorn Usadel