



HAL
open science

Street listening

Nicolas Tixier

► **To cite this version:**

Nicolas Tixier. Street listening. Sound Practice. The 1st UKISC conference on sound culture and environments, Feb 2001, Devon - Dartington College of Art, United Kingdom. pp.109-113. hal-01789482

HAL Id: hal-01789482

<https://hal.science/hal-01789482v1>

Submitted on 11 May 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

proceedings

sound practice


sound practice

sound culture environments

www.soundpractice.org.uk

16-20 February 2001

Dartington College of Arts - Dartington Hall Centre
Devon - England







SOUND PRACTICE

the 1st UKISC conference on sound culture and environments

Dartington Hall Conference Centre and Dartington College of Arts
16th – 20th February 2001

Sponsored by
World Scientific and Engineering Society
Dartington College of Arts
University of Plymouth
South West Arts
The British Academy
Goethe Institut – London
Canada House - London
Calouste Gulbenkian Foundation – London
Gouvernement Du Québec



Editor John Levack Drever

Cover design by L A U T - www.lautnet.net



© UK and Ireland Soundscape Community, February 2001

Contents

<i>The Sonic Image of the Environment – Characterising and Evaluating Soundscapes</i> By Dina Abdulkarim and Natheer Abu-Obied	1
<i>Sounding Giant Cylinders: Discrete Acoustic Environments</i> By Ros Bandt	11
<i>A Total Program of Sound</i> By Ross Brown	16
<i>Putting Sound Back into Urban and Cultural Studies: Investigating the Everyday World of Personal Stereo Users</i> By Michael Bull	24
<i>Sound and Synaesthesia in Nietzsche and Merleau-Ponty</i> By Clive Cazeaux	35
<i>Modelling of Sound in Public Spaces</i> By Björn Hellström	41
<i>The Emergence of the Sonic Symbol: Soundscape, History and Memory</i> By Cathy Lane	49
<i>Sound Design and the Museum</i> By Diane Leboeuf	52
<i>Buried Treasure: The Case of Radio Archives</i> By Peter M. Lewis	56
<i>Imagining Space Through Sound</i> By Christine McCombe	63
<i>Stockholm Soundscape Project – New Directions in Music Education</i> By Robin McGinley	69
<i>'Playing the Orange Card': Sectarian Sound and Cultural Identity in Northern Ireland</i> By Paul Moore	74
<i>Sound Qualities in Railway Stations</i> By Nicolas Remy	82

<i>Soundselves: An Acoustemology of Sound and Self within the Edinburgh Royal Infirmary</i> By Tom Rice	87
<i>Trace: A Memorial Environment Sound Installation</i> By Teri Rueb	93
<i>Listening to the Wild Blue Yonder: The Challenges of Acoustic Archaeology</i> By Bruce Smith	95
<i>The Sonic Aesthetics of the Industrial: Re-Constructing Yesterday's Soundscape for Today's Alienation and Tomorrow's Dystopia</i> By Karen E. Collins and Philip Tagg	101
<i>STREET LISTENING: A Characterisation of the Sound Environment The "Qualified Listening in Motion" Method</i> By Nicolas Tixier	109

STREET LISTENING

A CHARACTERISATION OF THE SOUND ENVIRONMENT : THE « QUALIFIED LISTENING IN MOTION » METHOD

Nicolas TIXIER

CRESSON

UMR CNRS 1563

[Research Center on Sound Space and Urban Environment]

École d'Architecture de Grenoble

60, avenue de Constantine BP 2636, 38036 Grenoble Cedex 2, France

Nicolas.Tixier@grenoble.archi.fr

<http://www.cresson.grenoble.fr>

Abstract

Urban sound environment requires an interdisciplinary approach which looks both at its physical and spatial dimensions as well as its perceptual and social dimensions. The method of « qualified listening in motion » aims, after an architectural and urban statement, to produce *in situ* a set of verbal accounts of perception.

Starting from these first qualifications, a metrological campaign, ethnographic observations and sound recordings are carried out. The comparison of this data enable to highlight and identify specific sound indicators of the environment such as recurrent sound effects [Augoyard, Cresson, 1995]. By including perception and action of city dwellers in context, this method makes it possible to reveal the strong temporal (events, dynamics) and symbolic (meaning, emotions, discursive) characteristics of sound in the urban environment as much in its qualitative and quantitative dimensions.

This method was applied in an exploratory way to two French urban sites : the Z.A.C. Vigny-Musset in Grenoble (38) and the district of the Port au Blé in Rezé (44). This method is also used in other research forms and also within the teaching of urban ambiances in the architectural education sphere. Since, it is used in other forms of research and in the teaching of urban ambiances in architecture school. This work was performed in collaboration with Nicolas Boyer under the direction of Jean-François Augoyard.



1. INTRODUCTION

We have been developing an approach based on a more qualitative study of the sound environment which will complement in a preparatory fashion the usual metrological surveying techniques used in urban acoustics. It is directly based on the notion of atmosphere (called "ambiance" in French [1]) and the descriptive and interpretative tools, namely, the sound effects [2]. This method was developed in collaboration with Nicolas Boyer under the direction of Jean-François Augoyard. It has been used in an exploratory fashion in several research projects [3] [4] with the interdisciplinary collaboration of other laboratories, such as the CERMA and the LCPC in Nantes, or the LAUM in Mans. Two sites were used for this study : the Z.A.C. Vigny-Musset in Grenoble (Isère), and the Port au Blé district in Rezé (Loire-Atlantique).

2. METHODOLOGY

Approaching a "sound atmosphere" ("ambiances sonores") involves an interdisciplinary process taking into account both the physical and the constructed dimensions of the space, as well as the social and perspective dimensions given to it by the users. We will thus make the triple postulate of an approach which will be : urban, in situ and dynamic. Our commented-listening (*écoute qualifiée*) method stems directly from the method of the commented city walks [5] by Jean-Paul Thibaud.

The commented city walks can be illustrated by the three verbs of action: "to walk, to perceive and to describe". Moreover, they are adapted to three main hypotheses in order to apprehend our sensible environment :

1. To reaffirm the place of context in the survey's system. This concern a reintroduction of a double contextual dimension that is often absent within sensible studies and also urban and pragmatic dimensions: i.e. the way we act in a city. This is to be done in situation, in context and through the action of walking in purpose to participate in the emergence of these sound phenomena.
2. A relationship between the order of description and the order of perception, which concerns the recognition of the habitants competence and in describing the environment where they live.
3. The order of perception concerns the habitants mobility, therefore the choice of a dynamic situation for the approach.

Jean-Paul Thibaud states that it's a question of avoiding a scholarly and disengaged description, but instead to aiming an ordinary and participating one.

This proposed method is an adaptation of the method of the commented city walks. This adaptation can be differentiated through three principal aspects :

1. the focusing on the description of the sonic environment ;
2. the demands of a technical system ;
3. a final form that articulates different types of materials.

The next step after an architectural and urban survey is to obtain the reports of what is perceived whilst moving thanks to a recording device and an acoustic amplification.



Fig. 1: Walking, listening and describing.

The *listening subject* is fitted out with two systems of synchronised recording equipment :

- The amplified listening apparatus : a directional microphone + a pole that the listener directs himself + D.A.T. recording of the sound environment + headphones (the band is adjusted to dB(A) level to enable a later metrological analysis).
- Comments : a small lapel mounted microphone + Dictaphone recording of the descriptions.

This technical apparatus, thanks to the emphasis it lays on the surrounding sounds, helps the participant speak of what is usually taken for granted and is thus difficult to express, namely our everyday sound environment. This equipment generates a paradoxical situation, since one at the same time is outside the context (we are listening with headphones), but also within the context (one listening when walking in the city). The distance between these two orders facilitates the verbalisation and the concentration of the entire process.

A researcher accompanies the participant to guide him and to encourage him to speak when necessary. His presence is also necessary to put the comments into context and note their relative importance. The participants are mainly selected on the basis of their connections - or lack of them - to the studied space : lodgings, work, shops, school, walks, gardens... They

went round the circuits at different times of the day and on different days, and even in different weather conditions. From fifteen candidates onwards, it was soon clear from the amount of repetition within the comments, that it was possible to circumscribe the different phenomenon. The instruction before starting the course is simple :

I.e. to say what one hears and to comment on it. If it's necessary to help a person, one can specify that he/she can list the sound phenomena, when possible try to qualify them and explain in which relation they maintain in the city, with people or oneself. It's also necessary, from time to time, to localize where we are precisely.




Fig. 2 : General methodology.

3. ANALYSIS

The qualitative analysis of the participant's comments in response to the built environment is done following a technique called "table and scissors" (la table et les ciseaux) (a phrase coined by Y. Chalas [6]). This technique is often used for the construction of typologies, and in figurative analysis (analyse figurative). The sequencing into meaningful entities is done following five modes of apprehending sounds. The first three correspond to three of the four ways of listening listed by Pierre Schaeffer [7] namely : **hearing** (unprocessed sounds, "ouïr"), **attending** (qualitative perception or perceptions qualifiées, "entendre") and **listening** (indications, "écouter"). The fourth listening modality is the **comprehending** ("comprendre") that corresponds to the researchers ability of listening. The analysis of the comments implies the adjunction of two more criteria : the sounds directly linked to the participants and the statements which qualify the sound space in a more general way. This second stage enables us to list the qualities and the sound phenomenon according to the different spaces and transitions studied. This enables us

to select what is major and sufficiently recurrent within the sound environment to record and measure the characteristics of these phenomenon in a third stage. Finally, an analysis combining these three types of data (comments, recordings and measurements) enables us to specify what the more noteworthy sound atmospheres of the site.

It's important to pay attention to one certain point of the method. The course of the method engages a general articulation between different spaces. This change causes different events and facilitate the description of sound spaces by the appearance of contrast, i.e. effect of cut, continuity, ubiquity, etc. Thus the discourse carries alternative of that who occurs, of that who occurred and of that who will occur (I will hear that...) and of that who will not occur. In other words, it's the dynamics of the city walks that creates the interaction between the spatial and temporal sonic spaces, and that allows a more simplified development of the crossing of spatial characteristics. This advantage implies also a disadvantage, since this methodology appears less adapted to describe homogeneous environments.

4. EXAMPLE

To illustrate this method, here is a simplified example of two "mask" effects on a short sequence taken from

the Nantes study (Rezé). The participant walks along a two lane road lined with low buildings, skirts a rather busy roundabout, walks away from it, then along a pavement, to finally enter an open-space where there is a tram stop.




Fig. 3 : [Bus + Tram : levels dB(A)] Two "mask" effects/ two different perceptions

Recording (D.A.T.)	Interesting expressions (extracts) (Dictaphone)	Description of the sound effect	Temporality Sequence	Indicative measurements	Synthesis Comments
...					
Flow of cars	<p><i>"... In fact, the cars make such a noise that any other sound is drowned out. I can see the tram, but I can't even hear it."</i></p> <p><i>" a moped, but I did not really hear it. One can't hear any birds at all."</i></p> <p><i>" And so this is ... well there I could not say a thing, it was impossible to hear anything."</i></p>	"Mask" Continuum	Continuous	$L_{eq(10s)} = 63 \text{ dB(A)}$ (during traffic)	<p>The participants even stop talking (the cars drown their voices) and wait until the noise has died down or until they have walked further.</p> <p>In general people walk faster when skirting the roundabout.</p>
...					
The tram goes by (It's arrival, bell rings, it brakes, the doors open, passengers get on and off, the doors close, it drives away)	<p><i>" I can hear... yes, ... faintly hear the tram."</i></p> <p><i>"Now I can hear the tram going by."</i></p> <p><i>"The tram is pulling away, my ears are ringing slightly."</i></p> <p><i>"The tram bells"</i></p> <p><i>"Whirrrrrrr, it is pulling away, I can hear it clearly"</i></p> <p><i>"And here comes a tram... now ... it is slowing down...whizzz... now, it is whistling again. It's stopping."</i></p>	Emergence Crescendo Signal " Mask"	Narrative Series of events	$L_{eq(10s)} = 75 \text{ dB(A)}$ (when the tram comes) $L_{max} = 84 \text{ dB(A)}$	<p>People note the tram's arrival far more than its departure.</p> <p>Narrative sequence.</p>
...					

Fig. 4 : Cross-referencing of different types of material (extract).

There are two occurrences of the masking effect within this short walk linked to the passage of cars. The first one is generated by the traffic at the roundabout. It is

characterised by several factors. First of all, people express it in a direct manner : *"the cars make such a noise any other sound is drowned out"*. Secondly, they

also express it in a more indirect way, through its impregnation on the general context : "I can see the tram but I can't even hear it". Thirdly, it is noticeable when listening to the comments themselves that the subjects stop talking and only resume their commentary once they have left the roundabout. Fourthly it is recorded and fifthly it is characterised by a measurement. This effect is generally perceived as being a nuisance, people walk faster when they go past and this negative connotation is found in the different comments, going as far even as the obliteration of all identity : "it is impossible to hear anything", when in fact one can clearly hear it.

On the contrary, the "mask" effect created by the tram's arrival is never perceived as a nuisance whereas the noise level is clearly more important. The sound characteristics of the tramway and its use have the dual characteristic of forming a series of events limited in time (whereas car traffic partakes of a continuum) and part of a narrative (the series of events forming a meaningful sequence).

5. CONCLUSION

The localisation and the characterisation of the meaningful sound phenomenon render a metrological economy possible, whilst answering the classical questions on the acoustic evaluation of a large urban zone : what should one measure, where, when, and using what types of measures and analysis? This complementary approach to the more classical techniques enable us to widen the field of the observable in acoustic metrology thanks to an interdisciplinary combination of the sound phenomenon (characterisation of the built surroundings, of the activities, urban perceptions, measures and temporality...) Furthermore, the measures and recordings only grasp certain dimensions of the perceived sound environment. Taking the circuit as a basis, the urban speech and way of listening introduce fundamental parameters to the qualification of atmosphere, namely **the time dynamics and the interaction of the city dwellers to their surroundings**.

This method can be easily adapted to the different places and purposes of the study. But in conclusion, I'd like to point one very important thing that appeared little by little during the studies : In classical surveys like questionnaires, the participant give informations that will be analysed. In this method, the specific situation and dispositive allows to the participant to re-discover his environment. This is an exchange between the searcher and the participant. It is no ordinary action to listen and comment one's own environment. In this way, it's also matter of an ecologic and citizen experience wich transforms the perception and the discourse on sound environment of the participant.

Translator's note : "qualified listening" includes the idea of quality and of qualifying, describing.

Principal translation : Anne-Marie Tatham

Acknowledgements : Björn Hellstrom, Julien Mc Oisans, Jean-Paul Thibaud. This paper might also be published in a book under the direction of Helmi Järviluoma.

REFERENCES

- [1] Augoyard Jean-François, "L'environnement sensible et les ambiances architecturales", in *L'espace géographique*, n°4, pp. 302-318, 1995.
- [2] Augoyard Jean-François, Torgue Henry, *A l'écoute de l'environnement sonore. Répertoire des effets sonores*, Éditions Parenthèses, Marseille, 1995.
- [3] Boyer Nicolas, Tixier Nicolas, "Qualification des sources sonores urbaines. Enquêtes de terrain", sous la direction de Jean-François Augoyard, Cresson, in Péneau (J.-P.) et alii, *Rapport PIR-VILLES : Vers un logiciel prédictif des ambiances sonores urbaines*, 38 p., 2000.
- [4] Boyer Nicolas, Tixier Nicolas, *Enquête par immersion interactive sur les procédures de maîtrise des ambiances sonores dans le projet architectural*, sous la direction de Jean-François Augoyard, Cresson & Ministère de la culture et de la communication, subvention de recherche DGAD/SRAE/95288, 187 p. + Cd-Rom, juillet 1999 + Internet site : <http://www.cresson.archi.fr/E21/Site/Pages/home.htm>.
- [5] Thibaud Jean-Paul, "La méthode des parcours commentés", in *L'espace urbain en méthodes*, sous la direction de Michèle Grosjean et de Jean-Paul Thibaud, Éditions Parenthèses, Marseille, 2001, sous presse.
- [6] Chalas Yves, *L'invention de la ville*, Éditions Economica, collection Ville, Paris, 2000.
- [7] Schaeffer Pierre, *Traité des objets musicaux*, Éditions Seuil, Paris, 1966.