

# Modeling sensory properties against intrumental measurements by PLS-Path Modeling: application to dairy products

Marine Masson, Anne Saint Eve, Delphine Huc-Mathis, David Blumenthal

# ▶ To cite this version:

Marine Masson, Anne Saint Eve, Delphine Huc-Mathis, David Blumenthal. Modeling sensory properties against intrumental measurements by PLS-Path Modeling: application to dairy products. Agro-Stat 2016 Congress - 14. Symposium on Statistical Methods for the Food Industry, Mar 2016, Lausanne, Switzerland. , 2016, AgroStat 2016. hal-01790313

# HAL Id: hal-01790313 https://hal.science/hal-01790313

Submitted on 11 May 2018  $\,$ 

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



# Modeling sensory properties against instrumental measurements by PLS-Path Modeling:



# application to dairy products

# Marine Masson<sup>1</sup>, Anne Saint-Eve<sup>1</sup>, Delphine Huc<sup>1</sup>, David Blumenthal<sup>1</sup>

1: UMR Ingénierie Procédés Aliments, AgroParisTech, INRA, Université Paris-Saclay, 91300 Massy,

France.

# Context

To explain sensory perceptions from instrumental and composition data a PLS-PM approach was used. This method allows investigating in a same model, different variables to be explained by using latent variables. The objective of the present study is to find out the latent variables including nutritional contents (sugar, proteins and lipids), physico-chemical and rheological properties, which could explain texture and flavor perceptions, with a statistical method such as PLS-PM.

## Materials & Methods

# Products

8 plain yogurts selected from the French market including firm and stirred yogurts, with or without bifidus cultures and with various fat content.



#### Sensory characterization

- Conventional sensory profile performed by 12 trained judges (25-60 years old, 9 women, 3 men)
- 10 sessions performed including training and evaluation (two replicates) of 27 sensory attributes related to visual aspect, texture, odor, taste, flavor and aftertaste

# Data analysis

#### Data analysis of instrumental measurements

Instrumental data were investigated by non-parametric tests (Kruskal-Wallis test)

#### Data analysis of sensory evaluation

 ANOVA with product, subject and replicate effects with product\*subject and product\*replicate interactions was performed

## Modeling sensory properties

- Two PLS-PM models were built:
  - Model for sensory visual attributes
  - Model for sensory tasting attributes
- To form latent variables, VARCLUS procedure was used
- · For the outer model, reflective mode was used
- For the inner model, PLSR and centroid scheme were used
- Prior to subsequent analysis, the validity of each model is evaluated according to the following criteria:
  - Quality of outer model (unidimensionality, homogeneity, convergent validity, discriminant validity of the LV and individual item reliability)
  - Quality of inner and global model (R-square and GoF)

### Physico-chemical and Rheological characterization

- Physico-chemical properties of the yogurts were assessed : the water content (105° C), the Brix index, pH at 10° C and the color using the CIEL method based on L\*/a\*/b\* representation of light and colors
- Rheological properties were also characterized:
  - Maximal normal force Fmax (N), original slope E (N.mm-1) and area under the curve A (N.mm), all measured by back extrusion test at 25° C
  - Viscosity η (Pa.s) and the shear-thinning index n, at 25° C using a 5 cm diameter striated plane/Peltier plane system, at five shearing rates: 5, 10, 50, 100 and 250 s-1
- Particle size was measured using the refractive index of milk of 1.46
- · All measurements were triplicated
- · Nutritional contents were defined on the packaging

# Results

## Preliminary analysis of instrumental data

 According to the Kruskal–Wallis test, all the instrumental variables allow to significantly discriminate at least one product from the others (pval < 0.005)</li>

## Preliminary analysis of sensory data

- For eight attributes, product effect is not significant (pval>0,05). They were deleted
- No significant product\*subject interaction for 22/27 attributes
- No significant product\*replicate interaction for 25/27 attributes

## PLS-PM model



#### Main results

- Four sensory LV presented a value of R<sup>2</sup> superior to 0.8: fat perception, acid perception, sweet perception and mouth coating.
- LV related to fat perception is positively impacted by the LV lipids and negatively impacted by salt content, water content and size and quantity of particles.
- The LV firmness, viscosity four LV. These results show the key role of texture properties on the perception of dairy products.

#### Conclusion & Perspectives

- PLS-PM gives an overall picture of all the variables studied, which is a good tool for communication.
- Perception of *thickness* could not be correctly predicted from instrumental measurements. Food consumption is complex and induced multimodal variables. Instrumental measurements can hardly mimic physico-chemical parameters involved during eating process, such as the impact of thermal variation, saliva
- Instrumental measurements can haroly mining physico-chemical parameters involved during eating process, such as the impact of thermal variation, saliva hydration, surface and interface of oral cavity.
  Studios including tribulational or the low kinds consumption should provide constraints of the testing constraints of the testing.
- Studies including tribology and bolus kinetics during consumption should provide greater understanding of the texture-structure perception.