

The trade of glass beads in early medieval Illyricum: towards an Islamic monopoly

Elisabetta Neri, Bernard Gratuze, Nadine Schibille

► To cite this version:

Elisabetta Neri, Bernard Gratuze, Nadine Schibille. The trade of glass beads in early medieval Illyricum: towards an Islamic monopoly. Archaeological and Anthropological Sciences, 2019, 11, pp.1107-1122. 10.1007/s12520-017-0583-5 . hal-01829413

HAL Id: hal-01829413 https://hal.science/hal-01829413

Submitted on 4 Jul 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

ORIGINAL PAPER



The trade of glass beads in early medieval Illyricum: towards an Islamic monopoly

Elisabetta Neri¹ · Bernard Gratuze¹ · Nadine Schibille¹

Received: 23 August 2017 / Accepted: 29 November 2017 \odot The Author(s) 2018. This article is an open access publication

Abstract

The trade of glass beads has long been assumed to have been under Islamic dominance during the early centuries following the Arab conquest of the Middle East, judged by the prevalence of Islamic beads in the archaeological contexts from Viking Scandinavia to medieval Morocco. This paper explores the impact of the Byzantine-Slavic transition on the use and by extension trade of glass beads in the Balkans from the seventh to the ninth century CE. A series of 48 glass beads and 4 vessel fragments from two excavated sites in modern day Albania have been analysed morphologically, technologically and chemically by LA-ICP-MS. The seventh-century beads from Lezha have typological parallels among central European assemblages and are made from recycled natron-type glass. The presence of a high lead-iron-natron variant is of particular interest as it potentially reflects a regional production. The ninth-century beads from Komani are made from soda-rich plant ash glass from the eastern Mediterranean and Mesopotamia and correspond to an Islamic typology. The chronological and geographical differences are reflected in the distinctive cobalt sources used for the two groups. While the beads from Lezha are coloured with a cobalt not correlated with any particular element, the cobalt source of the Komani samples is associated with zinc, typical of Islamic glass making. It thus appears that the supply of beads during the seventh century when the Balkans were under Slavic occupation relied on regional production and recycled material, and that a long-distance trade with the eastern Mediterranean was revived following the Byzantine re-conquest of the south-eastern Adriatic in the ninth century. Intriguingly, the Albanian finds confirm the Islamic control of the production and trade of glass beads during this period and highlight the mediatory role of the Byzantine Empire.

Introduction

The multidisciplinary study of glass beads in early medieval contexts has proved particularly fruitful to elucidate commercial and cultural networks (Pion 2014; Pion and Gratuze 2016; Koleini et al. 2016; Wood 2012; Dussubieux et al. 2008; Dussubieux and Soedewo 2016). It has been shown that the

Electronic supplementary material The online version of this article (https://doi.org/10.1007/s12520-017-0583-5) contains supplementary material, which is available to authorized users.

Elisabetta Neri eneri@cnrs-orleans.fr

Nadine Schibille nadine.schibille@cnrs-orleans.fr gy and technology, which in turn are connected to geo-cultural traditions (Pion and Gratuze 2016). In early medieval Europe, for example, only wound beads, manufactured by rotating molten glass around a mandrel (metal rod), were produced. Workshops of wound beads are documented in Lombard Italy (e.g. Aiano Torraccia: Cavalieri and Giumlia-Mair 2009), in continental Europe during Merovingian times (e.g. Maastricht, Wijnaldum and Huy: Pion 2014), in Viking Scandinavia at Haithabu, Paviken and Ribe (Sode 2004; Callmer and Henderson 1991), in the Balkans at Preslay, and in the ninth- to tenth-century Caucasus (Bezborodov 1959). Drawn beads obtained from segmented tubes, on the other hand, are more common in Egypt, in the Levant and in India (Francis 1990, 2002, 2004). There are two main methods of drawn bead production: hot and cold cutting. Workshops of hot-cut beads have been found in Egypt, at Kom-el-Dikka near Alexandria, dating to the fifth and sixth centuries, and

chemical signature of glass beads is linked to their morpholo-

¹ IRAMAT-CEB, UMR5060, CNRS/Université d'Orléans, 3D, rue de la Férollerie, 45071 Orléans cedex 2, France

at seventh- to eleventh-century Fustat (Arveiller-Dulong and Nenna 2011). No archaeological evidence of workshops for cold-cut beads have as yet been identified in the eastern Mediterranean. Anthropological studies attribute this technique to the Indo-pacific tradition of the 'lada method' still practised today (Francis 1990, Fig. 2 and pl. III, b; Kanungo 2004). According to this manufacturing technique, beads are produced by drawing the glass using a tapered iron tube with a large end, the so-called lada, into glass cylinders that are then cold-cut into beads (Francis 2002; Pion and Gratuze 2016).

The study of Merovingian and Lombard beads showed that most of the beads produced in central Europe between the sixth and eighth century were wound beads made from natron type glass derived from the primary sources in Egypt and the Levant or from recycled cullet (Mathis et al. 2013; Pion and Gratuze 2016; Pion 2014; Poulain et al. 2013; Verità 2012). In addition to these locally produced wound beads, segmented drawn beads produced from soda plant ash glass and small Indo-Pacific beads of high aluminous soda glass were simultaneously imported (Pion and Gratuze 2016). This provides ample evidence of long-distance trade networks that connected western Europe with the eastern Mediterranean and the Indian Ocean during the fifth and early sixth century CE. These eastern imports ceased sometime during the later sixth century, the reasons for which are still unknown (Pion and Gratuze 2016; Calligaro and Périn 2013). Following an interval of about two centuries, the long-distance trade of glass beads experienced a revival in the ninth century, after the Abbasid capital and political focus had shifted eastwards from Damascus to Baghdad (Sode 2004; Robertshaw et al. 2010). This reorientation arguably played a role in the consolidation of networks of exchange and the influx of Mesopotamian beads to the Mediterranean region and as far as Viking Scandinavia (Callmer 1977; Steppuhn 1997; Steppuhn 1998; Sode 2004).

This paper presents the first extensive study of medieval glass beads from south-western Illyricum in modern-day Albania, combining typological with analytical methods. This geographical region is important because it occupies a central position and was a crucial commercial hub that connected the eastern Mediterranean with western Europe. The glass beads analysed are from two well-dated necropoleis in the Drin valley. The material from Lezha is attributed to the seventh century, while the beads from Komani come from ninth- to tenthcentury contexts. This is a critical period in the history of the Balkans as it encompasses the Slavic invasion in the seventh century and the Byzantine re-conquest in the ninth (Bavant 2004; Cheynet 2006; Popovic 1980; Lemerle 1980; Fine 1983). The relationship between the vitreous materials and bead morphologies of the two sites can thus reveal how the transitional period impacted the trade of beads and the organisation of supply more generally (for previous studies on glass from the Balkans see, for example, Cholakova et al. 2016; Egorkov 2006; Jennings 2010; Schibille 2011; Šmit et al. 2012).

Forty-eight beads and four vessel fragments were selected from the necropoleis of two late antique foundations on the river Drin, the coastal town of Lezha and the town of Komani located further inland (Fig. 1). Lezha (Alessio, Lissos, 41.78 N, 19.64 E) was a long-lived (sixth to sixteen century CE) fortified settlement with a seventh-century church and an associated cemetery extra muros used from the sixth to the twelfth century. Komani (Koman, 42.08 N, 19.82 E), by contrast, was a much larger town with six churches and an extensive necropolis. There is evidence of two distinct periods of urban development, the first during the sixth and seventh century, and a second phase in the ninth and tenth century. The site was finally abandoned in the thirteen century (Nallbani et al. 2016a). The eighteen beads from Lezha were found in the context of dressed inhumations (Fig. 2) dated to the seventh century CE based on the associated finds, and two medieval samples from an Islamic grave (Table 1) (Nallbani et al. 2016a). The 33 beads from Komani were part of the grave goods from six different tombs, two of which have been dated by ¹⁴C to the ninth or tenth century. The other graves and grave goods can be attributed to the same period by association (Nallbani et al. 2016b). In three cases, entire necklaces were found intact (Fig. 3). In addition, four fragmentary liturgical glass vessels from the annex of the main church and from the settlement around the church of St. George were analysed for comparative reasons. While the beads were used to demonstrate status and prestige and were culturally associated with Slavic traditions (Wood 2012), the lamps and unguentarium from the ecclesiastical contexts are associated with the Byzantine religious élite (Cheynet 2006). The consideration of the vessel fragments within this study thus allows us to relate the objects types to specific socio-political contexts.

Material and methods

The samples analysed in this study were selected to cover the entire range of different typologies, colours and techniques identified among the assemblages from the two necropoleis at Lezha and Komani (Table 1). The cleaned but otherwise unprepared glass beads and fragments were analysed by Laser Ablation Inductively Coupled Plasma Mass Spectrometry (LA-ICP-MS). The analyses were conducted at the Centre Ernest-Babelon of the IRAMAT (Orléans), using a Thermofisher Element XR combined with a Resonetic UV laser microprobe (ArF 193 nm) for the direct analyses of solid samples (Gratuze 2016; Schibille et al. 2017). Single-point analyses were carried out with a laser beam diameter of 100 μ m, operated at 5 mJ and a pulse frequency of 10 Hz. A pre-ablation time of 20 s, occasionally increased to 40 s to

Fig. 1 Map of Albania showing the location of Lezha (Lezhë) and Komani in the Drin Valley



ensure the removal of possible corrosion layers or other surface contaminations, was followed by 30 s collection time. Blanks were run after every ten samples to determine the offset. The response coefficient (k) for each element was calculated based on a set of five glass standards (NIST SRM610, Corning B, C, D and APL1, an in-house standard) to convert the signals into quantitative data. Corning A and NIST 612 glass standards were systematically measured at regular intervals to determine accuracy and precision. The analytical precision reflected in the relative standard deviation (σ) was generally better than 5% for most elements and accuracy was mostly better than 10% (Supplementary material, Table S1).

Results

Typology and geographical distribution

The seventh-century beads from Lezha are all wound beads, but vary in shape and manufacturing technique, including monochrome beads of various shapes (spherical, annular, spiral-shaped, bi-conic), monochrome beads with applied filaments, pinched flower-shaped or three-lobed and moulded beads (Table 1). All these types are widely attested in Merovingian (Pion 2014), Lombard (Giostra 2012) and Alaman necropoleis (Koch 1977; Giesler-Müller 1992). This is in contrast to the assemblages from two Serbian sites of Viminacium and Singidunum where drawn beads are prevalent (Ivanišević et al. 2006).

The ninth- and tenth-century beads from Komani and the two medieval beads from Lezha vary likewise greatly in shape (umbilical, annular, tubular, mosaic, metal sandwich) and colour (yellow, blue, white), but they are mostly drawn and hotcut, with or without a hot finish (Table 1). Similar drawn and hot-cut beads have been found in sixth- and seventh-century Serbian contexts (Ivanišević et al. 2006), among fifth- to sixthcentury Merovingian assemblages (Pion 2014), a sixth to seventh-century southern Italian necropolis (Corrado 2012), some ninth- to eleventh-century Viking sites (Sode 2004) as well as across the Islamic Mediterranean (Francis 2004). A handful of small beads from a necklace retrieved from a tenth-century tomb are cold-cut and apparently produced with the 'lada method' (K 008, K 009, K 010, K 011). Indian cold-cut beads are known to have been imported to western Europe up to the sixth century (Pion and Gratuze 2016). The beads from Komani suggest that Indian 'lada beads' might have been imported to the Mediterranean region as late as the tenth century. Several types of wound beads from Komani such as the spherical beads with eye decorations (K 033) or polychrome rods (K 029) show similarities with



Fig. 2 Seventh-century dressed inhumation (tomb T157) at Lezha (Nalbani et al. 2016, photo: Didier Dubois)

the wound Islamic beads excavated at different Viking sites (Sode 2004; Callmer and Henderson 1991; Steppuhn 1997; Steppuhn 1998). The colourless ovoidal flat bead (K_027) and the colourless beads decorated with a white oculus (K_006, K_026) usually occupy the most prominent place within the necklace (Fig. 3).

The glass fragments included in this study can be attributed to ecclesiastical lamps, dated typologically to the fifth to eleventh century (Fig. 4a–c) (Antonaras 2008). While they are relatively common elsewhere, for instance in Thessaloniki, this is the first time they have been identified in Albania (Antonaras 2008, Jennings 2010). Finally, the last fragment with a marvered decoration belongs to a spindle-shaped *unguentarium*, usually dated to between the tenth and fourteenth century (Fig. 4d) and is linked to an Abbasid production. A similar object was found in Montenegro (Antonaras 2010a).

Chemical signature of the beads

The LA-ICP-MS analysis of the beads (Table 2) clearly identifies two distinct groups according to the alkaline source that correspond to the chronology of the beads. Whereas all the seventh-century beads are natron-type glasses, the majority of the ninth- and tenth-century samples show a soda-rich plant ash signature, reflected in high potassium, magnesium (Fig. 5) and phosphorus oxide contents. Two opaque yellow beads (Lz 012, K 013,) have unusually high lead contents (PbO 70%) with very low quantities of formers and modifiers. Similar compositions have been observed in some Islamic green and yellow beads at Al-Basra (Robertshaw et al. 2010) and the Serce Limani shipwreck (Brill 2009). In the case of the Albanian beads, the exceptionally high lead content could be the result of pure lead stannate, used as a half-product such as 'anima' known from Venetian recipes (Moretti and Hreglich 1984). A crucible with comparable residues of lead stannate for bead-making was retrieved from the Merovingian site of Schleitheim (Heck et al. 2003). However, it cannot be ruled out that the two beads represent highly devitrified lead stannate coloured glass, but the low phosphorus contents make this less likely.

Natron glass beads

The majority of the seventh-century wound glass beads, as well as three ninth- to tenth-century colourless beads (n = 12) have a natron-type base glass with elevated levels of magnesium, titanium and iron, associated with slightly increased vanadium, chromium and zirconium. These characteristics correspond to the so-called Foy-2 compositional group (Foy et al. 2003). Foy-2 glass appears to have been a relatively widespread glass type during the sixth and seventh century and is believed to be of an Egyptian provenance (Nenna 2014; Ceglia et al. 2015; Cholakova et al. 2016; Neri et al. 2017; Schibille et al. 2017).

There are four outliers in terms of the elements associated with the silica sources (Fig. 6). The white glass of the spherical wound bead (K 026) has high calcium and low aluminium oxide contents, high chromium, magnesium, titanium and low strontium levels. This profile is typical of so-called Egypt II glass that was first identified among eighth- and ninth-century Islamic glass weights from Egypt (Gratuze and Barrandon 1990). One colourless wound bead (Lz 017) has a Levantine composition, except for its lower alumina content (1.25%). The flower-shaped wound bead (Lz 004) with equally low alumina (1.5%) and high antimony oxide (2.5%) concentrations bears similarities with Roman antimony decoloured glass, but for its relatively high lime concentration (Jackson 2005). The somewhat unusual trace element patterns, including low titanium but high zirconium, relatively low strontium and elevated copper levels suggest some degree of recycling and mixing of Roman antimony glass with another glass type. The polygonal transparent blue bead (Lz 016) has high antimony oxide (2%) levels, possibly as a result of recycled blue Roman mosaic tesserae opacified with antimony. Some of the compositional variations are probably due to the recycling and mixing of new base glass with

Table I	Glass beads from Lezha an				
Sample	Photograph (scale bar: 1 cm)	Archaeological context	Typology	Date	Base glass Colorants & opacifiers
Lz_001		Lezha tomb 157	Wound with filaments	7 th c.	Natron, Foy 2.1 Red: Cu White: SnO
Lz_002		Lezha tomb 34	Drawn, incised and hot finished	13 th c.	Mesopotamian plant ash Blue: Co-Zn
Lz_003		Lezha tomb 157	Wound, monochrome	7 th c.	Natron, Foy 2.1 Blue: Co-Ni
Lz_004		Lezha tomb 146	Wound, incised flower- shaped	7 th c.	Natron, Foy 4
Lz_007	•	Lezha tomb 157	Wound, monochrome, annular	7 th c.	Lead iron manganese natron Black: Fe-Mn
Lz_008		Lezha tomb 146	Wound, bi-conic	7 th c.	Natron, Foy 2.1 White: SnO
Lz_009		Lezha tomb 146	Wound, monochrome, ovoidal	7 th c.	High lead iron manganese natron Black: Pb-Fe
Lz_010	7	Lezha tomb 157	Wound, deformed by gravity	7 th c.	Natron, Foy 2.1 Blue: Co-Ni
Lz_011		Lezha tomb 157	Wound, deformed by gravity	7 th c.	Natron, Foy 2.1 Blue: Co-Ni
Lz_012	0	Lezha tomb 157	Wound, monochrome, circular	7 th c.	Devitrified Yellow: SnPb
Lz_013	C	Lezha tomb 157	Wound, monochrome, annular	7 th c.	High lead iron manganese natron Black: Fe-Mn
Lz_014		Lezha tomb 157	Wound, bi-conic	7 th c.	Natron, Foy 2.1 White: SnO
Lz_015	C	Lezha tomb 157	Wound annular	7 th c.	Natron, Foy 2.1 Blue: Co-Ni
Lz_016	S	Lezha tomb 50	Wound, moulded polygonal monochrome	7 th c.	Natron, Foy 2.1+Foy4 Blue: Co

Table 1 Glass beads from Lezha and Komani

Table 1	(continue)
Lz_017	
I z 018	

Lz_017		Lezha tomb 50	Wound, ovoidal, monochrome	7 th c.	Natron, Foy low in alumina (Levantine)
Lz_018		Lezha, tomb 50	Wound, ovoidal, monochrome	7 th c.	High lead iron manganese natron Brown: Pb-Fe
Lz_019		Lezha tomb 34	Drawn, monochrome, hot-finished	13 th c.	Mesopotamian plant ash Green: Cu, SnPb
Lz_020		Lezha tomb 157	Wound, monochrome, spiral-shaped	7 th c.	Natron, Foy 2.1 Yellow: SnPb
Lz_021	*	Lezha tomb 157	Wound, monochrome, three-lobed	7 th c.	High lead iron manganese natron Black: Pb-Fe-Mn
Lz_022	EDD)	Lezha tomb 157	Wound, with filaments applied (body)	7 th c.	Natron, Foy 2.1 Yellow: Sn(Sb)Pb
K_001		Komani tomb 321	Drawn, mosaic with eye decoration	9 th -10 th c.	Mesopotamian plant ash White: Sn+Pb Yellow: SnPb (As, Sb) Blue: Co-Zn Green: Cu/ SnPb Red: Cu
K_002		Komani tomb 321	Wound, with eye decoration	9 th -10 th c.	Mesopotamian plant ash Blue: Co-Zn White: SnO
K_003		Komani tomb 321	Wound, deformed by gravity and pressed	9 th -10 th c.	Mesopotamian plant ash Blue: Co-Zn
K_004	0	Komani tomb 321	Drawn, monochrome, annular	9 th -10 th c.	Mesopotamian plant ash Yellow: SnPb
K_005	٥	Komani tomb 321	Drawn, monochrome, annular	9 th -10 th c.	Mesopotamian plant ash Blue: Co-Zn
K_006		Komani tomb 321	Wound, circular with oculus (body)	9 th -10 th c.	Natron, Foy 2 White: SnO

Table 1(continue)

K_007	C	Komani tomb 321	Drawn, monochrome, annular	9^{th} - 10^{th} c.	Mesopotamian plant ash White: SnO
K_008	0	Komani tomb 319	Drawn, cold-cut, monochrome, annular	9 th -10 th c.	Levantine plant ash Green: Cu/Fe/SnPb
K_009	0	Komani tomb 319	Drawn, cold-cut, hot- finished, monochrome, annular	9^{th} - 10^{th} c.	Levantine plant ash Green: Fe/Cu
K_010	0	Komani tomb 319	Drawn, cold-cut, hot- finished, monochrome, annular	$9^{th}-10^{th}$ c.	Levantine plant ash Green: Cu/Fe
K_011	0	Komani tomb 319	Drawn, cold-cut, hot- finished, monochrome, annular	9^{th} - 10^{th} c.	Levantine plant ash Purple: Fe/Mn
K_012	0	Komani tomb 319	Drawn, monochrome, annular	9^{th} -10 th c.	Mesopotamian plant ash White: SnO
K_013	0	Komani tomb 321	Drawn, monochrome, annular	9 th -10 th c.	devitrified Yellow: PbSn (As, Sb)
K_014		Komani tomb 319	Drawn, monochrome, annular	9 th -10 th c.	Mesopotamian plant ash Blue: Co-Zn
K_015		Komani tomb 319	Drawn, mosaic with eye decoration	9 th -10 th c.	Mesopotamian plant ash White: SnO Yellow: SnPb (As, Sb) Blue: Co-Zn Red: Cu
K_016	O	Komani tomb 319	Drawn, monochrome, spherical	9 th -10 th c.	Mesopotamian plant ash Blue: Co-Zn
K_017		Komani tomb 375	Drawn, segmented, spherical, monochrome	9 th -10 th c.	Mesopotamian plant ash Yellow: SnPb (As, Sb)
K_018		Komani tomb 375	Drawn, segmented, metal sandwich, monolobed	9 th -10 th c.	Mesopotamian plant ash Silver metal leaf
K_019	٥,	Komani tomb 375	Drawn, segmented, metal sandwich, monolobed	9 th -10 th c.	Mesopotamian plant ash Silver metal leaf
K_020		Komani tomb 375	Drawn, segmented, metal sandwich, bilobed	9^{th} - 10^{th} c.	Mesopotamian plant ash Silver metal leaf

Table 1	(continue)				
K_021	00	Komani tomb 375	Drawn, segmented, metal sandwich, bilobed	9 th -10 th c.	Mesopotamian plant ash Silver metal leaf
K_022	8	Komani St. George, US1011	Drawn, monochrome, annular	9 th -10 th c.	Mesopotamian plant ash Yellow: SnPb
K_023		Komani St. George, US1011	Drawn, mosaic with eye decoration	9 th -10 th c.	Mesopotamian plant ash White: SnO Yellow: SnPb Green blue: Cu Red: Cu
K_024		Komani St. George, US1011	Drawn, mosaic with eye decoration	9 th -10 th c.	Mesopotamian plant ash White: SnO Yellow: SnPb Green blue: Cu Red: Cu Blue: Co-Zn
K_026		Komani Tomb 340	Wound, spherical with oculus (body)	9 th -10 th c.	Natron, Foy 2.1 Natron, Egypt II White: SnO
K_027		Komani Tomb 340	Wound, pressed, ovoidal, monochrome	9 th -10 th c.	Natron, Foy 2.1
K_028		Komani Tomb 340	Drawn, segmented, hot- finished, metal sandwich (ext.)	9 th -10 th c.	Mesopotamian plant ash Silver metal leaf
K_029		Komani Tomb 340	Wound, covered with polychrome rods (ext.)	9 th -10 th c.	Mesopotamian plant ash Body: Cu+SnPb White: SnO Red: Cu Green: Cu Yellow: SnPb Blue: Co-Zn
K_033		Komani tomb 340	Wound, with eye decoration	9 th -10 th c.	Mesopotamian plant ash Blue: Co-Zn White: SnO
K_034		Komani tomb 340	Drawn, segmented, monochrome, polylobed	9 th -10 th c.	Mesopotamian plant ash Blue: Co-Zn



Fig. 3 Necklace from a ninth- or tenth-century tomb (T319) in Komani (photo: Didier Dubois)

tesserae and cullet of various origins. In particular, the traces of cobalt (CoO 0.01–0.03%) and copper (CuO 0.15–0.5%) in colourless or yellow beads and elevated phosphorus and potassium contents (e.g. K_026) can indicate the recycling of coloured cullet (Table 2).

Judging from the compositional analysis, the colourants and opacifying agents used include tin oxide to obtain the white beads and lead stannate to obtain yellow, both are typical of the early medieval period after the fourth century, when tin increasingly replaced antimony as opacifier (Tite et al. 2008). The blue beads are coloured with cobalt (500– 900 ppm). The cobalt used for the natron-type beads is not unambiguously associated with any particular impurities, which is a trademark of Roman cobalt sources (Gratuze et al. 1992). One sample (K 026) has a low cobalt to nickel




Fig. 4 Glass artefacts from Komani. **a** Snake trailed lamp (similar to type 3.ii in Antonaras 2008). **b** Lamp with handle (similar to type 4 in Antonaras 2008). **c** Lamp with handle (similar to type II.i in Antonaras 2008). **d** Spindle-shaped unguentarium

ratio (4:1) that is congruous with a cobalt source associated with elevated nickel that appears to have been exploited since the sixth century (Schibille et al. 2017).

The black glass beads from Lezha (n = 5) have a peculiar composition with high lead (PbO 28–34%) and iron (FeO 7.7–15.2%) contents, similar to some sixth- to seventh-century Merovingian beads (Poulain et al. 2013; Mathis et al. 2013; Pion and Gratuze 2016). They are probably the result of a mixture of recycled natron glass with a high lead and iron component, introduced in the form of lead and iron oxides or metallurgical scrap (Mecking 2013; Gratuze et al. 2003). The trilobed bead (Lz_021) appears to be somewhat of an outlier, differing not only in shape but also in composition from the other black beads. It has significantly lower soda contents, while manganese and aluminium are notably higher. These features suggest that this bead is the product of a different secondary workshop.

Soda ash glass

The ninth- to tenth-century drawn and wound beads are made from soda plant ash glass, characterised by higher potash and magnesia contents (>2%) associated with the plant ash component. Two sub-groups can be distinguished on account of their varying lanthanum, chromium, titanium and zirconium contents that reflect different silica sources (Fig. 7a, b). The different silica groups also exhibit differences in relation to the alkali contents with distinct magnesium and phosphorus ratios (Fig. 7c). The largest group comprising all but four plant ash beads from Komani and Lezha (n = 24), has very high magnesium contents (MgO > 3.5%), relatively low phosphorus levels and a much lower potassium to magnesium ratio compared to the four beads from Komani that clearly form a separate group (Table 2, Fig. 7). These characteristics are typical of plant ash glasses from Sasanian and Abbasid Mesopotamia (Mirti et al. 2009; Pion and Gratuze 2016; Henderson et al. 2016), an attribution that is confirmed by their low lanthanum and elevated chromium contents (Shortland et al. 2007). The four separate beads have on average higher titanium to zirconium ratios, clearly pointing to differences in the silica source and by extension different origins (Fig. 7a, b). Intriguingly, these four small beads (K 008, K 009, K 010, K 011) have been manufactured by cold-cutting in imitation of the Indo-Pacific 'lada' technique. Hence, they form typologically and compositionally a very tight group, suggesting a common provenance. No compositional parallels among published data of Near Eastern or Mesopotamian plant-ash glasses have been identified, neither for the silica source (higher alumina contents) nor for the alkali sources (lower calcium and higher potassium oxides levels) (Henderson et al. 2004, 2016; Henderson and Allan 1990; Gratuze and Barrandon 1990; Kato et al. 2010). A possible exception are some samples from Raqqa group 4 that are high in alumina and magnesia

Groups	Sample Colour	Na ₆ O Mg0 Al,O,SO,P,O,CI K,O CaO TIO, MNO Fe ₀ O,PRO LI B V CF Co Ni Cu Zn Ga As Rb Sr V Z7 No Mo Ag Cd In Sn So Cs Ba La Ce Pr Nel Sm Eu G	id Tb Dy Ho Er Tm Yb Lu Hf Ta W Bi Th U
	Beads		
Natron	Lz_001 red white	152 058 270 600 023 071 085 680 031 100 510 191 132 169 228 680 930 137 123 668 342 155 77 48 665 482 177 159 473 0.9 n. 1544 1542 033 214 658 107 131 575 113 029 0 158 059 174 65 003 680 16 57 00 06 68 407 88 114 59 153 29 118 1268 955 410 292 120 692 120 650 249 184 488 01 n. 499 10 650 530 23 22 96 154 155 08 155 107 637 1	
	Lz_003 blue	12 0.6 2.2 62 0.1 0.0 0.6 8.23 0.1 14 1.1 0.0 9.5 14 92 7 15 774 728 1228 472 4.1 0 15 8.88 544 7.37 710 2.20 2.90 1.71 0.03 0.64 345 75.1 0.0 31 61 2.2 6.6 6.1 14 0.6 14 1.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1	
	Lz_004 colourless	177 0.47 1.49 67.6 0.04 1.30 0.29 8.10 0.07 0.01 0.29 0.00 3.19 112 5.15 9.12 1.02 2.67 391 5.68 2.08 5.29 4.81 356 6.00 104 1.24 0.15 0.25 n.i. n.i. 37.0 20474 0.05 123 5.91 8.56 1.27 5.21 1.01 0.29 0.29	
	Lz_008 white Lz_010 blue	173 071 224 657 007 059 056 655 0.17 100 120 114 635 411 374 178 102 196 495 290 380 616 835 517 854 960 259 244 482 006 ni 1998 537 056 248 944 131 137 828 144 021 144 085 114 096 144 085 114 086 144 085 144 086 144 085 144 085 144 085 144 085 144 085 144 085 144 085 1	
	L2_010 blue L2_011 blue	184 0.80 2.56 052 013 0.94 0.06 /89 0.14 1.13 1.06 0.07 0.66 143 27.3 14.9 7/4 84.2 1396 47/6 058 7/8 7/6 7/2 7/3 7/3 2.55 9.22 0.47 0.05 0.40 2.15 92.6 0.10 2.22 7/9 131 1.0 7.099 14.0 0.95 1.16 0.05 14.0 0.05 1.16 0.05 1.14 1.12 0.75 0.05 0.14 1.13 1.17 0.29 14.0 0.95 1.14 0.12 0.15 0.11 137 14.13 1.17 0.29 14.0 0.95 1.15 0.15 0.15 0.15 0.15 0.15 0.15 0.1	
	Lz_014 white	17.3 0.72 2.28 665 0.06 0.96 0.53 7.00 0.17 1.04 1.25 1.00 4.59 137 375 170 9.81 17.8 46.0 292 3.58 5.30 7.75 513 8.46 956 2.49 2.43 4.18 0.07 ni. 7466 45.8 0.10 243 9.15 13.0 1.86 7.73 1.67 0.40 1.	37 0.22 1.41 0.30 0.77 0.13 0.84 0.12 2.32 0.16 0.20 0.29 1.35 1.02
	Lz_015 blue	181 0.81 2.35 65.9 0.14 0.83 0.66 8.12 0.14 1.15 1.40 0.06 6.25 141 2.63 142 521 64.9 1021 39.7 5.34 6.62 8.40 588 7.67 78.5 2.40 6.68 0.48 0.05 0.28 26.9 9.26 0.10 285 8.20 13.4 1.70 7.14 1.40 0.35 1.	
	L2_016 blue L2_017 colouriess	159 054 226 686 012 078 055 699 008 045 091 029 424 154 162 103 502 222 1273 543 421 459 115 602 635 452 168 240 121 031 044 505 1605 031 217 705 124 151 699 116 631 1 187 044 15 680 608 053 030 187 009 04 04 105 438 146 41 20 153 133 125 758 141 147 105 415 643 475 54 144 030 031 21 14 151 645 155 152 93 104 44 038 121 1	
	L2_020 yellow	136 0.55 2.28 5.64 0.08 0.07 4.65 0.13 0.79 0.73 154 2.67 120 2.13 1.842 1.45 1.26 3.30 3.42 1.10 8.21 379 7.08 755 2.12 1.29 140 0.09 1619 140 3.01 2.88 755 1.27 1.57 5.75 1.27 1.57 1.00 141 1.0 8.21 379 7.08 755 2.12 1.29 140 0.09 1619 140 3.01 2.88 755 1.27 1.57 1.27 1.57 1.20 1.20 1.20 1.20 1.20 1.20 1.20 1.20	
	Lz_022 colourless	164 0.60 2.38 697 0.16 0.99 0.74 7.22 0.09 0.53 0.61 0.16 5.85 137 162 11.6 19.7 9.6 11.85 42.1 3.31 9.25 11.6 430 6.76 52.6 1.72 1.47 1.55 0.10 n.l. 155 12.83 0.14 265 7.31 12.8 1.58 6.45 1.27 0.35 1	
	yellow	145 66/2 33 62/8 610 0188 661 633 011 056 078 841 514 120 192 166 219 124 1017 564 334 441 100 417 710 658 231 154 211 011 n. 1700 1993 044 245 770 122 199 681 188 031 175 174 120 194 110 417 710 158 251 154 211 011 n. 186 18 100 120 120 124 124 124 124 124 124 124 124 124 124	
	K_006 colourless white	176 109 238 640 012 020 071 787 013 159 122 147 381 176 233 169 115 226 2124 565 442 132 778 661 736 724 213 156 408 077 n. 1688 165 003 296 692 113 129 673 142 0341 171 102 745 (64 51 21 047 047 047 047 047 047 047 047 047 047	
	K_026 coulourless		
	white	159 0.54 2.04 684 0.10 1.00 0.43 9.50 0.19 0.04 0.79 0.01 2.76 100 155 188 4.22 9.41 174 245 2.95 1.16 4.53 165 5.52 104 2.76 0.17 6.27 0.01 n.i. 7710 5.24 0.02 120 6.03 11.1 1.40 5.58 1.22 0.29 0.	
	K_027 coulourless	. 167 097 248 657 014 082 086 7.79 0.13 1.03 1.08 0.00 6.38 340 243 208 734 310 1518 102 4.03 257 108 534 694 71.3 233 214 13.0 0.05 n.i. 1965 622 0.18 275 7.29 12.8 1.59 6.60 1.40 0.51 1.	.13 0.19 1.15 0.24 0.65 0.09 0.61 0.10 1.75 0.14 0.45 5.90 1.29 1.14
Lead iron	Lz_007 black	982 059 247 405 0.16 0.61 0.80 4.54 0.11 0.61 8.22 309 7.78 600 69.4 143 133 152 1999 130 6.22 268 8.88 188 44.8 37.8 1.78 1.27 33.4 0.16 n.i. 453 652 0.32 154 25.9 30.6 5.09 22.4 5.72 1.35 5.	80 111 7.00 1.54 4.17 0.61 4.06 0.61 0.93 0.10 0.20 302 1.31 1.51
manganese natron			
	L2_009 black	102 0.52 2.05 40.8 0.15 0.60 0.66 4.97 0.13 0.47 8.43 30.2 3.61 80.0 62.5 12.6 12.5 9.22 1842 98.8 4.33 272 9.93 324 6.11 126 2.51 1.58 58.3 0.12 n.i. 2631 910 0.16 216 8.96 15.3 1.74 6.61 12.3 0.30 1.	
	L2_013 black	581 062 261 388 016 053 073 430 012 070 131 281 621 898 964 486 613 478 1811 199 562 381 119 562 388 126 299 189 513 030 n. 833 768 106 771 253 889 562 787 010 189 771 010 189 781 100 18	
	Lz_018 black Lz_021 black	102 054 200 41.4 10; 0259 070 44.8 013 047 (7) 903 444 833 654 153 154 101 1859 101 4.18 275 103 4.18 275 101 328 618 119 249 151 5547 0.12 11, 245 088 019 243 151 547 0.12 11, 245 119 249 151 5547 012 11, 245 119 249 151 554 124 144 144 145 154 154 154 154 154 154 15	
High lead	K_013 yellow	L48 006 035 27A 038 0.6 0.08 0.37 0.01 0.00 0.14 693 81.9 10943 ni. 265 3.39 1266 418 0.41 414 ni. 155 0.61 460 0.23 0.6 19.6 0.25 ni. 1151 1673 ni. 143 0.85 1.42 0.16 0.67 0.11 ni. 0.06 0.	
	Lz_012 yellow	0.02 0.02 3.52 12.7 0.50 0.01 0.00 1.52 0.19 0.00 1.42 70.9 0.61 181 387 9.53 17.4 3359 4.92 2.94 59.5 n.i 90.5 7.81 86.4 3.45 0.20 0.22 0.62 n.i 61.789 2.777 n.i. 106 13.2 2.00 2.57 10.3 1.91 0.42 1.58 0.	29 1.65 0.32 0.85 0.10 0.75 0.12 2.24 0.24 0.11 n.i. 2.55 1.38 n.i.
Mesopotamian	K_001 yellow	11.6 4.12 1.55 55.3 0.53 0.59 2.29 5.83 0.10 0.45 0.82 12.7 11.4 86.3 14.3 56.8 6.63 2.57 16.88 4.76 3.39 1.99 10.4 420 3.99 89.6 1.72 1.41 4.47 0.42 4.55 2.8153 7.03 0.48 147 6.33 12.7 1.37 5.25 1.07 0.22 0.	88 0.13 0.69 0.14 0.41 0.05 0.43 0.06 2.22 0.11 0.33 2.64 1.41 0.63
plant ash	white	136 495 188 608 030 063 122 688 012 068 088 308 143 101 164 874 844 223 133 544 380 259 114 495 470 104 150 200 309 027 143 27859 889 030 174 722 145 153 634 118 031 1.	12 0.16 0.79 0.17 0.44 0.05 0.53 0.07 260 0.13 0.46 1.78 1.63 0.69
	blue	136 399 167 691 015 066 305 533 0.10 0.07 119 0.00 193 109 201 761 732 32.4 1098 2957 9.14 11.5 12.3 478 4.92 869 2.16 3.60 0.88 0.05 1.22 599 2.51 0.21 2.16 7.01 14.4 1.57 6.02 1.21 0.29 1.	.08 0.15 0.86 0.18 0.50 0.07 0.53 0.08 2.16 0.12 0.38 0.05 1.54 0.81
	green	13.6 4.62 1.69 6.43 0.17 0.66 2.78 6.50 0.14 0.05 0.72 0.24 15.5 101 15.9 71.2 97.5 46.6 33519 373 3.28 133 10.4 439 4.62 187 2.14 0.52 8.99 0.09 0.09 809 48.7 0.18 81.6 7.30 13.5 1.54 5.96 1.16 0.25 0.25 0.25 0.25 0.25 0.25 0.25 0.25	
	red K 002 white	136 48 225 617 622 058 261 762 031 081 257 050 110 611 49 20 116 944 179 617 222 422 16888 1181 459 768 129 483 509 107 208 242 418 010 n.i. 4375 431 020 118 778 133 515 56 221 210 029 11 164 491 179 66 107 021 840 401 04 64 01 104 51 197 163 143 402 01 184 129 133 315 700 117 442 113 163 114 149 12	06 0.16 0.86 0.18 0.49 0.08 0.52 0.08 2.56 0.13 0.50 2.39 1.54 0.74
	blue	130 431 L79 505 0L71 002 253 549 0L1 1042 553 549 0L1 1042 557 102 1454 44.0 2L1 354 523 5L3 720 L17 454 4.10 115 165 135 144 7400 11. 1942 167 126 143 54 145 165 145 145 145 145 145 145 145 145 145 14	
		s 12.3 3.68 1.88 7L1 0.18 0.69 2.70 5.47 0.15 0.05 1.08 0.04 13.8 84.6 18.0 48.6 926 22.7 957 3001 6.50 1.63 11.6 333 4.52 154 2.22 0.91 0.25 0.07 1.08 179 1.18 0.18 90.8 7.31 14.7 1.61 6.13 1.18 0.25 1.0	
	K_003 blue	14.6 4.60 1.98 66.9 0.18 0.66 2.97 6.34 0.12 0.12 0.95 0.01 14.7 105 17.2 4.90 664 2.3.4 4.92 1667 5.82 10.5 11.4 4.54 4.64 1.25 1.91 1.12 0.40 0.02 0.91 11.6 0.89 0.16 95.2 7.14 13.4 1.52 6.10 1.17 0.56 1.	
	K_004 yellow K_005 blue	112 45 039 591 000 038 137 556 006 122 031 125 588 664 155 180 556 206 256 448 262 580 107 399 150 705 101 144 114 167 000 1535 278 n. 211 410 724 088 166 704 012 0 147 566 146 60 104 038 151 520 006 123 111 111 115 158 124 170 1524 1270 211 491 261 137 494 481 001 159 136 015 004 085 81 039 013 72 161 116 115 153 124 120 023 0	
	K_007 white	147 300 149 600 Unit Cas 231 344 COS 150 152 COI 246 657 103 544 155 224 1470 221 433 239 157 469 446 105 159 359 CL3 CO4 616 61 416 105 123 247 151 153 247 1670 121 421 435 249 157 455 142 426 245 251 005 145 155 155 155 155 155 155 155 155 15	
	K_012 white		.68 0.10 0.60 0.12 0.34 0.05 0.35 0.06 1.91 0.08 0.14 0.16 1.04 0.39
	K_014 blue	147 589 142 666 0.13 0.59 2.82 5.11 0.08 1.31 0.93 0.04 2.65 870 12.9 2.89 431 190 819 724 4.18 4.94 12.6 468 4.74 120 1.74 3.85 0.36 0.05 1.06 668 1.65 0.12 205 6.34 11.6 1.36 5.48 1.05 0.22 0.	
	K_015 blue	149 55 189 649 015 067 256 607 021 005 114 001 276 112 141 415 226 225 1884 739 122 444 113 524 473 124 129 035 011 581 147 148 026 814 662 122 143 567 110 0230 114 135 144 135 24 135 124 135 124 135 124 135 124 135 124 135 124 135 124 135 124 135 124 135 124 135 124 135 124 124 124 124 124 124 124 124 124 124	
	red blue (orulus	143 4.99 (25) 61.1 (0.5 (0.5 (1.0) (0.5 (1.0	
	white	164 6 436 138 654 0.18 612 78 626 0.12 0.04 0.66 62 120 139 413 297 144 221 292 269 108 470 484 123 0.37 0.37 0.1 n. 1. 15782 619 0.11 856 64 11.13 139 554 10.60 0.1	
	yellow	130 398 203 57.1 0.19 0.68 2.16 6.42 0.12 0.89 0.75 10.9 15.4 105 16.4 51.8 8.73 26.2 350 47.0 3.20 147 10.1 442 4.95 128 2.05 1.87 0.94 0.26 ni. 12856 165 0.12 181 6.25 11.0 1.29 5.24 1.19 0.22 0.	
	K_016 blue	147 6.23 1.41 65.8 0.17 0.57 3.36 5.86 0.08 0.30 0.92 0.03 26.7 93.6 9.67 27.7 1362 245 643 1840 8.66 3.50 14.6 479 4.33 101 1.54 2.24 1.10 0.06 1.51 10.8 1.51 0.14 9.64 6.04 11.2 1.28 4.97 0.97 0.20 0.	
	K_017 yellow K_018 silver(int.)	95 398 092 567 066 051 568 531 064 034 031 043 102 451 551 132 026 172 181 210 146 578 125 316 218 215 050 902 078 n.1 1499 120 210 103 171 934 567 051 219 048 0070 119 451 055 110 210 110 141 151 125 316 219 141 151 145 145 145 145 145 145 145 145	
	K_019 silver	11.9 4.69 1.05 72.1 0.08 0.64 2.22 6.32 0.04 0.46 0.33 0.00 22.9 72.7 10.5 30.8 46.6 24.2 11.0 38.4 2.31 5.79 14.0 340 3.47 44.9 1.31 1.71 0.61 0.02 0.03 40.6 0.50 0.19 132 3.75 6.86 0.80 3.24 0.69 0.14 0.	.55 0.10 0.56 0.11 0.35 0.05 0.35 0.06 1.18 0.09 0.42 1.07 0.53 n.i
	silver (ext.)		
	K_020 silver	119 44 202 (61, 016 038 144 728 009 088 054 000 160 733 155 566 436 774 122 719 291 119 163 321 418 490 172 110 059 006 n. 0.38 0.7 422 168 441 808 097 139 1080 0180 (101 101 101 107) (101 101 107) (101 101 107) (101 101 107) (101 101 107) (101 101 107) (101 101 107) (101 101 107) (101 101 107) (101 107)	
	K_021 silver (int.)	11.7 4/6 128 7/6 0/8 6/2 12 6/51 0/5 0/6 0/7 0/00 21.3 7/8 1/5 2/0 112 299 2/4 8/27 1/4 5/1 3/6 4/6 1.3/15 1/6 1/3 0/4 0/4 1/5 0/55 0/2 1/3 3/9 6/9 4/8 3/3 3/7 1/4 0/4	
) 11.6 4.77 1.38 70.8 0.11 0.57 2.28 6.98 0.06 0.68 0.63 0.01 19.4 60.9 95 22.1 3.69 14.1 9.93 21.2 2.12 1.40 331 3.23 365 1.14 1.72 0.06 0.07 n.i. 0.29 0.09 0.17 131 3.42 6.13 0.72 2.98 0.59 0.12 0.2	
	K_022 yellow	134 5.16 1.28 60.4 010 0.58 2.34 5.20 0.08 1.17 0.45 8.05 201 79.9 156 291 5.78 189 302 279 255 282 11.6 388 4.35 107 1.52 2.19 95 0.37 ni. 1295 7.48 0.03 229 5.77 9.6 1.18 4.66 0.89 0.17 0.	
	K_023 green yellow	141 39 244 655 629 076 293 712 011 007 063 004 126 116 121 498 255 219 0040 311 321 898 155 470 457 550 182 07 399 030 017 24 224 022 136 542 98 155 460 90 221 0 12 271 205 566 020 65 210 65 106 660 09 080 161 21 73 581 134 507 444 283 287 281 310 817 121 87 412 531 402 195 157 006 1. 2455 56 00 164 241 90 107 107 427 090 188 0	
	colourless	14.1 4.06 3.96 62.5 0.40 0.09 2.35 9.89 0.22 0.09 1.48 0.00 10.6 150 2.13 121 5.33 4.12 4.97 5.32 4.83 0.87 12.3 471 7.18 100 3.36 0.46 1.49 0.11 0.01 2.90 0.14 0.16 140 9.16 17.1 197 7.76 160 0.37 1.	
	red	140 347 307 614 032 066 247 8.30 0.16 0.50 2.28 0.85 12.3 113 188 855 6.20 388 15290 660 4.15 42.7 13.8 434 5.86 77.7 2.51 1.59 6.30 0.13 ni. 3434 31.6 0.19 158 7.26 13.1 1.56 6.22 1.29 0.30 1/2	
	green-blue white	139 129 230 651 039 079 135 590 010 007 065 010 129 115 112 503 241 224 24940 349 318 618 161 455 418 508 176 051 669 002 064 255 232 020 115 517 962 115 453 090 1021 0 164 232 127 64 20 507 270 675 010 08 066 097 110 107 160 572 479 242 944 316 347 706 143 404 428 503 1070 247 344 n. n. i 19174 169 011 112 457 103 103 007 020 0	75 0.11 0.74 0.15 0.41 0.06 0.43 0.07 1.35 0.12 0.05 2.81 1.27 0.57 84 0.13 0.70 0.16 0.41 0.05 0.46 0.07 1.48 0.12 0.13 0.73 1.31 0.58
	K 024 red	140 3.1 2.1 44 4.2 0.17 2.1 57 50 0.1 0.66 4.06 9.1 10 107 10.0 57.4 4.7 24. 59 3.0 5.47 7.60 14.5 4.68 51 10.2 57 1.2 0.1 2.5 3.48 1.65 51 10.2 57 52 0.1 57.5 1.4 1.5 5.5 51 4.4 1.5 51 51 4.5 51 51 4.5 51 51 4.5 51 51 51 51 51 51 51 51 51 51 51 51 51	
	green	15.1 4.83 1.86 63.4 0.24 0.67 2.77 6.84 0.12 0.05 0.95 0.10 19.1 110 14.9 57.4 25.3 33.1 22380 228 3.23 81.4 11.1 456 4.51 101 1.99 0.75 8.14 0.11 n.i. 589 25.5 0.19 86.3 7.45 14.1 1.57 6.11 1.13 0.25 0.25	96 0.14 0.82 0.16 0.43 0.06 0.47 0.07 2.48 0.12 0.06 2.53 1.47 0.76
	white	14.0 5.25 1.76 62.5 0.18 0.63 2.60 7.05 0.11 0.67 0.66 0.30 20.3 975 16.3 50.6 7.20 29.8 109 32.8 3.12 5.46 11.7 521 4.36 102 190 2.01 0.48 0.08 n.i. 33015 5.13 0.22 150 7.02 13.2 1.49 5.68 1.10 0.22 0.	
	yellow	132 48 167 626 617 666 528 646 6120 648 529 561 177 557 160 423 555 197 515 544 366 793 107 484 431 942 175 172 650 014 n. 954 956 018 110 697 128 144 602 111 0220 14 14 152 111 0220 154 154 154 154 154 154 154 154 154 154	
	blue op	147 352 157 668 024 073 112 632 012 018 153 0104 168 103 155 437 305 309 1768 781 460 117 424 443 100 188 154 008 108 136 112 41 134 136 1160 120 01	
	K_028 silver (int.)	14.3 4.41 1.93 662 0.24 0.67 2.93 7.32 0.11 1.00 0.74 0.01 16.4 105 17.1 46.4 108 21.9 60.7 54.6 3.27 3.09 13.8 468 4.73 80.6 1.88 2.59 0.63 0.03 0.01 3.78 1.13 0.19 183 7.27 13.7 15.3 5.95 1.12 0.25 0.	89 0.14 0.82 0.17 0.45 0.07 0.49 0.07 2.03 0.12 0.35 0.02 1.53 0.72
	silver (ext.)	1 14.7 4.65 1.88 65.5 0.18 0.59 2.88 7.55 0.11 1.05 0.74 0.01 13.2 117 17.0 43.4 9.98 21.8 58.8 57.9 3.56 2.44 13.0 469 4.50 7.86 1.93 2.57 0.66 0.02 0.01 4.78 1.65 0.14 177 7.35 13.2 1.48 5.80 1.09 0.23 0.2	
	-	167 155 152 675 622 097 168 160 117 197 116 151 128 134 633 159 129 221 001 004 553 889 0.4 105 567 002 0.11 154 143 154 129 236 266 111 112 883 344 613 151 129 236 125 129 236 126 112 128 374 613 159 120 106 533 889 0.14 105 567 002 112 0.14 115 119 266 263 111 129 344 613 129 349 613 159 120 110 110 110 110 110 110 110 110 110 110 110 111 110 111 110 111 110 111 110 111 110 111 110 111<	
	yellow red	124 35 2.55 555 0.0 (1/ 2.17 /19) 0.11 1.12 0.76 1.18 154 143 149 49/ 421 644 106 46/ 391 151 120 349 49/ 44/ 4.01 2.07 112 0.14 n. 1519 162 0.05 164 642 155 141 5555	
	green	139 359 251 622 0.29 0.74 2.41 7.57 0.13 0.65 0.95 1.75 139 123 160 53.3 6.49 35.1 18908 60.7 3.65 74.2 12.3 481 5.47 82.6 2.27 1.41 9.82 0.06 ni. 5703 38.2 0.20 151 7.45 13.4 1.56 6.11 1.25 0.28 0.	
		en 134 378 286 614 022 075 225 8.89 0.15 0.68 0.99 3.12 13.6 126 185 544 503 334 7679 654 401 325 11.3 528 567 870 2.49 159 4.32 0.09 ni. 7550 215 0.19 155 8.00 151 1.72 6.55 1.26 0.29 1	
	white K 033 blue	141 398 222 644 026 078 258 762 0.10 083 068 027 119 118 160 394 534 245 552 349 388 744 127 531 485 712 130 206 063 0.01 ni 1558 286 081 51 663 125 147 547 115 017 0 31 392 186 69 30 081 347 760 012 030 150 083 146 01 555 352 169 351 159 217 860 883 121 449 99 241 470 99 092 147 107 057 008 170 77 107 120 110 837 156 177 662 100 027 0	90 0.14 0.87 0.19 0.54 0.05 0.49 0.05 2.02 0.12 0.13 3.34 1.53 0.68 98 0.16 0.83 0.18 0.48 0.07 0.52 0.08 2.26 0.13 0.10 0.11 1.71 0.74
	violet		.98 0.16 0.83 0.18 0.48 0.07 0.52 0.08 2.26 0.13 0.10 0.11 1.71 0.74 .29 0.22 1.24 0.27 0.63 0.11 0.68 0.10 2.36 0.15 0.46 0.34 1.98 0.99
	white	121 463 134 634 0.15 0.55 2.70 5.50 0.08 1.14 045 2.26 184 739 133 31.1 7.79 269 689 293 2.88 371 134 409 4.52 110 1.65 1.06 1.24 0.15 n. 43766 447 0.15 157 668 11.8 1.34 5.35 0.99 0.21 0.	.89 0.14 0.77 0.17 0.45 0.07 0.47 0.08 2.67 0.11 0.55 5.49 1.65 0.63
	K_034 bleu	141 4.67 2.16 65.0 0.55 0.64 2.84 7.20 0.13 0.93 1.30 0.09 2.03 103 189 53.5 1110 3.0 780 2387 7.85 7.34 13.2 487 5.46 112 2.26 1.92 2.09 0.08 1.85 2.82 5.35 0.21 193 8.03 15.3 1.63 6.41 1.24 0.27 1.	
	Lz_002 blue Lz_019 green	162 451 154 653 023 076 251 663 031 005 080 001 155 115 149 005 643 100 173 154 531 165 129 153 1466 157 120 104 014 005 086 247 265 037 109 657 123 144 531 104 123 0 123 459 155 69 105 105 155 140 100 53 140 165 115 137 150 127 101 123 041 153 171 1137 041 170 417 041 170 147	
	sz_015 green		
Levantine soda	K_008 green	166 222 314 614 060 108 423 528 035 031 169 160 347 200 175 140 562 226 3934 448 535 265 340 550 7.98 599 291 0.09 545 0.10 n.i. 1923 12.4 0.99 188 119 228 249 946 187 0.34 1.	68 0.23 1.31 0.28 0.71 0.10 0.75 0.10 1.59 0.21 0.15 12.8 3.93 1.06
ash	K_009 green	17.4 3.04 4.07 60.8 0.51 1.18 4.42 4.61 0.20 0.36 1.77 0.03 3.68 214 22.9 18.2 7.79 3.62 10823 62.9 6.75 11.5 48.4 449 10.2 98.7 3.85 0.73 15.9 0.44 0.02 19.4 6.93 1.16 178 15.9 30.3 3.34 12.9 2.55 0.44 2.	41 0.33 1.75 0.36 0.98 0.14 1.00 0.14 2.60 0.29 0.19 1.10 5.63 2.31
	K_010 green	17.1 3.26 3.46 58.0 0.63 1.11 4.36 4.95 0.16 0.13 5.85 0.02 36.7 217 21.3 10.4 12.8 32.1 5635 52.9 6.13 32.0 4.88 481 17.1 63.2 3.02 0.36 0.96 0.26 0.08 20.5 13.1 0.99 127 16.2 27.9 3.13 12.5 2.41 0.54 2.	42 0.36 2.08 0.46 1.23 0.17 1.17 0.17 1.70 0.23 0.15 2.02 4.26 1.29
	K_011 violet	192 309 307 61.1 652 139 173 511 015 066 175 002 336 222 182 118 737 132 1967 450 543 422 32.8 472 830 632 278 0.53 145 108 001 23.1 2.33 095 178 12.0 22.5 2.44 9.19 1.90 0.34 1.	76 0.23 1.39 0.29 0.72 0.10 0.77 0.11 1.66 0.21 0.15 0.39 3.77 1.14
	liturgical vessels		
	K_025 white	703 199 036 500 015 070 1.14 691 0.11 0.05 0.28 200 3.59 539 4.45 3.65 7.08 297 823 3.17 1.17 275 7.12 256 3.83 316 2.09 0.39 0.45 0.07 1.98 87913 1.00 0.12 50.8 4.59 8.09 0.95 3.67 0.72 0.07 0.	
	blue	123 347 0.64 668 0.28 0.01 203 113 0.16 0.45 0.80 0.15 7.68 846 8.00 102 826 192 1857 1280 2.37 8.00 120 460 5.76 445 200 0.85 0.75 0.10 366 8.07 55 0.17 198 6.76 123 1.42 5.61 1.00 0.20 0.	91 0.15 0.84 0.19 0.57 0.09 0.68 0.12 9.76 0.20 0.27 0.40 1.56 0.61

Table 2 LA-ICP-MS data of the Lezha and Komani samples. Major and minor oxides [wt%], including chlorine, and trace elements [ppm]; *n.i.* not identified

(Henderson 2003a). It has been argued that these might be the result of experimentation (Henderson et al. 2004).

Some of the colourants represented among the plant-ash glass beads similarly confirm the chronological and geographical attribution of the groups. The cobalt in the blue beads is strongly correlated with zinc (Fig. 8). This type of zinc-rich cobalt is generally associated with Islamic glass making (Gratuze et al. 1992; Henderson 2003b; Wood 2012) and has been identified among the early Islamic glass from Tyre (Freestone 2002) and the al-Barsa beads (Robertshaw et al. 2010). The yellow and greenish yellow samples contain lead stannate pigments that occasionally




Fig. 5 Potassium versus magnesium oxide concentrations, distinguishing the glasses according to the fluxing agents used

show an increase in arsenic and antimony (Table 2). This type of lead stannate was previously identified in a set of Merovingian beads and in some tesserae from Durres (Neri et al. 2017).

The metal sandwich beads are in fact silver leaf glasses (Greiff and Nallbani 2008). They appear golden due to the brownish colour of the glass as a result of elevated manganese concentrations. The violet beads are coloured by manganese associated with iron, whereas the greens are coloured by copper and iron. The iron here is not correlated with titanium, suggesting its voluntary addition as colourant similar to a later Venetian recipe called 'croco di ferro', a combination of oxidised copper and reduced iron (probably iron sulphur) (Moretti 2012).

Liturgical vessels

The four lamp fragments (Fig. 4) are likewise soda ash glasses, representing yet another silica as well as alkali source.




Fig. 6 Calcium and aluminium oxide concentrations of the natron-type glasses, reflecting different silica sources

They have lower magnesium, potassium and phosphorus concentrations than the small group composed of four beads but seem otherwise related. For example, even though they have higher absolute levels of both titanium and zirconium, the ratio between the two elements is similar. They show a similar composition to the glass artefacts from the monastery of Wadi al-Tur on the Sinai Peninsula dated to the ninth or tenth century (Kato et al. 2010).

The spindle-shaped *unguentarium* (K_025) is produced from soda ash glass with low alumina and titanium and higher calcium and zirconium contents. It is coloured with a cobalt colourant associated with indium, zinc and lead, commonly dated to the thirteen century (Gratuze et al. 1992). It has furthermore white filaments opacified with tin oxide, probably added as lead tin calx, a recipe that has been used likewise since the thirteenth century (Mason and Tite 2007).

Discussion

The match between the typological and chemical analyses shows two different traditions, reflecting changes in the commercial networks sometime between the seventh and ninth or tenth century CE (Table 3). The wound beads are produced with natron glass opacified with tin oxide, coloured with a Roman cobalt ore or using lead, iron and manganese to obtain black glass, all suggesting a western production. The drawn beads instead show a Mesopotamian or Levantine soda ash glass signature, opacified with tin oxide, but coloured using cobalt positively correlated with zinc typical of Islamic glasses.

Western beads in the seventh century

As mentioned earlier, the wound beads from Lezha have parallels among sixth- and seventh-century Merovingian and Lombard assemblages. They evidently reflect manufacturing techniques widely practices in western Europe. The lack of drawn segmented beads at Lezha is of particular importance as this appears to provide evidence that Lezha was cut off from the common trade routes through which eastern Mediterranean and Indo-Pacific beads reached western and northern Europe during this period. Similarities with the assemblages from some Danubian necropoleis (Egorkov 2006) and the Ionian coast of Calabria (Corrado and Verità 2012) indicate that local commercial networks were by contrast still flourishing. This may have been a direct result of the political situation in the seventh century, when the Byzantines had lost control of the Balkans, thus restricting the circulation of products due to the rupture of the cultural and political link between Illyricum and the Byzantine East.

The Lezha beads may have been either imported from further west or made regionally. The latter hypothesis is




Fig. 7 Chemical profile of the plant ash glass beads and objects from Lezha and Komani. **a** Lanthanum versus chromium concentration and **b** titanium versus zirconium concentration distinguish different silica sources; **c** phosphorus versus magnesium contents separate the alkali

sources. One data point is shown for each bead, for the metal leaf beads an average was calculated, in the case of the multi-coloured mosaic beads the measurements of the blue glass segments are represented

supported by the presence of the black beads high in iron and lead. Their chemical make-up is notably different from the Merovingian examples that have typically lower lead contents (9–12%) (Poulain et al. 2013; Mathis et al. 2013; Pion and Gratuze 2016). A possible exception are the beads from Maastricht that have on average similar lead concentrations (27%), but lower iron contents (about 1%) (Sablerolles et al. 1997). The black beads from Viminacium and Singidunum also have lead levels comparable to those from Lezha, but with a low iron content (Egorkov 2006). The existence of a different composition for each geographical area implies different, possibly local productions following a common manufacturing technique that made use of iron and lead oxides or metallurgical scrap. The iron and lead contents of the Lezha beads are close to the so-called Slavic potash rich high lead glasses (Steppuhn 1997; Bezborodov 1975), whereas they are clearly distinct from other medieval central European lead glasses (Mecking 2013) or from Islamic soda ash lead glass found in medieval Spain (Duckworth et al. 2015; de Juan Ares and Schibille 2017).




Fig. 8 Correlation between cobalt and zinc in the blue beads of likely Mesopotamian origin

Re-use of ancient beads

Three colourless wound beads from Komani found in ninth- to tenth-century graves were produced probably from cullet of older natron-type glass. The spherical wound bead with oculi (K 026) represents an exception in that it was made from a combination of sixth- to seventh-century Foy-2 type glass. decorated with a white glass of Egypt II characteristics, usually dated to the eighth or ninth century. Morphologically and compositionally similar beads were included in necklaces retrieved from Slovenian graves, where they typically assume a prominent position (Šmit et al. 2012). It is tempting to speculate that these re-used glass beads represent an heirloom passed down through generations. Respect for ancestors and its open display was an intrinsic trait of the conservative culture and local customs of the Balkans (Nallbani 2002). In fact, symbolic objects that once belonged to earlier generations are often found in the context of dressed inhumations, because burials were supposed to exhibit the identity of the deceased (Bougard et al. 2005). As specified in some Lombard wills, parts of necklaces and belts were offered to one's heirs and mounted in new objects (La Rocca 2005).

Long-distance trade in the ninth-tenth century

All the segmented drawn beads, most of the wound beads from Komani and the two medieval ones from Lezha have an Islamic chemical signature typical of glass from Mesopotamia (Henderson 2013). Despite the relative scarcity of archaeological evidence of production sites, the lack of any archaeological record of the production of segmented beads in western Europe (Arveiller-Dulong and Nenna 2011), suggests that these beads were imported from Mesopotamia under Abbasid rule. An Islamic, yet different provenance can be assumed for the cold-cut drawn beads produced with the 'lada method'. These beads have higher alumina, soda and lanthanum contents than the Mesopotamian beads, but less than

Table 3 Comparativ	re analysis of ty	Table 3 Comparative analysis of typology and composition of beads					
		seventh-century beads			ninth- to tenth-century		
Archaeological context		Lezha, T50, T146, T157			Komani, T319, T321, T340, T375, US1011, US1012, Lezha T34	5, US1011, US1012, Le	zha T34
Technology		Wound bead	Black wound beads Ovoidal	Trilobed	Wound beads Drawn segmented	Drawn, cold-cut (''lada" method)	Colourless Wound beads
Chemical signature	Base glass	Natron glass (Foy 2, Roman Sb, cullet)	Recycled natron glass (Foy 2)		Mesopotamian soda ash glass	Levant soda ash	Recycled natron glass+ Egypt II
	Colourants	White: Cassiterite (SnO)	Lead iron	Lead iron Manganese	White:	Green:	
	Opacifiers	Yellow: Lead stannate (PbSn)	(PbO, Fe ₂ O ₃)	(MnO)	Cassiterite (SnO) Yellow:	Copper-iron Purple:	
		Blue: Cobalt-nickel			Lead stannate Lead stannate	manganese	
		Green: Copper			with arsenic Blue:		
Provenance		Western or local production	Local production?	Local production?	Cobalt-zinc Mesopotamian area	Levantine area	Local production or re-use

Indo-Pacific 'lada beads' (Pion and Gratuze 2016). This combination of a Near Eastern soda-rich plant ash signature with the 'lada technique' has not been previously identified, and possibly reflects the transfer of secondary working techniques from India to the Abbasid caliphate.

The presence of Islamic beads in south-western Illyricum during the ninth century testifies to a renewed commercial and cultural connectivity of the Balkans after the region had again come under Byzantine dominion (Cheynet 2006; Fine 1983). Similar observations had been made with respect to the ceramic finds from Butrint (Vroom 2008; Hodges et al. 2009; McCormick 2007). What is more, the exclusiveness of Islamic beads among the ninth- and tenth-century finds reinforces the idea of an Islamic monopoly (Callmer 1977). Textual sources, for example, recount how Arab merchants sold beads for one *dirham* apiece to the Vikings on the Volga in 922 CE (Simonsen 1981; Ahmad ibn Fadlan, *Risala*, 80–92). The evidence from Lezha and Komani confirm the wider currency of Islamic beads and the strategic position of the Balkans might in fact have been an important vector for this trade.

Lamps and unguentarium

The chemical characteristics of the four vessel fragments reflect yet another source of supply. Compositionally, they resemble some Byzantine artefacts from a Coptic monastery on the Sinai Peninsula (Kato et al. 2010). Typologically the closest parallels for the snake trailed and large beaker lamps are found among middle Byzantine vessels, particularly from Thessaloniki, where secondary production workshops for this type of vessels have been identified (Antonaras 2008, 2010b).

The spindle-shaped unguentarium from Komani can be attributed to a post-thirteenth-century date, due to the very distinct cobalt source and opacification used. Cobalt associated with zinc and indium derives most certainly from the mines in Freiberg that were exploited above all between 1168 and 1250 (Seccaroni and Haldi 2016), while the lead tin calx technique was known since the thirteenth century (Mason and Tite 2007). This vessel is an imitation of an Abbasid typology that was particularly popular in the later Byzantine period (Antonaras 2008). The unusually high zirconium content excludes a Venetian provenance, meaning the unguentarium was either locally produced or imported from the eastern Mediterranean.

Conclusion

The glass beads recovered from Lezha and Komani share characteristics of roughly contemporary bead assemblages from Europe and the Middle East. Specifically, the seventhcentury samples from Lezha reflect compositional and typological trends comparable to western Europe, while the beads

from Komani, dating to the ninth and tenth century, are clearly associated with Islamic bead making and a Mesopotamian supply. The earlier assemblage from Lezha is at the same time readily distinguished from those of other European sites in that no long-distance imports are evident. This chronological development mirrors wider economic and political changes in the region. During the Slavic occupation in the seventh and eighth century, Illyricum appears to be relatively isolated and cut off from the main trade routes connecting the eastern Mediterranean with western Europe. This is all the more astonishing, since the Balkans occupy a central strategic position along the traditional sea routes. The situation changes with the re-conquest of the Illyricum by the Byzantines in the ninth century, when long-distance trade with the Islamic east is revived. It also shows that Byzantium acted as a mediator for the exchange of beads, making the main trade axes in the Blakans safer. The Islamic beads arriving in Komani probably served a representative purpose analogous to Slavic customs more generally. These beads were after all grave goods, reflective of the cultural identity and status of the deceased. Islamic beads were evidently sought-after products and have dominated the Mediterranean and European market from Scandinavia to Morocco during the ninth and tenth century. This is in clear contrast to the ecclesiastical lighting devices recovered from Komani that are proposed to have been sourced from a Byzantine context instead.

Acknowledgements The fieldwork for this study was supported by the Franco-Albanian mission at Komani and Lezha (director Etleva Nallbani, CNRS, UMR 8167, Orient & Méditerranée). Etleva Nallbani is thanked for her generous support in this work, for the data concerning the archaeological context, the samples and the permission to reproduce Fig. 2. We also thank Didier Dubois for the photos used in Figs. 2 and 3.

Funding information This project has received funding from the European Research Council (ERC) under the European Union's Horizon 2020 research and innovation programme (grant agreement no. 647315 to NS). The funding organisation had no influence in the study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Open Access This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (http://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made.

References

Antonaras A (2008) Glass lamps of the roman and early Christian period. Evidence from the Thessaloniki area. In: Roman CA, Gudea N (eds) Lychnological acts 2. Acts of second International Congress on Ancient and Middle Age Lighting Devices. Trade and Local Production of Lamps from the Prehistory until the Middle Age. Mega, Cluj Napoca, pp 23–30

- Antonaras A (2010a) Glass-working activities in late roman and early Christian Thessaloniki: local workshops and vessels. In: Drauschke J, Keller D (eds) Glass in Byzantium: production, usage, analyses, international workshop (Mainz, 17–18 January 2008). Römisch-Germanisches Zentralmuseum, Mainz, pp 93–105
- Antonaras A (2010b) Early Christian and byzantine glass vessels: forms and uses. In: Daim F, Drauschke J (eds) Byzanz – das Römerreich im Mittelalter, 1: Welt der Ideen. Welt der Dinge. Schnell & Steiner, Mainz, pp 383–430
- Arveiller-Dulong V, Nenna MD (2011) Les verres antiques du musée du Louvre, 3. Parures, instruments et éléments d'incrustation. Musée du Louvre, Paris
- Bavant B (2004) L'Illyricum. In: Morrisson C (ed) Le monde byzantin. I. L'Empire romain d'Orient. PUF, Paris, pp 307–351
- Bezborodov MA (1959) Glasherstellung bei den slawischen Völkern an der Schwelle des Mittelalters, Wissenschaftliche Zeitschrift der Humboldt-Universität zu Berlin 8:187–193
- Bezborodov MA (1975) Chemie und Technologie der antiken und mittelalterlichen Gläser. Von Zabern, Mainz
- Bougard F, La Rocca C, Le Jan R (2005) Sauver son âme et se perpétuer. Transmission du patrimoine et mémoire au haut Moyen Age. École Française de Rome, Rome
- Brill RH (2009) Chemical analyses of early glasses. In: Bass GF, Brill RH, Lledó B, Matthews SD (eds) Serçe Limani, volume II: the glass of an eleventh-century shipwreck. Texas A&M University Press, College Station, pp 459–496
- Calligaro T, Périn P (2013) Route des grenats 3, Inde, Tamil Nadu, août 2013: note sur l'origine géologique des grenats utilisés par les orfèvres du haut Moyen Âge occidental. Bulletin de liaison de l'Association française d'Archéologie mérovingienne 37:125–131
- Callmer J (1977) Trade beads and bead trade in Scandinavia ca. 800– 1000 A.D. Acta Archaeologica Lundensia, 4, 11. Habelt, Bonn
- Callmer J, Henderson J (1991) Glass-working at Ahus, southern Sweden (eighth century AD). Lab Arkeol 5:143–154
- Cavalieri M, Giumlia-Mair A (2009) Lombardic Glassworking in Tuscany. Mater Manuf Process 24(9):1023–1032
- Ceglia A, Cosyns P, Nys K, Terryn H, Thienpont H, Meulebroeck W (2015) Late antique glass distribution and consumption in Cyprus: a chemical study. J Archaeol Sci 61:213–222
- Cheynet JC (2006) Les Balkans. In: Cheynet JC (ed) Le monde byzantin II. L'empire byzantin (641-1204). PUF, Paris, pp 457-471
- Cholakova A, Rehren T, Freestone IC (2016) Compositional identification of 6th c. AD glass from the Lower Danube. J Archaeol Sci: Rep 7:625–632
- Corrado M (2012) Il confronto con un sito Bizantino. Cropani (CZ), loc. Basilicata. In: Giostra C, Lusuardi Siena S (eds) Archeologia medievale a Trezzo sull'Adda. Il sepolcreto longobardo e l'oratorio di S. Martino; le chiese di S. Stefano e S. Michele in Sallianense. Vita e Pensiero, Milan, pp 382-384
- Corrado M, Verità M (2012) Le perle vitree policrome dalla Calabria altomedievale: indagini archeologiche e scientifiche. In: Coscarella A (ed) Il vetro in Italia: testimonianze, produzioni, commerci in età basso medievale. Università della Calabria, Cosenza, pp 465–476
- Duckworth C, Cordoba de Llave E, Faber W, Govantes Ewards DJ, Henderson J (2015) Electron microprobe analysis of 9th -12th c. Islamic glass from Córdoba. Spain Archaeom 57(1):27–50
- Dussubieux L, Kusimba CM, Gogte V, Kusimba SB, Gratuze B, Oka R (2008) The trading of ancient glass beads: new analytical data from south Asian and east African soda-alumina glass beads. Archaeometry 50:797–812
- Dussubieux L, Soedewo E (2016) The glass beads of Kampai Island. Sumatra, Archaeol Anthropol Sci. https://doi.org/10.1007/s12520-016-0438-5
- Egorkov A (2006) Annexe. L'analyse de perles de Singudunum et de Viminacium par la spectroscopie optique d'émission. In: Ivanišević V, Kazanski M, Mastykova A (eds) Les nécropoles de

Viminacium à l'époque des grandes migrations. Association des Amis du Centre d'Histoire et Civilisation de Byzance, Paris, pp 106–117

- Fine JVA (1983) The early medieval Balkans: a critical survey from the sixth to the late twelfth centuries. University of Michigan Press, Ann Arbor
- Foy D, Picon M., Vichy M, Thirion-Merle V (2003) Caractérisation des verres de la fin de l'Antiquité en Méditerranée occidentale: l'émergence de nouveaux courants commerciaux. In: Foy D, Nenna MD (eds) Échanges et commerce du verre dans le monde antique: actes du colloque de l'Association française pour l'archéologie du verre, Aix-en-Provence et Marseille, 7–9 juin 2001. Mergoil, Montagnac, pp 41–85
- Francis P Jr (1990) Glass beads in Asia, part two: Indo-Pacific beads. Asian Perspect 29(1):1–23
- Francis P Jr (2002) Asia's maritime bead trade—300 B.C. to the present. University of Hawai'i Press, Honolulu
- Francis P Jr (2004) Beads and selected small finds from the 1989–92 excavations. In: Begley V (ed) The ancient port of Arikamedu: new excavations and researches 1989–1992, volume 2 (Mémoires Archéologiques 22/2). École Française d'Extrême-Orient, Paris, pp 447–607
- Freestone IC (2002) Composition and affinities of glass from the furnaces on the island site, Tyre. J Glass Stud 44:67–77
- Giesler-Müller U (1992) Das frühmittelalterliche Gräberfeld von Basel-Kleinhüningen (Basler Beiträge zur Ur- und Frühgeschichte, 11B). Schwabe, Derendingen
- Giostra C (2012) Le perle vitree. Studio tipologico e analisi archeometrica a confronto. In: Giostra C, Lusuardi Siena S (eds) Archeologia medievale a Trezzo sull'Adda. Il sepolcreto longobardo e l'oratorio di S. Martino; le chiese di S. Stefano e S. Michele in Sallianense. Vita e Pensiero, Milan, pp 379-382
- Gratuze B (2016) Analysis of vitreous archaeological materials by LA-ICP-MS. In: Dussubieux L, Golitko M, Gratuze B (eds) Recent advances in laser ablation ICP-MS for archaeology. Springer, Berlin-Heidelberg, pp 137–139
- Gratuze B, Barrandon JN (1990) Islamic glass weights and stamps: analysis using nuclear techniques. Archaeometry 32:155–162
- Gratuze B, Soulier I, Barrandon JN, Foy D (1992) De l'origine du cobalt dans les verres. Rev Archéom 16:97–108
- Gratuze B, Foy D, Lancelot J, Tereygeol F (2003) Les 'lissoirs' carolingiens en verre au plomb: mise en évidence de la valorisation des scories issues du traitement des galènes argentifères de Melle (Deux Sèvres). In : Foy D, Nenna MD (eds) Échanges et commerce du verre dans le monde antique, actes du colloque de l'AFA (Aix-en-Provence, Marseille, 7–9 juin 2001). Mergoil, Montagnac, pp 101– 107
- Greiff S, Nallbani E (2008) When metal meets beads. Technological study of early medieval foil beads from Albania. Mélanges de l'Ecole Française de Rome Moyen Age 120(2):355–375
- Heck M, Rehren T, Hoffmann P (2003) The production of lead-tin yellow at Merovingian Schleitheim (Switzerland). Archaeometry 45:33–44
- Henderson J (2003a) Glass trade and chemical analysis: a possible model for Islamic glass production. In: Foy D, Nenna MD (ed) Echanges et commerce du verre dans le monde antique (Actes du colloque de l'AFAV, Aix-en-Provence et Marseille, 7–9 juin 2001): 109–123
- Henderson J (2003b) Localised production or trade? Advances in the study of cobalt blue and Islamic glasses in the Levant and Europe.
 In: Van Zeist L (ed) Patterns and processes: a festschrift in honor of Dr. Edward V. Sayre. Smithsonian Institution Press, Washington D.C., pp 227–245
- Henderson J (2013) Ancient glass, an interdisciplinary exploration. Cambridge University Press, New York
- Henderson J, Allan JW (1990) Enamels on Ayyubid and Mamluk glass fragments. Archaeomaterials 4:167–183

- Henderson J, McLoughlin S, McPhail D (2004) Radical changes in Islamic glass technology: evidence for conservatism and experimentation with new glass recipes from early and middle Islamic Raqqa, Syria. Archaeometry 46:439–468
- Henderson J, Chenery S, Faber E, Kröger J (2016) The use of electron probe microanalysis and laser ablation-inductively coupled plasmamass spectrometry for the investigation of 8th–14th century plant ash glasses from the Middle East. Microchem J 128:134–152
- Hodges R, Kamani S, Logue M, Vroom J (2009) The sack of Butrint c. AD 800. Antiquity 83:320
- Ivanišević V, Kazanski M, Mastykova A (2006) Les nécropoles de Viminacium à l'époque des grandes migrations (Monographies du Centre de Recherche d'Histoire et Civilisation de Byzance, 22). Association des Amis du Centre d'Histoire et Civilisation de Byzance, Paris
- Jackson CM (2005) Making colourless glass in the Roman period. Archaeometry 47:761–780
- Jennings S (2010) A Group of Glass ca. 800 A.D. from Tower 2 on the Western Defences, Butrint, Albania. In: Drauschke J, Keller D (eds) Glass in Byzantium: production, usage, analyses, international workshop (Mainz, 17–18 January 2008). Römisch-Germanisches Zentralmuseum, Mainz, pp 225–236
- de Juan Ares J, Schibille N (2017) Glass import and production in Hispania during the early medieval period: the glass from Ciudad de Vascos (Toledo). PLoS One 12(7):e0182129. https://doi.org/10. 1371/journal.pone.0182129
- Kanungo A (2004) Glass beads in ancient India: an ethnoarchaeological approach (BAR 1242). British Archaeological Reports, Oxford
- Kato N, Nakai I, Shindo Y (2010) Transitions in Islamic plant ash glass vessels: on-site chemical analyses conducted at the Raya/Al Tur area on the Sinai Peninsula, Egypt. J Archaeol Sci 37:381–1395
- Koleini F, Prinsloo LC, Biemond WM, Colomban P, Anh-Tu N, Boeyens JCA, van der Ryst MM (2016) Towards refining the classification of glass trade beads imported into southern Africa from the 8th to the 16th century AD. J Cult Herit 19:435–444
- Koch U (1977) Das Reihengräberfeld bei Schretzheim (Germanische Denkmäler der Völkerwanderungszeit, A, 13). Gebr. Mann Verlag, Berlin
- La Rocca C (2005) Rituali di famiglia: pratiche funerarie nell'Italia longobarda. In: Bougard F, La Rocca C, Le Jan R (2005) Sauver son âme et se perpétuer. Transmission du patrimoine et mémoire au haut Moyen Age. École Française de Rome, Rome, pp 431–457
- Lemerle P (1980) Invasions et migrations dans les Balkans depuis la fin de l'époque romaine jusqu'au VIIIe s. Revue historique 211 (1954): 265-308. Republished in: Essais sur le monde byzantin (Variorum Reprints), Ashgate, Farnham
- Mason RB, Tite MS (2007) The beginning of tin-opacification of pottery glazes. Archaeometry 39:41–58
- Mathis F, Vrielynck O, Leroy A, Tregouet H, Strivay D (2013) Les perles en verre de la nécropole de Bossut-Gottechain: recettes et fabrication. Oral presentation, XIXe Colloque du Groupe des Méthodes Pluridisciplinaires Contribuant à l'Archéologie, Caen (22–26 avril 2013)
- Moretti C, Hreglich S (1984) Opacizzazione e colorazione del vetro mediante le anime. Rivista della Stazione Sperimentale del Vetro 1:17–22
- Moretti C (2012) La pratica chimica dei vetrai del rinascimento. La preparazione delle materie prime (III e ultima parte). Rivista della Stazione Sperimentale del vetro 6(42):6–30
- McCormick M (2007) Where do trading towns come from? Early medieval Venice and the northern emporia. In: Henning J (ed) Post-Roman towns, trade and settlement in Europe and Byzantium; Vol. 1: the heirs of the Roman West. De Gruyter, Berlin-New York, pp 41-68
- Mecking O (2013) Medieval lead glass in Central Europe. Archaeometry 55(4):640–662

- Mirti P, Pace M, Malandrino M, Negro Ponzi M (2009) Sasanian glass from Veh Ardašīr: new evidences by ICP-MS analysis. J Archaeol Sci 36(4):1061–1069
- Nallbani E. (2002) La "civilisation de Komani" de l'Antiquité tardive au Haut Moyen Age, VIe-IXe s. PhD dissertation, Université Paris I-Panthéon la Sorbonne
- Nallbani E, Gallien V, Buchet L, Julien M, Metalla E (2016a) Lezha [Lissos, Alessio] (Albanie) Ville haute, citadelle et nécropole. Chroniques des activités archéologique de l'École française de Rome-Balkans:1-18, https://doi.org/10.4000/cefr.1625
- Nallbani E, Buchet L, Metalla E (2016b) Komani (Dalmace) Albanie. Deroulement de la campagne 2014. Chroniques des activités archéologique de l'École française de Rome-Balkans:1-28, doi: https://doi.org/10.4000/cefr.1416
- Nenna MD (2014) Egyptian glass abroad. HIMT glass and its markets. In: Bayley J, Jackson C, Keller D, Price J (eds) Neighbours and successors of Rome. Traditions of glass production in use in Europe and the Middle East in the later first millennium AD. Oxbow Books, Oxford, pp 178–193
- Neri E, Gratuze B, Schibille N (2017) Dating the mosaics of the Durres amphitheatre through interdisciplinary analysis. J Cult Herit. https:// doi.org/10.1016/j.culher.2017.05.003
- Pion C (2014) Les perles merovingiennes. Typo-chronologie, fabrication et fonctions. PhD dissertation, Libre Université de Bruxelles
- Pion C, Gratuze B (2016) Indo-Pacific glass beads from the Indian subcontinent in early Merovingian graves (5th–6th century AD). Archaol Res Asia 6:51–64
- Popovic V (1980) Aux origines de la slavisation des Balkans: la construction des premières sklavinies macédoniennes vers la fin du VIe s. Comptes Rendus de l'Académie des Inscriptions 124(1):230–257
- Poulain D, Scuiller Ch, Gratuze B (2013) La parure en verre et en ambre de la nécropole mérovingienne de Saint-Laurent-des-Hommes (Dordogne). Bulletin de l'Association Française de l'Archéologie du Verre:72–79
- Robertshaw P, Benco N, Wood M, Dussubieux L, Melchiorre E (2010) Chemical analysis of glass beads from Medieval Al-Brasa (Morocco). Archaeometry 52(3):355–379
- Sablerolles Y, Henderson J, Dijkman W (1997) Early medieval glass bead making in Maastricht (Jodenstraat 30), The Netherlands. An archaeological and scientific investigation. In: von Freeden U, Wieczorek A (eds) Perlen. Archäologie. Techniken. Analysen. Akten des Internationalen Perlensymposiums in Mannheim vom 11. bis 14. November 1994 (Kolloquien zur Vor- und Frühgeschichte, 1). Habelt, Bonn, pp 293-313, pl 25-26

- Schibille N (2011) Supply routes and the consumption of glass in first millennium CE Butrint (Albania). J Archaeol Sci 38:2939–2948
- Schibille N, Meek A, Tobias B, Entwistle C, Avisseau-Broustet M, Da Mota H, Gratuze B (2016) Comprehensive chemical characterisation of Byzantine glass weights. PLoS One 11(12):e0168289. https://doi.org/10.1371/journal.pone.0168289
- Schibille N, Sterrett-Krause A, Freestone IC (2017) Glass groups, glass supply and recycling in Late Roman Carthage. Archeol Anthropol Sci 9:1223–1241. https://doi.org/10.1007/s12520-016-0316-1
- Seccaroni C, Haldi JP (2016) Cobalto, zaffera, smalto dall'Antichità al XVIII secolo. ENEA, Rome
- Shortland A, Rogers N, Eremin K (2007) Trace element discriminants between Egyptian and Mesopotamian Late Bronze Age glasses. J Archaeol Sci 34(5):781–789
- Simonsen JB (1981) Vikingerne ved Volga. Wormianum, Højbjerg
- Šmit Z, Knific T, Jezeršek D, Istenic J (2012) Analysis of early medieval glass beads—glass in the transition period. Nucl Inst Methods Phys Res B 278:8–14
- Sode T (2004) Glass bead making technology. In: Bencard M, Rasmussen AK, Madsen HB (eds) Ribe excavations 1970–76, 5 (Jutland Archaeological Society Publications, 46), Aarhus University Press, Aarhus, pp 83–102
- Steppuhn P (1997) Bleiglasperlen des frühen und hohen Mittelalters in Nordeuropa. In: von Freeden-Wieczorek U (ed) Perlen. Archäologie. Techniken. Analysen. Akten des Internationalen Perlensymposiums in Mannheim vom 11. bis 14. November 1994, Bonn, 1997 (Kolloquien zur Vor- und Frühgeschichte, 1). Habelt, Bonn, pp 203–209
- Steppuhn P (1998) Die Glasfunde von Haithabu (Berichte über die Ausgrabungen in Haithabu, 32). Wachholtz, Neumünster
- Tite M, Pradell T, Shortland A (2008) Discovery, production and use of tin-based opacifiers in glasses, enamels and glazes from the late iron age onwards: a reassessment. Archaeometry 50:67–84
- Verità M (2012) Perle vitree dalle necropoli longobarde in Italia. Natura dei materiali e tecniche di lavorazione. In: Lusuardi Siena S, Giostra C (eds) Archeologia medievale a Trezzo sull'Adda. Il sepolcreto longobardo e l'oratorio di San Martino; le chiese di S. Stefano e di San Michele in Sallianense. Vita e Pensiero, Milan, pp 355-378
- Vroom J (2008) Dishing up history. Early medieval ceramic finds from the Triconch palace in Butrint. In: Mélanges de l'Ecole Française de Rome – Moyen Age, 120/2:291–305
- Wood M (2012) Interconnections. Glass beads and trade in southern and eastern Africa and the Indian Ocean—7th to 16th centuries AD (Studies in Global Archaeology 17). University of Uppsala, Uppsala