



Beta-hydroxy-beta-methylbutyrate supplementation prevents muscle atrophy and aerobic fitness decrease induced by hindlimb suspension in mice

Thomas Brioché, Rémi Demangel, Allan Pagano, Damien Martin, Maria Fernanda de Torres, Rémi Roumanille, Anne Bonnieu, Guillaume Py, Angèle Chopard

► To cite this version:

Thomas Brioché, Rémi Demangel, Allan Pagano, Damien Martin, Maria Fernanda de Torres, et al.. Beta-hydroxy-beta-methylbutyrate supplementation prevents muscle atrophy and aerobic fitness decrease induced by hindlimb suspension in mice. 36. Annual Meeting of the International Society for Gravitational Physiology, Jun 2015, Ljubljana, Slovenia. hal-01837636

HAL Id: hal-01837636

<https://hal.science/hal-01837636>

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Beta-hydroxy-beta-methylbutyrate supplementation prevents muscle atrophy and aerobic fitness decrease induced by hindlimb suspension in mice

Thomas Brioché, Rémi Demangel, Allan Pagano, Damien Martin, Maria Fernanda Aranda, Rémi Roumanille, Anne Bonnieu, Guillaume Py & Angèle Chopard
Université de Montpellier, INRA, UMR866 Dynamique musculaire et métabolisme, Montpellier, France

Contact: thomas.brioché@gmail.com

Introduction. Long-term spaceflight induces hypokinesia and hypodynamia, which, together with microgravity per se, result in a number of physical alterations, such as muscle atrophy, force reduction, balance and coordination impairment, and aerobic fitness decrease. Each of these adaptations could turn to serious health deterioration during the long-term spaceflight needed for planetary exploration or when returning on earth. Currently, numerous countermeasures have been tested (resveratrol, leucine, exercise, etc.), but none showed a total efficiency. Beta-hydroxy-beta-methylbutyrate (HMB), a leucine metabolite, has been described in normal condition to increase aerobic fitness and prevents muscle atrophy during cancer. We hypothesized that HMB could be used as a nutritional countermeasure to prevent physical deconditioning in hindlimb unloaded mice.

Methods. Mature (14 weeks) C56Black6J male mice were hindlimb-unloaded (HU) or kept ambulatory for 14 days. Mice were provided either HMB (250mg/kg body mass per day) or deionized distilled water by oral gavage for 21 days (7 days prior to and during the 14 days of HU). Aerobic fitness was evaluated by a treadmill incremental test, and a multiple static rod test assessed coordination and balance. Muscle fibre cross-sectional area (CSA) was determined by histomorphometric analysis. Protein synthesis and proteolysis and their respective pathway were analysed by Western Blot quantification.

Results and Discussion. HMB treatment maintained soleus muscle mass, aerobic fitness, coordination and balance. The positive protein balance showed in treated mice can explain in part these results.

Conclusion. HMB could thus be envisaged as a nutritional countermeasure for spaceflight, but remains to be tested in humans.

36th Annual Meeting of the International Society for Gravitational Physiology; Book of Abstracts (PDF Download Available). Available from:

https://www.researchgate.net/publication/278022771_36th_Annual_Meeting_of_the_International_Society_for_Gravitational_Physiology_Book_of_Abstracts [accessed May 11, 2016].