



**HAL**  
open science

## Micelle formation, gelation and adsorption of amphiphilic multiblock copolymers

Virginie Hugouvieux, Monique Axelos M.A.V, Max Kolb

► **To cite this version:**

Virginie Hugouvieux, Monique Axelos M.A.V, Max Kolb. Micelle formation, gelation and adsorption of amphiphilic multiblock copolymers. *Biopolymers 2013 : Biopolymer Assemblies for Material Design*, Dec 2013, Nantes, France. hal-01837768

**HAL Id: hal-01837768**

**<https://hal.science/hal-01837768>**

Submitted on 6 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

### Micelle formation, gelation and adsorption of amphiphilic multiblock copolymers.

Virginie Hugouvieux<sup>\*a</sup>, Monique A.V. Axelos<sup>b</sup> and Max Kolb<sup>c</sup>

<sup>a</sup> INRA, UMR1083 Sciences pour l'œnologie, F-34060 Montpellier, France


<sup>b</sup> INRA, UR1268 Biopolymères Interactions Assemblages, F-44300 Nantes, France

<sup>c</sup> Laboratoire de Chimie, ENS Lyon, 46 allée d'Italie, 69364 Lyon, France

\* virginie.hugouvieux@supagro.inra.fr

Amphiphilic multiblock copolymers are versatile macromolecules able to form a large variety of structures, both intra- or intermolecular. Applications range from stabilizing, emulsifying or foaming agents to rheology modifiers and drug vectors. In this study we focus on the structures and properties of copolymers with a large number of hydrophobic and hydrophilic blocks, both in solution or close to a surface. For this purpose, we use a lattice Monte Carlo simulation approach.

In solution, multiblock copolymers self-assemble because of the hydrophobic effect, which leads to an effective attraction between the hydrophobic blocks. At low concentration they form intramolecular structures ranging from pearl-necklaces of micelles to lamellar structures depending on the quality of the solvent and the ratio of hydrophobic to hydrophilic monomers<sup>(1)</sup>. At higher concentrations (semi-dilute solutions) intermolecular micelles and percolating networks are observed. The topologies of the networks depend on the hydrophobic content of the copolymers<sup>(2)</sup> (see Figure).



Low hydrophobicity leads to spherical micelles and a weak, hydrophilically connected gel (top), high hydrophobicity to tubular micelles and a strong hydrophobically linked gel (bottom) .

In the presence of a solid hydrophobic surface, the hydrophobic blocks tend to adsorb and form isolated surface micelles with a well-defined size whenever bulk micelles are present. With increasing surface hydrophobicity the surface micelles arrange in a regular manner. Surface percolation is favoured by the multiblock nature of the copolymers. Long multiblock copolymers also lead to the presence of a secondary bulk micellar layer attached to the layer of surface micelles.

[1] V. Hugouvieux, M.A.V. Axelos & M. Kolb. *Macromolecules*, **42** (2009) 392-400.

[2] V. Hugouvieux, M.A.V. Axelos & M. Kolb. *Soft Matter*, **7** (2011) 2580-2591.

