

Attentional capture by reward-distractors under perceptual load

Jérémy Matias, Jean-Charles Quinton, Michèle Colomb, Marie Izaute, Laetitia Silvert

▶ To cite this version:

Jérémy Matias, Jean-Charles Quinton, Michèle Colomb, Marie Izaute, Laetitia Silvert. Attentional capture by reward-distractors under perceptual load. Consortium of European Research on Emotion, Apr 2018, Glasgow, United Kingdom. . hal-01839394

HAL Id: hal-01839394 https://hal.science/hal-01839394v1

Submitted on 14 Jul 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Attentional capture by reward-distractors under perceptual load







¹ MATIAS J., ² QUINTON J.-C., ³ COLOMB M., ¹ IZAUTE M., ¹ SILVERT L.


jeremy.matias@uca.fr

- ¹ Université Clermont Auvergne, CNRS, LAPSCO, F-63000, Clermont-Ferrand, France
- ² Université Grenoble Alpes, CNRS, LJK, F-38000, Grenoble, France
- ³ CEREMA, Département Laboratoire de Clermont-Ferrand F-63017, Clermont-Ferrand, France

INTRODUCTION

Value-Driven Attentional Capture (Anderson, 2013)

Recent research revealed that visual distractors associated with or signaling reward outcomes capture attention in spite of being neither salient nor relevant for the ongoing task.




Automatic attentional capture?




Perceptual Load Theory (Lavie, 2010)

In situation of *low perceptual load* spare capacities from relevant processing "spills over" to the irrelevant items, resulting in distractor interference.




Attentional capture by irrelevant distractors can be prevented in situations of *high perceptual load* that exhaust all available capacities in the perception of relevant stimuli.



Perceptual Load and Emotion (e.g., Silvert et al., 2007)

> Distraction by irrelevant **fearful faces** is reduced under high load.




Processing of irrelevant negative emotional stimuli depends on available attentional resources.

Perceptual Load and Reward?

➤ If attentional capture by reward distractors is automatic, therefore, interference by reward distractors should be immune to perceptual load manipulations.



?



RESULTS



Compatibility Effect: Reward (Low; High) x Load (Low-load; High-load)

- Reward: F(1, 29) = 1.23, p = .28
- Load: F(1, 29) = 5.09, p < .05
- \triangleright Reward x Load: F(1, 29) = 4.37, p < .05

High perceptual load only eliminated low-reward distractor interference whereas high-reward distractor interference seems « immune » to load manipulation.

Errors: Reward (2) x Load (2)

- Reward p < .01
- **Load p < .001** confirming load manipulation
 - Reward x Load p < .05</p>

DISCUSSION

- High perceptual load reduces low but not high-reward peripheral distractor interference.
- ➤ High-reward distractor interference was observed despite low level of free residual attentional resources (i.e., high perceptual load)

Automatic attentional capture

- > At odds with what is observed for fearful faces distractors.
- Valence effect (with reward as positive events and fearful faces as negative
- events) might explain those discrepant results.
 Interference by centrally presented distractor of negative but not
 - positive valence is reduced under high perceptual load (Gupta et al., 2016).
 - Growing body of studies demonstrating an advantage for positive over negative emotional information in attracting and capturing attention (e.g., Srivastava & Srinivasan, 2010).
- However, the persistence of the interference effect for high reward distractors may be due to the ability of those stimuli to *capture* attention, but also to *hold* attention once it has been captured, or both.

EEG study in progress...

