



What are the contributions of cytokinins, abscisic acid and sugars in bud outgrowth regulation by light intensity in rose?

Adrien Corot, Hanaé Roman, Jessica Bertheloot, Nathalie Leduc, Soulainman Sakr, Sabine Demotes-Mainard

► To cite this version:

Adrien Corot, Hanaé Roman, Jessica Bertheloot, Nathalie Leduc, Soulainman Sakr, et al.. What are the contributions of cytokinins, abscisic acid and sugars in bud outgrowth regulation by light intensity in rose?. VII International Symposium on Rose Research and Cultivation, Jul 2017, Angers, France. INRA, 2017, VII International Symposium on Rose Research and Cultivation July 2-7, 2017 Angers (France) Abstract book. hal-01851779

HAL Id: hal-01851779

<https://hal.science/hal-01851779>

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Copyright





What are the contributions of cytokinins, abscisic acid and sugars in bud outgrowth regulation by light intensity in rose?

Adrien Corot, Hanaé Roman, Jessica Bertheloot, Nathalie Leduc, Soulaïman Sakr and Sabine Demotes-Mainard

UMR 1345 IRHS, INRA, AGROCAMPUS-Ouest, Université d'Angers, SFR 4207 QUASAV, Beaucazoué F-49071, France

Introduction

In ornamentals, particularly in rose, the visual aspect of a plant is an important element of its quality. In rose bush, the visual quality depends notably on plant shape and varies with branching. Bud outgrowth is controlled by a network of interacting hormones and sugars. Light environment strongly impacts branching, notably low light intensity decreases bud outgrowth. However, the mechanisms by which the light intensity affects bud outgrowth is still poorly understood. Here we study how sugars and two hormones, cytokinins (CK) and abscisic acid (ABA), mediate the light intensity regulation of the bud outgrowth pattern along an axis in an intact plant.



Conclusions

- This study provides evidence that light intensity regulates bud outgrowth pattern in intact rose plants by regulating stem CK and ABA content. Although low light intensity reduced stem sugar content, this drop does not seem to have triggered bud outgrowth inhibition.
- Prospects:
- Investigating at the transcriptomic level how cytokinins and abscisic acid regulate bud outgrowth pattern in response to light intensity.