

Assessing the added value of the recent declaration on unregulated fishing for sustainable governance of the central Arctic Ocean

Grace Elizabeth Shephard, Kari Dalen, Regina Peldszus, Sara Aparício, Larissa Beumer, Roger Birkeland, Nikolaos Gkikas, Melina Kourantidou,

Panagiotis Ktenas, Peter Wilhelm Linde, et al.

▶ To cite this version:

Grace Elizabeth Shephard, Kari Dalen, Regina Peldszus, Sara Aparício, Larissa Beumer, et al.. Assessing the added value of the recent declaration on unregulated fishing for sustainable governance of the central Arctic Ocean. Marine Policy, 2016, 66, pp.50 - 57. 10.1016/j.marpol.2016.01.013 . hal-01872738

HAL Id: hal-01872738 https://hal.science/hal-01872738


Submitted on 14 Dec 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

1 Accepted Manuscript:

- 2 Shephard, et al., 2016. Assessing the added value of the recent declaration
- 3 on unregulated fishing for sustainable governance of the central Arctic
- 4 Ocean. Marine Policy v.66 p.50-57 doi:10.1016/j.marpol.2016.01.013



6 Assessing the added value of the recent Declaration on Unregulated Fishing for

- Sustainable Governance of the central Arctic Ocean
- 8

7

5

- 9 Grace Elizabeth Shephard^{*1}, Kari Dalen², Regina Peldszus³, Sara Aparício⁴, Larissa
- 10 Beumer⁵, Roger Birkeland⁶, Nikolaos Gkikas⁷, Melina Kourantidou⁸, Panagiotis
- 11 Ktenas⁹, Peter Wilhelm Linde¹⁰, Francesco Marazzi¹¹, Ruth Beatriz Mezzalira
- 12 Pincinato¹², Jaziar Radianti¹³, Bernhard Schartmüller¹⁴, Eike Ingrid Stübner¹⁵, Alix

13 Varnajot¹⁶, Magali Vullierme^{17,18} and Irina Zhilina¹⁹.

14

15 Affiliations

- 16 1. Centre for Earth Evolution and Dynamics, Department of Geosciences, University
- 17 of Oslo, Oslo 0316, Norway.
- 18 2. SINTEF Energy Research, Postboks 4761 Sluppen, NO-7465 Trondheim, Norway
- 19 3. Institute of Advanced Study on Media Cultures of Computer Simulation, Leuphana
- 20 University Lüneburg, Germany
- 21 4. Faculty of Sciences and Technology, Department of Environmental Sciences and
- 22 Engineering, New University of Lisbon, Portugal
- 23 5. Greenpeace
- 24 6. Norwegian University of Science and Technology, Trondheim, Norway.
- 25 7. School of Law, Aristotle University of Thessaloniki, Greece.

| 27 | Denmark, Esbjerg, Denmark. | | | |
|----|-------------------------------------------------------------------------------------------------|--|--|--|
| 28 | 9. Fletcher School of Law and Diplomacy, TUFTS University, U.S.A. | | | |
| 29 | 10. Ministry of Foreign Affairs of Denmark, Copenhagen, Denmark. | | | |
| 30 | 11. Atmospheric Research Group. Department of Earth and Environmental Sciences- | | | |
| 31 | University of Milano-Bicocca, Piazza della Scienza 20126, Milano, Italy. | | | |
| 32 | 12. Department of Industrial Economics, University of Stavanger, Stavanger, Norway. | | | |
| 33 | 13. Centre for Integrated Emergency Management (CIEM), Department of ICT, | | | |
| 34 | University of Agder, Grimstad, Norway. | | | |
| 35 | 14. Vienna University of Technology, Austria. | | | |
| 36 | | | | |
| 37 | 15. The University Centre in Svalbard (UNIS), Department of Arctic Biology, | | | |
| 38 | Longyearbyen, Norway. | | | |
| 39 | 16. University of Versailles-Saint-Quentin-en-Yvelines, France. | | | |
| 40 | 17. Observatoire de la politique et de la sécurité en Arctique (OPSA), CIRRICQ, | | | |
| 41 | ENAP, Montreal, Canada. | | | |
| 42 | 18. Cultures, Environnements, Arctique, Représentations, Climat (CEARC), UVSQ, | | | |
| 43 | Versailles, France. | | | |
| 44 | 19. The Arctic University of Norway, University of Tromsø, Tromsø, Norway. | | | |
| 45 | | | | |
| 46 | * corresponding author, g.e.shephard@geo.uio.no | | | |
| 47 | | | | |
| 47 | | | | |
| 48 | Keywords | | | |
| 49 | Arctic Ocean, Fishing, Resource Management, Arctic Five, Declaration | | | |
| 50 | | | | |
| 51 | Highlights | | | |
| 52 | • Discussion of Declaration on unregulated fishing in the central Arctic Ocean | | | |
| 53 | • Declaration fills a policy gap of potential fish stocks but not regulation | | | |
| 54 | • Precautionary approach underpins four interim measures | | | |
| 55 | Joint research program measure most imperative for effective implementation | | | |
| | | | | |
| | | | | |

8. Department of Environmental and Business Economics, University of Southern

57 Abstract

58 The 'Declaration concerning the prevention of unregulated high seas fishing in the 59 central Arctic Ocean' signed by the Arctic 5 nations, limits unregulated high seas 60 fishing in the central part of the Arctic Ocean, and holds potential social, economic 61 and political impacts for numerous stakeholders. In this paper, the four Interim 62 Measures in the Declaration are discussed and what value these measures bring 63 beyond the existing international agreements is explored. It is found that even though 64 the Declaration fills a gap in the management of potential fish stocks in the central 65 Arctic Ocean, adopts an appropriate precautionary approach and encourages joint 66 research activities, there are both opportunities and challenges connected to its 67 implementation. The most valuable and urgent interim measure is that of joint 68 scientific cooperation, which will facilitate more region-specific research and an 69 increased understanding of the fisheries as well as the broader Arctic environment. 70 Furthermore, the research generated by this measure will provide an important 71 decision base for both regulation and management of human activity in the Arctic. 72 73

74 1. Introduction

75

One of the most recent developments in Arctic governance policy instruments is the
'Declaration concerning the prevention of unregulated high seas fishing in the central
Arctic Ocean', hereafter referred to as the 'Declaration', signed in Oslo on the 16th
July 2015 by Canada, the Kingdom of Denmark, the Kingdom of Norway, the
Russian Federation, and the United States of America – namely the Arctic 5 (A5). The

81 overall purpose of the non-legally binding Declaration is to prevent unregulated high 82 seas fishing in the approximately 2.8 million km² area that comprises the central part 83 of the Arctic Ocean (Figure 1). However, the Declaration states that 'commercial 84 fishing in the high seas portion of the central Arctic Ocean is unlikely to occur in the 85 near future'[1]. Thereby the Declaration utilizes the precautionary approach to 86 potential future fish stocks, as specified in Article 6 and Annex II of the Agreement 87 for the Implementation of the Provisions of the United Nations Convention on the 88 Law of Sea of 10 December 1982 relating to the conservation and management of 89 straddling fish stocks and highly migratory fish stocks [2] (hereafter referred to as 90 'UNFSA').

91

92 The signing of the Declaration was not an isolated event. A series of earlier meetings 93 and documents including governmental, academic institutions and non-government 94 organizations (NGOs) had addressed the potential issue of fishing in the central Arctic 95 Ocean [3], including the 3rd meeting of Scientific Experts of Fish Stocks in the Central 96 Arctic Ocean in Seattle in April 2015 [4], the Roundtable on Central Arctic Ocean 97 Fisheries Issues held in Shanghai in January 2015, the Kitigaaryuit Declaration (2014) 98 [5] signed at the 12th Inuit Circumpolar Council General Assembly by Alaskan, 99 Canadian, Greenlandic and Russian delegates¹, and the 2014 Nuuk Meeting on 100 Central Arctic Ocean Fisheries in Greenland [6]. 101

102 Furthermore, unregulated fishing is not an issue restricted to the A5 signing nations

103 nor is it unique to the central Arctic Ocean. The Declaration builds on previous

¹ Safe Shipping and Fisheries, 21: Direct ICC (Inuit Circumpolar Council) leadership to advocate for a precautionary approach in developing commercial fishing in international waters of the Central Arctic Ocean and support a moratorium until fish stocks have been adequately assessed and a sustainable management regime is in place that fully engages and involves the Inuit population

104 regional experiences in overfishing, population crashes as well as effective 105 management and practices, such as the Atlantic cod (Gadus morhua) in the Barents 106 Sea [7] [8] [9]. The context and nature of the Declaration is also tied to the projected 107 climatic conditions of the Arctic Ocean, the likelihood of the existence of a valuable 108 fishing population in the central Arctic Ocean, uncertainty and paucity of existing 109 scientific data, the dynamics of the broader Arctic ecosystem and the political context 110 and dialogue of both Arctic coastal (A5), and circum-Arctic states (A8), as well as 111 international stakeholders, as discussed further below. A comprehensive review of the 112 political issues at stake, the interests and incentives of the A5 with regard to future 113 management of living resources in the area, as well as of other influential actors such 114 as NGOs can be found in Wegge, 2015 [10]. 115 116 In the following sections, this manuscript explores how effective the Declaration will 117 be in preventing unregulated fishing in the central Arctic Ocean. Specifically, in 118 discussing effective implementation, the manuscript focuses on the four Interim 119 Measures and includes a brief discussion about the environmental, social, and 120 political context in the implications of its provisions. 121 122 **1.1 Interim Measures** 123 124 Building upon the recommendations of Article 6 [2] of UNFSA, the undersigning

states of the Declaration [1] call for precautionary Interim Measures included in theframework of four regulatory provisions:


Measure 1: "We will authorize our vessels to conduct commercial fishing in
this high seas area only pursuant to one or more regional or subregional fisheries

management organizations or arrangements that are or may be established to managesuch fishing in accordance with recognized international standards."

| 132 | • Measure 2: "We will establish a joint program of scientific research with the | | | | |
|-----|------------------------------------------------------------------------------------------|--|--|--|--|
| 133 | aim of improving understanding of the ecosystems of this area and promote | | | | |
| 134 | cooperation with relevant scientific bodies, including but not limited to the | | | | |
| 135 | International Council for the Exploration of the Sea (ICES) and the North Pacific | | | | |
| 136 | Marine Science Organization (PICES)." | | | | |
| 137 | | | | | |
| 138 | • Measure 3: "We will promote compliance with these interim measures and | | | | |
| 139 | with relevant international law, including by coordinating our monitoring, control and | | | | |
| 140 | surveillance activities in this area." | | | | |
| 141 | | | | | |
| 142 | • Measure 4: "We will ensure that any non-commercial fishing in this area does | | | | |
| 143 | not undermine the purpose of the interim measures, is based on scientific advice and | | | | |
| 144 | is monitored, and that data obtained through any such fishing is shared." | | | | |
| 145 | | | | | |
| 146 | The undersigning States of UNFSA are obliged by Article 6 [2] to: a) obtain and share | | | | |
| 147 | the best scientific information available and implement improved techniques for risk | | | | |
| 148 | and uncertainty, b) apply stock-specific reference points and action to be taken if they | | | | |
| 149 | are exceeded, c) take into account inter alia uncertainties relating to the size and | | | | |
| 150 | productivity of stocks and d) develop data-collection and research programs to assess | | | | |
| 151 | the impact of fishing. Points a), c) and d) are directly relevant to Interim Measure 2, | | | | |
| 152 | whereas point b) is relevant to Interim Measure 3. UNFSA Article 8 [2], the | | | | |
| 153 | "Cooperation for conservation and management," states that both coastal states and | | | | |

154 states fishing on the high seas shall pursue cooperation in relation to straddling and 155 highly migratory fish stocks either directly, or through appropriate subregional or 156 regional fisheries management organizations or arrangements. This is directly relevant 157 for Interim Measure 1, and while non-commercial fishing is not directly referred to, 158 Article 8 holds implications for Measure 4. Thus all of the Interim Measures are more 159 or less explicitly included in UNFSA. This manuscript examines the potential added 160 value of the Declaration, apart from applying the principles laid down in the UNFSA 161 and UNCLOS to a specific geographical region.

162



164 **Figure 1.** Topographic and bathymetric overview of the Arctic Ocean and

surrounds, with major seas, features and Arctic 5 (A5) nations labeled (political

166 boundaries not defined). Thick black defines the edge of the maritime boundaries in

- 167 the high Arctic (EEZ; downloaded from <u>marineregions.org</u>) and edge of the 'central
- 168 Arctic Ocean' (CAO). FR Fram Strait, LF Lofoten, SV Svalbard. Figure created using
- 169 Generic Mapping Tools [11] (<u>http://gmt.soest.hawaii.edu/</u>).
- 170

171 **1.2** The Arctic Ocean: fisheries and climate

172 The Arctic Ocean is the smallest of the world's five oceans with a surface area of 173 approximately 14 million km². It is connected to the Pacific Ocean through the Bering 174 Strait and to the North Atlantic Ocean through the Labrador, Norwegian-Greenland, 175 and Barents seas, the deepest entry being via the Fram Strait (Figure 1). The Arctic 176 Ocean has a complex ocean-atmospheric cycle and a significant portion of the ocean 177 is ice-covered in autumn, spring and winter. Furthermore, the effects of climate 178 change in the Arctic, including those due to anthropogenic effects as well as the 179 natural inter-annual variability, are pronounced. Rising sea surface temperatures as 180 well as reductions in the surface area and the volume of summer sea ice are amongst 181 the most prominent indicators of change (e.g. [12]). In summer 2012, the sea ice was at its lowest on record, with a coverage of \sim 3.4 million km² [13] (equating to 40% of 182 183 the central Arctic Ocean being open-water). Future changes in Arctic sea ice coverage 184 and thickness, and related the ice-albedo feedback, represent some of the largest 185 uncertainties in climate change predictions [14]. Estimates for ice-free summer 186 conditions in the Arctic point to the first half of this century, including within the next 187 two decades [15]. It is important to note that although several climate models indicate 188 a decline in sea ice, none indicate that the winter sea ice cover will disappear

189 completely during this century [16] i.e. winter sea ice will still exist but will be190 regionally and seasonally variable.

| 192 | Warm Atlantic Ocean water flows northwards into the Arctic Ocean along the west |
|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 193 | coast of Svalbard (Spitsbergen Current) as well as via the Barents Shelf Current. The |
| 194 | area of the Barents Sea where the cold, relatively fresh, Arctic water meets the warm, |
| 195 | saline Atlantic water is called the 'polar front' and is a particularly biologically |
| 196 | productive area [17]. It follows that over the last few centuries, extensive fishing |
| 197 | industries have developed in regions fringing the Arctic Ocean. Thus, any projected |
| 198 | changes to fish populations and their migration patterns and/or the development of |
| 199 | new, biologically rich regions under a changing climate scenario, such as the opening |
| 200 | up of the central Arctic Ocean, are of key importance and interest to numerous |
| 201 | international stakeholders. |
| | |
| 202 | |
| 202 203 | 2 Interim Measures of the Declaration |
| | 2 Interim Measures of the Declaration2.1 Interim Measure 1: Regional or Sub-Regional Fisheries |
| 203 | |
| 203 204 | |
| 203 204 205 | 2.1 Interim Measure 1: Regional or Sub-Regional Fisheries |
| 203 204 205 206 | 2.1 Interim Measure 1: Regional or Sub-Regional Fisheries The development of commercial fishing in the central Arctic Ocean would be subject |
| 203 204 205 206 207 | 2.1 Interim Measure 1: Regional or Sub-Regional Fisheries The development of commercial fishing in the central Arctic Ocean would be subject to regional or subregional fisheries management organizations (herein RFMOs). In |
| 203 204 205 206 207 208 | 2.1 Interim Measure 1: Regional or Sub-Regional Fisheries The development of commercial fishing in the central Arctic Ocean would be subject to regional or subregional fisheries management organizations (herein RFMOs). In this section it is discussed which stakeholders would be subject to the relevant |
| 203 204 205 206 207 208 209 | 2.1 Interim Measure 1: Regional or Sub-Regional Fisheries The development of commercial fishing in the central Arctic Ocean would be subject to regional or subregional fisheries management organizations (herein RFMOs). In this section it is discussed which stakeholders would be subject to the relevant arrangements and how they would be bound to the RFMO regulations. Linked to the |
| 203 204 205 206 207 208 209 210 | 2.1 Interim Measure 1: Regional or Sub-Regional Fisheries The development of commercial fishing in the central Arctic Ocean would be subject to regional or subregional fisheries management organizations (herein RFMOs). In this section it is discussed which stakeholders would be subject to the relevant arrangements and how they would be bound to the RFMO regulations. Linked to the development of future RFMOs and/or relevance of existing RFMOs, is the actual |

214 2.1.1 Stakeholders

215

216 Politically, it may be argued that both the signing of the Declaration as well as its 217 legal nature have sent mixed messages to the broader community. On the one hand, as 218 a political statement, it signals that it is the responsibility of the littoral states to shape 219 the resource management of the central Arctic Ocean. The exclusion of non-A5 220 members may manifest as impedance or a cause of tension regarding the further work 221 of the Arctic Council in regional policy shaping. On the other hand, the Declaration 222 still has a low profile in the foreign policy of the A5 due to its non-binding nature and 223 the scientific uncertainty about commercial fishing in the central Arctic Ocean in the 224 short, mid, or long-term. By including Interim Measures which signal the intention to 225 include third parties in the future, the contracting Declaration parties are inclusive of 226 the broader Arctic and international community, whilst preventing potential 227 circumvention of the Declaration. 228 229 Whilst signed only by the A5, the actual text of the Declaration is of an inclusive 230 nature. The Declaration recognises the potential interest of other state and non-state 231 stakeholders, such as Arctic residents and indigenous people, in contributing to the 232 preservation of fish stocks. However, similar to the 2008 Illusiat Declaration, the 233 2015 Declaration was criticized for excluding the three other member states of the

- Arctic Council, namely Sweden, Finland and Iceland, although only Iceland openly
- 235 protested to not being included or consulted. Non-Arctic nations such as China, South
- 236 Korea, Japan and the E.U. have been actively fishing in circum-Arctic regions,
- 237 including the Bering, Barents and Chukchi Seas and Greenlandic waters. These

nations might have strong commercial interests in the central Arctic Ocean in the caseof northward fish stock migration.

| 241 | At the GLACIER conference held in Anchorage, Alaska, 30-31 August 2015, the | | | |
|-----|------------------------------------------------------------------------------------------------------|--|--|--|
| 242 | inclusive nature of the Declaration materialized into an invitation to proceed towards | | | |
| 243 | a larger international binding agreement. It follows that delegations from the A5, | | | |
| 244 | Iceland, the E.U., China, Japan, and the Republic of Korea met for negotiations in | | | |
| 245 | Washington D.C. from the 1 st -3 rd December 2015. According to the Chairman's | | | |
| 246 | Statement [18], the meeting covered topics including the current state of scientific | | | |
| 247 | knowledge and the need for research cooperation, monitoring and the use of the | | | |
| 248 | precautionary approach. Suggestions to prevent unregulated fishing included | | | |
| 249 | adjusting the Declaration to a broader statement, establishing one or more regional | | | |
| 250 | organizations or arrangements and/or negotiating a binding international agreement. | | | |
| 251 | The latter of which included a proposal by the U.S. to commit parties to at least three | | | |
| 252 | conditions, which resembled those of Interim Measures 1, 2 and 4 of the Declaration. | | | |
| 253 | Being the party that produced the proposal and instigated several meetings related to | | | |
| 254 | the Declaration, it could be assumed that the U.S. is eager to play an active part in the | | | |
| 255 | further policy and regulatory development for Arctic fisheries. Regarding the U.S. | | | |
| 256 | proposal for a binding agreement, one may question why Interim Measure 3 was not | | | |
| 257 | also included. Nevertheless, future progress towards a binding agreement will reveal | | | |
| 258 | if there are potential issues of conflicts, or if the omission of Interim Measure 3 in the | | | |
| 259 | proposed agreement is of less importance. Two follow-up meetings are tentatively | | | |
| 260 | scheduled for 2016 in Norway and the U.S. for scientific and policy discussions, | | | |
| 261 | respectively. | | | |

263 2.1.2 Regional Fisheries Management Organizations

264

265 In Interim Measure 1, the signatories underlined that they will only allow their vessels 266 to conduct fisheries in the central Arctic Ocean pursuant to the relevant (sub-) 267 Regional Fisheries Management Organizations (RFMO), or arrangements in accordance with recognized international standards. Several relevant existing RFMO 268 269 or other regulatory arrangements could be applied to fisheries in the central Arctic 270 Ocean. 271 272 Along with the general legal framework set out in the United Nations Convention of 273 the Law of the Sea (UNCLOS) and UNFSA [2], the Declaration refers specifically to 274 the well-established North East Atlantic Fisheries Commission (NEAFC).² The 275 NEAFC adopts and enforces obligations and management measures for various fish 276 stocks in the Northeast Atlantic, including control measures to ensure that the 277 management measures are properly implemented. The NEAFC covers approximately 278 8% of the central Arctic Ocean (between 42°W and 51°E longitude), and relevant fish 279 stocks are located mostly between the southern tip of Greenland, east of the Barents 280 Sea, and south of Portugal. 281 282 Apart from NEAFC, several other RMFOs and arrangements (potentially) relevant for 283 Arctic fisheries exist. These include the Joint Norwegian-Russian Fisheries 284 Commission (JNRFC), the Convention on the Conservation and Management of

285 Pollock Resources in the Central Bering Sea (CCBSP), Northwest Atlantic Fisheries

² The NEAFC consists of the Kingdoms of Denmark (partly due to Greenland) and Norway and the Russian Federation (signatories of the Declaration), as well as the E.U. and Iceland.

286 Organization (NAFO), North Atlantic Salmon Conservation Organization (NASCO), 287 North Pacific Anadromous Fish Commission (NPAFC) and North Pacific Fisheries 288 Commission (NPFC). Whilst the Declaration does not refer to these RFMOs or 289 arrangements, the Interim Measures do not intend to interfere with them. However, as 290 neither the NEAFC nor the other RFMO and arrangements cover the central Arctic Ocean as a whole (in terms of area or species), it is relevant to explore the need for an 291 292 arrangement that can cover the entirety of any potential fisheries in this area - at least 293 seen from a purely legal perspective.

294

295 Consequently, it could be argued that it is relevant to initiate the process towards a 296 comprehensive regime for this area. It could even be seen as obligation for coastal and 297 non-coastal states and not only an opportunity. So even though the Declaration states 298 'there is no need at present to establish any additional regional fisheries management 299 organization for this area', the coastal states must have considered that there was 300 some sort of need or obligation to initiate the process. Whether jurisdiction should be 301 extended to NEAFC and new members added, or if a new RFMO should be created, 302 there are two main aspects that must be considered. Firstly, a given RFMO (already 303 existing or to be created) must be comprised not only of the coastal states, but also of 304 the distant waters fishing states ([2]; Article 8(4)); and secondly, that the effective 305 area of management is clearly defined.

306

307 Fisheries management organizations at regional and international levels have a key

308 role in preventing unregulated fisheries by providing regulations based on scientific

309 advice. However, as the Arctic is a poorly understood region in various aspects of the

atural sciences, the success and relevance of a given RFMO is tied to the current

| 311 | scientific knowledge base. It follows that the four Declaration's Interim Measures are |
|-----|----------------------------------------------------------------------------------------|
| 312 | fundamentally linked. |

314 **2.2 Interim Measure 2: Joint Scientific Research Program**

315

316 Interim Measure 2 of the Declaration specifies the intention of a joint program of

317 scientific research to improve understanding of this region. Notably, states are already

318 obliged to cooperate to improve the scientific knowledge base under international law,

319 including UNCLOS and UNFSA [2]. The specific use of the precautionary approach,

320 terminology of which is explicitly included in the Declaration and Article 6 of

321 UNFSA [2], partly explains the motivation for the Declaration and the use of Interim

322 Measure 2.

323

324 2.2.1 Merits of a precautionary approach

325

326 A precautionary approach invokes measures to prevent damaging effects from what 327 has been identified as a dangerous human intervention, even without having clear 328 evidence as to whether damaging effects will eventuate, or of their long-term 329 consequences [19]. Until we know more about the effects of climate change and the 330 impacts of human activities to the central Arctic Ocean ecosystem, a precautionary 331 approach must be applied. A recent regional example of where such an approach was 332 applied is the Fishery Management Plan for Fish Resources of the Arctic Management 333 Area, pertaining to and approved by the U.S. Department of Commerce [20] in 2009. 334 The Plan prevents the expansion of commercial fishing into U.S. Arctic waters, which 335 equal approximately 515,000 km², and was justified on the grounds that more

scientific evidence on the effects of climate change on fish stocks was needed.

337 Furthermore the Implementation Plan for the 2013 National Strategy for the Arctic

338 Region commits the U.S. to preventing unregulated high seas fisheries in the Arctic

339 [21].

340

Arguably, this Interim Measure is the most pertinent, as the establishment of scientific
programs and the acquisition of data and processing of results is a yearly to decadelong process and should be initiated as soon as possible. Furthermore, the

344 implementation of Measure 2 will provide a basis for the remaining three Interim

345 Measures.

346

347 In the context of the Declaration, the two crucial scientific questions are: (1) whether 348 there is a limit to the potential northward shift of species' geographic ranges and, (2) 349 how likely it is that fish stocks will expand beyond the continental shelf seas into the 350 central Arctic Ocean. Building upon the discussion in Interim Measure 1, this section 351 discusses what existing programs are referred to in the Declaration as well as the 352 challenges and status of knowledge regarding current and changing fish stocks under 353 the projected climatic conditions. It is noted that future joint programs should not 354 solely be targeted at fish and species-specific studies, as wider ecological and 355 environmental research, including climate and oceanography, are relevant for 356 understanding the Arctic as a holistic and dynamic system. 357

358 **2.2.2** Need for both top-down and bottom-up Arctic research

360 Conducting research in the Arctic is practically and technically both expensive and 361 difficult due to its remoteness and extreme environmental conditions. While remote 362 sensing techniques are valuable for such isolated regions, and are particularly useful 363 for surface monitoring, including sea-ice monitoring and primary production, deeper 364 ocean monitoring requires more local, including ship-borne, observations including 365 underwater acoustics, buoys and gliders. Cooperation through joint international 366 programs is therefore imperative. The Declaration refers to several major international 367 programs, which can be seen as classical top-down measures. However equally 368 important is the bottom-up approach, such as the numerous university-level research 369 programs that are also worthy of inclusion or addition to program development. As 370 demonstrated in the field of climate governance and associated difficulties of 371 establishing global climate treaties, a bottom-up approach can be a way to build 372 domestic support, empower citizens and motivate leaders to take action [22]. On the 373 other hand, a bottom-up approach could reduce momentum and the potential for grand 374 bargaining [22], as well as free-riding and heightened concerns over economic 375 competitiveness [23] [24].

376

Understanding the Arctic's complexity, in which commercially viable fishing is just one component, demands an interdisciplinary approach. It follows that the top-down approach, bringing international research programs together, and the bottom-up approach including bi- or multi-lateral cooperation on multiple governance and/or academic levels, are two equally necessary and important measures in order to increase the scientific knowledge base for the central Arctic Ocean. 384 As listed in the Declaration, the International Council for Exploration of the Sea 385 (ICES) is one of the largest scientific programs specifically related to fish stocks. 386 ICES operates across a network of research institutes and universities, and includes 387 the A8. ICES research comprises subarctic fish stocks in the Barents Sea, Iceland and 388 East Greenland regions, and some widely distributed and straddling stocks; climate 389 change in the Arctic Ocean; environmental risks of shipping; oil and gas exploitation; 390 and the spread of non-native species. Although ICES provides stock assessments for 391 several species generally located in the European area of the Arctic, data for other 392 stocks is scattered and discontinuous (Table S1). The North Pacific Marine Science 393 Organization (PICES), representing the Pacific countries of the A5, promotes and 394 coordinates marine research in the northern North Pacific and adjacent seas. 395

396 Future joint research should be integrated with existing programs, including those not 397 limited to fish stock assessments, such as Arctic Monitoring and Assessment Program 398 (AMAP) and Conservation of Arctic Flora and Fauna (CAFF). Additional information 399 regarding Interim Measure 2, including the source of funding and dissemination of 400 projects, and whether the Declaration signatories instigate a single multi- and trans-401 disciplinary coordinating body or several bodies, are yet to be seen. Interim Measure 402 2 underpins the other three Interim Measures; the current paucity in knowledge, 403 combined with challenges in modelling biological and climatic changes, demands 404 timely implementation if the Declaration is to fulfill its international purpose and 405 value.


406

407 **2.2.3** Challenges in predicting changes in fish stocks

409 Due to the significant economic value of commercial fish species, predicting changes 410 in trophic interactions and ecosystem responses to future climate change in the Arctic 411 is of great importance. Studies suggest that several important fish stocks might 412 expand their distribution northwards as a response to projected climatic changes in 413 ocean conditions [25], including a high rate of invasions by new species [26] [27], and 414 a general increase in fish productivity [28]. It follows that the fishing industry would 415 likely pursue this migration, driven by increasing demand and market pressures. 416 However, to date, few attempts have been made to quantitatively assess climate 417 effects on sub-Arctic and Arctic fish abundance [29]. Studies indicate that the 418 potential of species to move northwards and successfully colonize new regions is 419 determined by a wide array of factors (e.g. [29]), and that different species react 420 variably to changing environmental conditions ([29] [30] [31]). 421 422 Recent research [32] shows that boreal species might displace and replace Arctic 423 communities in some areas, especially those species that are dependent on the shelf 424 habitat. A study [29] of the potential of fish and shellfish stocks moving northwards 425 into the Arctic Ocean found that, from the 17 species analysed, only six were assessed 426 to have a high potential for a northwards expansion or migration into the Arctic and for establishing viable resident populations.³ These species have life history 427 428 characteristics that allow them to cope with the challenging Arctic conditions that will 429 prevail even under the projected climatic changes. Six stocks or groups were found to

³ Species include polar cod (*Boreogadus saida*), snow crab (*Chionoectes opilio*), Bering flounder (*Hippoglossoides robustus*), Greenland shark (*Somniosus microcephalus*), Arctic skate (*Amblyraja hyperborea*) and beaked redfish (*Sebastes mentella*).

430 be potential candidates to expand northwards into the Arctic, whereas five stocks
431 were thought to have a very low potential.⁴



⁴ Potential candidates include Alaska plaice (*Pleuronectes quadrituberculatus*), Yellowfin sole (*Limanda aspera*), Greenland halibut (*Reinhardtius hippoglossoides*), Atlanto-scandic herring (*Clupea harengus*), Capelin (*Mallotus villosus*) and other elasmobranchs. Least likely candidates include walleye pollock (*Theragra chalcogramma*), northern rock sole (*Lepidopsetta polyxystra*), Pacific cod (*Gadus macrocephalus*), Atlantic cod (*Gadus morhua*) and Pacific ocean perch (*Sebastes alutus*). Note, that this analysis was focused on commercial fish stocks in the Bering and Norwegian/Barents Sea areas and did not include stocks off the coasts of Newfoundland and Labrador or Alaska.

451 higher total production [36]. In addition to the amount of primary production, the 452 timing and the type of organisms can change with differing oceanographic conditions and ice coverage, which in turn can support different food webs [34] [37]. It follows 453 454 that changes in regional productivity, combined with the seasonality and regional 455 variability in ice cover throughout the year, will dictate the potential fishing season. 456 457 Existing observations and predictions on range expansions have mainly focused on 458 changes in food availability and temperature (e.g. [29] [32] [38] [39]). Light 459 limitations due to ice coverage and the polar night might pose an additional limit to 460 northern fish distributions. With the projected increases in sea temperature and

are thought to diminish. To summarise, primary production in the central Arctic
Ocean is not expected to be able to support large fish stocks. An increase of primary
production might be expected along shelf breaks and shelf areas due to increased

reductions in sea ice coverage, these potentially limiting factors to species' expansion

465 upwelling and river discharge [17] but projections are spatially and ecosystem466 dependent.

467

461

468 Findings resulting from a joint research program(s) applied to fisheries, and more 469 broadly, ecosystems and food webs, may also contribute to the regulation of other 470 economic activities such as shipping, tourism, and oil and gas. Furthermore, the 471 successful operation of other international regimes demonstrates that monitoring 472 systems also find significant cross-benefit in scientific research through the shared use 473 of data and infrastructure, and thus promote cooperation on both scientific and 474 political levels (e.g. [40]). Some future options include developing a full-fledged 475 RFMO or arrangement for the central Arctic Ocean, expanding the jurisdiction of

| 476 | NEAFC (and others) to include the central Arctic Ocean, or upholding the status quo |
|-----|-------------------------------------------------------------------------------------|
| 477 | (e.g. [41] [42] [43]). |

479 **2.3 Interim Measure 3: Monitoring & Response for Compliance**

480

Interim Measure 3 concerns the compliance and monitoring of unregulated activities
in the central Arctic Ocean. This section highlights the operational perspective of
Measure 3 and includes examples which support the need for establishing monitoring
and compliance in the central Arctic Ocean.

485

486 **2.3.1 Operational perspective**

487

488 In order to support legal compliance instruments available to the regime, a monitoring

489 and response system, including remote sensing and the use of space-based Automatic

490 Identification Systems (AIS), must be operated. Its capabilities ought to allow the (a)

491 long-term routine monitoring and surveying of a defined area routinely; (b) alerting

492 response operators to irregular activities (e.g. unidentified vessels or unusual

493 activities); and (c) responding to suspicious events through onsite intervention and

494 specific data-gathering, in order to verify a violation of the Declaration.

495

496 Due to the vast size of the Arctic Ocean, it is not feasible to carry out monitoring by


497 means of boat or plane patrols. Primarily, remote observations including AIS will

498 have to be employed, in combination with radar- and visual imagery from satellites.

499 In recent years, several parties have launched space-based AIS satellites, which

500 provide a global view on ship traffic [44] [45].

| 502 | However, it cannot necessarily be assumed that ships would operate their AIS |
|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 503 | equipment according to regulations [46] and therefore be compliant and not engage in |
| 504 | unregulated activities. For meaningful interventions, emphasis may therefore be |
| 505 | placed on detecting ships with inactivated AIS transceivers. Closer monitoring can |
| 506 | then be provided by means of high-resolution optical satellite imagery for selected |
| 507 | areas. Service providers operating in Arctic conditions already offer related detection |
| 508 | products that integrate different raw data to combat pirate fishing [45, 47] for the |
| 509 | South Indian Ocean, cf. [48]. The constituents of related monitoring programs, such |
| 510 | as the E.U.'s Global Monitoring for Environment and Security (GMES), include |
| 511 | stakeholders beyond the Arctic nations [49]. |
| 512 | |
| 513 | Suspected vessels may have to be inspected in-situ, or intercepted on their way to port |
| 514 | or out of the fishing area. While response infrastructure is currently increasingly |
| 515 | |
| | coordinated for Search and Rescue and Oil Spill Response, communications and other |
| 516 | coordinated for Search and Rescue and Oil Spill Response, communications and other high-Arctic infrastructure are limited [50]. Furthermore, Search and Rescue services |
| 516 517 | |
| | high-Arctic infrastructure are limited [50]. Furthermore, Search and Rescue services |
| 517 | high-Arctic infrastructure are limited [50]. Furthermore, Search and Rescue services for both people and pollution must be in place. To support regime compliance, |



522 Figure 2. Operational perspective of compliance

- 523
- 524 2.3.2 Previous Regional Examples
- 525

526 Overfishing is often pointed to as the greatest source of fish stock crashes and several 527 past incidents of illegal and unreported fishing have occurred within the circum-528 Arctic (Table S1). The Barents Sea, for example, has seen several cases of severely 529 impacted fish stocks since multinational, open ocean fisheries first started in the 530 beginning of the 20th Century [51] [52]. Around the year 2000, the Northeast Arctic 531 cod was being illegally harvested by up to 20-25% of total permitted catches, 532 resulting in management measures being violated as well as a series of other 533 economic, ecological and political implications [53]. The North East Atlantic (NEA) 534 cod stock harvesting is currently managed by the Joint Norwegian-Russian Fisheries 535 Commission which has been attributed to the rebuilding of the NEA cod fishery with 536 an increase of stocks by 400 % since the 1990s [52]. Despite the relative management

537 success of capelin, NEA cod, haddock, and saithe, other Barents Sea species such as

redfish and coastal cod are currently overfished ([52]; Table S1). Furthermore, there is

a high uncertainty of actual catches and stocks (Table S1)

| 541 | Additionally, in 1994, the U.S. and the former Soviet Union agreed to apply a joint |
|-----|-----------------------------------------------------------------------------------------|
| 542 | regional effort in stopping uncontrolled high seas pollock catches. The result was the |
| 543 | international Convention on the Conservation and Management of Pollock Resources |
| 544 | in the Central Bering Sea [54]. Despite similarities, it is worth highlighting that the |
| 545 | 2015 Declaration focuses on protection and precaution whilst the 1994 Convention |
| 546 | came after population crashes caused by Japanese, Korean, Polish and Chinese fishing |
| 547 | vessels [55]. Such overfishing incidents seem to have urged coastal states to establish |
| 548 | cooperation agreements, including for the central Arctic Ocean. |
| 549 | |
| 550 | 2.4 Interim Measure 4: Addressing Non-Commercial Fishing |
| 551 | |
| 552 | Linked to section 2.3, monitoring and compliance will have implications for any |
| 553 | potential non-commercial fishing. The use of 'any non-commercial fishing' could |
| 554 | refer to scientific or 'experimental' fisheries. Non-commercial fishing is not |
| 555 | explicitly addressed in the UNFSA. However, Article 8 [2] states that access to |
| 556 | fishery resources, where conservation and management measures apply, should only |
| 557 | be granted to states that are members of a subregional and regional organization or |
| 558 | arrangement. If the states are not members or in an arrangement, they will have to |
| 559 | agree to comply with the conservation and management measures of the organizations |
| 560 | and arrangements in question. |
| 561 | |
| 562 | According to the precautionary approach, commercial fishing shall not be conducted |
| 563 | before the understanding of the central Arctic Ocean is improved. Interim Measure 4 |
| 564 | aims at preventing a potential circumvention of the Declaration. By using the broad |

term 'any non-commercial fishing', the contracting states intend to ensure that the Declaration includes and is adhered to by third parties. Furthermore, the text of the Declaration recognizes the importance of the 'subsistence harvesting on the marine resources' by indigenous communities and mentions the integration of the traditional local knowledge, though is not identified as a specific goal and is not of concern for the non-commercial fishing measure.

571

572 **3.** Conclusion

573

574 Despite several partial arrangements, a comprehensive RFMO or other single,

575 unifying arrangement that covered fishing across the entire Arctic Ocean did not exist

576 prior to the Declaration. Due to the resulting potential gap in the management of

577 potential fish stocks in the central Arctic Ocean, and as required under the UNFSA, it

578 was an obligation for the Arctic coastal states and not only an opportunity to initiate

the process towards a regional comprehensive regime. With the current progress of

580 discussions amongst the parties, including at the GLACIER conference held in

581 Anchorage, Alaska, 30-31 August 2015 and the Meeting on High Seas Fisheries in the

582 Central Arctic Ocean in Washington D.C., 1-3 December 2015, further policy

583 development stemming from the Declaration must be expected. This includes the

584 potential development of an international binding agreement as most recently

585 proposed by the U.S.

586

587 Due to the limited scientific understanding of the ecological development of the

588 central Arctic Ocean under a changing climate, it is advantageous that a precautionary

approach be applied. In this respect, a positive, and arguably the most important

590 outcome of this Declaration is that joint research efforts are applied to the Arctic 591 region. This may trigger more research specifically addressing the unique and 592 dynamic Arctic environment, which is imperative for future regulation and 593 management of human activity in the region. Furthermore, the knowledge gathered 594 from future joint research efforts on fisheries will contribute to regulating other 595 potential economic activities in the Arctic region, and will facilitate trans-disciplinary 596 cooperation and coordination. It will also improve the understanding of the complex Arctic environment, at present and in the future, in a comprehensive manner. Interim 597 598 Measure 2, regarding a joint research program, is therefore central to the effectiveness 599 of the Declaration, and the implementation of the other Interim Measures.

600

601 Acknowledgements

602

603 This article is the joint effort made by the international and multidisciplinary group of604 early career scholars who attended the "Arctic Ocean Governance as a

605 Multifunctional Challenge" Summer School held 2-9 August 2015, in Longyearbyen,

606 Svalbard. The summer school was jointly organized by the Norwegian Scientific

607 Academy for Polar Research (NVP), the University Centre in Svalbard (UNIS) and

the Nansen Environmental and Remote Sensing Center (NERSC). The summer school

and the final version of this manuscript benefited greatly from the contributions of

610 Willy Østreng, Lasse H. Pettersson, Ole Arve Misund, Thor S. Larsen, Hanna Lee

611 Behrens, Harald Brekke, Robert English, Igor Esau, Arthur L. Mason, Øyvind

612 Nordsletten, Stig Falk Pettersen, Stein Sandven, Olav Schram Stokke, and Marry

613 Kristin Waal Sandstå. We would like to thank an anonymous reviewer for the

614 constructive comments.

| 616 | Funding | | | | |
|-----|-----------------------------------------------------------------------------------|--|--|--|--|
| 617 | The following authors would like to acknowledge additional funding sources: Grace | | | | |
| 618 | E. Shephard acknowledges support from the Research Council of Norway through its | | | | |
| 619 | Centres of Excellence funding scheme project 22372, Roger Birkeland acknowledges | | | | |
| 620 | NTNU and the Norwegian Space Centre, Panagiotis Ktenas acknowledges IGMS and | | | | |
| 621 | JunoMoneta, Peter Wilhelm Linde acknowledges The Annemarie og Erling | | | | |
| 622 | Kristiansen Foundation and Jaziar Radianti acknowledges the CIEMCoE project | | | | |
| 623 | funded by Regionale Forskningsfond (RFF Agder). | | | | |
| 624 | | | | | |
| 625 | Abbreviations/Glossary | | | | |
| 626 | A5 Arctic Five, including U.S., Canada, Russia, Norway, Denmark | | | | |
| 627 | A8 Arctic Eight, including the A5 plus Iceland, Sweden, Finland | | | | |
| 628 | AIS Automatic Identification Systems | | | | |
| 629 | EEZ Economic Exclusion Zone | | | | |
| 630 | E.U. European Union | | | | |
| 631 | NEAFC North East Atlantic Fisheries Commission | | | | |
| 632 | RFMO Regional Fisheries Management Organizations | | | | |
| 633 | UNCLOS United Nations Convention on the Law of the Sea, 1982 | | | | |
| 634 | UNFSA Agreement for the Implementation of the Provisions of the United | | | | |
| 635 | Nations Convention on the Law of the Sea of 10 December 1982 relating to the | | | | |
| 636 | conservation and management of straddling fish stocks and highly migratory fish | | | | |
| 637 | species, 1995 | | | | |
| 638 | U.S. The United States of America | | | | |
| | | | | | |

References

| Seta Jaming in the Central Article Ocean, Registingen, Euron. 2013. OSIO, Norway. U.N., The United Nations Agreement for the Implementation of the Provisions of the United Nations Convention on the Law of the Sea of 10 December 1982 relating to the Conservation and Management of Straddling Fish Stocks and Highly Migratory Fish Stocks, U. Nations, Editor. 1995: New York, U.S.A. Pan, M. and H.P. Huntington, A precautionary approach to fisheries in the Central Arctic Ocean: Policy, science, and China. Marine Policy, 2016. 63: p. 1533-157. Third Meeting of Scientific Experts of Fish Stocks in the Central Arctic Ocean, Final Report. 2015: Seatle, Washington. Kitigaaryuit Declaration, I.C.C. Canada, Editor. 2014: Inuvik, Canda. Chairman's Statement, Meeting on Arctic Fisheries. 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, The rise and fall of the Barents Sea capelin (Mallotus villosus): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., Trophic Cascades in a Formerly Cod-Dominated Ecosystem. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., The emerging politics of the Arctic Ocean. Future management of the living marine resources. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., Generic Mapping Tools: Improved Version Released. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, Physical Science Basis. Fifth Assessment Report (AR5). 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive sea ice Graph. 2015; Available from: http://nsild.org/arcticseasice/news/charctic-inter | 641 642 | 1. | Regjeringen, Declaration concerning the prevention of unregulated high seas fishing in the central Arctic Ocean, Regjeringen, Editor. 2015: Oslo, |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------|
| U.N., <i>The United Nations Agreement for the Implementation of the</i> <i>Provisions of the United Nations Convention on the Law of the Sea 10</i> <i>December 1982 relating to the Conservation and Management of Straddling</i> <i>Pish Stocks and Highly Migratory Fish Stocks</i>, U. Nations, Editor. 1995: New York, U.S.A. Pan, M. and H.P. Huntington, <i>A precautionary approach to fisheries in the</i> <i>Central Arctic Ocean: Policy, science, and China.</i> Marine Policy, 2016. 63: p. 153-157. Third Meeting of Scientific Experts of Fish Stocks in the Central Arctic Ocean, <i>Final Report.</i> 2015: Seatle, Washington. <i>Kitigaaryuit Declaration</i>, I.C.C. Canada, Editor. 2014: Inuvik, Canda. Chairman's Statement, <i>Meeting on Arctic Fisheries.</i> 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, <i>The rise and fall of the Barents Sea capelin (Mallotus villosus): a multivariate scenario.</i> Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., <i>Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse.</i> Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., <i>Trophic Cascades in a Formerly Cod-Dominated Ecosystem.</i> Science, 2005. 308(5728): p. 1621-1623. Wesge, P., <i>N. The emerging politics of the Arctic Ocean. Future management of the living marine resources.</i> Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released.</i> Ecos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, <i>Physical Science Basis. Fifth Assessment Report (ARS).</i> 2013. NSIDC. <i>National Snow and Ice Data Center, Charctic Interactive-sea-ice-graph/.</i> Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickne</i> | | | |
| Provisions of the United Nations Convention on the Law of the Sea of 10 December 1982 relating to the Conservation and Management of Straddling Fish Stocks and Highly Migratory Fish Stocks, U. Nations, Editor. 1995: New York, U.S.A. Pan, M. and H.P. Huntington, A precautionary approach to fisheries in the Central Arctic Ocean: Policy, science, and China. Marine Policy, 2016. 63: p. 153-157. Third Meeting of Scientific Experts of Fish Stocks in the Central Arctic Ocean, Final Report. 2015: Seatle, Washington. Kitigaaryuit Declaration, I.C. C. Canada, Editor. 2014: Inuvik, Canda. Chairman's Statement, Meeting on Arctic Fisheries. 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.E. and E.M. Nilssen, The rise and fall of the Barents Sea capelin (Mallotus villosus): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse. Canadian Journal of Fisheries and Aquait Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., Trophic Cascades in a Formerly Cod-Dominated Ecosystem. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., The emerging politics of the Arctic Ocean. Future management of the living marine resources. Marine Policy, 2015. 51: p. 931-338. Wessel, P., et al., Generic Mapping Tools: Improved Version Released. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. PCC, Physical Science Basis. Fift Assessment Report (AFS). 2013. NSIDC. National Snow and Ice Data Center, Charctic Inte | | 2 | |
| <i>December 1982 relating to the Conservation and Management of Straddling</i> <i>Fish Stocks and Highly Migratory Fish Stocks</i>, U. Nations, Editor. 1995: New York, U.S.A. Pan, M. and H.P. Huntington, <i>A precautionary approach to fisheries in the</i> <i>Central Arctic Ocean: Policy, science, and China</i>. Marine Policy, 2016. 63: p. 153-157. Third Meeting of Scientific Experts of Fish Stocks in the Central Arctic Ocean, <i>Final Report</i>. 2015: Seatle, Washington. <i>Kitigaaryuit Declaration</i>, I.C.C. Canada, Editor. 2014: Inuvik, Canda. Chairman's Statement, <i>Meeting on Arctic Fisheries</i>. 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, <i>The rise and fall of the Barents Sea capelin</i> <i>(Mallotus villosus): a multivariate scenario</i>. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., <i>Spatial and temporal variation in the density of northern</i> <i>cod and a review of hypotheses for the stock's collapse</i>. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., <i>Trophic Cascades in a Formerly Cod-Dominated</i> <i>Ecosystem</i>. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management</i> <i>of the living marine resources</i>. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released</i>. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, <i>Physical Science Basis. Fifth Assessment Report (AR5)</i>. 2013. NSIDC. National Snow and lce Data Center, Charctic Interactive Sea lce <i>Graph</i>. 2015; Ava | | 2. | |
| Fish Stocks and Highly Migratory Fish Stocks, U. Nations, Editor. 1995: New York, U.S.A. Pan, M. and H.P. Huntington, A precautionary approach to fisheries in the Central Arctic Ocean: Policy, science, and China. Marine Policy, 2016. 63: p. 153-157. Third Meeting of Scientific Experts of Fish Stocks in the Central Arctic Ocean, Final Report. 2015: Seatle, Washington. Kitigaaryuit Declaration, I.C.C. Canada, Editor. 2014: Inuvik, Canda. Chairman's Statement, Meeting on Arctic Fisheries. 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, The rise and fall of the Barents Sea capelin (Mallotus villosus): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., Trophic Cascades in a Formerly Cod-Dominated Ecosystem. Science, 2005. 308(5728): p. 1621-1623. Wessel, P., et al., Generic Mapping Tools: Improved Version Released. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. PCC, Physical Science Basis. Fifth Assessment Report (AR5). 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(1): p. 2097-2101. NsIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice free? Geophysical Research Letters, 2013. 40(1): p. 2097-2101. Arctic Council. Sakshaug, E., et al., Phytoplankton and primar | | | |
| York, U.S.A. Pan, M. and H.P. Huntington, A precautionary approach to fisheries in the Central Arctic Ocean: Policy, science, and China. Marine Policy, 2016. 63: p. 153-157. Third Meeting of Scientific Experts of Fish Stocks in the Central Arctic Ocean, Final Report. 2015: Seatle, Washington. <i>Kitigaaryuit Declaration</i>, I.C.C. Canada, Editor. 2014: Inuvik, Canda. Chairman's Statement, Meeting on Arctic Fisheries. 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, The rise and fall of the Barents Sea capelin (Mallotus villosus): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., Trophic Cascades in a Formerly Cod-Dominated Ecosystem. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., The emerging politics of the Arctic Ocean. Future management of the living marine resources. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., Generic Mapping Tools: Improved Version Released. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, Physical Science Rasis. Fifth Assessment Report (AR5). 2013. NSIDC. National Snow and lee Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nside.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council. Sakshaug, E., et al., Phyto | | | |
| Pan, M. and H.P. Huntington, A precautionary approach to fisheries in the Central Arctic Ocean: Policy, science, and China. Marine Policy, 2016. 63: p. 153-157. Third Meeting of Scientific Experts of Fish Stocks in the Central Arctic Ocean, Final Report. 2015: Seatle, Washington. Kitigaaryuit Declaration, I.C.C. Canada, Editor. 2014: Inuvik, Canda. Chairman's Statement, Meeting on Arctic Fisheries. 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, The rise and fall of the Barents Sea capelin (Mallotus villosus): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., Trophic Cascades in a Formerly Cod-Dominated Ecosystem. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., The emerging politics of the Arctic Ocean. Future management of the living marine resources. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., Generic Mapping Tools: Improved Version Released. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, Physical Science Basis. Fifth Assessment Report (AR5). 2013. NSIDC. National Snow and Lee Data Center, Charctic Interactive-sea ice-graph/. Laxon, S.W., et al., CroySat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(10): p. 20 | | | |
| <i>Central Arctic Ocean: Policy, science, and China.</i> Marine Policy, 2016. 63: p. 153-157. Third Meeting of Scientific Experts of Fish Stocks in the Central Arctic Ocean, <i>Final Report.</i> 2015: Seatle, Washington. <i>Kitigaaryuit Declaration,</i> I.C.C. Canada, Editor. 2014: Inuvik, Canda. Chairman's Statement, <i>Meeting on Arctic Fisheries.</i> 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, <i>The rise and fall of the Barents Sea capelin (Mallous villosus): a multivariate scenario.</i> Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., <i>Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse.</i> Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., <i>Trophic Cascades in a Formerly Cod-Dominated Ecosystem.</i> Science, 2005. 308(5728): p. 1621-1623. Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management of the living marine resources.</i> Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released.</i> Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, <i>Physical Science Basis. Fifth Assessment Report (ARS).</i> 2013. NSIDC. National Snow and Ice Data Center, <i>Charctic Interactive Sea ice free? Geophysical Research Letters,</i> 2013. 40(19): p. 732-737. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice free? Geophysical Research Letters,</i> 2013. 40(1): p. 732-737. Sakshaug, E., et al., <i>Phytoplankton and primary production,</i> in <i>Ecosystem Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairmar's Statement, <i>Meeting on High Seas Fishe</i> | | 3 | • |
| 153-157. Third Meeting of Scientific Experts of Fish Stocks in the Central Arctic Ocean, Final Report. 2015: Seatle, Washington. <i>Kitigaaryuit Declaration</i>, I.C.C. Canada, Editor. 2014: Inuvik, Canda. Chairman's Statement, Meeting on Arctic Fisheries. 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, The rise and fall of the Barents Sea capelin (Mallotus villosus): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., <i>Trophic Cascades in a Formerly Cod-Dominated Ecosystem</i>. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management of the living marine resources</i>. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released.</i> Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, Physical Science Basis. Fifth Assessment Report (Ar5). 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickness and volume</i>. Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(1): p. 2097-2101. Arctic Council. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. B. Ch | | з. | |
| 4. Third Meeting of Scientific Experts of Fish Stocks in the Central Arctic Ocean, <i>Final Report</i>. 2015: Seatle, Washington. 5. <i>Kitigaaryuit Declaration</i>, I.C.C. Canada, Editor. 2014: Inuvik, Canda. 6. Chairman's Statement, <i>Meeting on Arctic Fisheries</i>. 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en 7. Hopkins, C.C.E. and E.M. Nilssen, <i>The rise and fall of the Barents Sea capelin</i> (<i>Mallotus villosus</i>): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. 8. Hutchings, J.A., <i>Spatial and temporal variation in the density of northern</i> <i>cod and a review of hypotheses for the stock's collapse</i>. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. 9. Frank, K.T., et al., <i>Trophic Cascades in a Formerly Cod-Dominated</i> <i>Ecosystem</i>. Science, 2005. 308(5728): p. 1621-1623. 10. Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management</i> <i>of the living marine resources</i>. Marine Policy, 2015. 51: p. 439-410. 11. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released</i>. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. 12. IPCC, <i>Physical Science Basis. Fifth Assessment Report (AR5)</i>. 2013. 13. NSIDC. National Snow and Lee Data Center, Charctic Interactive-sea-ice-graph/. 14. Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickness and</i> <i>volume</i>. Geophysical Research Letters, 2013. 40(4): p. 732-737. 15. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice</i> <i>free?</i> Geophysical Research Letters, 2013. 40(10): p. 2097-2101. 15. Arctic Council. 16. Arctic Council. 17. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem</i> <i>Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Ac | | | |
| Ocean, <i>Final Report</i>. 2015: Seatle, Washington. <i>Kitigaaryuit Declaration</i>, I.C.C. Canada, Editor. 2014: Inuvik, Canda. Chairman's Statement, <i>Meeting on Arctic Fisheries</i>. 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, <i>The rise and fall of the Barents Sea capelin</i> (<i>Mallotus villosus</i>): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., <i>Spatial and temporal variation in the density of northern</i> <i>cod and a review of hypotheses for the stock's collapse</i>. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., <i>Trophic Cascades in a Formerly Cod-Dominated</i> <i>Ecosystem</i>. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management</i> <i>of the living marine resources</i>. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released. Eos</i>, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, <i>Physical Science Basis. Fifth Assessment Report (AR5)</i>. 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice <i>Graph</i>. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickness and</i> <i>volume</i>. Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice</i> <i>free</i>? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem</i> <i>Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Edit | | 4 | |
| Kitigaaryuit Declaration, I.C.C. Canada, Editor. 2014: Inuvik, Canda. Chairman's Statement, Meeting on Arctic Fisheries. 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, The rise and fall of the Barents Sea capelin (Mallotus villosus): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., Trophic Cascades in a Formerly Cod-Dominated Ecosystem. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., The emerging politics of the Arctic Ocean. Future management of the living marine resources. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., Generic Mapping Tools: Improved Version Released. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, Physical Science Basis. Fifth Assessment Report (AR5). 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(10): p. 732-737. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, | | 4. | C I |
| Chairman's Statement, Meeting on Arctic Fisheries. 2014: Nuuk, Greenland. Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, The rise and fall of the Barents Sea capelin (Mallotus villosus): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., Trophic Cascades in a Formerly Cod-Dominated Ecosystem. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., The emerging politics of the Arctic Ocean. Future management of the living marine resources. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., Generic Mapping Tools: Improved Version Released. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, Physical Science Basis. Fifth Assessment Report (AR5). 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council, Arctic Marine Shipping Assessment 2009 Report. 2009, Arctic Council. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic Ocean. 2015: Washington, D.C. 1-3 December 2 | | F | |
| Available from: http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, <i>The rise and fall of the Barents Sea capelin</i> (<i>Mallotus villosus</i>): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., <i>Trophic Cascades in a Formerly Cod-Dominated Ecosystem</i>. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management of the living marine resources</i>. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released</i>. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, Physical Science Basis. Fifth Assessment Report (AR5). 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nside.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council, Arctic Marine Shipping Assessment 2009 Report. 2009, Arctic Council. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | | |
| http://www.pewtrusts.org/~/media/assets/2014/09/arcticnationsagre etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, <i>The rise and fall of the Barents Sea capelin</i> (<i>Mallotus villosus</i>): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., <i>Spatial and temporal variation in the density of northern</i> <i>cod and a review of hypotheses for the stock's collapse</i>. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., <i>Trophic Cascades in a Formerly Cod-Dominated</i> <i>Ecosystem</i>. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management</i> <i>of the living marine resources</i>. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released</i>. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, <i>Physical Science Basis. Fifth Assessment Report (AR5)</i>. 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice <i>Graph</i>. 2015; Available from: http://nside.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickness and volume</i>. Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice free?</i> Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council, <i>Arctic Marine Shipping Assessment 2009 Report</i>. 2009, Arctic Council. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic Ocean</i>. 2015: Washington, D.C. 1-3 December 2015; Available fro | | 0. | - |
| etoworkoninternationalfisheries-accord.pdf?la=en Hopkins, C.C.E. and E.M. Nilssen, <i>The rise and fall of the Barents Sea capelin</i> (<i>Mallotus villosus</i>]: a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. Hutchings, J.A., <i>Spatial and temporal variation in the density of northern</i> <i>cod and a review of hypotheses for the stock's collapse</i>. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., <i>Trophic Cascades in a Formerly Cod-Dominated</i> <i>Ecosystem</i>. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management</i> <i>of the living marine resources</i>. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released</i>. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, <i>Physical Science Basis. Fifth Assessment Report (AR5)</i>. 2013. NSIDC. <i>National Snow and Ice Data Center, Charctic Interactive Sea Ice</i> <i>Graph</i>. 2015; Available from: http://nsid.corg/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickness and</i> <i>volume</i>. Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice</i> <i>free?</i> Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council, <i>Arctic Marine Shipping Assessment 2009 Report</i>. 2009, Arctic Council. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem</i> <i>Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic</i> <i>Ocean</i>. 2015: Washington, D.C. 1-3 December 2015; Available from: | | | |
| 659 7. Hopkins, C.C.E. and E.M. Nilssen, <i>The rise and fall of the Barents Sea capelin</i> (<i>Mallotus villosus</i>): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. 662 8. Hutchings, J.A., <i>Spatial and temporal variation in the density of northern</i> 663 <i>cod and a review of hypotheses for the stock's collapse</i>. Canadian Journal of 664 Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. 665 9. Frank, K.T., et al., <i>Trophic Cascades in a Formerly Cod-Dominated</i> 666 <i>Ecosystem</i>. Science, 2005. 308(5728): p. 1621-1623. 667 10. Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management</i> 668 <i>of the living marine resources</i>. Marine Policy, 2015. 51: p. 331-338. 669 11. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released</i>. Eos, 70 Transactions American Geophysical Union, 2013. 94(45): p. 409-410. 671 12. IPCC, <i>Physical Science Basis. Fifth Assessment Report (AR5)</i>. 2013. 672 13. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice 673 <i>Graph</i>. 2015; Available from: 674 http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. 675 14. Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickness and volume</i>. Geophysical Research Letters, 2013. 40(4): p. 732-737. 677 15. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice 678 free?</i> Geophysical Research Letters, 2013. 40(10): p. 2097-2101. 679 16. Arctic Council. 681 17. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic 683 Press: Trondheim, Norway. p. 167-208. 684 18. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic</i> 676 <i>Ocean.</i> 2015: Washington, D.C. 1-3 December 2015; Available from: | | | |
| (Mallotus villosus): a multivariate scenario. Polar Research, 1991. 10(2): p. 535-546. 8. Hutchings, J.A., Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. 9. Frank, K.T., et al., Trophic Cascades in a Formerly Cod-Dominated Ecosystem. Science, 2005. 308(5728): p. 1621-1623. 10. Wegge, N., The emerging politics of the Arctic Ocean. Future management of the living marine resources. Marine Policy, 2015. 51: p. 331-338. 11. Wessel, P., et al., Generic Mapping Tools: Improved Version Released. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. 12. IPCC, Physical Science Basis. Fifth Assessment Report (AR5). 2013. 13. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. 14. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. 15. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. 17. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. 18. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 7 | |
| 535-546. 8. Hutchings, J.A., Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. 9. Frank, K.T., et al., Trophic Cascades in a Formerly Cod-Dominated Ecosystem. Science, 2005. 308(5728): p. 1621-1623. 10. Wegge, N., The emerging politics of the Arctic Ocean. Future management of the living marine resources. Marine Policy, 2015. 51: p. 331-338. 11. Wessel, P., et al., Generic Mapping Tools: Improved Version Released. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. 12. IPCC, Physical Science Basis. Fifth Assessment Report (ARS). 2013. 13. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. 14. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. 15. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. 17. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. 18. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 7. | |
| 8. Hutchings, J.A., Spatial and temporal variation in the density of northern cod and a review of hypotheses for the stock's collapse. Canadian Journal of Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. 9. Frank, K.T., et al., Trophic Cascades in a Formerly Cod-Dominated Ecosystem. Science, 2005. 308(5728): p. 1621-1623. 10. Wegge, N., The emerging politics of the Arctic Ocean. Future management of the living marine resources. Marine Policy, 2015. 51: p. 331-338. 11. Wessel, P., et al., Generic Mapping Tools: Improved Version Released. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. 12. IPCC, Physical Science Basis. Fifth Assessment Report (AR5). 2013. 13. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. 14. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. 15. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. 16. Arctic Council, Arctic Marine Shipping Assessment 2009 Report. 2009, Arctic Council. 17. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. 18. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | | |
| 663 cod and a review of hypotheses for the stock's collapse. Canadian Journal of 664 Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. 665 9. Frank, K.T., et al., Trophic Cascades in a Formerly Cod-Dominated 666 Ecosystem. Science, 2005. 308(5728): p. 1621-1623. 667 10. Wegge, N., The emerging politics of the Arctic Ocean. Future management 668 of the living marine resources. Marine Policy, 2015. 51: p. 331-338. 669 11. Wessel, P., et al., Generic Mapping Tools: Improved Version Released. Eos, 670 Transactions American Geophysical Union, 2013. 94(45): p. 409-410. 671 12. IPCC, Physical Science Basis. Fifth Assessment Report (AR5). 2013. 672 13. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice 673 Graph. 2015; Available from: 674 http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. 675 14. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and 676 volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. 677 15. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice 678 free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. 679 16. Arctic Council, Arctic Marine Shipping Assessment 2009 Report. 2009, 680 Arctic Council. 681 17. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem 682 Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic 683 Press: Trondheim, Norway. p. 167-208. 684 18. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic 685 Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 0 | |
| Fisheries and Aquatic Sciences, 1996. 53(5): p. 943-962. Frank, K.T., et al., <i>Trophic Cascades in a Formerly Cod-Dominated</i> <i>Ecosystem</i>. Science, 2005. 308(5728): p. 1621-1623. Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management</i> <i>of the living marine resources</i>. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released</i>. Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, <i>Physical Science Basis. Fifth Assessment Report (AR5)</i>. 2013. NSIDC. <i>National Snow and Ice Data Center, Charctic Interactive Sea Ice</i> <i>Graph</i>. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickness and</i> <i>volume</i>. Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice</i> <i>free?</i> Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council. Arctic Council. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem</i> <i>Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic</i> <i>Ocean</i>. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 8. | |
| Frank, K.T., et al., <i>Trophic Cascades in a Formerly Cod-Dominated</i> <i>Ecosystem.</i> Science, 2005. 308(5728): p. 1621-1623. Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management</i> <i>of the living marine resources.</i> Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released.</i> Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, <i>Physical Science Basis. Fifth Assessment Report (AR5).</i> 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice <i>Graph.</i> 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickness and</i> <i>volume.</i> Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice</i> <i>free?</i> Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council. Arctic Council. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem</i> <i>Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic</i> <i>Ocean.</i> 2015: Washington, D.C. 1-3 December 2015; Available from: | | | |
| <i>Ecosystem.</i> Science, 2005. 308(5728): p. 1621-1623. Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management of the living marine resources.</i> Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released.</i> Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, <i>Physical Science Basis. Fifth Assessment Report (AR5).</i> 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice <i>Graph.</i> 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickness and volume.</i> Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice free?</i> Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council. <i>Arctic Marine Shipping Assessment 2009 Report.</i> 2009, Arctic Council. T. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic Ocean.</i> 2015: Washington, D.C. 1-3 December 2015; Available from: | | 0 | |
| Wegge, N., <i>The emerging politics of the Arctic Ocean. Future management</i> of the living marine resources. Marine Policy, 2015. 51: p. 331-338. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released.</i> Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, <i>Physical Science Basis. Fifth Assessment Report (AR5).</i> 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickness and</i> volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice</i> free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council. <i>Arctic Marine Shipping Assessment 2009 Report.</i> 2009, Arctic Council. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic</i> <i>Ocean.</i> 2015: Washington, D.C. 1-3 December 2015; Available from: | | 9. | |
| 668of the living marine resources. Marine Policy, 2015. 51 : p. 331-338.66911.Wessel, P., et al., Generic Mapping Tools: Improved Version Released. Eos,670Transactions American Geophysical Union, 2013. 94 (45): p. 409-410.67112.IPCC, Physical Science Basis. Fifth Assessment Report (AR5). 2013.67213.NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice673Graph. 2015; Available from:674http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/.67514.Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and676volume. Geophysical Research Letters, 2013. 40 (4): p. 732-737.67715.Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice678free? Geophysical Research Letters, 2013. 40 (10): p. 2097-2101.67916.Arctic Council, Arctic Marine Shipping Assessment 2009 Report. 2009,680Arctic Council.68117.Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem682Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic683Press: Trondheim, Norway. p. 167-208.68418.Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic685Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 10 | |
| 669 11. Wessel, P., et al., <i>Generic Mapping Tools: Improved Version Released.</i> Eos, Transactions American Geophysical Union, 2013. 94(45): p. 409-410. 671 12. IPCC, <i>Physical Science Basis. Fifth Assessment Report (AR5).</i> 2013. 672 13. NSIDC. <i>National Snow and Ice Data Center, Charctic Interactive Sea Ice</i> <i>Graph.</i> 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. 674 http://nsidc.org/arcticseaice/news/charctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. 677 15. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice</i> <i>free?</i> Geophysical Research Letters, 2013. 40(10): p. 2097-2101. 679 16. Arctic Council, <i>Arctic Marine Shipping Assessment 2009 Report.</i> 2009, Arctic Council. 681 17. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem</i> <i>Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. 684 18. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic</i> <i>Ocean.</i> 2015: Washington, D.C. 1-3 December 2015; Available from: | | 10. | |
| Transactions American Geophysical Union, 2013. 94(45): p. 409-410. IPCC, Physical Science Basis. Fifth Assessment Report (AR5). 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council, Arctic Marine Shipping Assessment 2009 Report. 2009, Arctic Council. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 11 | |
| IPCC, Physical Science Basis. Fifth Assessment Report (AR5). 2013. NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council, Arctic Marine Shipping Assessment 2009 Report. 2009, Arctic Council. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 11. | |
| NSIDC. National Snow and Ice Data Center, Charctic Interactive Sea Ice Graph. 2015; Available from: http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council, Arctic Marine Shipping Assessment 2009 Report. 2009, Arctic Council. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 12 | |
| 673 <i>Graph.</i> 2015; Available from: 674 <u>http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/.</u> 675 14. Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickness and</i> 676 <i>volume.</i> Geophysical Research Letters, 2013. 40(4): p. 732-737. 677 15. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice</i> 678 <i>free?</i> Geophysical Research Letters, 2013. 40(10): p. 2097-2101. 679 16. Arctic Council, <i>Arctic Marine Shipping Assessment 2009 Report.</i> 2009, 680 Arctic Council. 681 17. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem</i> 682 <i>Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic 683 Press: Trondheim, Norway. p. 167-208. 684 18. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic</i> 685 <i>Ocean.</i> 2015: Washington, D.C. 1-3 December 2015; Available from: | | | |
| http://nsidc.org/arcticseaice/news/charctic-interactive-sea-ice-graph/. 14. Laxon, S.W., et al., <i>CryoSat-2 estimates of Arctic sea ice thickness and</i> <i>volume.</i> Geophysical Research Letters, 2013. 40(4): p. 732-737. 15. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice</i> <i>free?</i> Geophysical Research Letters, 2013. 40(10): p. 2097-2101. 16. Arctic Council, <i>Arctic Marine Shipping Assessment 2009 Report.</i> 2009, Arctic Council. 17. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem</i> <i>Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. 18. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic</i> <i>Ocean.</i> 2015: Washington, D.C. 1-3 December 2015; Available from: | | 15. | |
| 14. Laxon, S.W., et al., CryoSat-2 estimates of Arctic sea ice thickness and volume. Geophysical Research Letters, 2013. 40(4): p. 732-737. 15. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. 16. Arctic Council, Arctic Marine Shipping Assessment 2009 Report. 2009, Arctic Council. 17. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. 18. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | | |
| <i>volume.</i> Geophysical Research Letters, 2013. 40(4): p. 732-737. Overland, J.E. and M. Wang, <i>When will the summer Arctic be nearly sea ice</i> <i>free?</i> Geophysical Research Letters, 2013. 40(10): p. 2097-2101. Arctic Council, <i>Arctic Marine Shipping Assessment 2009 Report.</i> 2009, Arctic Council. 17. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem</i> <i>Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic</i> <i>Ocean.</i> 2015: Washington, D.C. 1-3 December 2015; Available from: | | 11 | |
| 677 15. Overland, J.E. and M. Wang, When will the summer Arctic be nearly sea ice free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. 679 16. Arctic Council, Arctic Marine Shipping Assessment 2009 Report. 2009, Arctic Council. 681 17. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. 684 18. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 14. | |
| 678 free? Geophysical Research Letters, 2013. 40(10): p. 2097-2101. 679 16. Arctic Council, Arctic Marine Shipping Assessment 2009 Report. 2009, Arctic Council. 681 17. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic 683 Press: Trondheim, Norway. p. 167-208. 684 18. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 15 | |
| 679 16. Arctic Council, Arctic Marine Shipping Assessment 2009 Report. 2009, Arctic Council. 681 17. Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. 684 18. Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 15. | |
| 680Arctic Council.68117.682Sakshaug, E., et al., Phytoplankton and primary production, in Ecosystem682Barents Sea, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic683Press: Trondheim, Norway. p. 167-208.68418.685Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic685Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 16 | |
| 681 17. Sakshaug, E., et al., <i>Phytoplankton and primary production</i>, in <i>Ecosystem</i> 682 <i>Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic 683 Press: Trondheim, Norway. p. 167-208. 684 18. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic</i> 685 <i>Ocean</i>. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 10. | |
| <i>Barents Sea</i>, J.G. Sakshaug E, Kovacs K, Editor. 2009, Tapir Academic Press: Trondheim, Norway. p. 167-208. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic</i> <i>Ocean</i>. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 17 | |
| 683 Press: Trondheim, Norway. p. 167-208. 684 18. Chairman's Statement, <i>Meeting on High Seas Fisheries in the Central Arctic</i> 685 Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | 17. | |
| 68418.Chairman's Statement, Meeting on High Seas Fisheries in the Central Arctic685Ocean. 2015: Washington, D.C. 1-3 December 2015; Available from: | | | |
| 685 <i>Ocean</i> . 2015: Washington, D.C. 1-3 December 2015; Available from: | | 10 | |
| 0 | | 10. | |
| ooo nup.//naaiakkeisuisulgi/~/meuia/wanoq/riles/Attacheu%20riles/0de | | | • |
| | 000 | | incp.//inanakkeisuisucgi/~/incula/ivanoy/intes/Attacheu%2011185/UUE |

| 687 | | nrigsdirektoratet/Chairmans%20Statement%20from%20Washington%2 |
|------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 688 | | 0Meeting%20December%202015.pdf |
| 689 | 19. | COMEST, <i>The Precautionary Principle</i> , T.U.N.E. World Commission on the |
| 690 | 17. | Ethics of Scientific Knowledge and Technology, Scientific and Cultural |
| 691 | | Organization (UNESCO), Editor. 2005. |
| 692 | 20. | North Pacific Fishery Management Council, Fishery Management Plan for |
| 693 | 201 | Fish Resources of the Arctic Management Area 2009. |
| 694 | 21. | U.S. Department of State, Arctic Nations Sign Declaration to Prevent |
| 695 | | Unregulated Fishing in the Central Arctic Ocean. 2015. |
| 696 | 22. | Dirix, J., Peeters, W., Eyckmans, J., Jones, P. T., & Sterckx, S. , <i>Strengthening</i> |
| 697 | | <i>bottom-up and top-down climate governance.</i> Climate Policy, 2013. 13 (3): |
| 698 | | p. 363-383. |
| 699 | 23. | Biermann, F., Pattberg, P., van Asselt, H., & Zelli, F, <i>The Fragmentation of</i> |
| 700 | | Global Governance Architectures: A Framework for Analysis. Global |
| 701 | | Environmental Politics, 2009. 9 (4): p. 14-40. |
| 702 | 24. | Falkner, R., Stephan, H., & Vogler, J. , International Climate Policy after |
| 703 | | Copenhagen: Towards a 'Building Blocks' Approach. Global Policy, 2010. |
| 704 | | 1 (3): p. 252-262. |
| 705 | 25. | ACIA, Arctic Climate Impact Assessment, C. Symon, L. Arris, and B. Heal, |
| 706 | | Editors. 2005, Cambridge University Press: New York. |
| 707 | 26. | Cheung, W.W.L., et al., <i>Projecting global marine biodiversity impacts under</i> |
| 708 | | <i>climate change scenarios.</i> Fish and Fisheries, 2009. 10 (3): p. 235-251. |
| 709 | 27. | Kourantidou, M., B.A. Kaiser, and L.M. Fernandez. <i>Towards Arctic Resource</i> |
| 710 | 20 | Governance of Marine Invasive Species. in Arctic Yearbook. 2015. |
| 711 712 | 28. | Loeng, H. and K. Drinkwater, An overview of the ecosystems of the Barents and Norwegian Seas and their response to alimate variability. Deep Sea |
| 712 | | <i>and Norwegian Seas and their response to climate variability.</i> Deep Sea Research Part II: Topical Studies in Oceanography, 2007. 54 (23–26): p. |
| 714 | | 2478-2500. |
| 715 | 29. | Hollowed, A.B., B. Planque, and H. Loeng, <i>Potential movement of fish and</i> |
| 716 | 27. | shellfish stocks from the sub-Arctic to the Arctic Ocean. Fisheries |
| 717 | | Oceanography, 2013. 22 (5): p. 355-370. |
| 718 | 30. | Huse, G. and I. Ellingsen, <i>Capelin migrations and climate change – a</i> |
| 719 | | <i>modelling analysis.</i> Climatic Change, 2008. 87 (1-2): p. 177-197. |
| 720 | 31. | Mueter, F.J., et al., Expected declines in recruitment of walleye pollock |
| 721 | | (Theragra chalcogramma) in the eastern Bering Sea under future climate |
| 722 | | change. ICES Journal of Marine Science: Journal du Conseil, 2011. |
| 723 | 32. | Fossheim, M., et al., <i>Recent warming leads to a rapid borealization of fish</i> |
| 724 | | <i>communities in the Arctic.</i> Nature Clim. Change, 2015. 5 (7): p. 673-677. |
| 725 | 33. | Capotondi, A., et al., Enhanced upper ocean stratification with climate |
| 726 | | change in the CMIP3 models. Journal of Geophysical Research: Oceans, |
| 727 | | 2012. 117 (C4): p. n/a-n/a. |
| 728 | 34. | Tremblay, J.É., et al., Impact of river discharge, upwelling and vertical |
| 729 | | mixing on the nutrient loading and productivity of the Canadian Beaufort |
| 730 | 25 | <i>Shelf.</i> Biogeosciences, 2014. 11 (17): p. 4853-4868. |
| 731 | 35. | Popova, E.E., et al., <i>Control of primary production in the Arctic by nutrients</i> |
| 732 | | and light: insights from a high resolution ocean general circulation model. Biogeographics 2010 , $7(11)$; p. 2560, 2501 |
| 733 | | Biogeosciences, 2010. 7 (11): p. 3569-3591. |

| 734 | 36. | Arrigo, K.R., G. van Dijken, and S. Pabi, Impact of a shrinking Arctic ice |
|------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 735 | | <i>cover on marine primary production.</i> Geophysical Research Letters, 2008. |
| 736 | 07 | 35 (19): p. n/a-n/a. |
| 737 | 37. | Ji, R., M. Jin, and Ø. Varpe, Sea ice phenology and timing of primary |
| 738 | | production pulses in the Arctic Ocean. Global Change Biology, 2013. 19 (3): |
| 739 | 20 | p. 734-741. |
| 740 | 38. | Perry, A.L., et al., <i>Climate Change and Distribution Shifts in Marine Fishes.</i> |
| 741 | 20 | Science, 2005. 308 (5730): p. 1912-1915. |
| 742 743 | 39. | Wisz, M.S., et al., Arctic warming will promote Atlantic-Pacific fish |
| 743 744 | 40. | <i>interchange.</i> Nature Clim. Change, 2015. 5 (3): p. 261-265. CTBTO, <i>The CTBT Verification Regime: Monitoring the Earth for nuclear</i> |
| 744 | 40. | explosions, P. Information, Editor. 2015, Preparatory Commission for the |
| 743 746 | | Comprehensive Nuclear-Test-Ban Treaty Organization (CTBTO): Vienna, |
| 740 | | Austria. |
| 748 | 41. | Stokke, O.S., Managing straddling stocks: the interplay of global and |
| 749 | ΤΙ. | regional regimes. Ocean & Coastal Management, 2000. 43 (2–3): p. 205- |
| 750 | | 234. |
| 751 | 42. | Rayfuse, R., Protecting Marine Biodiversity in Polar Areas Beyond National |
| 752 | 12. | <i>Jurisdiction.</i> Review of European Community & International |
| 753 | | Environmental Law, 2008. 17 (1): p. 3-13. |
| 754 | 43. | Rayfuse, R. and R. Warner, Securing a Sustainable Future for the Oceans |
| 755 | | Beyond National Jurisdiction: The Legal Basis for an Integrated Cross- |
| 756 | | Sectoral Regime for High Seas Governance for the 21st Century. The |
| 757 | | International Journal of Marine and Coastal Law, 2008. 23 (3): p. 399-421. |
| 758 | 44. | KSAT, Kongsberg Satellite Services (KSAT) Geospatial products and |
| 759 | | services. 2015. |
| 760 | 45. | Norwegian Space Centre, <i>Norske satellitter</i> . 2015 8th August 2015]; |
| 761 | | Available from: <u>http://www.romsenter.no/Bruk-av-rommet/Norske-</u> |
| 762 | | <u>satellitter</u> . |
| 763 | 46. | International Maritime Organization. AIS transponders. 2015 8th August |
| 764 | | 2015]; Available from: |
| 765 | | <u>http://www.imo.org/en/OurWork/Safety/Navigation/Pages/AIS.aspx</u> . |
| 766 | 47. | P.E.W. The Virtual Watch Room; Pioneering technology to monitor and |
| 767 | | protect marine reserves. 2015 8th August 2015]; Available from: |
| 768 | | http://www.pewtrusts.org/en/research-and-analysis/fact- |
| 769 | | sheets/2015/01/virtual-watch-room. |
| 770 | 48. | Losekoot, M. and P. Schwab. Operational Use of Ship Detection to Combat |
| 771 | | Illegal Fishing in the Southern Indian Ocean. in IGARSS. Geoscience and |
| 772 | 40 | Remote Sensing Symposium, 2005. 2015. Milan. |
| 773 | 49. | European Commission, Joint Staff Working DocumentSpace and the Arctic; |
| 774 | | Developing a European Union Policy towards the Arctic Region: progress |
| 775 776 | | since 2008 and next steps, High Representative of the European Union for |
| 776 777 | FO | Foreign Affairs and Security Policy, Editor. 2012: Brussels. p. 28. |
| 777 770 | 50. | Weidemann, L., International Governance of the Arctic Marine |
| 778 779 | 51. | Environment, ed. H.S.o.M. Affairs. Vol. 27. 2014, Switzerland: Springer. |
| 779 780 | 51. | Nakken, O., Norwegian spring-spawning herring & Northeast Arctic cod; 100 years of research and management, ed. O. Nakken. 2008, Trondheim, |
| 780 781 | | Norway: Tapir academmic Press. 187. |
| /01 | | 101 way. Tapit academinic 11000. 107. |

- 782 52. ICES, International Council for the Exploration of the Sea, Report of the
 783 Arctic Fisheries Working Group. 2015: Hamburg, Germany. p. 590.
- 53. Stokke, O., *Barents Sea Fisheries the IUU Struggle.* Arctic Review on Law
 and Politics, 2010. 1(2/2010): p. 207-224.
- 786 54. CCBSP, Convention on the Conservation and Management of Pollock
 787 Resources in the Central Bering Sea. 1994.
- 55. Bailey, K.M., An Empty Donut Hole: the Great Collapse of a North American
 Fishery. Ecology and society, 2011. 16: p. 28.
- 790

792 SUPPLEMENTARY

Table S1: Brief overview on stocks and fishing status and expected trends in the Arctic Ocean

| SPECIES | FISHING & CATCH STATUS | STOCK STATUS | EXCPECTED TRENDS & QUOTAS |
|--------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| | | | DEVELOPMENT |
| Capelin (Mallotus villosus) | No fishing in Barents Sea during 2004-2008 due to stock poor condition ^{[1][2]} . Preliminary landings in 2011 and 2012 were 20 104 tonnes and 22 298 tonnes, respectively, (against a Total Allowable Catch (TAC) of 22 579 tonnes ^[3]). | Today the Barents Sea has potentially the largest capelin stock in the world, but there is a lack of stock information ^[4] . | Quotas decreased in the past years (200 000 – 400 000 tonnes between 2009 and 2013; and 65 000 – 120 000 between 2014 and 2015) ^[1] . |
| Coastal Cod (Gadus morhua) | Considered overfished ^[1] . High uncertainty in the estimation of the commercial catch. Recreational catch has been estimated to be around 12 700 tonnes ^[1] . Coastal cod is fished throughout the year. Except for the open fjords in eastern Finnmark, the quantities fished inside fjords are low ^[1] . | The coastal survey in 2013 and 2014 showed some increased abundance indices compared to previous years ^[1] . The most recent survey estimate of spawning biomass is the highest since 1998, but is considered to be rather uncertain. | By the end of the winter/ spring fishery in 2015 the remaining quota for the autumn fishery is similar to what it was in 2013 and 2014. Then the expectation is that the catches of coastal cod in 2015 will be similar to 2013 and 2014 ^[1] . |
| Haddock (Melanog rammus aeglefinus) | 2012 landings amount to 315 627 tonnes – being the highest landings of haddock since 1973. In 2013 landings decreased considerably to 193 744 tonnes. Official landings for 2014 are slightly below the agreed TAC (178 500 t) ^[1] . | This stock is classified as having full reproductive capacity. The exceptionally strong year-classes 2004-2006 have contributed to the strong increase to all-time high levels of stock size that has been seen in later years ^[1] . | ICES classifies the Northeast Arctic haddock stock as having full reproductive capacity, but it is also in danger of being harvested unsustainably ^{[1],[4]} . |

| Herring | Catch is declining ^[4] . In 1977, the fishery was | Stock is declining ^[4] . During the 70s there was a | The quotas have decreased from 437 000 tonnes |
|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| (Clupea harengus) | closed to safeguard the future of the stock. | massive decrease in the spawning stock biomass, largely caused by over exploitation, followed by periods of poor recruitment ^[5] . | (2014) to 283 000 (2015). |
| Mackerel (Scomber scombrus) | Fishing amounts to 370 000 tonnes. 10 tons (Barents sea)). In 2011 small catches of mackerel were for the first time reported in the Greenlandic EEZ ^[4] . | Increased their feeding migrations north- westwards ^{[1], [4]} . This distributional change is likely resulting from changes in physical environment and zooplankton most probably ^[4] . | Mackerel is boosting a great interest and risk of conflict due to lack of regulations. Since 1999, the fishery was regulated according to agreements between the Faroe Islands, EU and Norway. However, since 2009, there has been no coastal state agreement on management and allocation of mackerel ^[4] . |
| Northeast Arctic (NEA) Cod (Gadus morhua) | NEA cod fishery is conducted all year, but most intense in the first half of the year. In winter/spring the southern Barents Sea and coastal areas are the most important exploited areas (while during autumn the main area is along the polar front, e.g. Bear Island–Open area) ^[4] . High uncertainty in the estimation of commercial catch ^[1] . Catches have increased in the last six years, reaching 986 000 tonnes in 2014 ^[1] . | NEA cod is the world's largest cod stock ^{[2],[6]} , and ICES classifies the Barents Sea cod stock as having full reproductive capacity and being harvested sustainably ^[4] . It is estimated to four times larger than it was 25 years ago ^[4] . The geographic distribution of this stock is expanding to the north and east. This is related to high temperatures observed in the Barents Sea during recent years as well as increased abundance ^[7] . | The first rebuilding of the cod fishery in the early 90s started before the more recent development of management plans and precautionary reference points were introduced. Hence the early 1990s rebuilding of the fishery was largely an incremental management learning process aimed at limiting effort to better fit with the decline in Total Allowable Catch (TAC). |
| Redfish (Sebastes mentella) | Considered overfished ^[1] . Since 1991, the fishery has been dominated by Norway and Russia ^[4] . ICES has recommended a ban on direct fishing since the mid-90's ^[1] . After having revised and updated all information on the stock and conducted an assessment with a new analytical population model, ICES recommended that the fishery for 2013 to be kept within 47 000 tonnes. | The stock has been considered depleted. Norway has taken the initiative for a meeting between the Coastal States to discuss a management regime for deep- sea redfish, including allocation of the stock. | ICES has advised on the basis of precautionary considerations that an annual catch in 2015, 2016, and 2017 should be set at no more than 30 000 tonnes, and the 44th Session of the Joint Norwegian-Russian Fisheries Commission decided to follow this advice and set the total TAC in 2015 at 30 000 tonnes ^[1] . |

| Saithe | Over the last 51 years average annual catch has | Declined considerably from 2007 to 2011, then | ICES advised that catches in 2015 should be no |
|------------|-------------------------------------------------|------------------------------------------------------|---------------------------------------------------|
| (Pollachiu | been 163 000 tonnes. The Norwegian fishery, | increased again and is presently (2015) estimated to | more than 122 000 tonnes - and it was set a TAC |
| ` | accounts for more than 90 per cent of the | be well above the precautionary reference point for | of that amount. ICES evaluated the management |
| s virens) | landings. Total landings in 2011 was 157 000 | spawning stock biomass ^[1] . | plan and concluded that it is consistent with the |
| | tonnes ^[1] . | | precautionary approach ^[1] . |

795 Notes: [1] ICES 2015; [2] Durant *et al.*, 2014; [3] DFO, 2013, [4] Fisheries.org [5] www.thefishsite.com [6] Sundby, 2015; [7] IMR