



HAL
open science

Impacts of the network design history on day-to-day multimodal dynamic traffic assignment

Mostafa Ameli, Jean Patrick Lebacque, Ludovic Leclercq

► **To cite this version:**

Mostafa Ameli, Jean Patrick Lebacque, Ludovic Leclercq. Impacts of the network design history on day-to-day multimodal dynamic traffic assignment. hEART 2018, 7th Symposium of the European Association for Research in Transportation, Sep 2018, Athènes, Greece. 4p. hal-01873586

HAL Id: hal-01873586

<https://hal.science/hal-01873586v1>

Submitted on 13 Sep 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Impacts of the network design history on day-to-day multimodal dynamic traffic assignment

Mostafa AMELI ^{a,b}, Jean Patrick LEBACQUE ^a and Ludovic LECLERCQ ^b

^a University of Paris-Est, IFSTTAR, GRETTIA, France
mostafa.ameli@ifsttar.fr, jean-patrick.lebacque@ifsttar.fr

^b Univ. Lyon, IFSTTAR, ENTPE, LICIT, F-69518, Lyon, France
ludovic.leclercq@ifsttar.fr

*Extended abstract submitted for presentation at the hEART 2018 7th Symposium
Sept. 5–7, 2018, Athens, Greece*

Word count: 855 words (excluding the references)
March 9, 2018

Extended abstract

Unicity of the solution is an important issue in the Dynamic Traffic Assignment (DTA) problem (Beckmann *et al.* (1956)). The conditions of unicity have been properly reviewed by Iryo (2013) for flow-based DTA by considering the different approach to solving the DTA problem. Moreover, many researches have been done to prove the unicity of DTA solutions on flow-based dynamic traffic model with several assumptions and limitations on traffic network model (Mounce (2007); Mounce & Smith (2007); Iryo (2011); Iryo (2015); Iryo & Smith (2017)). This study adapts the conditions to trip-based DTA wherein each traveler is defined as an individual. A key argument for unicity is strictly monotone path travel time function with respect to the number of travelers that use the path. However, for some systems like multimodal urban transportation networks (Mounce (2001)), the monotonicity condition simply not hold. In such cases, the final equilibrium depends on the initial network states and the network history, i.e. evolution of it's design. This study aims to investigate the end result of the evolution of a transportation system over a long-term day to day learning process. Specifically, and mathematically speaking, we are going to address the impact of initial solutions in the day-to-day multimodal DTA.

Learning curve contains the predictive Travel Time (TT) (by dynamic traffic model) and perceived TT (by simulator) based on the topology of the network and available modes for users. It helps the user to select the path for the next day using the experiments accumulated up to the present day (Smith *et al.* (2014)). Travelers in the traffic network attempt to minimize their own TT. The solution of assignment problem is called User Equilibrium (UE). If travelers have an indifference bound for minimization, the solution will be Bounded Rational User Equilibrium (BRUE). For non-unicity of UE, the most likely situation is when we have heterogeneous travel behaviors, e.g. distributed values of time. Because generally multi-class network equilibrium is expressed as a nonmonotone problem (Marcotte & Wynter (2004)). In order to analyze the impact of non-unicity, we are going to work on the learning process when the network facilities (in this work, metro lines) are introduced in the different order during the day-to-day process.

Urban public transportation facilities are costly to create and have impacts on traffic network equilibrium. Opening the new metro line is an example of changing equilibrium in the network. We are looking for the impact of the opening order of three metro lines on unicity of UE and BRUE. We can open three metro lines at the same time and calculate the equilibrium or successively open one

metro line every 100 days and look for equilibrium in the day-to-day process. From the optimization point of view, it means we change the initial assignment pattern to find the equilibrium. There are three main questions that we are going to address in this study:

- Is the network UE/BRUE unique when we have different scenarios for opening the metro lines (different initial point) with homogenous users?
- Do we have unicity in case of UE conditions and multi-class users?
- The practical question would be also if there is no unicity, which order has the minimum total travel time? Are we precise enough when we predict total travel time by simulator?

In this work, we use Symuvia as a trip-based simulator for calculating the needed variables in the network. Symuvia has been developed by the LICIT laboratory in IFSTTAR. It is a microscopic simulator based on the Lagrangian resolution of the LWR model (Leclercq *et al.* (2007)). The day-to-day DTA is applied to the large-scale network of Lyon 6e + Villeurbanne with 1,883 Nodes, 3,383 Links, 94 Origins, 227 Destinations and 54,190 trips. Walking, buses and private cars are the initial available transportation modes in the network. There are three metro lines (A, B and C) and 25 metro stations in the network (figure 1).




FIG. 1 – Traffic network of Lyon 6e + Villeurbanne with three metro lines

Each metro station has a parking. Parkings are the connectors between the metro grid and traffic network. Therefore, the traveler can start their trip with the private car then use the parking to take the train. All mode changes during the trip have a walking time for connection and possibly a waiting time for the next bus or metro to arrive to the station. There are 7 scenarios to activate the metro lines (figure 2). For each scenario, we run the day-to-day DTA for 300 days to represent the peak one and half hour of the network. In the primary results, we allow all travelers to choose between a private car and public transportation and we converged to different UE solutions for 7 scenarios with homogenous travelers. Table 1 shows the number of travelers who use the metro lines in the UE solution for each scenario. Moreover, the total travel time is different for each scenario at the optimal solutions. The results show that not only do we have non-unicity but also, that we can save at least around 150 hours on total travel time by opening the metro lines in the optimal order (ACB).




FIG. 2 – Chart of experiments

TAB. 1 – Primary results

Scenario	Sequence	Number of users used Metro line			Total travel time (hour)
		A	B	C	
1	A&B&C	480	138	9	6723.64
2	ABC	844	282	6	6821.81
3	ACB	590	132	15	6574.00
4	BAC	560	210	84	6969.03
5	BCA	391	225	27	6761.89
6	CAB	697	168	15	6729.28
7	CBA	633	360	9	6798.39

Acknowledgement

This work is supported by the European Research Council (ERC) under the European Union’s Horizon 2020 research and innovation program. (Grant agreement No 646592 – MAGnUM project)

References

Beckmann, M., McGuire, C. B. & Winsten, C. B. (1956). Studies in the economics of transportation. Tech. rep.

Iryo, T. (2011). Multiple equilibria in a dynamic traffic network. *Transportation Research Part B: Methodological*, 45(6):867–879.

Iryo, T. (2013). Properties of dynamic user equilibrium solution: existence, uniqueness, stability, and robust solution methodology. *Transportmetrica B: Transport Dynamics*, 1(1):52–67.

Iryo, T. (2015). Investigating factors for existence of multiple equilibria in dynamic traffic network. *Networks and Spatial Economics*, 15(3):599–616.

Iryo, T. & Smith, M. J. (2017). On the uniqueness of equilibrated dynamic traffic flow patterns in unidirectional networks. *Transportation Research Part B: Methodological*.

Leclercq, L., Laval, J. A. & Chevallier, E. (2007). The lagrangian coordinates and what it means for first order traffic flow models. In *Transportation and Traffic Theory 2007 (ISTTT17)*.

- Marcotte, P. & Wynter, L.** (2004). A new look at the multiclass network equilibrium problem. *Transportation Science*, 38(3):282–292.
- Mounce, R.** (2001). Non-monotonicity in dynamic traffic assignment networks. In *UNIVERSITIES TRANSPORT STUDY GROUP 33RD ANNUAL CONFERENCE, HELD JANUARY 2001, OXFORD, UK-CONFERENCE PAPERS-VOLUME 2*.
- Mounce, R.** (2007). Existence of equilibrium in a continuous dynamic queueing model for traffic networks. In *4th IMA International Conference on Mathematics in Transport Institute of Mathematics and its Applications*.
- Mounce, R. & Smith, M.** (2007). Uniqueness of equilibrium in steady state and dynamic traffic networks. In *Transportation and Traffic Theory 2007 (ISTTT17)*.
- Smith, M., Hazelton, M. L., Lo, H. K., Cantarella, G. E. & Watling, D. P.** (2014). The long term behaviour of day-to-day traffic assignment models. *Transportmetrica A: Transport Science*, 10(7):647–660.