



# Influence of eye-movements on multisensory stimulus localization: experiments, models and robotics applications

Mathieu Lefort, Jean-Charles Quinton, Simon Forest, Adrien Techer, Alan Chauvin, Marie Avillac

## ► To cite this version:

Mathieu Lefort, Jean-Charles Quinton, Simon Forest, Adrien Techer, Alan Chauvin, et al.. Influence of eye-movements on multisensory stimulus localization: experiments, models and robotics applications. Workshop on Models and Analysis of Eye Movements, Jun 2018, Grenoble, France. hal-01894621v1

HAL Id: hal-01894621

<https://hal.science/hal-01894621v1>

Submitted on 12 Oct 2018 (v1), last revised 14 Jul 2018 (v2)

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# Influence of eye-movements on multisensory stimulus localization: experiments, models and robotics application

Mathieu Lefort, Jean-Charles Quinton, Simon Forest, Adrien Techer, Alan Chauvin, and Marie Avillac

## Objectives:

### Multimodal merging in autonomous agent

- Identification (what to merge) -> statistical correlations
- Fusion (how to merge) -> how to get weighting?

Hypothesis: active perception


## Partners:

- Lyon 1 University (LIRIS, CRNL)
- Univ. Grenoble Alpes (LJK, LPNC)
- Hoomano

## Funding:

- CRNL
- PERSYVAL-Lab LabEx
- the CNRS' Interdisciplinary Mission
- the Auvergne-Rhône-Alpes Region

## Psychophysics experiments (ongoing work):



## Modeling of superior colliculus (ongoing work):

**Hypothesis:** active perception provides more cues on sensory relevance


- log polar visual encoding in the superior colliculus may provides more weight to the centered stimuli (after saccade)

### Modeling: Dynamic neural fields

- mesoscopic modeling (of the cortical surface)
- good model for saccade dynamic (motor command in the superior colliculus)
- dynamical system of spatial competition/fusion

### Open questions:

- frame of reference of visuo-auditory stimuli
- individual and population neuronal merging operation
- variance encoding in DNF



## Improving social robots (future work):

### Open questions:

- Does the computational models adapt to noisy data of real robots?
- What dimensions are (contextually) relevant in attention and goal achieving?
- How to chain simple active perception decision within a global behavior?
- How to mix active perception with a global task completion?
- Does merging mechanisms apply from simple to more abstract stimuli?

