

Development of a Mass Spectrometry Imaging (MSI) approach to explore Listeria monocytogenes biofilms exposed to a dehumidification stress

Tiago Santos, Laetitia Theron, Christophe Chambon, Didier Viala, Delphine Centeno, Michel Hébraud

▶ To cite this version:

Tiago Santos, Laetitia Theron, Christophe Chambon, Didier Viala, Delphine Centeno, et al.. Development of a Mass Spectrometry Imaging (MSI) approach to explore Listeria monocytogenes biofilms exposed to a dehumidification stress. 8. Colloque du Réseau National Biofilms, Dec 2017, Clermont-Ferrand, France. 1 p., 2017. hal-01901461

HAL Id: hal-01901461 https://hal.science/hal-01901461

Submitted on 22 Oct 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Development of a Mass Spectrometry Imaging (MSI) approach to explore Listeria monocytogenes biofilms exposed to a dehumidification stress

<u>Tiago Santos¹</u>, Laëtitia Théron², Christophe Chambon², Didier Viala², Delphine Centeno² and Michel Hébraud^{1,2}





¹ Université Clermont Auvergne, INRA, UMR MEDiS, F-63122 Saint-Genès Champanelle, France ² INRA, Plateforme d'Exploration du Métabolisme (PFEM), F-63122 Saint-Genès Champanelle, France

Introduction

Stand Human listeriosis cases are due to the ingestion of foods contaminated with Listeria monocytogenes. Control of this pathogen is a daily concern for many food industries and represents a major challenge in terms of hygiene and public health. L. monocytogenes is capable of forming biofilms and surviving harsh environmental conditions. It can persist in microniches despite the daily procedures of cleaning disinfection. These procedures also cause significant variations in the relative air humidity and the dehumidification of the premises is an important step for the control of microbial contaminations Despite this, part of the population is able to resist these treatments. The molecular mechanisms by which biofilms adapt to dehumidification, often applied empirically, are not well known and it is important to develop tools to better decipher them.

S Matrix-assisted laser desorption/ionization time-of-flight imaging mass spectrometry (MALDI-TOF IMS) is a surface-sampling technology that can determine spatial information and relative abundance of analytes directly from biological samples. Basically applied to animal or human tissues in biomedical research, applications have diversified in other scientific fields. By assimilating a microbial biofilm to a tissue, this approach has been implemented to investigate its potential to provide relevant data on molecular mechanisms that allow cells to adapt to air dehumidification stress (moderate desiccation).

LC/MS

LC/MS

LC/MS

Sthis study aims to develop an IMS approach and an in situ identification method to explore the protein expression within L. monocytogenes biofilms exposed to air dehumidification.

Workflow



Figure 1: Workflow development for the Imaging Mass Spectrometry analysis of Listeria monocytogenes biofilms subjected to desiccation

Results

Figure 3: MS

Classical imaging approach

Profiling approach

In situ extraction of proteins and identification by nanoLC-MS/MS



Figure 2: Workflow development for the in situ protein extraction and LC-MS indentification of peptides from Listeria monocytogenes biofilms subjected to desiccation











Figure 7: Venn diagrams for all identified proteins from each of the biological replicates (slide 1: 442 proteins; slide 2: 462 proteins; slide 3: 373 proteins)

Entry name	e Protein	Mass (Da)		
RL30	50S ribosomal protein L30	6,493	purs	
CSPA	Cold shock-like protein CspLA (CspL)	7,266	rpmC	
RL29	50S ribosomal protein L29 (rmpC)	7,402	ptsH	Common proteins
Q92AN7	Phosphoribosylformylglycinamidine PurS	9,360	hup	•
РТНР	Phosphocarrier protein HPr	9,404	Imo2326	<10.5kDa
Q92A74	Hup protein	9,882		
Q8Y4V4	Lmo2326	10,413		
			CSPL	
			(A)	
Entry name	e Protein names	Mass (Da)		
RL30	50S ribosomal protein L30	6,493	200	
CSPA	Cold shock-like protein CspLA (CspL)	7,266	gros purS	
RL29	50S ribosomal protein L29	7,402	ptsH	Common proteins
Q92AN7	Phosphoribosylformylglycinamidine PurS	9,360	the second se	
PTHP	Phosphocarrier protein HPr	9,404	rpsQ	<10.5kDa
		0.000	the star	
Q92A74	Hup protein	9,882	de	
Q92A74 RS17	Hup protein 30S ribosomal protein S17	9,882 10,036		

Entry name	Protein names	Mass (Da)
RL30	50S ribosomal protein L30	6,493
RS21	30S ribosomal protein S21	6,846
Y2564	Probable tautomerase	6,861
CSPA	Cold shock-like protein CspLA (CspL)	7,266
CSPB	Cold shock-like protein CspLB (CspB)	7,298
RL29	50S ribosomal protein L29	7,402
Y1028	UPF0356 protein Imo1028	8,292
Q8Y3X2	Lmo2707 protein	8,337





Figure 5: Average spectrum for each of the 3 sections

Discussion

Figure 6: Average spectrum for each of the 3 sections

Structure of analysis presented good spectra in both approaches, classical imaging and profiling. The profiling showed lower level of

background noise and higher intensity of peaks than the classical approach. This is due to the higher ratio matrix-sample present in the

profiling and also the superior signal accumulation obtained in one spot of analysis.

Solution the in situ extraction of proteins resulted in a high and reproducible number of proteins identified. The higher amount of proteins

identified in the interface and desiccated section could be related to their exposition to the stress condition, and therefore an increase of cell lysis and proteins available for extraction.

Solution to the significative m/z intervals and the *in situ* identification lead to 5 different proteins being assigned to

the mass spectra (mass tolerance of 0.5%): In the normal section and interface, a cold shock protein (CspLA) and a 50S ribosomal protein L29; From the desiccated section, a second CspL (CspLB) which is involved in adaptation to atypical conditions, a tautomerase Imo2564 and

the membrane-associated protein D-alanine-poly(phosphoribitol) ligase, which is involved in the pathway lipoteichoic acid biosynthesis.

Loss of D-alanylation of lipoteichoic acids alters the cell surface charge and results in reduced biotic attachment and biofilm production.

Q92D14 8,956 Lmo1008 protein 9,010 DLTC D-alanine--poly(phosphoribitol) RS20 9,169 30S ribosomal protein S20 9,360 Q92AN Phosphoribosylformylglycinamidine PurS 9,404 PTHP Phosphocarrier protein HPr Q92A74 9,882 Hup protein 9,943 Y533 UPF0237 protein Imo0533 10,036 RS17 30S ribosomal protein S17 CH10 10,064 10 kDa chaperonin (GroES protein) Q8Y4V4 Lmo2326 protein 10,413 RS19 30S ribosomal protein S19 10,475

Table 1: Description of the proteins present in Figure 9; Highlighted proteins correspond to the ones correlated with m/z intervals from IMS and profiling (mass tolerance: 0.5%)

Conclusions

Normal 2

Figure 9: STRING protein-protein interaction with the common proteins identified, with mass below 10.5kDa, from each of the three section

These MALDI IMS and innovative protein identification approaches contributes to dissect the

spatial proteome of an intact bacterial biofilm giving a new insight into protein expression relating to biofilm adaptation.





This project has received funding from the European Union's Horizon 2020 research and innovation programme under the Marie Sklodowska-Curie grant agreement n°641984