

SUPPLEMENTARY MATERIALS

BOOTSTRAP DISTRIBUTIONS






Figure: Bootstrap distributions for phonemes $\text{æ}, \text{t}$ (up), $\text{f}, \text{a}, \text{ſ}$ (middle), θ , and d_3 (bottom). The procedure is the so-called smoothed percentile bootstrap. β^* is computed after resampling with repetition of 400 slices from the TIMIT database (this is done 3000 times). This results in a first histogram (left) which is smoothed with a Gaussian filter ($\sigma = 0.015$) to obtain the final bootstrap distribution (right). The mean value and the bootstrap confidence intervals are retrieved from the distribution (ex: 70% CI is chosen so that 15% of the samples are excluded left and right).


TEMPORAL EVOLUTIONS OF β

Top left: Duration histograms for the occurrences retrieved from the TIMIT database (absolute time), **top center:** intensity I (dB) over time, **bottom left:** entropy score h over time, **bottom center:** contrast c over time, **right:** exponent β over time.

Vowels and Diphthongs





ei




mean duration : 126.7 ms (std : 50.8 ms)

Nasals




Stops


d




g




k



p




t



mean duration : 42.9 ms (std : 22.3 ms)



r




mean duration : 21.1 ms (std : 6.6 ms)

SUPPLEMENTARY MATERIALS


Fricatives




θ



V




f



mean duration : 95.8 ms (std : 37.3 ms)


\eth



mean duration : 36.4 ms (std : 18.4 ms)


Affricates

$tʃ$



mean duration : 75.1 ms (std : 30.4 ms)

$dʒ$



mean duration : 47.0 ms (std : 29.7 ms)

β W.R.T INTENSITY FOR SYNTHETIC VOWEL-LIKE SOUNDS




Figure: Scatter plot of simulated samples on the (I, β) plane: exponent β against intensity I in dB (ref:max). Each point is a sample of Simulation 2 on synthesized vowels. The control parameter u determines the aperture of the cylindrical waveguide from $r = 0.2\text{cm}$ ($u = 0$) to $r = 1.3\text{cm}$ ($u = 1$).