

Epigenetic marks and the human transcript diversity Guillaume Devailly

▶ To cite this version:

Guillaume Devailly. Epigenetic marks and the human transcript diversity. Genotoul Biostat Bioinfo Day, Dec 2018, Toulouse, France. hal-01956109

HAL Id: hal-01956109 https://hal.science/hal-01956109

Submitted on 4 Jun2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License

Epigenetic marks and the human transcript diversity



GenEpi@Genphyse

Guillaume Devailly - 2018/12/13

@G_Devailly

Introduction


- Abundant epigenomic data for model organisms.
- Under-utilised?
- Epigenomic data will soon be abundant for agricultural species too.



- RNA-seq
- DNAse1
- WGBS, 10 different histone methylations, 17 different histone acetylations
- 33 cell lines & tissues

Objectives

- Systemic correlation of marks and **gene** transcription level:
 - $\circ~$ at TSS
 - $\circ~$ at TTS
- Systemic correlation of marks and **exon**:
 - transcription level
 - inclusion ratio
- For **all** genes/exons in **each** cell type.
- For **each** gene/exon in **all** cell types.



Methodology

Processed data taken from RoadmapEpigenomics:

- CpG methylation ratios
- DNAse-seq and ChIP-seq coverage

Reprocessing of fastq for Gene TPM, exon TPM & exon inclusion ratio (aka %spliced, or ψ):


- pseudo-mapping and quantification with Salmon
- exon ψ for exon **e** of gene **g** using *tpm* quantification of transcripts **t**:

$$\psi_{eg} = rac{\sum_{t \in e} tpm_t}{\sum_{t \in g} tpm_t}$$


What is a gene?




Where is BRCA1's Transcription Start Site (TSS)?




DNA methylation: ratio and density



DNA methylation: ratio and density



DNA methylation: ratio and density



Promoter DNA methylaton

Lung, all genes


Promoter DNA methylaton


Lung, protein coding genes

Promoter DNA methylaton


Lung, lincRNA genes

Lung, processed pseudogenes






Activating marks




H3K9ac ChIP-seq, all genes, H1-derived mesoderm



.13


Repressing marks

H3K27me3, all genes, Thymus




Repressing marks

H3K27me3, all genes, Thymus



H3K27me3, protein coding genes, Thymus



.14

Assymetric marks


H3K79me2, protein coding genes, H1-derived mesoderm


Exonic marks

H3K36me3, fetal large intestine

A role in alternative splicing?


H3K36me3, HUES64 cell line






Cell by cell vs gene by gene


WGBS, adult liver



Cell by cell vs gene by gene









Repressing and activating marks

mCpG ratio




Repressing and activating marks

mCpG ratio



H3K4me3




Summary of results

mark	cell type by cell type	gene by gene	center on TSS
WGBS	negative	negative	
DNAse	positive	positive	
H2A.Z	positive	balanced	
H3K4me1	positive	positive	
H3K4me2	positive	positive	
H3K4me3	positive	positive	
H3K9me3	unclear	unclear	no
H3K23me2	positive	NA	
H3K27me3	negative – variable	negative	
H3K36me3	positive	positive	no
H3K79me1	positive	positive	no
H3K79me2	positive	balanced	no

mark	cell type by cell type	gene by gene	center on TSS
H2AK5ac	positive	positive	
H2BK120ac	positive	positive	
H2BK12ac	positive	positive	
H2BK15ac	positive	balanced	
H2BK20ac	neutral	NA	
H2BK5ac	positive	positive	
НЗК4ас	positive	positive	
НЗК9ас	positive	positive	
НЗК14ас	positive	positive	
H3K18ac	positive	positive	
H3K23ac	positive	positive	
H3K27ac	positive	positive	
H3K56ac	positive	NA	
H4K8ac	positive	positive	
H4K12ac	positive	NA	
H4K91ac	positive	positive	

Lots of results

Combinatorial explosion: > 9000 plots!



PEREpigenomics

Profile Explorer of Roadmap Epigenomic data www.perepigenomics.roslin.ed.ac.uk

EREpigenomics Explore Compare Correlate	ite About Available profiles
Select a plot:	H3K4me3 at TSS in Aorta for all genes
- 1- Order by	log10(FPKM+1) ^E 8 ⊑ ≍ 0 1 2 3 48 5 5 Ξ H3K4me3 Input
 Epigenetic assay first Cell type first 	² 0 1 2 3 4 8 5 5 H3K4me3 Input
2- Focus on:	
TSS •	
3- Choose an assay:	
H3K4me3 -	
4- Choose a cell type:	
Aorta 🔶	gene type: -2.5kb TSS +2.5kb TSS +2.5kb
Neurosphere_cultured_cells_coltex_berived	other
Neurosphere_Cultured_Cells_Ganglionic_Emir	RNA gene
Penis_Foreskin_Keratinocyte_Primary_Cells_sl	*
Aorta	
Adult_Liver	
Brain_Germinal_Matrix	
Brain_Hippocampus_Middle	· ···································
Esophagus	₀ ₀]
	1 2 3 4 5 -2.5kb TSS +2.5kb -2.5kb TSS +2.5kb

Perspective

- More features (mono-, bi-, tri- exonic genes, gene families, etc.)
- More marks
- Causality analysis using perturbation experiments
- FAANG data

Thanks

Anagha Joshi

Anna Mantsoki

Deepti Vipin







