Emerging and New Research in Geographies of Health and Impairment

14th Annual Conference

Durham University, Department of Geography

6th - 7th April 2009

Conference Proceedings



Panel Presentations

Panel session 1: Society, Space and the Lifecourse

Mon 6th April 11.00-12.50, chaired by Alison Copeland

Fair and Square? The spatial pattern of health and socio-Malcolm Campbell economic characteristics in Northern Ireland

Sue Easton Social Inequality or Spatial Inequality? Exploring the life outcomes of British children born in different regions

Joanne Cairns Understanding the Relationship between Resilience and

Health in the North East of England

Michael Grayer _ Life Expectancy Trends in London: More than deprivation? Residential Mobility during Pregnancy in the North of Susan Hodgson England

Panel session 2: Healthcare and Health Management

Mon 6th April 15.00-16.20, chaired by Alie Beale

Morgan Berger

Anne Quesnel-

Barbet

Anne Quesnel-Geography of Spatial Utilization of the Health Services: A Barbet Newtonian modelling of hospital catchment areas

Initial Results about Therapeutic and Spatial Components of

Accessibility to Health Services in the Case of Haemophilia

Community Participation in Malaria Management in Mali Sorayya Khan Alison Copeland Primary/ Community Care or Living Environment?

Multilevel analysis of 'potentially avoidable' emergency admissions for the older population of Barking and

Dagenham

Panel Session 3: Modelling the Environment

Mon 6th April 16.30-17.10, chaired by Robin Jamieson

Urban Noise Pollution and Myocardial Infarction Risk: The Jurigata Lekaviciute use of geographic information systems (GIS) in

environmental epidemiology study (case of Kaunas) Anesh Sukhai

Spatial and Temporal Variations in Road Traffic Fatalities in

South Africa

E-Atlas of Health, Planning and Sustainable Development

for Information Society Development

Panel Presentations

Panel Session 4: Therapeutic Landscapes

Tues 7th April 11.00-12.00, chaired by Sue Easton

Karolina Moving Encounters: The Therapeutic Potential of Walking

Ronander in Nature

Wayne Medford Urban Parks and their Relation to Local Residents' Health

and Well-Being: Determining how environmental

psychology aids the use of therapeutic landscape Concept

Reworking Therapeutic Landscapes, Re-landscaping Jenny Laws

Therapy: an ethnography of a dissident psychiatric survivor

group

Panel Session 5: Mental Health and Problem Drug Use

Tues 7th April 14.00-15.20, chaired by Susan Hodgson

Treatment Environments for Anorexia Nervosa: An initial Becky Taylor

review of the literature

French Post-Asylum Geography: The transferability of the Magali Coldefy

concept of 'service dependent ghetto'

Robin Jamieson 'Junkies', 'Cons' and the Welfare State

Within these Four Walls: Unfolding older, mental health Lesley-Ann

Smith service users experiences within the home spatiality

Panel Session 6: Health Behaviours

Tues 7th April 14.00-15.20, chaired by Becky Taylor

Claire Thompson Obesity, Culture and the Built Environment: Making the

case for a holistic approach

The Association between the Geography of Fast Food Lorna Taylor

Outlets and Childhood Obesity Rates in Leeds, UK

Sébastien Health Communication and Behaviour Change in an African Context: The importance of local context to construct AIDS Tusseau

Abstent prevention messages in Mali

Residential Mobility during Pregnancy in the North of England

Susan Hodgson¹, Mark Shirley², Mary Bythell³, Judith Rankin³

¹ Lecturer in Environmental Epidemiology Institute of Health and Society Newcastle University, UK

ABSTRACT

Background: Many epidemiological studies assign exposure to an individual's residence at a single time point, such as birth or death. This approach makes no allowance for migration and may result in exposure error, leading to reduced study power and biased risk estimates. Pregnancy outcomes, with short exposure windows and lag periods, are less susceptible to this bias. However data from North American populations indicate that pregnant women are a highly mobile group. We assessed mobility in pregnant women in the north of England using data from the Northern Congenital Abnormality Survey (NorCAS), a prospective, population-based register of congenital anomalies.

Methods: NorCAS data were extracted for 1985 to 2003. Eligible cases had a gestational age at delivery of >24 weeks (a viable delivery) (n=11,559). We assessed mobility between booking appointment (gestational age \sim 13 weeks) and delivery.

Results: Out of 7,919 eligible cases for whom addresses at booking and delivery were known, 705 (8.9% (95% CI 8.3 - 9.5)) moved between booking and delivery; the mean and median moving distance was 9.7 and 1.4km respectively. Movers were significantly younger (25.4 versus 27.3 years, p<0.01) and lived in more deprived areas (index of multiple deprivation score 38.3 versus 33.7, p<0.01) than non movers.

Conclusions: Mobility in the north of England (9%) is considerably lower than that reported in North America and the only other study from the UK (23%). Consistent with other studies, mobility was related to maternal age and socio-economic status, and the majority of moves were over a relatively short distance. While these data support anecdotal evidence that this population is comparatively stable, the mobility we have observed may still introduce misclassification or error into an exposure assessment relying solely on postcode at delivery, and migration should still therefore be considered a potential source of bias in future studies.

KEYWORDS: Migration; Mobility; Exposure error; Maternal residence; Pregnancy

Geography of Spatial Utilization of the Health Services: A Newtonian modelling of hospital catchment areas

Anne Quesnel-Barbet

PhD Researcher Centre Hospitalier Régional et Universitaire de Lille, France

ABSTRACT

Modelling hospital attraction is a major interest for healthcare planners. The impacts of any project can therefore be analyzed prospectively. Our aim is to build an efficient tool for observation, simulation and prediction of hospital catchment areas by medical field for health policy makers. The study covers the French Nord - Pas-de-Calais region (four million inhabitants) for the evaluation of onco-haematology and trauma orthopedics care activities with the French Medical Program of Information System (PMSI). Our geographical and mathematical model is based on the hypothesis: there is a link between recourse to health care and distance in km or in time. The "principle of least effort" is expected to hold for peripheral hospitals (non-university hospitals). We have improved Reilly's formula by using usual weight (number of beds) and also refining parameters (calculated population from one of the both algorithms: Relative Neighborhood Graph and K-means calculations). So we propose a modelling process of the spatial health services utilization in four parts. The first phase is a descriptive geographic study, from the observed situation of the catchment area, which is completed by a descriptive study of a few haematology departments. The second phase concerns the implementation of our geographical and mathematical model. In the third phase we compare the observed situations with those predicted by our model. The last part is devoted to the spatial prediction of the attraction using a simulation model for reorganization with opening, closing and aggregation of health services. After comparison and simulation steps our model appears to be robust, reliable and predictive and along with a better knowledge of the spatial utilization by specialty. It can be a new tool for development and management in health care districts and could be integrated inside a geomatics platform or/and GIS.

KEYWORDS: Catchment Area; Spatial Practices; Gravitational Model; K-Means Algorithm; Planning Modelling Process