

**Table A1.** Description of Influenza-like illness (ILI) cases and swabbed ILI patients positive to at least one influenza virus, reported by the Sentinel General Practitioners (SGPs) during the epidemic period, influenza seasons 2014/15 and 2015/16, French *Sentinelles* network, France.

	2014/15 epidemic			2015/16 epidemic		
	Cases (%)	Cases with vaccination status	Vaccinated cases (%)	Cases (%)	Cases with vaccination status	Vaccinated cases (%)
<b>ILI cases</b>						
General population						
All ages	11508 (-)	10157	742 (7.3)	9945 (-)	8495	311 (3.7)
6m-64y	10490 (91.1)	9235	275 (3.0)	9545 (96.0)	8158	178 (2.2)
>= 65 y	1018 (8.9)	922	467 (50.7)	400 (4.0)	337	133 (39.5)
At risk population						
All ages	1513 (-)	1401	533 (38.0)	774 (-)	700	189 (27.0)
6m-64y with chronic disease	495 (32.7)	480	91 (19.0)	374 (48.3)	363	63 (17.4)
>= 65 y	1018 (68.3)	921	442 (48.0)	400 (51.7)	337	126 (37.4)
<b>Influenza-positive ILI cases</b>						
General population						
All ages	1233 (-)	1088	116 (9.6)	1251 (-)	1214	69 (5.7)
6m-64y	1129 (91.9)	1044	62 (5.9)	1201 (96.5)	1170	51 (4.4)
>= 65 y	99 (8.1)	98	54 (55.1)	44 (3.5)	44	18 (40.9)
At risk population						
All ages	220 (-)	218	86 (39.4)	139 (-)	137	38 (27.7)
6m-64y with chronic disease	121 (55.0)	120	32 (26.7)	95 (68.3)	93	20 (21.5)
>= 65 y	99 (45.0)	98	54 (55.1)	44 (31.6)	44	18 (40.9)

**Table A2.** Description of Influenza-like illness (ILI) patients swabbed by the Sentinel physicians (SGPs and paediatricians), with informed vaccination status and eligible for inclusion in the test-negative design study, influenza seasons 2014/15 and 2015/16, French Sentinelles network, France.

Season 2014 - 15								
	Controls (%)	Cases <sup>a</sup> (%)	A <sup>b</sup> (%)	A(H1N1) pdm09 (%)	A(H3N2) (%)	B <sup>c</sup> (%)	B Yam (%)	B Vic (%)
<b>Total</b>	n = 984	n = 1413	n = 1049	n = 279	n = 768	n = 359	n = 321	n = 24
<b>Median age (y)</b>	36	37	34 (-)	39 (-)	31 (-)	43 (-)	43 (-)	16 (-)
Missing	2	5	4	1	3	1	1	0
<b>Age group (y)</b>								
6m - 4	72 (7.3)	72 (5.1)	57 (5.5)	15 (5.4)	42 (5.5)	15 (4.2)	13 (4.1)	2 (8.3)
5 - 14	127 (12.9)	152 (10.8)	132 (12.6)	21 (7.6)	111 (14.5)	20 (5.6)	18 (5.6)	2 (8.3)
15 - 24	159 (16.2)	194 (13.8)	155 (14.8)	52 (18.7)	102 (13.3)	37 (10.3)	31 (9.7)	6 (25)
25 - 34	178 (18.1)	242 (17.2)	165 (15.8)	63 (22.7)	102 (13.3)	77 (21.5)	73 (22.8)	2 (8.3)
35 - 44	163 (16.6)	221 (15.7)	144 (13.8)	45 (16.2)	98 (12.8)	77 (21.5)	72 (22.5)	1 (4.2)
45 - 54	106 (10.8)	236 (16.8)	182 (17.4)	29 (10.4)	153 (20.0)	52 (14.5)	41 (12.8)	10 (41.7)
55 - 64	105 (10.7)	176 (12.5)	122 (11.7)	37 (13.3)	85 (11.1)	54 (15.1)	50 (15.6)	1 (4.2)
> 65 y	72 (7.3)	115 (8.2)	88 (8.4)	16 (5.8)	72 (9.4)	26 (7.3)	22 (6.9)	0 (0.0)
Missing	2	5	4	1	3	1	1	0
<b>Sex</b>								
Female	529 (55.0)	712 (52.0)	519 (51.2)	135 (48.9)	383 (52.0)	190 (54.4)	174 (55.6)	10 (43.5)
Male	432 (45.0)	656 (48.0)	495 (48.8)	141 (51.1)	353 (48.0)	159 (45.6)	139 (44.4)	13 (56.5)
Missing	23	45	35	3	32	10	8	1
<b>Vaccinated against influenza</b>	79 (8.0)	129 (9.1)	102 (9.7)	17 (6.1)	85 (11.1)	27 (7.5)	24 (7.5)	2 (8.3)
<b>Risk factor<sup>d</sup></b>	169 (27.8)	215 (24.6)	173 (26.5)	44 (26.2)	129 (26.7)	41 (18.8)	36 (18.8)	2 (13.3)
Missing	376	540	397	111	284	141	129	9
<b>Delay onset - swabbing (days)</b>								
0 - 2	781 (79.3)	1210 (85.7)	919 (87.7)	240 (86.0)	678 (88.2)	286 (79.6)	261 (81.3)	15 (62.5)
3 - 4	169 (17.2)	181 (12.8)	116 (11.0)	33 (11.8)	82 (10.7)	65 (18.1)	53 (16.5)	9 (37.5)
> 4	34 (3.5)	22 (1.6)	14 (1.4)	6 (2.2)	8 (1.1)	8 (2.2)	7 (2.1)	0 (0.0)
<b>Month of onset</b>								
November	80 (8.1)	6 (0.4)	4 (0.4)	3 (1.1)	1 (0.1)	2 (0.6)	2 (0.6)	0 (0.0)
December	155 (15.8)	63 (4.5)	52 (5.0)	15 (5.4)	37 (4.8)	11 (3.1)	11 (3.4)	0 (0.0)
January	290 (29.5)	507 (35.9)	442 (42.1)	113 (40.5)	329 (42.8)	63 (17.5)	59 (18.4)	4 (16.7)
February	254 (25.8)	634 (44.9)	482 (45.9)	130 (46.6)	350 (45.6)	149 (41.5)	143 (44.5)	5 (20.8)
March	201 (20.4)	198 (14.0)	69 (6.6)	18 (6.5)	51 (6.6)	129 (35.9)	103 (32.1)	15 (62.5)
April	4 (0.4)	5 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)	5 (1.4)	3 (0.9)	0 (0.0)
May	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)

	Saison 2015-16							
	Controls (%)	Cases <sup>a</sup> (%)	A <sup>b</sup> (%)	A(H1N1) pdm09 (%)	A(H3N2) (%)	B <sup>c</sup> (%)	B Yam (%)	B Vic (%)
<b>Total</b>	n = 1630	n = 2046	n = 578	n = 545	n = 19	n = 1450	n = 12	n = 1408
<b>Median age (y)</b>	9 (-)	12 (-)	28 (-)	29 (-)	24 (-)	9 (-)	35 (-)	9 (-)
Missing	6	11	4	3	0	7	0	7
<b>Age group (y)</b>								
6m - 4	644 (39.7)	480 (23.6)	141 (24.6)	136 (25.1)	2 (10.5)	335 (23.2)	2 (16.7)	326 (23.3)
5 - 14	154 (9.5)	227 (11.2)	38 (6.6)	33 (6.1)	5 (26.3)	188 (13.0)	0 (0.0)	186 (13.3)
15 - 24	146 (9.0)	265 (13.0)	68 (11.8)	66 (12.2)	1 (5.3)	195 (13.5)	0 (0.0)	187 (13.3)
25 - 34	156 (9.6)	182 (8.9)	89 (15.5)	86 (15.9)	2 (10.5)	90 (6.2)	3 (25.0)	86 (6.1)
35 - 44	117 (7.2)	126 (6.2)	72 (12.5)	67 (12.4)	3 (15.8)	53 (3.7)	2 (16.7)	51 (3.6)
45 - 54	271 (16.7)	607 (29.8)	89 (15.5)	81 (14.9)	5 (26.3)	515 (35.7)	3 (25.0)	504 (36.0)
55 - 64	80 (4.9)	96 (4.7)	57 (9.9)	54 (10.0)	1 (5.3)	36 (2.5)	1 (8.3)	34 (2.4)
> 65 y	56 (3.4)	52 (2.6)	20 (3.5)	19 (3.5)	0 (0.0)	31 (2.1)	1 (8.3)	27 (1.9)
Missing	6	11	4	3	0	7	0	7
<b>Sex</b>								
Female	794 (50.1)	982 (49.0)	276 (48.5)	263 (49.0)	9 (47.4)	699 (49.3)	4 (33.3)	679 (49.4)
Male	792 (49.9)	1021 (51.0)	293 (51.5)	274 (51.0)	10 (52.6)	718 (50.7)	8 (66.7)	696 (50.6)
Missing	44	43	9	8	0	33	0	33
<b>Vaccinated against influenza</b>	86 (5.3)	101 (4.9)	25 (4.3)	24 (4.4)	1 (5.3)	74 (5.1)	0 (0.0)	69 (4.9)
<b>Risk factor<sup>d</sup></b>	193 (12.4)	194 (9.8)	68 (12.1)	62 (11.7)	3 (15.8)	124 (8.8)	2 (16.7)	117 (8.6)
Missing	69	64	17	17	0	47	0	47
<b>Delay onset – swabbing (days)</b>								
0 – 2	1375 (84.5)	1695 (82.9)	498 (86.2)	470 (86.2)	17 (89.5)	1180 (81.4)	8 (66.6)	1149 (76.5)
3 – 4	216 (13.2)	316 (15.5)	73 (12.6)	68 (12.5)	2 (10.6)	242 (16.7)	4 (33.3)	232 (16.4)
> 4	39 (2.4)	35 (1.7)	7 (1.2)	7 (1.3)	0 (0.0)	28 (2.0)	0 (0.0)	27 (1.9)
<b>Month of onset</b>								
November	85 (5.2)	3 (0.1)	0 (0.0)	0 (0.0)	0 (0.0)	3 (0.2)	0 (0.0)	3 (0.2)
December	316 (19.4)	27 (1.3)	9 (1.6)	3 (0.6)	5 (26.3)	18 (1.2)	0 (0.0)	13 (0.9)
January	453 (27.8)	304 (14.9)	100 (17.3)	93 (17.1)	5 (26.3)	203 (14.0)	4 (33.3)	195 (13.8)
February	388 (23.8)	755 (36.9)	189 (32.7)	185 (33.9)	3 (15.8)	557 (38.4)	3 (25.0)	549 (39.0)
March	271 (16.6)	815 (39.8)	213 (36.9)	206 (37.8)	4 (21.1)	595 (41.0)	5 (41.7)	575 (40.8)
April	115 (7.1)	139 (6.8)	65 (11.2)	57 (10.5)	2 (10.5)	73 (5.0)	0 (0.0)	73 (5.2)
May	2 (0.1)	3 (0.1)	2 (0.3)	1 (0.2)	0 (0.0)	1 (0.1)	0 (0.0)	0 (0.0)

Data are presented as No. (%) unless otherwise specified.

<sup>a</sup> including co-infections (n<sub>2014/15</sub> = 5; n<sub>2015/16</sub> = 19)

<sup>b</sup> including influenza A not sub-typed (n<sub>2014/15</sub> = 2; n<sub>2015/16</sub> = 14)

<sup>c</sup> including influenza B with unknown lineage (n<sub>2014/15</sub> = 14; n<sub>2015/16</sub> = 30)

<sup>d</sup> Risk factor for influenza complications (other than age) : pregnancy (at any trimester), obesity (BMI≥40 kg/m<sup>2</sup>) or a chronic disease (cardiovascular disease, respiratory disease, immunodeficiency or diabetes)

**Table A3.** Estimated vaccine effectiveness in preventing laboratory-confirmed influenza for at risk groups (6 months–64 years olds with chronic disease, ≥65 years olds, and overall at risk) by influenza (sub-)type, using the screening method, influenza epidemics 2014/15 and 2015/16, French *Sentinelles* Network, France.

		2014/15			2015/16		
Virus Type / Subtype	Population group	Cases (% vaccinated)	VE (%)	95% CI	Cases (% vaccinated)	VE (%)	95% CI
Influenza A	Overall at risk	186 (38%)	16	-13 to 38	55 (29%)	45	6 to 69
	6m - 64y with chronic disease	105 (26%)	42	12 to 63	38 (29%)	37	-16 to 68
	≥65 y	81 (54%)	-26	-96 to 18	17 (29%)	60	-9 to 87
Influenza A(H1N1)pdm	Overall at risk	47 (28%)	45	-1 to 72	50 (28%)	46	1 to 72
	6m - 64y with chronic disease	32 (22%)	53	-2 to 81	34 (29%)	30	-43 to 68
	≥65 y	15 (40%)	29	-96 to 76	16 (25%)	68	7 to 91
Influenza A(H3N2)	Overall at risk	140 (41%)	5	-32 to 33			
	6m - 64y with chronic disease	73 (27%)	37	-3 to 63			
	≥65 y	67 (57%)	-39	-127 to 14			
Influenza B	Overall at risk	33 (45%)	-10	-119 to 46	84 (29%)	45	12 to 66
	6m - 64y with chronic disease	16 (31%)	24	-108 to 76	56 (18%)	63	30 to 83
	≥65 y	17 (59%)	-52	-318 to 42	28 (50%)	3	-105 to 54
Influenza B Victoria	Overall at risk	31 (42%)	5	-94 to 55			
	6m - 64y with chronic disease	15 (27%)	39	-77 to 83			
	≥65 y	16 (56%)	-37	-282 to 49			
Influenza B Yamagata	Overall at risk				77 (27%)	48	14 to 69
	6m - 64y with chronic disease				53 (19%)	61	25 to 81
	≥65 y				24 (46%)	18	-83 to 64

**Table A4.** Estimated crude and adjusted vaccine effectiveness against laboratory-confirmed influenza by influenza (sub-)type and by age sub-group, in the general population and in the population at risk, using the test-negative design, seasons 2014/15 and 2015/16, French *Sentinelles* Network, France.

Virus Type / Subtype	Population group (age in years)	Number of swabbs	Cases / Vaccinated (% vaccinated)	Controls / Vaccinated (% vaccinated)	Crude VE (%)	Crude 95% CI	Adjusted <sup>a</sup> VE (%)	Adjusted <sup>a</sup> 95% CI
<b>Season 2014/2015</b>								
Influenza A and B	6m – 14	256	160 / 3 (1.9)	96 / 0 (0.0)	-	-	-	-
	15 – 64	1029	592 / 47 (8.0)	437 / 29 (6.6)	-21	-95 to 25	<b>-14</b>	-96 to 34
	6m – 64	1285	752 / 50 (6.7)	533 / 29 (5.4)	-23	-97 to 23	<b>-14</b>	-94 to 33
	≥65 <sup>b</sup>	185	114 / 59 (51.8)	71 / 29 (40.9)	-54	-181 to 15	<b>-31</b>	-147 to 31
	6m – 64 y at risk <sup>c</sup>	276	149 / 35 (23.5)	127 / 19 (15.9)	-73	-220 to 7	<b>-51</b>	-198 to 23
Influenza A	Overall at risk <sup>c</sup>	461	263 / 94 (35.9)	198 / 48 (24.2)	-73	-161 to -15	<b>-38</b>	-119 to 13
	6m – 14	215	119 / 3 (2.5)	96 / 0 (0.0)	-	-	-	-
	15 – 64	872	435 / 37 (8.5)	437 / 29 (6.6)	-30	-116 to 21	<b>-26</b>	-126 to 21
	6m – 64	1087	554 / 40 (7.2)	533 / 29 (5.4)	-35	-120 to 18	<b>-27</b>	-124 to 29
	≥65y <sup>b</sup>	159	88 / 47 (53.4)	71 / 29 (40.9)	-65	-210 to 12	<b>-32</b>	-159 to 33
Influenza A(H1N1)pdm	6m – 64 y at risk <sup>c</sup>	248	121 / 28 (23.1)	127 / 19 (15.0)	-70	-231 to 11	<b>-44</b>	-197 to 30
	Overall at risk <sup>c</sup>	407	209 / 75 (35.9)	198 / 48 (24.2)	-74	-168 to -13	<b>-34</b>	-120 to 18
	6m - 14	121	25 / 0 (0.0)	96 / 0 (0.0)	-	-	-	-
	15 - 64	563	126 / 9 (7.1)	437 / 29 (6.6)	-12	-141 to 48	<b>-4</b>	-142 to 56
	6m-64	684	151 / 9 (6.0)	533 / 29 (5.4)	-14	-145 to 47	<b>2</b>	-128 to 58
Influenza A(H3N2)	≥65 <sup>b</sup>	87	16 / 6 (37.5)	71 / 29 (40.9)	11	-168 to 70	<b>31</b>	-113 to 77
	6m - 64 y at risk <sup>c</sup>	164	37 / 7 (18.9)	127 / 19 (15.0)	-37	-253 to 47	<b>-34</b>	-278 to 52
	Overall at risk <sup>c</sup>	251	53 / 13 (24.5)	198 / 48 (24.2)	-3	-108 to 49	<b>8</b>	-98 to 58
	6m - 14	186	94 / 3 (3.2)	92 / 0 (0.0)	-	-	-	-
	15 - 64	732	309 / 28 (9.1)	423 / 29 (6.9)	-35	-133 to 21	<b>-37</b>	-157 to 27
Influenza B	6m - 64	918	403 / 31 (7.7)	515 / 29 (5.6)	-39	-136 to 17	<b>-40</b>	-159 to 25
	≥65 <sup>b</sup>	142	72 / 41 (56.9)	70 / 29 (41.4)	-85	-261 to 5	<b>-57</b>	-223 to 23
	6m - 64 y at risk <sup>c</sup>	206	84 / 21 (25.0)	122 / 19 (15.0)	-80	-260 to 10	<b>-60</b>	-247 to 26
	Overall at risk <sup>c</sup>	348	156 / 62 (39.7)	192 / 48 (25.0)	-97	-211 to -25	<b>-52</b>	-157 to 10
	6m - 14	132	40 / 0 (0.0)	92 / 0 (0.0)	-	-	-	-
Influenza B Victoria	15 - 64	566	156 / 10 (6.4)	410 / 29 (7.1)	7	94 to 56	<b>21</b>	-82 to 65
	6m - 64	698	196 / 10 (5.1)	502 / 29 (5.8)	10	-88 to 57	<b>21</b>	-80 to 65
	≥65 <sup>b</sup>	95	25 / 12 (48.0)	70 / 29 (41.4)	-30	-224 to 48	<b>-57</b>	-328 to 42
	6m - 64 y at risk <sup>c</sup>	146	27 / 7 (25.9)	119 / 19 (16.0)	-89	-403 to 29	<b>-77</b>	-385 to 36
	Overall at risk <sup>c</sup>	241	52 / 19 (36.5)	189 / 48 (25.4)	-70	-225 to 11	<b>-60</b>	-227 to 21
Influenza B Yamagata	6m - 14	68	7 / 0 (0.0)	61 / 0 (0.0)	-	-	-	-
	15 - 64	288	7 / 1 (14.3)	281 / 22 (7.8)	-	-	-	-
	6m - 64	356	14 / 1 (7.1)	342 / 22 (6.4)	-	-	-	-
	≥65 <sup>b</sup>	47	0 / 0 (0.0)	47 / 20 (42.6)	-	-	-	-
	6m - 64 y at risk <sup>c</sup>	87	2 / 1 (50.0)	85 / 14 (16.5)	-	-	-	-
Influenza Y Yamagata	Overall at risk <sup>c</sup>	134	2 / 1 (50.0)	132 / 34 (25.8)	-	-	-	-
	6m - 14	124	32 / 0 (0.0)	92 / 0 (0.0)	-	-	-	-
	15 - 64	552	142 / 9 (6.3)	410 / 29 (7.1)	8	-98 to 57	<b>25</b>	-77 to 68
	6m - 64	676	174 / 9 (5.2)	502 / 29 (5.8)	8	-97 to 57	<b>26</b>	-73 to 68
	≥65 <sup>b</sup>	92	22 / 11 (50.0)	70 / 29 (41.4)	-41	-265 to 46	<b>-49</b>	-315 to 46
Influenza Y Yamagata	6m - 64 y at risk <sup>c</sup>	144	25 / 6 (24.0)	119 / 19 (16.0)	-72	-380 to 39	<b>-59</b>	-359 to 45

	Overall at risk <sup>c</sup>	236	47 / 17 (36.2)	189 / 48 (25.4)	-67	-229 to 15	<b>-50</b>	-214 to 28
	<b>Season 2015/2016</b>							
Influenza A and B	6m - 14	1901	1043 / 37 (3.6)	858 / 20 (2.3)	-52	-164 to 12	<b>-26</b>	-154 to 37
	15 - 64	1447	843 / 43 (5.1)	604 / 32 (5.3)	4	-53 to 40	<b>15</b>	-44 to 50
	6m - 64	3348	1886 / 80 (4.2)	1462 / 52 (3.6)	-20	-71 to 16	<b>-3</b>	-56 to 32
	≥65 <sup>b</sup>	99	52 / 19 (36.5)	56 / 31 (55.4)	53	-2 to 78	<b>66</b>	19 to 86
	6m - 64 y at risk <sup>c</sup>	329	174 / 45 (25.9)	155 / 29 (18.7)	-51	-155 to 11	<b>-21</b>	-120 to 33
	Overall at risk <sup>c</sup>	431	221 / 62 (28.1)	210 / 59 (28.1)	0	-52 to 34	<b>18</b>	-33 to 50
Influenza A	6m - 14	975	221 / 3 (1.4)	754 / 19 (2.5)				
	15 - 64	883	312 / 17 (5.5)	571 / 31 (5.4)	-2	-87 to 45	<b>37</b>	-25 to 68
	6m - 64	1858	533 / 20 (3.8)	1325 / 50 (3.8)	-1	-71 to 40	<b>42</b>	-6 to 68
	≥65 <sup>b</sup>	69	20 / 5 (25.0)	54 / 30 (55.6)	71	12 to 91	<b>78</b>	28 to 93
	6m - 64 y at risk <sup>c</sup>	197	60 / 14 (23.3)	137 / 27 (19.7)	-25	-160 to 40	<b>0</b>	-122 to 55
	Overall at risk <sup>c</sup>	269	79 / 19 (24.1)	190 / 56 (29.5)	23	-40 to 58	<b>38</b>	-21 to 68
Influenza A(H1N1)pdm	6m - 14	899	208 / 3 (1.4)	691 / 17 (2.5)				
	15 - 64	837	295 / 16 (5.4)	542 / 31 (5.7)	4	-78 to 48	<b>35</b>	-31 to 67
	6m - 64	1736	503 / 19 (3.8)	1233 / 48 (3.9)	2	-69 to 43	<b>39</b>	-11 to 67
	≥65 <sup>b</sup>	66	19 / 5 (26.3)	52 / 30 (57.7)	72	13 to 91	<b>76</b>	21 to 93
	6m - 64 y at risk <sup>c</sup>	182	55 / 13 (23.6)	127 / 25 (19.7)	-28	-173 to 40	<b>-4</b>	-133 to 54
	Overall at risk <sup>c</sup>	251	73 / 18 (24.7)	178 / 54 (30.3)	24	-41 to 59	<b>35</b>	-29 to 67
Influenza A(H3N2)	6m - 14	737	7 / 0 (0.0)	730 / 19 (2.6)				
	15 - 64	559	12 / 1 (8.3)	547 / 30 (5.5)				
	6m - 64	1296	19 / 1 (5.3)	1277 / 49 (3.8)				
	≥65 <sup>b</sup>	49	0 / 0 (0.0)	50 / 27 (54.0)				
	6m - 64 y at risk <sup>c</sup>	138	3 / 1 (33.3)	135 / 27 (20.0)				
	Overall at risk <sup>c</sup>	187	3 / 1 (33.3)	184 / 53 (28.8)				
Influenza B	6m - 14	1673	815 / 34 (4.2)	858 / 20 (2.3)	-81	-216 to -3	<b>-62</b>	-233 to 22
	15 - 64	1125	522 / 25 (4.8)	603 / 32 (5.3)	10	-54 to 47	<b>-13</b>	-109 to 39
	6m - 64	2798	1337 / 59 (4.4)	1461 / 52 (3.6)	-25	-83 to 15	<b>-41</b>	-124 to 11
	≥65 <sup>b</sup>	82	31 / 13 (41.9)	56 / 31 (55.4)	41	-43 to 76	<b>56</b>	-15 to 83
	6m - 64 y at risk <sup>c</sup>	267	112 / 30 (26.8)	155 / 29 (18.7)	-59	-183 to 11	<b>-32</b>	-161 to 33
	Overall at risk <sup>c</sup>	349	139 / 41 (29.5)	210 / 59 (28.1)	-7	-72 to 33	<b>6</b>	-64 to 47
Influenza B Victoria	6m - 14	1650	795 / 32 (4.0)	855 / 20 (2.3)	-73	-206 to 2	<b>-54</b>	-223 to 27
	15 - 64	1104	504 / 25 (5.0)	600 / 32 (5.3)	7	-59 to 46	<b>-22</b>	-127 to 34
	6m - 64	2754	1299 / 57 (4.4)	1455 / 52 (3.6)	-24	-82 to 16	<b>-45</b>	-132 to 9
	≥65 <sup>b</sup>	78	27 / 10 (37.0)	56 / 31 (55.4)	51	-24 to 81	<b>63</b>	-1 to 86
	6m - 64 y at risk <sup>c</sup>	262	107 / 30 (28.0)	155 / 29 (18.7)	-69	-203 to 6	<b>-42</b>	-183 to 29
	Overall at risk <sup>c</sup>	340	130 / 38 (29.2)	210 / 59 (28.1)	-6	-72 to 33	<b>7</b>	-65 to 48
Influenza Yamagata	6m - 14	464	5 / 0 (0.0)	459 / 15 (3.3)				
	15 - 64	395	6 / 0 (0.0)	389 / 22 (5.7)				
	6m - 64	859	11 / 0 (0.0)	848 / 37 (4.4)				
	≥65 <sup>b</sup>	34	1 / 0 (0.0)	34 / 21 (61.8)				
	6m - 64 y at risk <sup>c</sup>	86	2 / 0 (0.0)	84 / 20 (23.8)				
	Overall at risk <sup>c</sup>	120	3 / 0 (0.0)	117 / 40 (34.2)				

<sup>a</sup> Adjusted by age, gender, presence of a risk factor for influenza complications other than age, week of onset of symptoms

---

<sup>b</sup> Adjusted by month of onset of symptoms

<sup>c</sup> Adjusted by age, gender and month of onset of symptoms