

Magnetic polymer 'nanopills'

Olivier Sandre, Sébastien Lecommandoux

▶ To cite this version:

Olivier Sandre, Sébastien Lecommandoux. Magnetic polymer 'nanopills'. Pan European Networks: Science & Technology, 2014, 12, pp.200-201. hal-02151692

HAL Id: hal-02151692 https://hal.science/hal-02151692v1

Submitted on 9 Jun 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

With specialist knowledge of polymer-based, self-assembled nanoparticles, the Laboratoire de Chimie des Polymères Organiques shares developments in polymer synthesis and polymer materials

are a group of five tenured academic researchers and about 15 non-permanent researchers in the Laboratoire de Chimie des Polymères Organiques, a joint research unit of CNRS, University of Bordeaux, and Bordeaux National Polytechnic Institute, dedicated to polymer synthesis and polymer materials. More precisely, our group develops polymer-based, self-assembled nanoparticles with high loading rates of active pharmaceutical ingredients (anticancer drugs, peptides, proteins etc.), multi-modal labelling (MRI, NIR etc.) and targeting (e.g. mAb). Our knowhow includes the synthesis of biocompatible polymers such as polypeptides (by chemical synthesis or recombinant route), polysaccharides and their combination as copolymers. We have more than a decade of experience in the design of multifunctional polymer vesicles called 'polymersomes', loaded with drugs, iron oxide nanoparticles and grafted to antibodies, and several patents, including one licensed to a pharmaceutical company located in Lyon (Adocia). We have experience in participating in European projects, including an FP7 large NMP project (NANOTHER), which led to very promising results and productive interactions with biomedical companies, and we are now seeking to be active partners in a new H2020 project on nanomedicine.

Our research group is entitled 'polymer self-assembly and life sciences.' We have developed a fundamental approach to mimicking complex mechanisms or interactions of biological cells or viruses by reproducing simplified mechanisms (e.g. endocytosis of nanoparticles in cells or enzymatic reactions) in self-assembled systems. In parallel, we are addressing several issues of nanomedicine such as the development of multimodal, multifunctional and theranostic nano-carriers. Through collaborative projects with biologists, pharmacists, medical doctors and companies, we have developed a variety of polymersomes to convey different therapeutic payloads, such as chemotherapeutics (e.g. doxorubicin, paclitaxel) or biomolecules (siRNAs, peptides, proteins), while extensively testing their in vitro cytotoxicity and in vivo biodistribution. The formulations also include one bio-imaging modality (e.g. visible or near-infrared fluorescence, MRI contrast agents) and grafting of specific surface ligands (e.g. small molecules, peptides, antibodies).

Magnetic polymersomes for theranostics.

Our team was a pioneer in the development of magnetochemotoxicity, which consists of the enhanced delivery of a chemotoxic drug by an applied radiofrequency magnetic field.^{1,2}

The RF magnetic field induces fast relaxation of the magnetic moments of the nanoparticles embedded in the membrane. This local heating causes an increase of the polymer permeability, promoting a faster release of the drug into the medium. Once these magnetic polymer vesicles were injected into the blood circulation of mice, their biodistribution and pharmacokinetics were monitored non-invasively by MRI. This enabled us to evidence the targeting of an orthotopic model of bone metastases of breast cancer by magnetic polymersomes grafted by, on average,~30 monoclonal antibodies against the human endothelial receptor (HER2).³

PROFILE



Fig. 1 A) Scheme of dual-loaded polymersomes with iron oxide nanoparticles and doxorubicin in their membrane; B) CryoTEM image; C) Release curve of doxorubicin under a radiofrequency magnetic field (14mT at 755kHz) Copyright 2012 Elsevier (ref 2)

Time (hrs)



Fig.2 A, C, and E) Passive Targeting; 8, D, and F) Active Targeting in an orthotopic tumour (metastases of breast cancer in a mouse femur) Copyright 2013 Wiley (ref 3)

Magnetic polymer nanoparticles for MRI contrast

Each year, dozens of articles report the synthesis of new biocompatible magnetic nanoparticles for potential use as MRI contrast agents. But only a few of them are designed - before the synthesis - for a maximal 'relaxivity', i.e. an optimal ratio between the 1/T1 and 1/T2 relaxation rates of water protons and the concentration of magnetic compounds. In collaboration with colleagues at Mons in Belgium⁴ and Milan in Italy,⁵ both specialists in NMR, we rationalised the design of self-assembled clusters of magnetic nanoparticles and polymers to optimise the MRI contrasting properties. Only three parameters enable the tuning of the T2 relaxivity: the particle's magnetisation and 'relaxometric' size and the internal volume fraction of magnetic material in it. In our on-going research, we are studying the effect of a polymer shell surrounding the magnetic cores that can switch, by raising temperature, from a swollen hydrophilic brush to a collapsed state impermeable to water protons, enabling a new method of thermometry by MRI.

Self-targeting micelles and polymersomes

The self-targeting of micelles and polymersomes towards tumours expressing the CD44 receptor with polypeptide-block-polysaccharide copolymers such as PBLG-b-hyaluronan was reported by the team.^{6,7,8} We proved the concept of self-targeting polymersomes, with hyaluronan playing two roles: first, as a hydrophilic block bringing colloidal stability; and then, as the bioactive moiety allowing interaction with CD44 receptors. *In vitro* and *in vivo* experiments were conducted on breast and lung cancer models in collaboration with biologists. This original concept was patented and licensed to two companies – one in the area of cosmetics, the other for anticancer nanomedecine.



Fig.3 Multi-compartmentalised polymersomes or 'plastic cells' as enzymatic micro-reactors. A) Graphical depiction of the system; B) Plot profiles of the fluorescence cross-section for different time points showing the increase of fluorescence. Copyright 2014 Wiley (ref 9)

Compartmentalised polymersomes as bioreactors

Compartmented vesicles such as polymersomes-in-polymersomes or liposomes-in-polymersomes were designed to host simple enzymatic or photocatalysed reactions. These constructs can be seen as layman models to reproduce the complex intracellular machinery (photosynthesis, protein synthesis etc.), with possible outcomes in synthetic biology or in autonomous implanted biosensors or bioactuators.⁹ Also named 'plastic cells', these systems are the most recent and yet highly promising projects currently under development in our team.

- ¹ C Sanson et al, ACS Nano 2011, 5(2), 1122-1140
- ² H Oliveira et al, J. Controlled Release 2013, 169(3), 165-170
- ³ L Pourtau et al, Advanced Healthcare Materials 2013, 2(11), 1420-1424
- ⁴ Q L Vuong et al, Advanced Healthcare Materials 2012, 1, 502-512
- ⁵ P Arosio et al, Journal of Materials Chemistry B 2013, 1, 5317-5328
- ⁶ C Schatz et al, Angew Chem Int Ed 2009, 48(14), 2572-2575
- ⁷ K K Upadhyay et al, Biomacromolecules 2009, 10(10), 2802-08
- ⁸ K K Upadhyay et al, Biomaterials 2010, 31, 3882-3892
- ⁹ R J R W Peters et al, Angew Chem Int Ed 2014, 53, 146-150



Olivier Sandre Senior CNRS Researcher Chair of Sub-committee 9 on Soft Condensed Matter at Institut Laue-Langevin

tel: +33 5 4000 3695

olivier.sandre@enscbp.fr

Sébastien Lecommandoux Full Professor at Bordeaux INP Associate Editor of *Biomacromolecules*

tel: +33 5 4000 2241

lecommandoux@enscbp.fr

Laboratoire de Chimie des Polymères Organiques University of Bordeaux Bordeaux INP and CNRS

www.lcpo.fr