

# Growth models and estimation of migratory reaction norm for invasive brown trout (Salmo trutta L.) in Kerguelen Islands

Lucie Aulus Giacosa, Matthias Vignon, Mathieu Buoro, Philippe Gaudin, Francois Gueraud, Jean-Christophe Aymes

### ▶ To cite this version:

Lucie Aulus Giacosa, Matthias Vignon, Mathieu Buoro, Philippe Gaudin, Francois Gueraud, et al.. Growth models and estimation of migratory reaction norm for invasive brown trout (Salmo trutta L.) in Kerguelen Islands. International Long Term Ecological Research Network (ILTER) & Zones Ateliers & Critical Zone Observatory Networks (LTER-France) Joint conference, Oct 2017, Nantes, France. hal-02154546

HAL Id: hal-02154546

https://hal.science/hal-02154546

Submitted on 5 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.





# Call for presentations

October, 2<sup>nd</sup> – 4<sup>th</sup> 2017 Westotel Nantes Atlantique - 34 rue de la Vrière 44240 La Chapelle sur Erdre

# Growth models and estimation of migratory reaction norm for invasive brown trout (*Salmo Trutta* L.) in Kerguelen Islands.

Lucie Aulus, Matthias Vignon, Mathieu Buoro, Philippe Gaudin, François Guéraud, Jean-Christophe Aymes

UMR ECOBIOP 1224 INRA/UPPA, Aquapôle INRA, Quartier Ibarron, 64310 Saint-Pée sur Nivelle, FRANCE.

## Session in which your presentation proposal fits\*:

	Decision making, management and adaptive governance
	Social-ecological system (SES) research, or "Putting the "S" in LTSER
	Global initiatives
	Biogeochemical cycles
	Biodiversity and ecosystem services
	Environmental risks
	Poster session: Sensors and analytical tools
¤ ]	Free poster session

#### **SUMMARY**

In a context of global warming, generalized polar ice retreat provides new habitats where native or nonnative fish species may establish. Because of its dispersal and adaptive capacities, Brown trout (*Salmo trutta L.*), a cold water facultative anadromous salmonid, is a viable candidate to colonize those kinds of
ecosystem. The case of introduced brown trout to Sub Antarctic Kerguelen Islands in the 1950's provides a
good opportunity to investigate local adaptation through growth patterns and evolution of age at first marine
migration. Based on scales and otoliths sampled from three populations that differ in their colonization date
(from 1968 to 2000) and environmental conditions, we determined age at capture and age at first marine
migration of each fish. We then measured scale radius at each age and back calculate the length at all ages.
To do so, we compared two approaches (GAM models versus more classical parametric models) while
taking into account various sources of variance (methodological, populational ...). Based on these results,
we explored probabilistic reaction norms of age and size at migration, and compare how these norms differ
between our populations with respect to both colonization date and environment.

### **KEYWORDS**

Growth, invasion, life history traits, migration, reaction norm.





