




# 16th IBPSA INTERNATIONAL CONFERENCE AND EXHIBITION



INTERNATIONAL  
BUILDING  
PERFORMANCE  
SIMULATION  
ASSOCIATION



## OMEGAlpes

# Energy Model Generation Tool for Optimization

Speaker:

Lou MORRIET

Univ. Grenoble Alpes, CNRS, Grenoble INP,  
G2Elab, 38000 Grenoble, France

Authors:

Camille Pajot<sup>1</sup>, Lou Morriet<sup>1</sup>, Sacha Hodencq<sup>1</sup>,  
Benoit Delinchant<sup>1</sup>, Yves Maréchal<sup>1</sup>, Frédéric Wurtz<sup>1</sup>,  
Vincent Reinbold<sup>2</sup>


1. Univ. Grenoble Alpes, CNRS, Grenoble INP, G2Elab, 38000 Grenoble, France
2. Sorbonne Univ, Univ Paris Saclay, Univ Paris Sud, Grp Elect Engn Paris,  
CNRS, Cent Supelec, 91192 Gif Sur Yvette, France

# Early Design for Urban Energy Project

- Urban scale
- Multi-energy
- New stakeholders


## Motivation:

- Assist energy project decision makers




# Optimization for Early Design of Urban Energy Projects

- Simulation (One Scenario)



- Optimization (Multiple scenarios)



# Optimization for Early Design of Urban Energy Projects

- Optimization (Multiple scenarios)

## Linear Programming (LP)


numerous decision variables

## Mixed Integer (MI)

continuous and discrete variables

*Design and control variables free*

Constraints  
Objectives



Optimized solutions

# What does energy model generation means ?

Minimise  $c^T x + d^T y$

Subject to:  $Ax + By \leq b$

$x_{\min} \leq x \leq x_{\max}$ ,  $y \in \{0,1\}^m$

With:


$c \in \mathbb{R}^n$ ,  $d \in \mathbb{R}^m$ ,  $b \in \mathbb{R}^p$  data vectors

$x \in \mathbb{R}^n$ ,  $y \in \{0,1\}^m$  variables vectors


$x_{\min} \in \mathbb{R}^n$ ,  $x_{\max} \in \mathbb{R}^n$  low and up bounds  
vectors

$A \in \mathbb{R}^{pxn}$  and  $B \in \mathbb{R}^{pxm}$  matrixes to  
define the variable constraints


# What does energy model generation means ?



# Lake of Open Source Multi-carrier Optimization Energy Model Generation Tools




# OMEGAlpes : Energy Modelling Tool & Applications



# How does OMEGAlpes work ?

Oriented Object  
Model Generation Tool



Projection into  
MILP solver  
format

PuLP


Solver  
COIN CBC



Cplex

GLPK


Gurobi



Legend: Used In development Available

# How does OMEGAlpes work ?

## Oriented Object Model Generation Tool



Projection into  
MILP solver  
format



PuLP

Solver  
COIN CBC




Cplex




GLPK



Gurobi



# How does OMEGAlpes work ?



# Open source and collaborative development

**Open Source**

**Community**


Users  
&  
Developers

**Examples  
&  
Model  
Capitalization**



<https://gricad-gitlab.univ-grenoble-alpes.fr/omegalpes>

# Example on a study case



## Objectif

Maximize self-consumption of photovoltaic




# Create Time and an empty Model

```
time = TimeUnit( periods=24 * 12,  
                  dt=1 / 12)
```


← 24 h period  
← 5 min time step

```
model = OptimisationModel(  
    time=time,  
    name='BS_study_case')
```

# Create your energy units




# Create your energy units




# Pre-modelled energy units

Model Capitalization




# Add constraints

## Avoid that the dryer starts before the end of the washing



```
wait_to_dry = ExtDynConstraint(  
    name='wait_to_dry',  
    exp_t='clothes_dryer_start_up[t] <=  
           lpSum(  
           clothes_washer_switch_off[k]  
           for k in range(0, t))',  
    t_range='for t in time.I',  
    parent=clothes_dryer)  
  
setattr(clothes_dryer, 'wait_to_dry',  
        wait_to_dry)
```




Maximize self-consumption of photovoltaic

```
elec_grid_imports.minimize_production()
```



# Create a node and connect the units




```
heat_node = EnergyNode(  
    time,  
    name='heat_node',  
    energy_type='Thermal')
```

```
heat_node.connect_units(dhw, water_tank,  
water_heater.thermal_production_unit)
```

```
model.add_nodes(elec_node, heat_node)
```

# Solve and analyse the results

```
model.solve_and_update()
```



## Resolution data

6922 variables

- 2890 continuous
- 4032 binary


Generation time : 1.2 s

Resolution time:

CBC : 43.6 s

Gurobi : 2.5 s


Min grid import



# Conclusion: OMEGAlpes

## Energy Model Generation Tool for MILP Optimization

**Macro Modeling:** From Building to District scale




**Open Source // Community // Energy Model Capitalization**



<https://omegalpes.readthedocs.io/en/latest/index.html>



# 16th IBPSA INTERNATIONAL CONFERENCE AND EXHIBITION



INTERNATIONAL  
BUILDING  
PERFORMANCE  
SIMULATION  
ASSOCIATION



## OMEGAlpes

### Energy Model Generation Tool for Optimization

## Questions and Comments

Speaker:

Lou MORRIET,

Univ. Grenoble Alpes, CNRS, Grenoble INP,  
G2Elab, 38000 Grenoble, France


Contacts:

[Lou.morriet@g2elab.grenoble-inp.fr](mailto:Lou.morriet@g2elab.grenoble-inp.fr)

# Acknowledgment

This work has been partially supported by the CDP Eco-SESA receiving fund from the French National Research Agency in the framework of the “Investissements d’avenir” program (ANR-15-IDEX-02).

<https://omegalpes.readthedocs.io/en/latest/index.html>



OMEGAlpes: Energy Model Generation Tool for Optimized Design and Operation at Urban Scale  
Lou MORRIET, Univ. Grenoble Alpes, CNRS, Grenoble INP, G2Elab, 38000 Grenoble, France