

Reply to Morueta-Holme et al.: Humboldt's historical data are not messy, they just need expert examination

Pierre Moret, Priscilla Muriel, Ricardo Jaramillo, Olivier Dangles

▶ To cite this version:

Pierre Moret, Priscilla Muriel, Ricardo Jaramillo, Olivier Dangles. Reply to Morueta-Holme et al.: Humboldt's historical data are not messy, they just need expert examination. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116 (43), pp.21348-21349. 10.1073/pnas.1914132116 . hal-02303332

HAL Id: hal-02303332 https://hal.science/hal-02303332

Submitted on 2 Oct 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



REPLY TO MORUETA-HOLME ET AL.: Humboldt's historical data are not messy, they just need expert examination

Pierre Moret^{a,1}, Priscilla Muriel^b, Ricardo Jaramillo^b, and Olivier Dangles^{c,d}

Humboldt and Bonpland's expedition is unique in the history of biological sciences, not only for the novel theoretical concepts it gave rise to, but also for the outstanding quality of the locality data recorded for thousands of plants. The inconsistencies that distort Humboldt's Tableau Physique (1) should not overshadow the fact that, in most cases, the exact provenance of the collected plants can be retrieved from a cross-analysis of diaries, herbaria, and botanical publications, all now accessible online (references in ref. 1). The key question of the role of Chimborazo in the definition of vegetation zones must be addressed in this context, avoiding pointless speculations on "possibly lost" specimens (2). Let us stick to the facts. After each botanical excursion, Bonpland made a detailed report in his field notebook. Twenty vascular plants were recorded from Chimborazo, with locality information always referring to "the base of Mt Chimborazo" and elevation figures ranging from 2,885 to 3,625 m. Comparatively, 63 species came from Antisana, 46 of which ≥3,700 m.

The absence of vascular plant collections above 3,625 m at Chimborazo was due to weather conditions during the ascent. According to Humboldt's diary (3), more reliable than his later published account (4), recent snow covered the ground from an elevation of 2,150 toises (~4,190 m), not far from Lake Yanacocha where Humboldt could still observe uniform grasslands at ~4,050 m. Except for lichens and mosses collected much higher, this was his last botanical observation.

There is no mention of grass dominance at \sim 4,600 m, as wrongly stated (2). Hence Humboldt's surprising conclusion: "of all the *Nevados* we visited, it is the poorest in plants" (3).

We fully agree with Morueta-Holme et al. (2) that the Tableau Physique includes information from several mountains. However, Chimborazo had no part in it, as far as elevations \geq 3,700 m are concerned. None of the vascular plants placed there in the successive versions of the Tableau Physique comes from Chimborazo (ref. 1, table S2). Due to the lack of previous taxonomical work, Humboldt was unable to get precise information on the distribution of the same species among the mountains he visited. Seventy percent of his páramo plant records are limited to 1 mountain, 26% to 2, and 4% to 3. Only 3 plants were collected both on Chimborazo and on another mountain. Accordingly, his plant zonation was based on the betterstudied mountains: Antisana and Pichincha.

Finally, a vascular plant upper limit at 4,600 m in 1802 (5) cannot be used to assess upslope shifts in plant distribution, for 3 reasons that Morueta-Holme et al. (2) overlook: Humboldt corrected it in his following publications (1); plants were actually collected by Bonpland at much higher elevation (1); and during the first 80 y of the 19th century, still in the last period of the Little Ice Age, vascular plants were sampled on Chimborazo far above 4,600 m (6), especially by Hall in 1831 at ~5,180 m (7) and Whymper in 1879 at 5,060 m (8). Historical context matters.

- 3 A. von Humboldt, Reise auf dem Río Magdalena, durch die Anden und Mexico. Teil I: Texte (Akademie Verlag, Berlin, 1986).
- **4** A. von Humboldt, Notice de Deux Tentatives d'Ascension du Chimborazo (A. Pihan de la Forest, Paris, 1838).

Published under the PNAS license.

¹ P. Moret, P. Muriel, R. Jaramillo, O. Dangles, Humboldt's Tableau Physique revisited. Proc. Natl. Acad. Sci. U.S.A. 116, 12889–12894 (2019).

² N. Morueta-Holme et al., Resurvey of Antisana supports overall conclusions of Chimborazo study. Proc. Natl. Acad. Sci. U.S.A., 10.1073/pnas.1911597116 (2019).

^aLaboratoire Traces UMR5608, CNRS, Toulouse University, 31058 Toulouse, France; ^bLaboratorio de Ecofisiología, Escuela de Ciencias Biológicas, Pontificia Universidad Católica del Ecuador, 17-01-2184 Quito, Ecuador; ^cCentre d'Ecologie Fonctionnelle et Evolutive, UMR 5175, CNRS, Université de Montpellier, Ecole Pratique des Hautes Etudes, Institut de Recherche pour le Développement, 34095 Montpellier, France; and ^dDepartment of Ecology and Evolutionary Biology, Cornell University, Ithaca, NY 14853

Author contributions: P. Moret and O.D. designed research; P. Moret, P. Muriel, R.J., and O.D. performed research; and P. Moret wrote the paper. The authors declare no conflict of interest.

¹To whom correspondence may be addressed. Email: moret@univ-tlse2.fr.

- 5 A. von Humboldt, A. Bonpland, Essai sur la Géographie des Plantes, Accompagné d'un Tableau Physique des Régions Équinoxiales (Levrault & Schoell, Paris, 1807).
- 6 P. Skienář, Advance of plant species on slopes of the Chimborazo volcano (Ecuador) calculated based on unreliable data. Proc. Natl. Acad. Sci. U.S.A. 113, E407–E408 (2016).
- 7 I. Al-Shehbaz, A monograph of the South American species of Draba (Brassicaceae). Ann. Mo. Bot. Gard. 103, 463–590 (2018).
- 8 E. Whymper, Travels amongst the Great Andes of the Equator (John Murray, London, 1892).

PNAS PNAS