



Evaluation of anxiety in short-term microgravity: sensitivity of psychological parameter


C. Guillot, J.-P. Hainaut, C. Langlet & B. Bolmont Psychology and Neurosciences' Lab (2LPN) Cognition-Emotion-Action (CEmA) group

> International Astronautical Congress Bremen 1st October 2018






Global context



Clément (2011), Clément et Reschke (2008), Kanas et Manzey (2004)

Psychological studies in space environments

- <u>Space environment:</u>
 - Interpersonal conflict and cultural effects
 - Recommendations to prevent conflict during the mission







- Analog environments:
 - Recommendations to prevent psychological disorder (HDBR)
 - Affective states and anxiety (Parabolic flights)

Psychological studies in parabolic flights

- Physiological changes related to anxiety in microgravity
- Psychological characteristics of parabonauts
- Describing affective states during task's realization
- No studies about affective states and anxiety in an anxiogenic situation lived in microgravity

Purpose of this study

Purpose:

 Know the effects of parabolic flight with gravitational changes on stress' perception

<u>Hypothesis:</u>


• Affective states and anxiety are modified by an anxiogenic condition compared to control condition

Participants and conditions




- 12 male participants
- Mean age: 33 y.o (± 9.11)
- Second parabolic flight
- No motion sickness in this context

4 experimental conditions:



Psychological questionnaires




|--|--|--|--|

Self-Assessment Manikin (SAM)

- Assessed valence and arousal
- Filled out twice during the flight
- Half and end of the flight

Visual Analog Scales (VAS)

- Assessed level of anxiety (How do you feel during the five precedent parabolas ?)
- Filled out during each break




om :		Prénom :	land and the second	9.5
ge :	1	Sexe :		
ue de passatior	n :	alter of the second sec		
			E	Т
			1	

<u>State-Trait Anxiety Inventory</u> (STAI)

- Assessed state-anxiety (anxiety feels on a specific moment)
- Filled out in the end of the flight

Bradley et Lang, 1994 ; Spielberger et al., 1983


Results Self Assessment Manikin (SAM)



• No significant effect of anxiogenic situation on valence and arousal

Used test: Wilcoxon-paired sample

Results State Anxiety



- Significant effect of anxiogenic situation on the state anxiety in 1g
 - Effect of anxiogenic situation on state anxiety in 0g

Used test: Wilcoxon-paired sample

Discussion

Purpose:

 Know the effects of parabolic flight with gravitational changes on stress' perception



In 1g:

- No changes in valence and arousal
- Increases of anxiety in anxiogenic situation



In 0g:

- No changes in valence and arousal
- Increases of anxiety in anxiogenic situation only with VAS

Discussion

Conclusion:

- Gravitational changes modify stress' perception
- Questionnaires assessing anxiety more suitable than affective states' evaluation

Limitations:

- A few affective parameters assessed
- Participants: Volunteers, sensation seeking
- Positive bias

Recommendations for the future:

- Choose volunteers who have a more important experience of parabolic flight
- Realize measures near to the situation





Acknowledgements:

- CNES (French National space research centre) for funding this research
 - Novespace



