

The top 100 most-cited Orthopaedics & Traumatology: Surgery & Research articles

Roger Erivan, Guillaume Villatte, Matthieu Ollivier, Nicolas Reina, Stéphane Descamps, Stephane Boisgard

▶ To cite this version:

Roger Erivan, Guillaume Villatte, Matthieu Ollivier, Nicolas Reina, Stéphane Descamps, et al.. The top 100 most-cited Orthopaedics & Traumatology: Surgery & Research articles. Orthopaedics & Traumatology: Surgery & Research, 2019, 105 (8), pp.1459-1462. 10.1016/j.otsr.2019.01.016 . hal-02413026

HAL Id: hal-02413026

https://hal.science/hal-02413026

Submitted on 21 Jul 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Original article

The Top 100 Most-Cited Orthopaedics & Traumatology: Surgery & Research Articles

Roger ERIVAN^{a,*}, Guillaume VILLATTE^a, Matthieu OLLIVIER^b, Nicolas REINA^c,

Stéphane **DESCAMPS**^a, Stéphane **BOISGARD**^a

a: Université Clermont Auvergne, CHU Clermont-Ferrand, CNRS, SIGMA Clermont, ICCF,

F-63000 Clermont-Ferrand, France

b: Aix-Marseille Université, CNRS, ISM UMR 7287, 13288, Marseille cedex 09, France

Institute for locomotion Department of Orthopedics and Traumatology St. Marguerite

Hospital 270 Boulevard Sainte Marguerite, BP 29 13274 Marseille, France

c: Musculoskeletal Institute, Hopital Pierre Paul Riquet, CHU Toulouse Purpan, 1 place

Baylac, 31000, Toulouse, France

*Corresponding author: Roger ERIVAN, Orthopaedic and Trauma Surgery Department,

Hôpital Gabriel Montpied, CHU de Clermont Ferrand BP 69, 63003 Clermont Ferrand,

France

E-mail: rerivan@chu-clermontferrand.fr

1

ABSTRACT

Background: The French peer-reviewed journal *Revue d'Orthopédie* founded on 1 January

1890 extended its scope in 2009 by creating the English-language, online-only, indexed

journal Orthopaedics & Traumatology: Surgery & Research (OTSR). Bibliometric data help

authors and readers assess the citation potential of articles published in a given journal. We

found no bibliometrics for the first 10 years of OTSR. The objectives of this bibliometric

study were to identify (i) the 100 most cited OTSR articles and (ii) the specialties or article

types most often involved in citations.

Methods: The Scopus database was used to determine the citation rates of the 2158 articles

published in OTSR during the journal's first 10 years. A bibliometric analysis was

performed on the 100 most cited articles.

Results: Mean time since publication of the 100 most cited articles was 6.60±1.66 years

(range, 2-10 years) and mean number of citations per article was 49.59±24.16 (range, 30-

169). Mean number of citations per year was 7.75±3.26 (range, 4-18.78) and mean number

per author was 5.52±3.14 (range, 1-21). The first author was French in 89/100 cases. Of the

100 articles, 56 were based on a multicentre study and 21 on an international study. Finally,

22/100 articles reported studies sponsored by a scientific society.

Discussion: The 100 articles identified in this study deserve to be viewed as influential. The

number of citations will continue to rise, thereby amplifying the impact of OTSR on

worldwide research in orthopaedic surgery.

Level of evidence: IV, systematic retrospective analysis

Key words: Surgical journal. *Orthopaedics & Traumatology: Surgery and Research.*

Citations. Bibliometrics.

2

1. Introduction

France has nearly 2900 orthopaedic surgeons according to board-of-physician statistics, and about 60% of its over 67 million inhabitants will undergo at least one orthopaedic surgical procedure during their lifetime [1]. French orthopaedic surgery has been a pioneer in many areas including bone defect management, the development of novel arthroplasty techniques, and internal fixation [2–14]

The French peer-reviewed *Revue d'Orthopédie* founded on 1 January 1890 broadened its reach in 2009 by creating the English-language indexed journal *Orthopaedics* & *Traumatology: Surgery* & *Research* (OTSR). The scope of OTSR encompasses basic scientific research, orthopaedic surgery of the upper and lower limbs, traumatology, spinal surgery, hand surgery, paediatric surgery, and oncology. The article types include original articles, some of which report studies sponsored by scientific societies for their symposia; systematic literature reviews; consensus conference reports; meta-analyses; and technical notes. Case-reports were published only until 2017. The number of citations per article varies considerably, from 0 to 2640 [15]. Citation numbers depend not only on the content of the article, i.e., on the new information provided, but also on its form. Although OTSR has now been in existence for 10 years, to our knowledge no bibliometric analyses have been performed to provide authors and readers with information about citation potential.

The objectives of this bibliometric study were to identify (i) the 100 most cited OTSR articles and (ii) the specialties or article types most often involved in citations.

2. Material and Methods

2.1 Material

We examined the 2158 articles published in OTSR and indexed between February 2009 and December 2018 (https://www.journals.elsevier.com/orthopaedics-and-traumatology-surgery-and-research).

2.2 Methods

On 11 December 2018, we searched the Scopus database for citations of the 2158 OTSR articles. On the same day, we used the academic citation analysis freeware Publish or Perish (version 6.40.6326, released on 31 October 2018, created by Prof. Anne-Wil Harzing), with Google Scholar as the publication retrieval tool [16,17]. Citations in English and several other languages were sought. Our reference classification tool was Scopus, which directly indexes articles from over 5000 publishers, and not the open web. Scopus has the major advantage of supplying links to full-text articles, with no or only very few duplicates.

2.3 Measurement methods

The OTSR articles were classified according to number of citations retrieved by Scopus then by decreasing year of publication. As performed in earlier studies [18–21], basic information including the title, authors, and publication year were recorded. The number of citations per year, number of authors, and number of citations per author were computed.

The 100 most cited articles were identified and examined. For these articles, the following were recorded: country of the first author, single-centre or multi-centre design, country of origin of the authors, abstract word count, level of evidence, whether the study was sponsored by a scientific society, and the subspecialty of the study. Finally, the 100 articles were classified based on annual number of citations.

2.4 Statistical analysis

The statistical analysis was performed using ExcelTM (Microsoft, Redmond, WA, USA). Quantitative variables were described as mean \pm SD (range). Linear regression was used to assess the number of citations according to article classification. The Shapiro-Wilk test was chosen to evaluate distribution. Means were compared by applying Student's t test when distribution was normal and the non-parametric Wilcoxon test otherwise. There were no missing data, as all the articles were fully analysed.

3. Results

The 100 most cited OTSR articles are shown in Appendix 1. Mean time since publication of the 100 most cited articles was 6.60±1.66 years (range, 2-10 years). Mean values were as follows: citations per article, 49.59±24.16 (range, 30-169); citations per year, 7.75±3.26 (range, 4-18.78); authors per article, 5.52±3.14 (range, 1-21); citations per author, 12.46±13.89 (range, 2.5-126); title words, 13.36±4.81 (range, 4-24)4 – 24]; and abstract words, 308.99±83.86 (range, 92-496). Appendix 2 shows the classification of the articles by annual citation number.

The first author was French for 89/100 articles. A multicentre design was used in 56/100 cases and a single-centre design in the remaining 44/100 cases. The authors worked in more than one country in 21/100 cases; the other countries involved were China, n=3; Belgium, n=2; Germany, n=1; Greece, n=1; India, n=1; Portugal, n=1; Switzerland, n=1; the UK, n=1; the USA, n=1; and a combination of countries, n=9.

Levels of evidence were as follows: systematic literature reviews, 19/100; level II, 8/100; level III, 14/100; level IV, 51/100; level V, 3/100 including 2 technical reviews and 1

case-report; there was 1 cadaver study, 1 lecture, and 1 animal study. Table 1 and Figure 1 show the mean citation numbers according to level of evidence.

Of the 100 studies, 22 were sponsored by scientific societies, including 10 by the Société Française de Chirurgie Orthopédique et Traumatique (SoFCOT), 6 by the Société Françophone d'Arthroscopie (SFA), 2 by the Société Française de Chirurgie Hanche et Genou (SFHG; including 1 sponsored jointly by the Groupe d'Etude en Traumatologie [GETRAUM]); 2 by the Association Française de Chirurgie du Pied (AFCP), and 2 by the Société d'Orthopédie de l'Ouest (SOO).

Table 2 reports the fields of the studies reported by the 100 most cited articles. This classification inevitably involves loss of information, since a study may be relevant to more than one field (e.g., both traumatology and paediatric surgery). When this was the case, the articles were classified based on surgeon field of specialisation or on anatomical location rather than in the more general category.

Figure 2 reports the results of the linear regression analysis of Scopus or Google Scholar citations according to article classification. The derivative of the curve differed according to the source. As the number of citations increased, the difference between Scopus and Google Scholar increased also.

4. Discussion

France's long history of active research in orthopaedic and trauma surgery has produced many innovations, whose visibility, however, was blurred by the language barrier.

Over the last decade, the OTSR has circumvented this barrier to a large extent.

The most cited article reports a retrospective study by Gallinet et al. [22] on proximal humerus injuries. Trauma surgery is a major focus of current research.

Most of the 100 most cited articles were published several years ago, and the likelihood of being among the 100 most cited articles increased with time since publication. It takes time for an article to be referred to in subsequent articles, and over time, the total number of citations increases. The number of citations per year since publication therefore provides useful information. For instance, the 2016 article by Boileau [23], which is in 69th position for overall citations, is in fourth position for citations per year. Similarly, the 2017 article by Upex et al. [24] is second for citations per year but is not among the 100 most cited articles. Thus, the classification will necessarily change over time.

Our study has several limitations. First, although a well-defined method was used to identify the articles, the number of citations retrieved is known to vary considerably according to the identification method used. Major differences were noted between Scopus versus Google Scholar as the source of articles. Scopus retrieves only original articles and can underestimate the number of citations. Furthermore, some articles may be cited as examples of failed or obsolete paradigms. The likelihood of this situation occurring increases with the number of citations. Second, many factors influence the total number of citations. Citations in textbooks, conferences, and other online-only publications were not assessed in this study. Third, as stated above, using the total number of citations as a measure of impact generates a bias in favour of older articles, which have had more time to generate citations. To limit this source of bias, the number of citations per year was determined (Appendix 2). Fourth, this study used a cross-sectional design with a search on a single day. Another search at a later date might have produced a different classification of the articles. An analysis over time, although challenging to perform, would have provided useful information for understanding the factors that influence citation of an article. Moreover, we did not consider citations by OTSR. Self-citation, despite having a controversial influence, can be encouraged by journals to artificially increase the impact factor [25,26]. Fifth, the number of references

supplied by each article was not examined but may correlate with the number of citations [27].

The citation numbers found in this study were lower than those reported for the worldwide orthopaedic literature. For instance, for articles on spinal diseases, at least 343 citations were needed to be among the 100 most cited worldwide [28]. This lower citation number is directly ascribable to the only 10-year history of OTSR. The results of this study confirm the need for continuously improving the quality of French research. Furthermore, as shown in Table 2, the level of evidence supplied by an article seems to have little influence on the number of citations. Nevertheless, the levels of evidence of the 100 most cited articles were not compared to those of all OTSR articles. Earlier studies have identified the impact factor of the journal as the most powerful predictor of citations and shown that the majority of most cited articles were published in high impact factor journals [29–31]. The rise in the OTSR impact factor over time augurs a future increase in citation rates.

5. Conclusion

To our knowledge, this is the first long-term study of OTSR article citations. The 100 most cited articles deserve to be viewed as influential based on both their total and their annual citation numbers. The number of citations seems poised to rise in the future, further increasing the influence of OTSR on worldwide orthopaedic research.

Acknowledgements

We thank Pascal Léger (Elsevier) for providing us with access to Scopus for this study.

Disclosure of interest

None of the authors has any conflicts of interest to declare in relation to this study. Ties unrelated to this study include consultancy work by SB for Zimmer-Biomet and by MO for Arthrex, Stryker, and Newclip Technics.

Funding

None

Contributions of each author

RE contributed to conceive, perform, and supervise the study and contributed to write the article.

GV contributed to conceive and perform the study and contributed to write the article.

MO contributed to write the article.

NR contributed to write the article.

SD contributed to conceive and supervise the study and contributed to revise the article for important intellectual content.

SB contributed to conceive and supervise the study and contributed to revise the article for important intellectual content.

FIGURE LEGENDS

Figure 1: Number of citations by level of evidence and type of article

Figure 2: Linear regression analysis of the number of citations according to classification, with Scopus or Google Scholar as the source

 Table 1: 100 most cited OTSR articles: mean number of citations by level of evidence

Level of evidence	Number of	Mean number of citations	p value
	articles		
Review articles	19	49.32	0.96
П	8	40.50	0.16
III	14	50.21	0.88
IV	51	52.16	0.60
V	3	47.00	-
Technical notes	2	36.50	-
Cadaver study	1	40.00	-
Lecture	1	37.00	-
Animal study	1	44.00	-

Table 2: 100 most cited OTSR articles: mean number of citations by field of study

Field of study	Number of	Mean number	SD	Minimum	Maximum	p
	articles	of citations				value
Basic science	1	44.00	-	44	44	-
General information	4	47.25	11.38	37	59	-
Hip-Pelvis	29	56.41	27.11	31	148	0.20
Knee	25	48.44	20.41	31	126	0.83
Foot-Ankle	6	46.17	15.00	31	71	0.73
Shoulder-Elbow	18	49.06	31.42	30	169	0.93
Trauma	11	47.82	23.52	30	107	0.82
Paediatrics	2	30.50	0.71	30	31	-
Tumours	1	34.00	-	34	34	-
Spine	2	33.00	1.41	32	34	-
Hand	1	32.00	-	32	32	-

References

- [1] Courpied JP, Caton J, Bouee S, Charpak Y, Thomine JM. Osteoarticular disease in adults in France. A survey of 2000 persons. Rev Chir Orthop 2001;87:424–36.
- [2] Guilleminet M, Judet R. Acrylic prostheses in surgery of the hip (1st report by R. Judet).

 Orthop Traumatol Surg Res 2014;100:5–14.
- [3] Boutin P. Total arthroplasty of the hip by fritted alumina prosthesis. Experimental study and 1st clinical applications. Orthop Traumatol Surg Res 2014;100:15–21.
- [4] Roy-Camille R, Berteaux D, Saillant G. Unstable fractures of the spine. Surgical methods.

 Synthesis of the injured dorso-lumbar spine by plates screwed into vertebral pedicles. Orthop

 Traumatol Surg Res 2014;100:23–25.
- [5] Aubriot JH, Deburge A, Genet JP. GUEPAR hinge knee prosthesis. Orthop Traumatol Surg Res 2014;100:27–32.
- [6] Castaing J, Falaise B, Burdin P. Ligamentoplasty using the peroneus brevis in the treatment of chronic instabilities of the ankle. Long-term review. Orthop Traumatol Surg Res 2014;100:33–35.
- [7] Cotrel Y, Dubousset J. A new technic for segmental spinal osteosynthesis using the posterior approach. Orthop Traumatol Surg Res 2014;100:37–41.
- [8] Puget J, Utheza G. Reconstruction of the iliac bone using the homolateral femur after resection for pelvic tumor. Orthop Traumatol Surg Res 2014;100:43–47.
- [9] Dejour H, Walch G, Deschamps G, Chambat P. Arthrosis of the knee in chronic anterior laxity. Orthop Traumatol Surg Res 2014;100:49–58.
- [10] Seringe R, Bonnet JC, Katti E. Pathogeny and natural history of congenital dislocation of the hip. Orthop Traumatol Surg Res 2014;100:59–67.

- [11] Duparc F, Thomine JM, Simonet J, Biga N. Femoral and tibial bone torsions associated with medial femoro-tibial osteoarthritis. Index of cumulative torsions. Orthop Traumatol Surg Res 2014;100:69–74.
- [12] Kempf I, Grosse A, Taglang G, Favreul E. Gamma nail in the treatment of closed trochanteric fractures. Results and indications of 121 cases. Orthop Traumatol Surg Res 2014;100:75–83.
- [13] Cazeneuve JF, Cristofari DJ. Grammont reversed prosthesis for acute complex fracture of the proximal humerus in an elderly population with 5 to 12 years follow-up. Orthop Traumatol Surg Res 2014;100:93–97.
- [14] Adam P, Philippe R, Ehlinger M, Roche O, Bonnomet F, Molé D, et al. Dual mobility cups hip arthroplasty as a treatment for displaced fracture of the femoral neck in the elderly. A prospective, systematic, multicenter study with specific focus on postoperative dislocation. Orthop Traumatol Surg Res 2012;98:296–300.
- [15] Ahmad SS, Evangelopoulos DS, Abbasian M, Röder C, Kohl S. The hundred most-cited publications in orthopaedic knee research. J Bone Joint Surg Am 2014;96:e190.
- [16] Harzing AW. The Publish or Perish tutorial: 80 easy tips to get the best out of the Publish or Perish software. Tarma Software Research; 2016. https://harzing.com/resources/publish-orperish
- [17] Harzing AW. (2007) Publish or Perish, available from https://harzing.com/resources/publishor-perish
- [18] Luo P, Xu D, Wu J, Chen YH, Pfeifer R, Pape HC. The top 100 cited of injury-international journal of the care of the injured: A bibliometric analysis. Injury 2017;48:2625–33.
- [19] Vielgut I, Dauwe J, Leithner A, Holzer LA. The fifty highest cited papers in anterior cruciate ligament injury. Int Orthop 2017;41:1405–12.
- [20] Jia Z, Ding F, Wu Y, He Q, Ruan D. The 50 most-cited articles in orthopaedic surgery from mainland China. Clin Orthop Relat Res 2015;473:2423–30.

- [21] O'Neill SC, Butler JS, McGoldrick N, O'Leary R, Synnott K. The 100 most cited papers in spinal deformity surgery: a bibliometric analysis. Orthop Rev 2014;6:5584.
- [22] Gallinet D, Clappaz P, Garbuio P, Tropet Y, Obert L. Three or four parts complex proximal humerus fractures: Hemiarthroplasty versus reverse prosthesis: A comparative study of 40 cases. Orthop Traumatol Surg Res 2009;95:48–55.
- [23] Boileau P. Complications and revision of reverse total shoulder arthroplasty. Orthop Traumatol Surg Res 2016;102:S33–43.
- [24] Upex P, Jouffroy P, Riouallon G. Application of 3D printing for treating fractures of both columns of the acetabulum: Benefit of pre-contouring plates on the mirrored healthy pelvis.

 Orthop Traumatol Surg Res 2017;103:331–4.
- [25] Silvestre J, Kamath AF. Prevalence and impact of self-citation in academic orthopedic surgery. Am J Orthop Belle Mead NJ 2018;47.
- [26] Hawkinson MP, Krueger CA, Carroll J. Self-citation does not appear to artificially inflate orthopaedic journal ranking. J Surg Orthop Adv 2018;27:131–5.
- [27] Shanahan DR. Auto-correlation of journal impact factor for consensus research reporting statements: a cohort study. PeerJ 2016;4:e1887. doi: 10.7717/peerj.1887
- [28] Badhiwala JH, Nassiri F, Witiw CD, Mansouri A, Alotaibi N, Eagles M, et al. Highly cited works in spinal disorders: The Top 100 most cited papers published in spine journals. Spine 2018;43:1746-1755.
- [29] Movassagi K, Kunze KN, Beck EC, Fu MC, Nho SJ. Predictors of 5-year citation rate in the orthopaedic sports medicine literature. Am J Sports Med 2019; In press:doi: 10.1177/0363546518810504.
- [30] Fernandez-Llimos F. Differences and similarities between Journal Impact Factor and CiteScore. Pharm Pract 2018;16:1282.

[31] Gasparyan AY, Yessirkepov M, Duisenova A, Trukhachev VI, Kostyukova EI, Kitas GD.
Researcher and author impact metrics: Variety, value, and context. J Korean Med Sci 2018;33:e139.




Figure 1: Number of citations by level of evidence and type of article




Figure 2: Linear regression analysis of the number of citations according to classification, with Scopus or Google Scholar as the source

Linear regression analysis of number of citations by classification

Number of citations

Classification

Number of Scopus citations

Number of Google Scholar citations

Replace the commas by periods in the numbers.