

Determination of cognitive workload variation in driving from ECG derived respiratory signal and heart rate

Antonio R. Hidalgo-Munoz, Mathis Astier-Juvenon, Guillaume Pepin, A. J. Béquet, Alexandra Fort, Christophe Jallais, Hélène Tattegrain, Catherine Gabaude

▶ To cite this version:

Antonio R. Hidalgo-Munoz, Mathis Astier-Juvenon, Guillaume Pepin, A. J. Béquet, Alexandra Fort, et al.. Determination of cognitive workload variation in driving from ECG derived respiratory signal and heart rate. 2nd International Neuroergonomics Conference, Jun 2018, PHILADELPHIE, United States. 2nd International Neuroergonomics Conference, 1 p, 2018. hal-02460016


HAL Id: hal-02460016 https://hal.science/hal-02460016v1

Submitted on 4 Feb 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Determination of cognitive workload variation in driving from ECG derived respiratory signal and heart rate

A R Hidalgo-Muñoz, A J Béquet, M Astier-Juvenon, G Pépin, A Fort, C Jallais, H Tattegrain, C Gabaude




MATERIAL AND METHOD 18 participants* (10 males, 22.7 ± 1.4 years). A valid driving license for at least 3 years was required. Two different cognitive tasks, 5-minutes length per condition:

Low Cognitive Workload (LCW): beep counting

Conditions

Single Task (ST) : cognitive task while seated in the car but without driving Dual Task (DT): cognitive task while driving in a simulator (urban zone)



Gathering several signal modalities improves accuracy for cognitive workload (CW) diagnosis

2016)

Respiratory signal is usually used for ECG artifact rejection and scarcely utilized to estimate CW

• High Cognitive Workload (HCW): mental displacement within a memorized 5×5 grid and addition =

*some subjects were excluded in different analyses due to low quality signals

Project ANR-16-CE22-0007

Laboratory Ergonomics and **Cognitive Sciences applied to** Transport (TS2-LESCOT)

1 2 3 4 5 11 12 13 14 15 21 22 23 24 25 31 32 33 34 35 41 42 43 44 45

OBJECTIVES

 Verifying the advantage of incorporating Breathing Rate (BR) as feature, with regard to Heart Rate (HR), to evaluate driver's CW

Inclusion of new sensors could be difficult to ensure high quality signals without hindering driver's comfort

CONCLUSIONS

- Cardiac and respiratory signals are impacted differently by CW in driving. This fact hints the use of both measures to monitor driver mental state.
- to estimate CW, where continuous driving is not required.

References

- Putze et al., (2010). Multimodal recognition of cognitive workload for multitasking in the car. 20th International Conference on Pattern Recognition (ICPR) (pp. 3748-3751). - Grassmann et al., (2016). Respiratory changes in response to cognitive load: A systematic review. Neural plasticity, 2016. - Moody et al., (1985). Derivation of respiratory signals from multi-lead ECGs. Computers in cardiology, 12, 113-116.







• Checking the feasibility and accuracy to extract BR from ECG recordings in order to save on sensors by ECG derived respiration algorithm (Moody et al., 1985)

• BR is particularly suitable in autonomous vehicles



IFSTTAR