



HAL
open science

The Energy-Position and the Momentum-Time Uncertainty Expressions

Pavle I. Premovic, Pavle I. Premovic

► **To cite this version:**

Pavle I. Premovic, Pavle I. Premovic. The Energy-Position and the Momentum-Time Uncertainty Expressions. The General Science Journal, 2018. <hal-02540491>

HAL Id: hal-02540491

<https://hal.science/hal-02540491v1>

Submitted on 11 Apr 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization

The Energy-Position and the Momentum-Time Uncertainty Expressions

Pavle I. Premović

Laboratory for Geochemistry, Cosmochemistry and Astrochemistry, University of Niš, P.O. Box
224, 18000 Niš, Serbia

Abstract. The energy-position uncertainty and the momentum-time uncertainty expressions for a non-relativistic particle are derived from the two mathematical expressions of the Heisenberg uncertainty principle. These additional expressions are:

$$\Delta E \Delta x < \hbar c \text{ (the energy-position uncertainty)}$$

$$\Delta p \Delta t > \hbar/c \text{ (the position-time uncertainty)}$$

where c ($= 2.99792 \times 10^8$ m s⁻¹) is the speed of light.

Introduction. The Heisenberg uncertainty principle is one of the fundamental postulates of quantum mechanics^a. This principle is typically expressed in either of two mathematical forms,

$$\Delta p \Delta x \geq \hbar \text{ (the momentum-position uncertainty) } \dots(1)$$

$$\Delta E \Delta t \geq \hbar \text{ (the energy-time uncertainty) } \dots(2).$$

In essence, the formal uncertainty principle says: the momentum (Δp) times the uncertainty in the position (Δx) or alternatively, the uncertainty in the energy (ΔE) times the uncertainty in the time (Δt) is greater or equal to \hbar^b . The h is the Planck constant (6.63×10^{-34} J s) or $\hbar = h/2\pi = 1.05 \times 10^{-34}$ J s. In fact, the uncertainty principle states that some pairs of physical observables (these are the quantities of a state that we can actually determine in the lab) cannot be precisely measured simultaneously to arbitrary accuracy [1].

The purpose of this letter is to present a very simple derivation of the energy-position uncertainty and the momentum-time uncertainty expressions for non-relativistic particles *via* the uncertainty principle inequalities (1) and (2). We assume that its content can be understood by a wide audience of readers acquainted with calculus-based introduction to quantum mechanics.

^aWith the exception of the Klein–Gordon and Dirac versions, quantum mechanics is non-relativistic [2-6].

^bIn practice, the absolute minimum uncertainty of \hbar or $h/2$ (or even h) are far more common than the value $\hbar/2$ [7]. It is worth noting here that Budzik and Kizowski [8] reported that the single slit diffraction pattern of electrons is in an accord with the following momentum-position uncertainty expression: $\Delta x \Delta p = \hbar$.

Derivations and Discussion. Let us consider a non-relativistic particle of speed v (say, approximately, $< 0.5c$), with the rest mass m_0 , a momentum $p (= m_0v)$ which moves along x -axis. The total energy E of this particle is the following sum

$$E = m_0c^2 \text{ (the rest energy)} + p^2/2m_0 \text{ (the kinetic energy)}.$$

Taking the first derivative of the total E (i. e. kinetic energy) with respect p , one get

$$\Delta E = (p/m_0)\Delta p$$

or

$$\Delta E = v\Delta p$$

If we substitute Δp with $\Delta E/v$ in the expression (1), $\Delta p\Delta x$, and afterwards reshuffling v to the right side, we obtain

$$\Delta E\Delta x \geq \hbar v.$$

Suppose that $\Delta p\Delta x = a\hbar c$ where $2 > a \geq 1$ then

$$\Delta E\Delta x = a\hbar v \quad \dots (3).$$

Since Special relativity limits all particles to the speed of light c , we arrive at

$$\Delta E\Delta x < \hbar c \quad \dots (4)$$

for $v < 0.5c$ or, in general, for $a(v/c) < 1$. This represents the energy-position uncertainty expression for a non-relativistic particle. Of course, if the speed of a non-relativistic particle $v \ll c$ then $\Delta E\Delta x \sim 0$ since the rest energy of this particle m_0c^2 is much greater than its kinetic energy $p^2/2m_0$.

The expression (4) informs us that the maximum of a non-relativistic particle is on the order of about 10^{-26} J m or that $\Delta E\Delta x$ of a particle ranges from ~ 0 J m - about 3.15×10^{-26} J m. It is worthy of note that the Planck length l_P is roughly 1.6×10^{-35} m so the maximum energy uncertainty ΔE is about 2×10^9 J or about the Planck energy E_P .

Multiplying both sides of the above expression $\Delta E = v\Delta p$ with Δt and rearranging terms, we obtain

$$\Delta E\Delta t = v\Delta p\Delta t \geq \hbar$$

$$\Delta p\Delta t \geq \hbar/v.$$

As $\hbar/v > \hbar/c$ then

⁶It appears that the formal momentum-position uncertainty equation 1, $\Delta p\Delta x \geq \hbar$, allows a very large change in Δp . In nature, any particle system tends to maintain a minimum of $\Delta p\Delta x \approx \hbar$ (or $\Delta E\Delta t \approx \hbar$) [see ref. 9].

$$\Delta p \Delta t > \hbar/c \quad \dots (5).$$

This represents the momentum-time uncertainty expression for a non-relativistic particle. The minimum of $\Delta p \Delta t$ is about 3×10^{-43} kg m. As in the case of the energy-position uncertainty expression (4), the expression (5) is only correct for non-relativistic limit $v < 0.5c$. It is worth of noting that the Planck time $t_P = 5.39 \times 10^{-44}$ s so the minimum momentum uncertainty is roughly about 6 kg m s^{-1} .

Thus, there are four expressions of the uncertainty relation for a single, non-relativistic particle which can be arranged to those related to energy

$$\begin{aligned} \Delta E \Delta x &< \hbar c \text{ (the energy-position uncertainty)} \\ \Delta E \Delta t &\geq \hbar \text{ (the energy-time uncertainty)} \end{aligned}$$

and momentum

$$\begin{aligned} \Delta p \Delta x &\geq \hbar \text{ (the momentum-position uncertainty)} \\ \Delta p \Delta t &> \hbar/c \text{ (the momentum-time uncertainty)}. \end{aligned}$$

It is interesting to note that the two “new” expressions (4) and (5) link together three universal constants: the speed of light c , the Planck constant h and Ludolph’s number π .

A derivation of the energy-position and momentum-time uncertainty expressions for a relativistic particle is a bit “fuzzy” (like space and time in quantum mechanics). The total energy E of the relativistic particle is given by the following equation

$$E = mc^2 = (p^2 c^2 + m_0^2 c^4)^{1/2}.$$

In this case for $c > v \geq 0.5c$

$$\begin{aligned} \Delta E \Delta x &< 2\hbar c \\ \Delta p \Delta t &> \hbar/c \end{aligned}$$

only if the Heisenberg inequality (1) is non-relativistic (see, also, refs. 5 and 6).

In the case of photon,

$$E = pc$$

After the first derivation of E in respect to p ,

$$\Delta E = c \Delta p$$

Multiplying both its sides with Δx ,

$$\Delta E \Delta x = c \Delta p \Delta x$$

The position Δx of a photon is simply its wavelength λ , i. e. $\Delta x = \lambda$. The momentum of a photon p is known to simply be its wavelength, expressed by the ratio h/λ . For a finite change of p , we can

write $\Delta p = h/\lambda$. By substituting h/λ for Δp and λ for Δx in the last equation and after some simple algebra, we arrive at

$$\Delta E \Delta x = hc.$$

Moreover, since Δt of a photon is λ/c then

$$\Delta p \Delta t = \Delta p (\lambda/c) = h/c$$

Applications. There are possibly many applications of the above expressions for the energy-position uncertainty (4) and the momentum-time uncertainty (5). It appears that in many applications the energy-position uncertainty expression (3) for a non-relativistic particle: $\Delta E \Delta x < \hbar c$ is more convenient and/or straightforward than the expression (1) of the momentum-position uncertainty: $\Delta p \Delta x \geq \hbar$. One of the illustrative examples is the case of the non-existence of electron in the hydrogen (atom) proton.

The radius of the hydrogen proton is approximately 10^{-15} m. If electron is to exist inside this proton, then uncertainty in the position of the electron is given by $\Delta x \approx 10^{-15}$ m. According to the expression (3) $\Delta E \Delta x < \hbar c$. The uncertainty in energy is $\Delta E < \hbar c / \Delta x$ where $\Delta x \sim 10^{-15}$ m $\Delta E < 1.05 \times 10^{-34} \times 3 \times 10^8 / 10^{-15} \sim 3 \times 10^{-11}$ J ~ 200 MeV. If this rough estimation is correct, then the energy (E) of the electron in the hydrogen proton should be in the same order of magnitude, 10^{-11} J or 100 MeV. The experimental results however indicate that the electron in the atom has $E < 4$ MeV. Therefore, an electron cannot exist in the hydrogen proton.

The second example is to the case of “zero-point” energy of liquid He (helium) at temperature $T = 0$ K. In this case all other energy is removed from a system except the “zero-point” one. Indeed, according to the expression (4) if a He atom is confined within the smallest possible distance Δx at $T = 0$ K then it still has $\Delta E < \hbar c / \Delta x > 0$ at this temperature. In other words, since the location of this atom is not completely indefinite then its energy E cannot be zero. Hence the He atom must possess a finite kinetic energy even at 0 K, so called “zero-point energy”. (This is kinetic energy of the He atoms at 0 K, coming from their vibrational motion).

References.

- [1] The main literature sources of this letter were the standard introductory textbooks of quantum mechanics.
- [2] https://en.wikipedia.org/wiki/Uncertainty_principle.
- [3] J. D. Walecka, Introduction to Modern Physics: Theoretical Foundations, World Scientific, 2008, pp. 477.
- [4] K. Gottfried, T.-W. Yan, Quantum Mechanics: Fundamentals, Springer Science, 2003.
- [5] D.-H. Gwo, A presentation at American Physical Society April Meeting 2011 (<http://vixra.org/pdf/1411.0042v7.pdf>).
- [6] Y.-S. Huang, arXiv:1203.0802 [physics.gen-ph], 2013.
- [7] Notes for Class Meeting 19: Uncertainty – http://ilt.seas.harvard.edu/images/material/530/245//Notes_19pdf.
- [8] S. Budzik and C. Kizowski, Concepts of Physics, VI, 663-669 (2009).
- [9] K. E. Johansson, D. Milstead, Physics Education, 48, 173-179 (2008).