



Grain size segregation in debris discs (Corrigendum)

P. Thébault, Q. Kral, J.-C. Augereau

► To cite this version:

| P. Thébault, Q. Kral, J.-C. Augereau. Grain size segregation in debris discs (Corrigendum). Astronomy and Astrophysics - A&A, 2014, 570, pp.C1. 10.1051/0004-6361/201322052e . hal-02614195

HAL Id: hal-02614195

<https://hal.science/hal-02614195v1>

Submitted on 15 Oct 2024

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Grain size segregation in debris discs *(Corrigendum)*

P. Thebault¹, Q. Kral¹, and J.-C. Augereau²

¹ LESIA-Observatoire de Paris, CNRS, UPMC Univ. Paris 6, Univ. Paris-Diderot, France
 e-mail: philippe.thebault@obspm.fr

² Université Joseph Fourier/CNRS, LAOG, UMR 5571 Grenoble, France

A&A 561, A16 (2014), DOI: [10.1051/0004-6361/201322052](https://doi.org/10.1051/0004-6361/201322052)

Key words. planet-disk interactions – planets and satellites: formation – circumstellar matter – errata, addenda

An error occurred during the production process. An incorrect Fig. 10c was published. The correct Fig. 10 is published below.




Fig. 1. Extended disc perturbed by an embedded planet. Azimuthally averaged radial distribution of the geometrical cross-section, as a function of particle sizes, for four different configurations: **a)** nominal (run G); **b)** Saturn-mass planet ($\mu = 2 \times 10^{-4}$, run J); **c)** high optical depth ($\tau = 2 \times 10^{-2}$, run I); **d)** low optical depth ($\tau = 5 \times 10^{-5}$, run H).