



Geographic distribution and evolution of Cucurbitaceae and Solanaceae viruses in the French Mediterranean basin

Eric Verdin, Karine Berthier, Gregory Girardot, Patrick Gognalons, Judith Hirsch, Pauline Millot, Benoît Moury, Karine Nozeran, Sylvain Piry, Catherine Wipf-Scheibel, et al.

► To cite this version:

Eric Verdin, Karine Berthier, Gregory Girardot, Patrick Gognalons, Judith Hirsch, et al.. Geographic distribution and evolution of Cucurbitaceae and Solanaceae viruses in the French Mediterranean basin. 17. Rencontres de Virologie Végétale (RVV 2019), Jan 2019, Aussois, France. 127 p. hal-02737379

HAL Id: hal-02737379

<https://hal.inrae.fr/hal-02737379>

Submitted on 2 Jun 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial - NoDerivatives 4.0 International License

O.20

Geographic distribution and evolution of *Cucurbitaceae* and *Solanaceae* viruses in the French Mediterranean basin

Eric Verdin, Karine Berthier, Grégory Girardot, Patrick Gognalons, Judith Hirsch, Pauline Millot, Benoit Moury, Karine Nozeran, Sylvain Piry, Catherine Wipf-Scheibel, Alexandra Schoeny, Cecile Desbiez

INRA, Unité de Pathologie Végétale (UR407), CS 60094, 84143 Montfavet cedex, France


Emerging plant viral diseases represent a significant burden to plant health, and their highest impact in Mediterranean agriculture is on vegetables grown under intensive horticultural practices. The emergence of a new viral disease results from a complex interaction among several factors, including ecological changes of host and vector populations, and genetic changes due to the introduction of new crop varieties and the evolution of the viruses and/or vectors. As part of a larger research project devoted to Emergent viruses and virus vectors in Mediterranean Basin crops (EMERAMB, ARIMnet2 action) we assessed i) the mapping of viruses and aphids in *Cucurbitaceae/Solanaceae* crops and reservoirs on the entire French Mediterranean area, and ii) the impact of virus diversity and evolution on the emergence of plant viral diseases, including aspects such as virus adaptation to new hosts/environments, virulence evolution, biogeography and molecular epidemiology. Two surveys were performed in summer 2016 and 2017, representing a total of 1619 crop samples, 351 weed reservoirs and 1121 aphids. The plant samples were analyzed using serological and molecular diagnostic tools, including next generation sequencing (NGS). The viral species and their frequency in crops were quite similar to those of surveys conducted ten years ago in the same areas. Contrary to other Mediterranean countries, aphid-transmitted viruses remain the most prevalent problems in France whereas whitefly-transmitted ones have not yet emerged. However, NGS analysis of viral evolution reveals the appearance of viral variants undescribed until now especially for watermelon mosaic virus (WMV), or viral variants not present in France until now as for cucumber mosaic virus (CMV). Analysis of the deep sequencing results revealed also different geographic structures depending of the viral species and their mode of transmission.

17^{emes} Rencontres de Virologie Végétale

27 au 31 janvier 2019

Aussois - France

RVV 2019



**Aussois
du 27 au 31 janvier 2019**