

Special Issue on Behavior Adaptation, Interaction, and Artificial Perception for Assistive Robotics

Mariacarla Staffa, Silvia Rossi, Adriana Tapus, Mehdi Khamassi

▶ To cite this version:

Mariacarla Staffa, Silvia Rossi, Adriana Tapus, Mehdi Khamassi. Special Issue on Behavior Adaptation, Interaction, and Artificial Perception for Assistive Robotics. International Journal of Social Robotics, 2020, 12, pp.613 - 616. 10.1007/s12369-020-00655-8. hal-02864719

HAL Id: hal-02864719

https://hal.science/hal-02864719

Submitted on 3 Dec 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Special Issue on Behavior Adaptation, Interaction, and Artificial Perception for Assistive Robotics

Mariacarla Staffa* · Silvia Rossi · Adriana Tapus · Mehdi Khamassi

Received: date / Accepted: date

10

14

15

16

17

This Special Issue aims at examining and promot-22 ing recent developments in the Assistive/Social robotics 23 field and future directions including the related chal-24 lenges and how these can be overcome with particu-25 lar focus on computational intelligence methodologies. 26 With robots getting out of the cages, Human-Robot In-27 teraction (HRI) applications' effectiveness has not only 28 to rely on the skills of trained users, but also on robots' 29 ability to adapt on-the-fly to the users' behavior, needs 30 and motivations. In particular, the development of per-31 sonal robots, as assistive technological tools, challenges 32 researchers to develop socially intelligent and adaptive 33 robots that can collaborate with people.

Personal robots are expected to incrementally learn $_{35}$ user preferences, to learn categories of user preferences $_{36}$ experienced during past interactions (so that they do $_{37}$ not start each new interaction from scratch), and to $_{38}$ modify and adapt their behaviors accordingly. This adap $_{39}$ tation requires learning a model of human behavior and $_{40}$ integrating this model into the decision-making algo- $_{41}$ rithm of the robot. Efficient on-the-fly adaptation also $_{42}$

M. Staffa Department of Physics University of Naples Federico II, Italy Tel.: +39-081-676263 E-mail: mariacarla.staffa@unina.it S. Rossi Department of Electrical Engineering and Information Tech- $_{48}$ nologies University of Naples Federico II, Italy E-mail: silrossi@unina.it 51 52 ENSTA Paris, Institut Polytechique de Paris, France E-mail: adriana.tapus@ensta-paris.fr 53 M. Khamassi 54 Sorbonne Université, CNRS, ISIR, Paris, France 55 E-mail: mehdi.khamassi@upmc.fr

requires model-free learning abilities to cope with local uncertainties of the environment, variations of the human's desires and motivations, and volatilities of the interaction itself. Thus creating robotic systems capable of correctly modelling and recognizing the human behavior and of adapting their behavior to the user is a very critical task, especially in the domain of assistive and social robotics and when working with vulnerable user populations. Robots should also be able to consider psychological aspects to better adapt the robot behavior to the person mental status. This is particularly relevant for assisting the elderly and children with developmental disabilities.

This special issue is comprised of 14 papers, fostering discussions and investigations in social assistive robotics with the main aim of providing successful interactions. Several aspects and perspectives are taken into consideration by the authors covering various social assistive robotics topics of interest, including research in elderly assistive robotics; robot social skills for enhancing engagement, inducing distraction and reduce anxiety; child-robot teaching through reinforcement learning and learning by teaching; and social robot responses, perception and semantic modalities,

- MC: In "Emotional and Behavioral Distraction by a Social Robot for Children Anxiety Reduction During Vaccination" (by S. Rossi, M. Larafa and M. Ruocco) a social robot is used to interact with children during the vaccination process with the aim to reduce stress and anxiety through distraction techniques that integrate different emotional states very similar to those used by health professionals.
- MC: The article "On-the-fly Detection of User Engagement Decrease in Spontaneous Human-Robot Interaction using Recurrent and Deep Neural Net-

2 M. Staffa et al.

works" (by A. Ben Youssef, G. Varni, S. Essid and Ch. Clavel) presents a Recurrent and Deep Neural II Networks to detect engagement decrease of users 112 spontaneously interacting with a socially assistive 113 robot in a public space.

57

58

60

61

63

65

66

67

70

71

72

73

74

75

77

78

79

80

81

82

83

84

86

88

89

90

91

92

93

94

95

97

98

99

100

101

102

103

104

105

106

107

108

109

- MC: "A Novel Reinforcement-Based Paradigm for₁₁₅ Children to Teach the Humanoid Kaspar Robot"116 (by A. Zaraki, M. Khamassi, L. J. Wood, G. Lakatos, 17 C. Tzafestas, F. Amirabdollahian, B. Robins, K.118 Dautenhahn) presents a novel child-robot learning¹¹⁹ by teaching scheme tested with a group of typically 120 developing children and a small group of children 121 with autism. The objective is to stimulate interac-122 tion and collaboration between a group of children 23 while teaching the robot simple object-name associ-124 ations. The robot makes mistakes and verbally ex-125 presses its uncertainty so as to provide the children₁₂₆ with tangible examples to understand that some-127 times learning requires several repetitions. This kind₁₂₈ of novel child-robot learning by teaching scheme could be used in future studies to support the develop-130 ment of social and collaborative skills of children 131 with Autism Spectrum Disorders (ASD).
- MC: On the same topic of learning in child-robot₁₃₃ interaction the article "Children Teach Handwrit-₁₃₄ ing to a Social Robot with Different Learning Com-₁₃₅ petencies" (by S. Chandra, P. Dillenbourg and A.₁₃₆ Paiva) presents an autonomous educational system₁₃₇ incorporating a social robot to enhance children's₁₃₈ handwriting skills. The system provides a one-tone₁₃₉ learning scenario based on the learning-by-teaching₁₄₀ approach where a tutor-child assess the handwrit-₁₄₁ ing skills of a learner-robot. This research supports₁₄₂ that the contrasting learning competencies of social₁₄₃ robots can impact children's learning differently in₁₄₄ peer-learning scenarios.
- MC: The paper "ENRICHME: Perception and In-146 teraction of an Assistive Robot for the Elderly at 147 Home" (by S. Cosar, M. Fernandez-Carmona, R.148 Agrigoroaie, J. Pages, F. Ferland, F. Zhao, S. Yue, 149 N. Bellotto, A. Tapus) introduces the robotic plat-150 form developed in the ENRICHME project, with 151 particular focus on its innovative perception and in-152 teraction capabilities. The project's main goal is to 153 enrich the day-to-day experience of elderly people 154 at home with technologies that enable health mon-155 itoring, complementary care, and social support.
- MC: The article "Multimodal object-based envi-157 ronment representation for assistive robotics" (by158
 Y. Breux, S. Druon and J. Triboulet) proposes also global architecture bridging the gap between per-160 ception and semantic modalities allowing the au-161 tomatic generation of object-related ontology for al62

practical formalization of the ill-defined notion of context.

- MK: "A hybrid Joint/Cartesian DMP-based approach for obstacle avoidance of anthropomorphic assistive robots" (by C. Lauretti, F. Cordella, L. Zollo) proposes an approach based on joint-space dynamic movement primitives (DMP) to perform goal reaching with a robotic arm, while performing human-like obstacle avoidance. The approach integrates two DMPs in the task and joint space that are merged together using a scheme that gives priority to the task space position. The approach is compared with a more conventional cartesian-spacebased DMP with inverse kinematics approach on performance and user perception. The results suggest that the authors' approach is notably more human-like while maintaining equivalent performance. These results are of importance to contribute in further developing socially interactive robots with anthropomorphic gestures, which can improve human capability to interpret and predict robot motion, with an impact on robot acceptability and humanrobot interaction safety.
- MK: "TROS: Protecting Humanoids ROS from Attackers with Physical Access" (by G. Mazzeo, M. Staffa) constitutes a novel solution to deal with cybersecurity issues during robot deployment within human societies, and especially during human-robot social interaction. Indeed, humanoids typically reside in untrusted environments where physical access to the robot is allowed and expected, thus permitting anyone, including hackers, to exploit the Linux kernel vulnerability (e.g., through the insertion of a USB pen drive) with the objective of tampering sensitive data. This opens the risk of violating the privacy of people's data, or – even worse – threaten human integrity from physical and emotional/social point of views. Since many current humanoids are programmed with the Robot Operating System (ROS), the authors first study the mostrecent security solutions introduced in ROS2, SROS, and H-ROS, and find that they are not sufficient for facing powerful adversaries. They then present a patched ROS solution called TROS (Trusted-ROS) leveraging hardware-assisted trusted computing to shield data managed by ROS, which otherwise would reside in robot's memory unencrypted. Simulation and evaluation with the NAO humanoid secured through an Intel SGX hardware demonstrate the practicability of the approach.
- MK: Conceiving robot control architectures enabling their application to a variety of experimental situations is the central issue addressed in "THE RHI-

ZOME ARCHITECTURE: An Adaptive Neurobe-216 havioral Control Architecture for Cognitive Robots₂₁₇ Application in a Vision-Based Indoor Robot Nav-218 igation Context" (D. M. Rojas Castro, A. Revel,219 M. Ménard). The authors propose a control archi-220 tecture called RHIZOME (Robotic Hybrid Indoor-221 Zone Operational ModulE) as a new control paradigma capable of easy adaptation to different scenarios where a robot is able to interact with its environment and 224 other cognitive agents while coping with possible225 unexpected situations. The architecture is based on₂₂₆ the synergy of different state-of-the-art control paradigms by merging them into a neural structure, which fol-228 lows a perception-action mechanism that constantly²²⁹ evolves because of the dynamic interaction of the230 robot with its environment. The RHIZOME archi-231 tecture was tested on the NAO robot humanoid₂₃₂ in an indoor vision-based navigation context. The233 presented experimental results show the feasibility,234 genericity and adaptability of the architecture. More235 over, the generic composition of the architecture₂₃₆ make it is possible to develop it further with respect₂₃₇ to robustness and completeness by simply adding238 new modules without modifying the already in-built239 components. This opens the perspective of further₂₄₀ testing the RHIZOME architecture in a variety of 241 other cognitive tasks.

163

164

166

167

168

169

171

172

173

174

176

177

178

180

181

182

183

185

186

187

188

189

190

191

192

194

195

196

197

198

199

200

201

203

204

205

206

207

208

209

210

211

212

213

214

215

- Silvia: Dealing with machine learning for artificial²⁴³ perception is the contribution "A WiSARD Net-²⁴⁴ work approach for a BCI-based Robotic Prosthetic²⁴⁵ Control" (by Mariacarla Staffa, Maurizio Giordano,²⁴⁶ and Fanny Ficuciello). The manuscript presents a²⁴⁷ method relying on the use of a WiSARD weight-²⁴⁸ less neural network-based classifier, a robotic hand²⁴⁹ and a BCI controller interface to realize a portable and easy of use solution in the area of automatic²⁵⁰ robotic-prosthesis control.
- Silvia: Adaptation to the specific needs of patients²⁵² was considered in "A Holistic Approach to Behav-²⁵³ ior Adaptation for Socially Assistive Robots" (by²⁵⁴ Alessandro Umbrico, Amedeo Cesta, Gabriella Corté⁴⁵ lessa, and Andrea Orlandini). This work introduces²⁵⁶ the design of a semantic-based cognitive architec-²⁵⁷ ture allowing to automatically generate robotic as-²⁵⁸ sistive objectives. The proposed approach is based²⁵⁹ on ontologies for characterizing the internal knowl-²⁶⁰ edge and the self-awareness of a Social Robot and²⁶¹ specifying its capabilities to support users during its²⁶² assistive services in adaptive and personalized scenarios.
- Silvia: Also dealing with ontologies, "Culture as a Sensor? A Novel Perspective on Human Activity Recognition" (by Ting-Chia Chiang, Barbara Bruno, 367)

- Roberto Menicatti, Carmine Tommaso Recchiuto, and Antonio Sgorbissa) presents a culture-aware Human Activity Recognition system which aims to include culture-specific information about where and when activities are most likely performed in different cultures. This contribution, that belongs to the special issue, was already published in a regular issue by mistake and can be found here (https://link.springer.com/a019-00590-3).
- Silvia: Adaptation to the user is also considered in "Short-Term Human–Robot Interaction Adaptability in Real-World Environments" (by Antonio Andriella, Carme Torras, and Guillem Alenya), where an assistive robotic platform that can be used for short-term human-robot interactions. A cognitive system that relies on planning is extended with adaptive capabilities is used to assist people while they are playing a puzzle game. The robot adapts itself according to the stage of the game and provide assistance to the user.
- Silvia: On the same line, the development of a strategy for robot-assisted navigation is investigated in "Reinforcement Learning Aided Robot-Assisted Navigation: A Utility and RRT Two-Stage Approach" (by Luís Garrote, João Paulo, and Urbano Nunes) that is based on user intent adjustment. Such adjustments are learned by reinforcement learning (RL) and supported on a rapidly exploring random tree (RRT) inspired algorithm. The proposed framework relies on local environment perception, based on a kinect sensor, and several layers for computing corrections to avoid collisions and follow social norms, so to effectively guiding the user through the environment while enforcing safer routes.

THE FOLLOWING SENTENCE MUST BE CHANGED. IT IS COPY-PASTED FROM ANOTHER ED-

ITORIAL: We greatly appreciate the encouragement, support, and efforts of the Editors-in-Chief (Professor Shuzhi S. Ge and Agnieszka Wykowska), the Co-Editor-in-Chief (Professor Oussama Khatib), the Springer Senior Editor for Engineering (Nathalie Jacobs), staff at Springer, and numerous reviewers in producing this special issue. It is our hope that this special issue will generate more interest and research endeavors, resulting in better understanding of assisitive social robots and their many potential applications for improving human lives.

Guest Editors

Mariacarla Staffa, University of Naples Federico II,

Italy
Silvia Rossi, University of Naples Federico II, Italy

Silvia Rossi, University of Naples Federico II, Italy Adriana Tapus, ENSTA-ParisTech, France 4 M. Staffa et al.

Mehdi Khamassi, Sorbonne Université/CNRS, France