

Special Issue on Behavior Adaptation, Interaction, and Artificial Perception for Assistive Robotics

Mariacarla Staffa, Silvia Rossi, Adriana Tapus, Mehdi Khamassi

▶ To cite this version:

Mariacarla Staffa, Silvia Rossi, Adriana Tapus, Mehdi Khamassi. Special Issue on Behavior Adaptation, Interaction, and Artificial Perception for Assistive Robotics. International Journal of Social Robotics, 2020, 12, pp.613 - 616. 10.1007/s12369-020-00655-8 . hal-02864719

HAL Id: hal-02864719 https://hal.science/hal-02864719v1

Submitted on 3 Dec 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Special Issue on Behavior Adaptation, Interaction, and Artificial Perception for Assistive Robotics

Mariacarla Staffa
* $\,\cdot\,$ Silvia Rossi $\,\cdot\,$ Adriana Tapu
s $\,\cdot\,$ Mehdi Khamassi

Received: date / Accepted: date

This Special Issue aims at examining and promot-22 ing recent developments in the Assistive/Social robotics 23 2 field and future directions including the related chal-24 3 lenges and how these can be overcome with particu-25 4 lar focus on computational intelligence methodologies. 26 5 With robots getting out of the cages, Human-Robot In- 27 6 teraction (HRI) applications' effectiveness has not only 28 7 to rely on the skills of trained users, but also on robots' 29 8 ability to adapt on-the-fly to the users' behavior, needs 30 9 and motivations. In particular, the development of per-31 10 sonal robots, as assistive technological tools, challenges 32 11 researchers to develop socially intelligent and adaptive 33 12 robots that can collaborate with people. 13

Personal robots are expected to incrementally learn 35 14 user preferences, to learn categories of user preferences $_{36}$ 15 experienced during past interactions (so that they do 37 16 not start each new interaction from scratch), and to 38 17 modify and adapt their behaviors accordingly. This adap₃₉ 18 tation requires learning a model of human behavior and 40 19 integrating this model into the decision-making algo-41 20 rithm of the robot. Efficient on-the-fly adaptation also $_{42}$ 21

	- 43
M. Staffa	44
Department of Physics University of Naples Federico II, Italy Tel.: +39-081-676263	45
E-mail: mariacarla.staffa@unina.it	46
S. Rossi	47
Department of Electrical Engineering and Information Tech nologies	1- ₄₈
University of Naples Federico II, Italy	49
E-mail: silrossi@unina.it	50
A. Tapus	51
ENSTA Paris, Institut Polytechique de Paris, France	52
E-mail: adriana.tapus@ensta-paris.fr	53
M. Khamassi	54
Sorbonne Université, CNRS, ISIR, Paris, France E-mail: mehdi.khamassi@upmc.fr	55
Erman. menui.knamassi@upiit.ff	56

requires model-free learning abilities to cope with local uncertainties of the environment, variations of the human's desires and motivations, and volatilities of the interaction itself. Thus creating robotic systems capable of correctly modelling and recognizing the human behavior and of adapting their behavior to the user is a very critical task, especially in the domain of assistive and social robotics and when working with vulnerable user populations. Robots should also be able to consider psychological aspects to better adapt the robot behavior to the person mental status. This is particularly relevant for assisting the elderly and children with developmental disabilities.

This special issue is comprised of 14 papers, fostering discussions and investigations in social assistive robotics with the main aim of providing successful interactions. Several aspects and perspectives are taken into consideration by the authors covering various social assistive robotics topics of interest, including research in elderly assistive robotics; robot social skills for enhancing engagement, inducing distraction and reduce anxiety; child-robot teaching through reinforcement learning and learning by teaching; and social robot responses, perception and semantic modalities,

 MC: In "Emotional and Behavioral Distraction by a Social Robot for Children Anxiety Reduction During Vaccination" (by S. Rossi, M. Larafa and M. Ruocco) a social robot is used to interact with children during the vaccination process with the aim to reduce stress and anxiety through distraction techniques that integrate different emotional states very similar to those used by health professionals.

 MC: The article "On-the-fly Detection of User Engagement Decrease in Spontaneous Human-Robot Interaction using Recurrent and Deep Neural Networks" (by A. Ben Youssef, G. Varni, S. Essid and¹¹⁰
Ch. Clavel) presents a Recurrent and Deep Neural¹¹¹
Networks to detect engagement decrease of users¹¹²
spontaneously interacting with a socially assistive¹¹³
robot in a public space.

MC: "A Novel Reinforcement-Based Paradigm for115 62 Children to Teach the Humanoid Kaspar Robot"116 63 (by A. Zaraki, M. Khamassi, L. J. Wood, G. Lakatos¹⁷ 64 C. Tzafestas, F. Amirabdollahian, B. Robins, K.118 65 Dautenhahn) presents a novel child-robot learning119 66 by teaching scheme tested with a group of typically¹²⁰ 67 developing children and a small group of children₁₂₁ 68 with autism. The objective is to stimulate interac-122 69 tion and collaboration between a group of children₁₂₃ 70 while teaching the robot simple object-name associ-124 71 ations. The robot makes mistakes and verbally ex-125 72 presses its uncertainty so as to provide the children₁₂₆ 73 with tangible examples to understand that some-127 74 times learning requires several repetitions. This kind₁₂₈ 75 of novel child-robot learning by teaching scheme could 76 be used in future studies to support the develop-130 77 ment of social and collaborative skills of children131 78 with Autism Spectrum Disorders (ASD). 132 79

- MC: On the same topic of learning in child-robot133 80 interaction the article "Children Teach Handwrit-134 81 ing to a Social Robot with Different Learning Com-135 82 petencies" (by S. Chandra, P. Dillenbourg and A.136 83 Paiva) presents an autonomous educational system₁₃₇ 84 incorporating a social robot to enhance children's₁₃₈ 85 handwriting skills. The system provides a one-tone₁₃₉ 86 learning scenario based on the learning-by-teaching140 87 approach where a tutor-child assess the handwrit-141 88 ing skills of a learner-robot. This research supports142 89 that the contrasting learning competencies of social₁₄₃ 90 robots can impact children's learning differently in144 91 peer-learning scenarios. 92 145
- MC: The paper "ENRICHME: Perception and In-146 93 teraction of an Assistive Robot for the Elderly at147 94 Home" (by S. Cosar, M. Fernandez-Carmona, R.148 95 Agrigoroaie, J. Pages, F. Ferland, F. Zhao, S. Yue,149 96 N. Bellotto, A. Tapus) introduces the robotic plat-150 97 form developed in the ENRICHME project, with151 98 particular focus on its innovative perception and in-152 99 teraction capabilities. The project's main goal is to153 100 enrich the day-to-day experience of elderly people₁₅₄ 101 at home with technologies that enable health mon-155 102 itoring, complementary care, and social support. 156 103
- MC: The article "Multimodal object-based envi-157 ronment representation for assistive robotics" (by158
 Y. Breux, S. Druon and J. Triboulet) proposes a159 global architecture bridging the gap between per-160 ception and semantic modalities allowing the au-161 tomatic generation of object-related ontology for a162

practical formalization of the ill-defined notion of context.

- MK: "A hybrid Joint/Cartesian DMP-based approach for obstacle avoidance of anthropomorphic assistive robots" (by C. Lauretti, F. Cordella, L. Zollo) proposes an approach based on joint-space dynamic movement primitives (DMP) to perform goal reaching with a robotic arm, while performing human-like obstacle avoidance. The approach integrates two DMPs in the task and joint space that are merged together using a scheme that gives priority to the task space position. The approach is compared with a more conventional cartesian-spacebased DMP with inverse kinematics approach on performance and user perception. The results suggest that the authors' approach is notably more human-like while maintaining equivalent performance. These results are of importance to contribute in further developing socially interactive robots with anthropomorphic gestures, which can improve human capability to interpret and predict robot motion, with an impact on robot acceptability and humanrobot interaction safety.
- MK: "TROS: Protecting Humanoids ROS from Attackers with Physical Access" (by G. Mazzeo, M. Staffa) constitutes a novel solution to deal with cybersecurity issues during robot deployment within human societies, and especially during human-robot social interaction. Indeed, humanoids typically reside in untrusted environments where physical access to the robot is allowed and expected, thus permitting anyone, including hackers, to exploit the Linux kernel vulnerability (e.g., through the insertion of a USB pen drive) with the objective of tampering sensitive data. This opens the risk of violating the privacy of people's data, or – even worse – threaten human integrity from physical and emotional/social point of views. Since many current humanoids are programmed with the Robot Operating System (ROS), the authors first study the mostrecent security solutions introduced in ROS2, SROS, and H-ROS, and find that they are not sufficient for facing powerful adversaries. They then present a patched ROS solution called TROS (Trusted-ROS) leveraging hardware-assisted trusted computing to shield data managed by ROS, which otherwise would reside in robot's memory unencrypted. Simulation and evaluation with the NAO humanoid secured through an Intel SGX hardware demonstrate the practicability of the approach.
- MK: Conceiving robot control architectures enabling their application to a variety of experimental situations is the central issue addressed in "THE RHI-

ZOME ARCHITECTURE: An Adaptive Neurobe-216 163 havioral Control Architecture for Cognitive Robots²¹⁷ 164 Application in a Vision-Based Indoor Robot Nav-218 165 igation Context" (D. M. Rojas Castro, A. Revel,219 166 M. Ménard). The authors propose a control archi-220 167 tecture called RHIZOME (Robotic Hybrid Indoor-221 168 Zone Operational ModulE) as a new control paradigma 169 capable of easy adaptation to different scenarios where 170 a robot is able to interact with its environment and₂₂₄ 171 other cognitive agents while coping with possible₂₂₅ 172 unexpected situations. The architecture is based on₂₂₆ 173 the synergy of different state-of-the-art control paradigms 174 by merging them into a neural structure, which fol-228 175 lows a perception-action mechanism that constantly₂₂₉ 176 evolves because of the dynamic interaction of the230 177 robot with its environment. The RHIZOME archi-231 178 tecture was tested on the NAO robot humanoid232 179 in an indoor vision-based navigation context. The233 180 presented experimental results show the feasibility,234 181 genericity and adaptability of the architecture. More235 182 over, the generic composition of the architecture₂₃₆ 183 make it is possible to develop it further with respect₂₃₇ 184 to robustness and completeness by simply adding₂₃₈ 185 new modules without modifying the already in-built239 186 components. This opens the perspective of further₂₄₀ 187 testing the RHIZOME architecture in a variety of₂₄₁ 188 other cognitive tasks. 189

- Silvia: Dealing with machine learning for artificial₄₃ 190 perception is the contribution "A WiSARD Net-244 191 work approach for a BCI-based Robotic Prosthetic₂₄₅ 192 Control" (by Mariacarla Staffa, Maurizio Giordano,246 193 and Fanny Ficuciello). The manuscript presents a247 194 method relying on the use of a WiSARD weight-248 195 less neural network-based classifier, a robotic hand₂₄₉ 196 and a BCI controller interface to realize a portable 197 and easy of use solution in the area of automatic²⁵⁰ 198
- robotic-prosthesis control.
 200 Silvia: Adaptation to the specific needs of patients²⁵²
- was considered in "A Holistic Approach to Behav-²⁵³ 201 ior Adaptation for Socially Assistive Robots" (by²⁵⁴ 202 Alessandro Umbrico, Amedeo Cesta, Gabriella Corté[‡] 203 lessa, and Andrea Orlandini). This work introduces²⁵⁶ 204 the design of a semantic-based cognitive architec-257 205 ture allowing to automatically generate robotic as-²⁵⁸ 206 sistive objectives. The proposed approach is based²⁵⁹ 207 on ontologies for characterizing the internal knowl-²⁶⁰ 208 edge and the self-awareness of a Social Robot and 261 209 specifying its capabilities to support users during its²⁶² 210 assistive services in adaptive and personalized sce-211 narios. 212
- Silvia: Also dealing with ontologies, "Culture as
 a Sensor? A Novel Perspective on Human Activity Recognition" (by Ting-Chia Chiang, Barbara Bruno)

Roberto Menicatti, Carmine Tommaso Recchiuto, and Antonio Sgorbissa) presents a culture-aware Human Activity Recognition system which aims to include culture-specific information about where and when activities are most likely performed in different cultures. This contribution, that belongs to the special issue, was already published in a regular issue by mistake and can be found here (https://link.springer.com/a 019-00590-3).

- Silvia: Adaptation to the user is also considered in "Short-Term Human–Robot Interaction Adaptability in Real-World Environments" (by Antonio Andriella, Carme Torras, and Guillem Alenya), where an assistive robotic platform that can be used for short-term human-robot interactions. A cognitive system that relies on planning is extended with adaptive capabilities is used to assist people while they are playing a puzzle game. The robot adapts itself according to the stage of the game and provide assistance to the user.
- Silvia: On the same line, the development of a strategy for robot-assisted navigation is investigated in "Reinforcement Learning Aided Robot-Assisted Navigation: A Utility and RRT Two-Stage Approach" (by Luís Garrote, João Paulo, and Urbano Nunes) that is based on user intent adjustment. Such adjustments are learned by reinforcement learning (RL) and supported on a rapidly exploring random tree (RRT) inspired algorithm. The proposed framework relies on local environment perception, based on a kinect sensor, and several layers for computing corrections to avoid collisions and follow social norms, so to effectively guiding the user through the environment while enforcing safer routes.

THE FOLLOWING SENTENCE MUST BE CHANGED. IT IS COPY-PASTED FROM ANOTHER ED-ITORIAL: We greatly appreciate the encouragement, support_and efforts of the Editors in Chief (Professor

support, and efforts of the Editors-in-Chief (Professor Shuzhi S. Ge and Agnieszka Wykowska), the Co-Editorin-Chief (Professor Oussama Khatib), the Springer Senior Editor for Engineering (Nathalie Jacobs), staff at Springer, and numerous reviewers in producing this special issue. It is our hope that this special issue will generate more interest and research endeavors, resulting in better understanding of assistive social robots and their many potential applications for improving human lives.

Guest Editors

- Mariacarla Staffa, University of Naples Federico II, Italy
- Silvia Rossi, University of Naples Federico II, Italy Adriana Tapus, ENSTA-ParisTech, France

268 Mehdi Khamassi, Sorbonne Université/CNRS, France