

Faire avancer la sûreté nucléaire

Transitioning to safety II: understand how the health care team's modes of success could turn into risks for patients.

International Workshop on Safety II May, 23rd 2019 - Lisbon -

Sylvie Thellier and Valérie Vassent

<u>sylvie.thellier@irsn.fr</u> <u>valerie.vassent@irsn.fr</u>




©Laurent Zylberman/Graphix-Images/IRSN

A few reminders about Safety I approach...

"Adverse outcomes (accidents, incidents) happen because something goes wrong...."



Failures and malfunctions occur due to technical, human and organizational causes



Following Safety I approach:

- The purpose of <u>accident investigation</u> is to identify the causes and contributory factors of adverse outcomes (root causes)
- The purpose of <u>risk assessment</u> is to determine their likelihood
 - → Eliminating causes and/or improving barriers

Going Beyond Safety I....

Socio-technical systems are increasingly **complex** (technological developments, highly coupled and interdependent activities ...)



Describing precisely functionning is becoming more and more difficult


(In complex socio-technical systems, components are <u>not only</u> in one or the other of the two modes "operating properly or not (malfunctioning)")

- → Risk analysis must also take into account "real work" and the necessary adaptability of the health care team to make the system work
- → It leads to look forward "why it works" → Safety II approach

Safety II: a complementary approach to Safety I

Safety I:

Explaining why things go wrong and Identifying and fixing unwanted outcomes



Safety II:

Understanding why things work right

- Safety I: "What goes wrong" corresponds to a tiny fraction of datas compared to "what works as expected"
 - → What goes wrong = a <u>limited amount</u> of datas to analyze
- Safety II: Searching for "why things go right" and make sure it will happen again
- → What goes right = a <u>large amount</u> of datas to analyze → opportunity to understand what are the characteristics of performance



Safety II in practice in Radiotherapy


Radiotherapy is a complex process

- High level of technology (interdependences between tools, man-machine interactions,...)
- Interdependences between human activities; collective construction of an tailored solution for individual patient; flexibility
- High level of variability (practices, team composition, techniques,...)
- High level of contraints: budget, technical and organizationnal evolutions, increase in requests

Increasing the team capacity to succeed under varying conditions \rightarrow Improving safety of the care

Safety II in practice in Radiotherapy

A new approach to analyze the safety of care: Focus on the modes of success put in place by the health care team



Safety 2 in practice in Radiotherapy

- The new method proposed: Spaces for Sharing and Exploring the Complexity of Work ("EPECT" in French)
 - A think tank
 - → 2 people per functions (restricted medical team)
 - → 1 facilitator (risk management coordinator)
 - → 1h30 to 2h every 3 months
- A method in 4 steps:
 - Steps 1 and 2 → Understanding why things are going well despite the complexity of work situations met in radiotherapy
 - Steps 3 and 4 → How Preventing things from going wrong (security phase)

Safety II: Understanding why things are going right

(→ Steps 1 and 2 of the EPECT Method : Focus on the health care team performance)



Step 1 of the EPECT Method: Exploring the complexity of daily work in RT

Participants are asked to:

Built a including disorganization elements met in daily work (30 mn):

- Changes;
- Constraints;
- Inconsistencies;
- Disorders;
- Social tensions....


→ To reflect the complexity of daily work situations in Radiotherapy

Example of a scenario: a patient comes for a complete breast. She sees a substitute doctor [change]. He makes the medical prescription on computer but not on paper whereas it is important in the process of the center [constraint, tension]. As the doctor does not know the practices of the centre, the balls are not positioned as usual [change, tension]. The manipulator scans the patient while she takes an analgesic difficult to position, reproduce treatment [constraint]. Dosimetry complicated [constraint] because it is a complete breast (many beams). The TPS used is not linked to ARIA [constraint]. The manipulators cannot check the beams because the treatment is too complicated. it is not their job and they trust them [constraint].

Step 2 of the EPECT Method: Elements contributing to the team's care performance

Participants are asked to:

Identifying the modes of success allowing to solve the scenario defined previously and improving the health care team performance (30 mn):



Safety II: : Preventing things from going wrong

(→ Steps 3 and 4 of the EPECT Method: Focus on how the health care team's modes of success could turn into risks for patients)


Step 3 of the EPECT Method: Identifying risks for the patients

Participants are asked to identify fragilities in the modes of success


2 categories of fragility likely to weaken the modes of success **Internal fragilities:** An external fragility: Validity of the mode of success not defined. Context, work situation that not known, or not invalidate a mode of success shared by all the team, initially considered as valid not respected by at least one team

→ Questionning the risky potential of the (formal and informal) modes of success

Step 4 (1/2): Discussing the work organization



Step 4 (2/2): Securing the care



Bibliographie

- ☐ Thellier, S., Falzon, P., Cuvelier, L. (2015). Construction of an "activity sharing space" to improve healthcare safety. *ECCE 2015, July 01 03,* Warsaw, Poland
- ☐ Thellier, S., Cuvelier, L., Falzon, P., Jeffroy, F. (2016). Risk analysis by healthcare professionals in radiotherapy: assessing difficulties, developing a method. *HEPS 2016, October 05 07*, Toulouse, France
- ☐ Thellier, S, Falzon P. (2016). L'analyse de la complexité de l'activité pour identifier les risques encourus par les patients en radiothérapie. *Lambda Mu 20, 11 13 octobre 2016*, Saint-Malo, France.
- ☐ Thellier, S. (2017). Approche ergonomique de l'analyse des risques en radiothérapie : de l'analyse des modes de défaillances à la mise en discussion des modes de réussite. Thèse de doctorat en ergonomie. Conservatoire National des Arts et Métiers, Paris, soutenue le 12 décembre 2017, 294 p.
- ☐ Thellier, S., Jeffroy, F., Cuvelier, L., & Falzon, P. (2018). L'analyse des risques en radiothérapie : quelle alternative à l'AMDEC ? Lambda Mu 21, 16 18 octobre 2018, Reims, France.
- ☐ Thellier, S. (2019). Analyse des risques en radiothérapie Partie 1 : forces et faiblesses de la méthode AMDEC. Revue radioprotection
- ☐ Thellier, S. (2019). Analyse des risques en radiothérapie Partie 2 : des modes de défaillance aux modes de réussite, un changement de paradigme. Revue Radioprotection
- ☐ Thellier, S., Cuvelier, L., Falzon, P., & Jeffroy, F. (à soumettre). Failures in "Failure Mode and Effects Analysis" (FMEA). *Journal of Patient Safety*

Thanks for your attention