

---

Country : Chile  
Study area : To the south of the Pica town in the northern  
Atacama desert

Publication :  
Roperch, Pierrick, Jerome Gattacceca, Millarca Valenzuela, Bertrand Devouard, Jean-Pierre Lorand, Cesar Arriagada, Pierre Rochette, Claudio Latorre, et Pierre Beck. « Surface vitrification caused by natural fires in Late Pleistocene wetlands of the Atacama Desert ». Earth and Planetary Science Letters 469 (2017) : 15-26. <https://doi.org/10.1016/j.epsl.2017.04.009>.

```
! Paleomagnetic laboratory - Geosciences Rennes - Measurements by P. Roperch
! Equipments 2G magnetometer - Molspin spinner - Agico JR6
! 2G one measurement between two zeros : code C1
! 2G four measurements between two zeros : code C4
! Molspin spinner 6 positions : code Mo
! Jr6a spinner automated mode : code Ja
! Jr6/Jr5 spinner 2 positions : code J2
! First measurement (or NRM) code N0, F0 or D0 in most cases
! MMTD Furnace for thermal demagnetization
! codes D+ and D- indicate that sample orientation changed in the furnace between
! two steps along +Z and -Z
! AF 2G Online three axis F+ = sequence coils X,Z,Y, F- = sequence coils Y,Z,X
! FX = after demagnetization along X;
! FY = along Y, FZ = along Z; combine FX,FY and FZ to remove GRM
! Paleointensities in MMTD or home made furnaces
! Paleointensities with the Coe/Tauxe (S & R or Thellier method R & V)
! S: indicates heating in zero field;
! R: indicates field along Z axis; V: indicates field along Z axis; P: Ptrm check
! the steps are also numbered from 1 to Z or A to Z
```



!sample	t1	t2	f1	f2	N	f	g	q	mad	dang	%crm	Hlab	b	sb	sb/b	ccr	H	fcor	Hcorani
! Paleointensities in baked clays (Quebrada Chipana)																			
13PI_P01A	100	555	0.98	0.04	12	0.911	0.877	104.3	1.7	0.8	1.5	40.0	-1.108	0.008	-0.0077	-1.000	44.3	0.000	0.0
13PI_P02A	100	555	0.99	0.03	12	0.928	0.863	96.7	0.8	0.2	1.0	40.0	-1.054	0.009	-0.0083	-1.000	42.2	0.000	0.0
13PI_P03A	100	555	0.98	0.04	12	0.938	0.885	151.6	1.2	0.5	1.3	40.0	-1.068	0.006	-0.0055	-1.000	42.7	0.000	0.0
13PI_P04A	100	555	0.98	0.05	12	0.924	0.871	143.8	2.0	0.4	2.8	40.0	-0.898	0.005	-0.0056	-1.000	35.9	0.000	0.0
13PI_P05A	100	555	0.95	0.17	12	0.785	0.824	54.6	2.6	0.7	5.3	40.0	-1.060	0.013	-0.0119	-0.999	42.4	0.000	0.0
13PI_P06A	100	555	0.97	0.14	12	0.813	0.826	72.8	3.3	0.9	4.3	40.0	-1.052	0.010	-0.0092	-1.000	42.1	0.000	0.0
13PI_P07A	220	555	0.85	0.08	10	0.866	0.824	74.2	2.3	1.0	2.6	40.0	-1.027	0.010	-0.0096	-1.000	41.1	0.000	0.0
13PI_P08A	160	555	0.89	0.11	11	0.846	0.832	82.7	2.6	1.5	2.5	40.0	-1.050	0.009	-0.0085	-1.000	42.0	0.000	0.0
13PI_P09A	100	555	0.98	0.08	12	0.913	0.848	65.8	2.4	0.6	3.7	40.0	-1.171	0.014	-0.0118	-0.999	46.8	0.000	0.0
13PI_P10A	100	555	0.97	0.23	12	0.756	0.839	27.4	2.6	2.6	3.2	40.0	-0.875	0.020	-0.0231	-0.997	35.0	0.000	0.0
13PI_P11A	100	555	0.94	0.09	12	0.863	0.852	72.9	2.6	0.3	6.3	40.0	-0.944	0.010	-0.0101	-0.999	37.8	0.000	0.0
! Paleointensities in silicate glasses (Puquio de Nuñez)																			
15A1N0101A	150	570	0.94	0.12	12	0.849	0.866	38.4	2.8	1.6	3.8	40.0	-0.962	0.018	-0.0192	-0.998	38.5	0.000	0.0
15A1N0102B	150	570	0.91	0.09	12	0.855	0.862	62.2	3.4	0.5	1.4	40.0	-0.999	0.012	-0.0119	-0.999	40.0	0.000	0.0
PICA5002F1	120	580	0.96	0.01	12	1.006	0.835	32.9	3.3	2.2	3.2	50.0	-0.683	0.017	-0.0255	-0.997	34.2	0.000	0.0
PICA5002F2	120	580	0.97	0.02	12	1.005	0.819	23.4	4.9	3.4	4.4	50.0	-0.724	0.025	-0.0352	-0.994	36.2	0.000	0.0
PICA5004F2	120	580	0.95	0.03	12	1.002	0.852	21.0	5.2	4.3	4.9	50.0	-0.664	0.027	-0.0406	-0.992	33.2	0.000	0.0
PICA5001F1	120	550	0.95	0.11	11	0.853	0.841	31.1	4.5	4.6	6.5	50.0	-0.783	0.018	-0.0230	-0.998	39.2	0.000	0.0
PICA_ADF1	120	580	0.97	0.07	12	0.930	0.765	44.7	4.8	1.3	2.3	50.0	-0.734	0.012	-0.0159	-0.999	36.7	0.000	0.0
PICA_AEF1	120	580	0.96	0.29	12	0.679	0.838	29.5	9.0	3.7	5.9	50.0	-0.727	0.014	-0.0193	-0.998	36.3	0.000	0.0
PICA1001B	320	550	0.76	0.12	7	0.699	0.806	33.5	5.1	3.8	1.2	50.0	-0.385	0.006	-0.0168	-0.999	19.3	0.000	0.0
PICA1002B	180	520	0.94	0.36	9	0.576	0.842	18.8	5.3	6.4	3.5	50.0	-0.411	0.011	-0.0258	-0.998	20.5	0.000	0.0
15A1N0701A	150	570	0.93	0.10	12	0.889	0.882	28.1	4.5	2.8	3.4	40.0	-0.525	0.015	-0.0279	-0.996	21.0	0.000	0.0
15A1N0901A	435	570	0.80	0.16	6	0.656	0.769	16.9	3.6	0.3	5.0	40.0	-0.553	0.017	-0.0299	-0.998	22.1	0.000	0.0
15A1N1201A	265	570	0.88	0.12	10	0.813	0.866	28.5	2.7	1.5	3.0	40.0	-0.534	0.013	-0.0247	-0.998	21.4	0.000	0.0
15A1N1301A	265	570	0.87	0.04	10	0.902	0.847	38.1	3.5	1.6	3.8	40.0	-0.539	0.011	-0.0201	-0.998	21.6	0.000	0.0
15A1N1401B	265	570	0.90	0.02	10	0.921	0.854	42.2	4.8	2.2	6.3	40.0	-0.532	0.010	-0.0187	-0.999	21.3	0.000	0.0
15A1N1501B	265	570	0.92	0.03	10	0.917	0.848	33.7	2.6	0.9	1.8	40.0	-0.529	0.012	-0.0231	-0.998	21.1	0.000	0.0
13PI_P14A	220	535	0.91	0.14	9	0.808	0.836	27.7	1.7	1.3	2.9	40.0	-0.632	0.015	-0.0244	-0.998	25.3	0.000	0.0
13PI_P16A	220	535	0.86	0.23	9	0.689	0.830	26.4	3.4	4.3	4.8	40.0	-0.506	0.011	-0.0216	-0.998	20.2	0.000	0.0
13PI_P17A	260	535	0.82	0.19	8	0.725	0.823	15.8	6.4	2.1	2.8	40.0	-0.513	0.019	-0.0378	-0.996	20.5	0.000	0.0
! Paleointensities in silicate glasses same site than baked clays (Quebrada Chipana)																			
PICA0103F1	120	550	0.98	0.31	11	0.631	0.732	25.4	6.1	1.3	4.0	50.0	-0.777	0.014	-0.0181	-0.999	38.9	0.000	0.0
PICA0103F2	120	580	0.97	0.10	12	0.872	0.792	44.6	4.1	1.7	3.4	50.0	-0.815	0.013	-0.0155	-0.999	40.8	0.000	0.0
PICA0104F1	120	550	0.94	0.34	11	0.590	0.700	21.8	4.5	1.9	1.1	50.0	-0.806	0.015	-0.0189	-0.998	40.3	0.000	0.0
PICA0104F2	120	580	0.99	0.14	12	0.840	0.788	64.2	3.5	1.8	3.8	50.0	-0.855	0.009	-0.0103	-0.999	42.7	0.000	0.0
PICA0701F1	120	550	0.97	0.27	11	0.714	0.823	18.3	3.9	1.7	3.2	50.0	-0.767	0.025	-0.0321	-0.995	38.3	0.000	0.0
PICA0701F2	120	580	0.96	0.09	12	0.938	0.844	25.5	4.0	1.5	3.0	50.0	-0.799	0.025	-0.0310	-0.995	39.9	0.000	0.0
15B_0105B	150	570	0.97	0.10	12	0.868	0.866	28.4	2.6	0.2	4.4	40.0	-1.067	0.028	-0.0265	-0.996	42.7	0.000	0.0
15B_0201B	150	570	0.95	0.05	12	0.917	0.870	29.3	2.7	0.7	4.1	40.0	-1.039	0.028	-0.0272	-0.996	41.6	0.000	0.0
15B_0702A	150	570	0.96	0.06	12	0.915	0.843	25.1	3.7	1.0	6.3	40.0	-1.047	0.032	-0.0307	-0.995	41.9	0.000	0.0
15B_0804A	150	570	0.98	0.02	12	0.981	0.842	52.1	2.7	0.7	4.4	40.0	-0.911	0.014	-0.0158	-0.999	36.4	0.000	0.0
15B_1001A	150	570	0.98	0.24	12	0.686	0.845	15.6	7.1	1.5	15.1	40.0	-1.160	0.043	-0.0371	-0.993	46.4	0.000	0.0
! Paleointensities in silicate glasses just west of the baked clays (Quebrada Chipana)																			
15B_1301B	150	570	0.96	0.02	12	0.962	0.858	36.4	2.1	0.8	4.3	40.0	-0.902	0.020	-0.0227	-0.997	36.1	0.000	0.0
15B_1401C	150	570	0.94	0.08	12	0.857	0.879	28.1	5.4	2.5	7.9	40.0	-0.850	0.023	-0.0268	-0.996	34.0	0.000	0.0
15B_1501B	150	570	0.98	0.11	12	0.875	0.867	34.3	2.9	0.7	4.0	40.0	-0.950	0.021	-0.0222	-0.998	38.0	0.000	0.0
15B_1601A	150	570	0.96	0.10	12	0.893	0.862	24.4	5.0	1.4	8.6	40.0	-0.995	0.031	-0.0315	-0.995	39.8	0.000	0.0
15B_1701C	150	510	0.95	0.34	9	0.602	0.810	8.2	8.7	9.1	16.2	40.0	-0.792	0.047	-0.0593	-0.988	31.7	0.000	0.0
15B_1801A	150	570	0.95	0.05	12	0.919	0.797	18.8	3.6	1.8	6.8	40.0	-1.078	0.042	-0.0389	-0.992	43.1	0.000	0.0
!Paleointensities in silicate glasses (Quebrada Guatacondo)																			
15C_2102C	150	570	0.97	0.02	12	0.939	0.856	33.7	2.0	0.5	2.1	40.0	-0.973	0.023	-0.0239	-0.997	38.9	0.000	0.0
15C_2103A	150	570	0.97	0.02	12	0.930	0.868	54.9	2.7	0.3	4.2	40.0	-0.906	0.013	-0.0147	-0.999	36.3	0.000	0.0
15C_2104A	150	555	0.98	0.17	11	0.763	0.837	22.3	3.4	0.9	3.9	40.0	-1.181	0.034	-0.0286	-0.996	47.2	0.000	0.0
15C_2201A	150	555	0.98	0.34	11	0.620	0.873	8.3	2.4	1.1	9.7	40.0	-1.493	0.098	-0.0656	-0.981	59.7	0.000	0.0
15CN2407A	150	570	0.99	0.10	12	0.878	0.881	27.0	2.4	0.2	8.5	40.0	-0.957	0.027	-0.0286	-0.996	38.3	0.000	0.0
15CN2408A	150	570	0.92	0.15	12	0.816	0.858	32.7	3.1	0.7	12.5	40.0	-1.102	0.024	-0.0214	-0.998	44.1	0.000	0.0
15DN0201C	150	570	0.97	0.04	12	0.904	0.817	41.8	3.4	0.9	8.9	40.0	-1.167	0.021	-0.0176	-0.998	46.7	0.000	0.0
15DN0201D	150	570	0.95	0.07	12	0.897	0.846	25.3	3.5	1.8	10.5	40.0	-0.978	0.029	-0.0299	-0.996	39.1	0.000	0.0

----- Parameters sample & data -----

Site : 15A1N0  
 Sample : 15A1N010  
 Specimen : 15A1N0101A  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	5.726E-06	5.302E-01	150.6	43.9	150.6	43.9	150.6	43.9	0	C1	3.889E-04
150.0 S1	0:0:0	5.590E-06	5.176E-01	155.7	44.0	155.7	44.0	155.7	44.0	0	C1	0.000E+00
150.0 R1	0:0:40	5.744E-06	5.318E-01	154.0	44.9	154.0	44.9	154.0	44.9	0	C1	4.259E-04
215.0 R2	0:0:40	5.671E-06	5.251E-01	152.5	46.7	152.5	46.7	152.5	46.7	0	C1	4.167E-04
215.0 S2	0:0:0	5.391E-06	4.991E-01	154.4	43.9	154.4	43.9	154.4	43.9	0	C1	4.167E-04
265.0 S3	0:0:0	5.158E-06	4.776E-01	153.9	43.4	153.9	43.4	153.9	43.4	0	C1	4.167E-04
265.0 R3	0:0:40	5.582E-06	5.169E-01	152.7	47.6	152.7	47.6	152.7	47.6	0	C1	0.000E+00
315.0 R4	0:0:40	5.576E-06	5.163E-01	153.3	52.1	153.3	52.1	153.3	52.1	0	C1	0.000E+00
315.0 S4	0:0:0	4.959E-06	4.592E-01	153.3	43.3	153.3	43.3	153.3	43.3	0	C1	4.537E-04
355.0 S5	0:0:0	4.722E-06	4.372E-01	154.3	42.5	154.3	42.5	154.3	42.5	0	C1	0.000E+00
265.0 P5	0:0:40	5.131E-06	4.751E-01	154.7	49.2	154.7	49.2	154.7	49.2	0	C1	0.000E+00
355.0 R5	0:0:40	5.527E-06	5.117E-01	153.7	52.5	153.7	52.5	153.7	52.5	0	C1	0.000E+00
395.0 R6	0:0:40	5.573E-06	5.160E-01	153.1	54.0	153.1	54.0	153.1	54.0	0	C1	4.630E-04
395.0 S6	0:0:0	4.536E-06	4.200E-01	153.5	44.6	153.5	44.6	153.5	44.6	0	C1	0.000E+00
435.0 S7	0:0:0	4.123E-06	3.817E-01	153.9	44.1	153.9	44.1	153.9	44.1	0	C1	4.630E-04
355.0 P7	0:0:40	4.997E-06	4.626E-01	153.7	54.6	153.7	54.6	153.7	54.6	0	C1	4.722E-04
435.0 R7	0:0:40	5.471E-06	5.066E-01	154.7	58.2	154.7	58.2	154.7	58.2	0	C1	0.000E+00
475.0 R8	0:0:40	5.463E-06	5.058E-01	154.3	62.3	154.3	62.3	154.3	62.3	0	C1	4.537E-04
475.0 S8	0:0:0	3.637E-06	3.367E-01	151.5	46.3	151.5	46.3	151.5	46.3	0	C1	7.778E-04
510.0 S9	0:0:0	2.978E-06	2.758E-01	151.6	44.2	151.6	44.2	151.6	44.2	0	C1	4.630E-04
435.0 P9	0:0:40	4.385E-06	4.060E-01	152.4	61.6	152.4	61.6	152.4	61.6	0	C1	0.000E+00
510.0 R9	0:0:40	5.304E-06	4.911E-01	153.1	68.0	153.1	68.0	153.1	68.0	0	C1	0.000E+00
540.0 RA	0:0:40	5.546E-06	5.135E-01	154.2	75.3	154.2	75.3	154.2	75.3	0	C1	4.537E-04
540.0 SA	0:0:0	1.820E-06	1.685E-01	150.9	45.1	150.9	45.1	150.9	45.1	0	C1	0.000E+00
555.0 SB	0:0:0	1.449E-06	1.341E-01	150.1	45.6	150.1	45.6	150.1	45.6	0	C1	4.537E-04
510.0 PB	0:0:40	3.705E-06	3.431E-01	149.8	75.1	149.8	75.1	149.8	75.1	0	C1	0.000E+00
555.0 RB	0:0:40	5.471E-06	5.065E-01	154.7	80.3	154.7	80.3	154.7	80.3	0	C1	4.074E-04
570.0 RC	0:0:40	6.013E-06	5.568E-01	156.6	86.1	156.6	86.1	156.6	86.1	0	C1	4.074E-04
570.0 SC	0:0:0	7.672E-07	7.103E-02	152.0	46.5	152.0	46.5	152.0	46.5	0	C1	0.000E+00
585.0 SD	0:0:0	4.177E-07	3.868E-02	150.4	47.0	150.4	47.0	150.4	47.0	0	C1	4.074E-04
540.0 PD	0:0:40	4.121E-06	3.816E-01	158.8	87.4	158.8	87.4	158.8	87.4	0	C1	0.000E+00
585.0 RD	0:0:40	5.998E-06	5.554E-01	171.9	87.8	171.9	87.8	171.9	87.8	0	C1	4.074E-04





----- Parameters sample & data -----

Site : 15A1N0  
 Sample : 15A1N010  
 Specimen : 15A1N0102B  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	7.328E-06	6.785E-01	243.9	43.4	243.9	43.4	243.9	43.4	0	C1	0.000E+00
150.0 S1	0:0:0	7.208E-06	6.674E-01	251.4	45.2	251.4	45.2	251.4	45.2	0	C1	1.120E-03
150.0 R1	0:0:40	7.471E-06	6.917E-01	247.3	46.4	247.3	46.4	247.3	46.4	0	C1	1.093E-03
215.0 R2	0:0:40	7.376E-06	6.830E-01	249.0	47.9	249.0	47.9	249.0	47.9	0	C1	0.000E+00
215.0 S2	0:0:0	6.953E-06	6.438E-01	246.7	45.0	246.7	45.0	246.7	45.0	0	C1	1.111E-03
265.0 S3	0:0:0	6.688E-06	6.192E-01	248.2	45.3	248.2	45.3	248.2	45.3	0	C1	1.167E-03
265.0 R3	0:0:40	7.256E-06	6.719E-01	249.1	49.0	249.1	49.0	249.1	49.0	0	C1	0.000E+00
315.0 R4	0:0:40	7.234E-06	6.698E-01	250.0	51.4	250.0	51.4	250.0	51.4	0	C1	1.157E-03
315.0 S4	0:0:0	6.423E-06	5.947E-01	247.7	45.1	247.7	45.1	247.7	45.1	0	C1	1.167E-03
355.0 S5	0:0:0	6.118E-06	5.665E-01	248.5	45.1	248.5	45.1	248.5	45.1	0	C1	1.167E-03
265.0 P5	0:0:40	6.705E-06	6.208E-01	248.8	48.8	248.8	48.8	248.8	48.8	0	C1	0.000E+00
355.0 R5	0:0:40	7.138E-06	6.610E-01	249.0	52.8	249.0	52.8	249.0	52.8	0	C1	0.000E+00
395.0 R6	0:0:40	7.146E-06	6.617E-01	248.8	54.3	248.8	54.3	248.8	54.3	0	C1	1.250E-03
395.0 S6	0:0:0	5.839E-06	5.406E-01	245.3	45.8	245.3	45.8	245.3	45.8	0	C1	1.222E-03
435.0 S7	0:0:0	5.382E-06	4.984E-01	250.7	44.7	250.7	44.7	250.7	44.7	0	C1	1.194E-03
355.0 P7	0:0:40	6.446E-06	5.969E-01	248.7	54.7	248.7	54.7	248.7	54.7	0	C1	1.204E-03
435.0 R7	0:0:40	7.042E-06	6.520E-01	247.7	58.1	247.7	58.1	247.7	58.1	0	C1	0.000E+00
475.0 R8	0:0:40	7.045E-06	6.523E-01	249.5	61.3	249.5	61.3	249.5	61.3	0	C1	1.231E-03
475.0 S8	0:0:0	4.730E-06	4.380E-01	247.3	45.8	247.3	45.8	247.3	45.8	0	C1	1.213E-03
510.0 S9	0:0:0	3.917E-06	3.627E-01	247.8	46.0	247.8	46.0	247.8	46.0	0	C1	1.213E-03
435.0 P9	0:0:40	5.669E-06	5.249E-01	247.7	61.9	247.7	61.9	247.7	61.9	0	C1	0.000E+00
510.0 R9	0:0:40	6.911E-06	6.399E-01	250.0	66.5	250.0	66.5	250.0	66.5	0	C1	0.000E+00
540.0 RA	0:0:40	7.136E-06	6.608E-01	248.9	74.2	248.9	74.2	248.9	74.2	0	C1	1.222E-03
540.0 SA	0:0:0	2.318E-06	2.147E-01	245.9	45.5	245.9	45.5	245.9	45.5	0	C1	0.000E+00
555.0 SB	0:0:0	1.677E-06	1.553E-01	248.5	46.4	248.5	46.4	248.5	46.4	0	C1	1.222E-03
510.0 PB	0:0:40	4.744E-06	4.393E-01	249.6	75.5	249.6	75.5	249.6	75.5	0	C1	1.250E-03
555.0 RB	0:0:40	7.045E-06	6.523E-01	252.8	82.0	252.8	82.0	252.8	82.0	0	C1	1.213E-03
570.0 RC	0:0:40	7.467E-06	6.914E-01	257.8	85.3	257.8	85.3	257.8	85.3	0	C1	1.213E-03
570.0 SC	0:0:0	7.492E-07	6.937E-02	249.6	47.2	249.6	47.2	249.6	47.2	0	C1	1.231E-03
585.0 SD	0:0:0	3.468E-07	3.211E-02	250.5	46.6	250.5	46.6	250.5	46.6	2	C1	1.222E-03
540.0 PD	0:0:40	5.397E-06	4.997E-01	267.3	86.3	267.3	86.3	267.3	86.3	0	C1	1.204E-03
585.0 RD	0:0:40	7.462E-06	6.909E-01	265.6	87.4	265.6	87.4	265.6	87.4	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A1N0  
 Sample : 15A1N030  
 Specimen : 15A1N0302A  
 Volume : 10.800      masse : n.d  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	2.616E-06	2.422E-01	274.0	-21.9	274.0	-21.9	274.0	-21.9	0	C1	0.000E+00
150.0 S1	0:0:0	2.604E-06	2.412E-01	277.9	-21.6	277.9	-21.6	277.9	-21.6	0	C1	6.944E-04
150.0 R1	0:0:40	2.588E-06	2.396E-01	279.8	-19.7	279.8	-19.7	279.8	-19.7	0	C1	6.852E-04
215.0 R2	0:0:40	2.508E-06	2.322E-01	277.0	-19.0	277.0	-19.0	277.0	-19.0	0	C1	6.944E-04
215.0 S2	0:0:0	2.526E-06	2.339E-01	277.6	-20.9	277.6	-20.9	277.6	-20.9	0	C1	7.222E-04
265.0 S3	0:0:0	2.472E-06	2.289E-01	278.7	-21.0	278.7	-21.0	278.7	-21.0	0	C1	7.222E-04
265.0 R3	0:0:40	2.411E-06	2.232E-01	278.0	-17.3	278.0	-17.3	278.0	-17.3	0	C1	7.037E-04
315.0 R4	0:0:40	2.233E-06	2.067E-01	276.9	-13.4	276.9	-13.4	276.9	-13.4	0	C1	7.037E-04
315.0 S4	0:0:0	2.299E-06	2.129E-01	278.7	-19.9	278.7	-19.9	278.7	-19.9	0	C1	7.407E-04
355.0 S5	0:0:0	2.186E-06	2.024E-01	279.0	-20.1	279.0	-20.1	279.0	-20.1	0	C1	7.407E-04
265.0 P5	0:0:40	2.124E-06	1.967E-01	276.8	-14.4	276.8	-14.4	276.8	-14.4	0	C1	0.000E+00
355.0 R5	0:0:40	2.033E-06	1.882E-01	277.6	-2.0	277.6	-2.0	277.6	-2.0	0	C1	0.000E+00
395.0 R6	0:0:40	1.987E-06	1.840E-01	278.4	3.8	278.4	3.8	278.4	3.8	0	C1	7.222E-04
395.0 S6	0:0:0	2.044E-06	1.893E-01	278.8	-17.5	278.8	-17.5	278.8	-17.5	0	C1	0.000E+00
435.0 S7	0:0:0	1.910E-06	1.769E-01	278.6	-20.5	278.6	-20.5	278.6	-20.5	0	C1	7.407E-04
355.0 P7	0:0:40	1.822E-06	1.687E-01	279.7	7.2	279.7	7.2	279.7	7.2	0	C1	7.500E-04
435.0 R7	0:0:40	1.880E-06	1.741E-01	279.7	16.8	279.7	16.8	279.7	16.8	0	C1	0.000E+00
475.0 R8	0:0:40	1.736E-06	1.607E-01	280.7	28.1	280.7	28.1	280.7	28.1	0	C1	7.593E-04
475.0 S8	0:0:0	1.541E-06	1.427E-01	279.8	-16.6	279.8	-16.6	279.8	-16.6	0	C1	7.593E-04
510.0 S9	0:0:0	1.215E-06	1.125E-01	280.8	-19.7	280.8	-19.7	280.8	-19.7	0	C1	7.685E-04
435.0 P9	0:0:40	1.303E-06	1.207E-01	279.0	26.4	279.0	26.4	279.0	26.4	0	C1	0.000E+00
510.0 R9	0:0:40	1.601E-06	1.482E-01	280.5	45.1	280.5	45.1	280.5	45.1	0	C1	0.000E+00
540.0 RA	0:0:40	1.974E-06	1.828E-01	281.4	69.0	281.4	69.0	281.4	69.0	0	C1	7.130E-04
540.0 SA	0:0:0	6.293E-07	5.827E-02	277.2	-11.4	277.2	-11.4	277.2	-11.4	0	C1	0.000E+00
555.0 SB	0:0:0	4.522E-07	4.187E-02	275.9	-15.2	275.9	-15.2	275.9	-15.2	0	C1	7.130E-04
510.0 PB	0:0:40	1.218E-06	1.128E-01	282.5	68.0	282.5	68.0	282.5	68.0	0	C1	7.222E-04
555.0 RB	0:0:40	2.100E-06	1.944E-01	282.2	78.3	282.2	78.3	282.2	78.3	0	C1	6.852E-04
570.0 RC	0:0:40	2.682E-06	2.484E-01	291.9	85.7	291.9	85.7	291.9	85.7	0	C1	6.759E-04
570.0 SC	0:0:0	1.277E-07	1.182E-02	275.8	-0.9	275.8	-0.9	275.8	-0.9	0	C1	6.667E-04
585.0 SD	0:0:0	5.896E-08	5.459E-03	272.8	-2.9	272.8	-2.9	272.8	-2.9	1	C1	6.481E-04
540.0 PD	0:0:40	1.830E-06	1.695E-01	297.7	86.7	297.7	86.7	297.7	86.7	0	C1	0.000E+00
585.0 RD	0:0:40	2.777E-06	2.571E-01	302.6	87.3	302.6	87.3	302.6	87.3	0	C1	6.389E-04







----- Parameters sample & data -----

Site : 15A1N0  
 Sample : 15A1N070  
 Specimen : 15A1N0701A  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	1.552E-06	1.437E-01	283.2	22.6	283.2	22.6	283.2	22.6	0	C1	0.000E+00
150.0 S1	0:0:0	1.508E-06	1.396E-01	288.3	22.3	288.3	22.3	288.3	22.3	0	C1	5.093E-04
150.0 R1	0:0:40	1.543E-06	1.429E-01	287.5	25.3	287.5	25.3	287.5	25.3	0	C1	5.185E-04
215.0 R2	0:0:40	1.523E-06	1.410E-01	286.0	27.3	286.0	27.3	286.0	27.3	0	C1	5.093E-04
215.0 S2	0:0:0	1.447E-06	1.340E-01	284.3	23.3	284.3	23.3	284.3	23.3	0	C1	0.000E+00
265.0 S3	0:0:0	1.374E-06	1.273E-01	285.5	22.4	285.5	22.4	285.5	22.4	0	C1	0.000E+00
265.0 R3	0:0:40	1.478E-06	1.368E-01	284.4	30.1	284.4	30.1	284.4	30.1	0	C1	5.463E-04
315.0 R4	0:0:40	1.482E-06	1.373E-01	285.9	35.2	285.9	35.2	285.9	35.2	0	C1	5.370E-04
315.0 S4	0:0:0	1.306E-06	1.209E-01	286.2	24.0	286.2	24.0	286.2	24.0	0	C1	5.463E-04
355.0 S5	0:0:0	1.221E-06	1.131E-01	285.8	22.3	285.8	22.3	285.8	22.3	0	C1	5.278E-04
265.0 P5	0:0:40	1.322E-06	1.224E-01	286.8	31.5	286.8	31.5	286.8	31.5	0	C1	0.000E+00
355.0 R5	0:0:40	1.440E-06	1.333E-01	284.8	38.7	284.8	38.7	284.8	38.7	0	C1	0.000E+00
395.0 R6	0:0:40	1.489E-06	1.379E-01	289.4	43.7	289.4	43.7	289.4	43.7	0	C1	5.648E-04
395.0 S6	0:0:0	1.155E-06	1.070E-01	287.4	25.5	287.4	25.5	287.4	25.5	0	C1	0.000E+00
435.0 S7	0:0:0	1.036E-06	9.592E-02	288.1	22.7	288.1	22.7	288.1	22.7	0	C1	5.648E-04
355.0 P7	0:0:40	1.279E-06	1.185E-01	289.8	41.0	289.8	41.0	289.8	41.0	0	C1	6.019E-04
435.0 R7	0:0:40	1.513E-06	1.401E-01	286.7	51.4	286.7	51.4	286.7	51.4	0	C1	0.000E+00
475.0 R8	0:0:40	1.697E-06	1.571E-01	289.1	60.5	289.1	60.5	289.1	60.5	0	C1	5.463E-04
475.0 S8	0:0:0	8.918E-07	8.258E-02	287.3	27.4	287.3	27.4	287.3	27.4	0	C1	6.111E-04
510.0 S9	0:0:0	6.873E-07	6.364E-02	286.2	24.1	286.2	24.1	286.2	24.1	0	C1	5.926E-04
435.0 P9	0:0:40	1.222E-06	1.131E-01	289.1	58.2	289.1	58.2	289.1	58.2	0	C1	0.000E+00
510.0 R9	0:0:40	1.856E-06	1.718E-01	290.3	68.7	290.3	68.7	290.3	68.7	0	C1	0.000E+00
540.0 RA	0:0:40	2.228E-06	2.063E-01	296.1	79.2	296.1	79.2	296.1	79.2	0	C1	0.000E+00
540.0 SA	0:0:0	4.522E-07	4.187E-02	287.8	31.9	287.8	31.9	287.8	31.9	0	C1	0.000E+00
555.0 SB	0:0:0	3.270E-07	3.028E-02	287.7	26.8	287.7	26.8	287.7	26.8	0	C1	5.926E-04
510.0 PB	0:0:40	1.444E-06	1.337E-01	290.6	77.5	290.6	77.5	290.6	77.5	0	C1	5.833E-04
555.0 RB	0:0:40	2.352E-06	2.178E-01	297.7	81.1	297.7	81.1	297.7	81.1	0	C1	5.648E-04
570.0 RC	0:0:40	2.708E-06	2.507E-01	298.5	85.4	298.5	85.4	298.5	85.4	0	C1	5.741E-04
570.0 SC	0:0:0	1.884E-07	1.745E-02	285.3	34.5	285.3	34.5	285.3	34.5	0	C1	5.648E-04
585.0 SD	0:0:0	1.273E-07	1.178E-02	286.2	31.8	286.2	31.8	286.2	31.8	1	C1	5.556E-04
540.0 PD	0:0:40	1.894E-06	1.754E-01	296.1	86.3	296.1	86.3	296.1	86.3	0	C1	0.000E+00
585.0 RD	0:0:40	2.815E-06	2.606E-01	308.0	86.7	308.0	86.7	308.0	86.7	0	C1	5.556E-04





----- Parameters sample & data -----

Site : 15A1N0  
 Sample : 15A1N090  
 Specimen : 15A1N0901A  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	8.569E-06	7.934E-01	354.9	38.6	354.9	38.6	354.9	38.6	0	C1	0.000E+00
150.0 S1	0:0:0	8.469E-06	7.841E-01	355.3	39.6	355.3	39.6	355.3	39.6	0	C1	1.093E-03
150.0 R1	0:0:40	8.829E-06	8.175E-01	355.5	42.1	355.5	42.1	355.5	42.1	0	C1	1.093E-03
215.0 R2	0:0:40	8.935E-06	8.274E-01	354.5	43.7	354.5	43.7	354.5	43.7	0	C1	1.120E-03
215.0 S2	0:0:0	8.443E-06	7.818E-01	356.0	41.4	356.0	41.4	356.0	41.4	0	C1	0.000E+00
265.0 S3	0:0:0	8.260E-06	7.648E-01	354.6	41.1	354.6	41.1	354.6	41.1	0	C1	0.000E+00
265.0 R3	0:0:40	8.926E-06	8.265E-01	355.1	44.9	355.1	44.9	355.1	44.9	0	C1	1.037E-03
315.0 R4	0:0:40	9.156E-06	8.477E-01	355.8	46.6	355.8	46.6	355.8	46.6	0	C1	1.204E-03
315.0 S4	0:0:0	8.227E-06	7.618E-01	356.7	41.7	356.7	41.7	356.7	41.7	0	C1	1.056E-03
355.0 S5	0:0:0	8.017E-06	7.423E-01	356.0	43.1	356.0	43.1	356.0	43.1	0	C1	1.120E-03
265.0 P5	0:0:40	8.741E-06	8.094E-01	357.7	46.2	357.7	46.2	357.7	46.2	0	C1	0.000E+00
355.0 R5	0:0:40	9.490E-06	8.787E-01	357.3	51.4	357.3	51.4	357.3	51.4	0	C1	0.000E+00
395.0 R6	0:0:40	1.011E-05	9.364E-01	357.1	53.7	357.1	53.7	357.1	53.7	0	C1	1.148E-03
395.0 S6	0:0:0	8.323E-06	7.706E-01	355.6	45.0	355.6	45.0	355.6	45.0	0	C1	0.000E+00
435.0 S7	0:0:0	7.902E-06	7.317E-01	355.8	44.7	355.8	44.7	355.8	44.7	0	C1	1.306E-03
355.0 P7	0:0:40	9.097E-06	8.423E-01	356.4	51.5	356.4	51.5	356.4	51.5	0	C1	0.000E+00
435.0 R7	0:0:40	1.033E-05	9.564E-01	357.1	56.6	357.1	56.6	357.1	56.6	0	C1	1.315E-03
475.0 R8	0:0:40	1.115E-05	1.033E+00	356.4	62.7	356.4	62.7	356.4	62.7	0	C1	1.296E-03
475.0 S8	0:0:0	7.497E-06	6.941E-01	354.3	47.9	354.3	47.9	354.3	47.9	0	C1	1.296E-03
510.0 S9	0:0:0	6.181E-06	5.723E-01	355.3	46.1	355.3	46.1	355.3	46.1	0	C1	1.231E-03
435.0 P9	0:0:40	8.452E-06	7.826E-01	358.6	59.3	358.6	59.3	358.6	59.3	0	C1	0.000E+00
510.0 R9	0:0:40	1.166E-05	1.079E+00	355.9	68.4	355.9	68.4	355.9	68.4	0	C1	0.000E+00
540.0 RA	0:0:40	1.342E-05	1.243E+00	350.8	76.5	350.8	76.5	350.8	76.5	0	C1	1.287E-03
540.0 SA	0:0:0	4.202E-06	3.891E-01	353.3	47.3	353.3	47.3	353.3	47.3	0	C1	0.000E+00
555.0 SB	0:0:0	3.129E-06	2.898E-01	356.3	44.6	356.3	44.6	356.3	44.6	0	C1	1.306E-03
510.0 PB	0:0:40	8.180E-06	7.574E-01	354.0	72.9	354.0	72.9	354.0	72.9	0	C1	1.287E-03
555.0 RB	0:0:40	1.391E-05	1.288E+00	347.3	80.8	347.3	80.8	347.3	80.8	0	C1	1.306E-03
570.0 RC	0:0:40	1.610E-05	1.490E+00	352.7	83.7	352.7	83.7	352.7	83.7	0	C1	1.333E-03
570.0 SC	0:0:0	1.656E-06	1.533E-01	354.0	45.7	354.0	45.7	354.0	45.7	0	C1	1.287E-03
585.0 SD	0:0:0	7.370E-07	6.824E-02	355.8	41.2	355.8	41.2	355.8	41.2	0	C1	1.306E-03
540.0 PD	0:0:40	9.839E-06	9.110E-01	355.3	84.6	355.2	84.6	355.2	84.6	0	C1	0.000E+00
585.0 RD	0:0:40	1.712E-05	1.586E+00	335.1	84.7	335.1	84.7	335.1	84.7	0	C1	0.000E+00



----- Parameters sample & data -----

Site : 15A1N1  
 Sample : 15A1N120  
 Specimen : 15A1N1201A  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : "no orientation"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	3.109E-06	2.879E-01	254.3	-30.8	254.3	-30.8	254.3	-30.8	0	C1	0.000E+00
150.0 S1	0:0:0	3.054E-06	2.828E-01	257.7	-29.8	257.7	-29.8	257.7	-29.8	0	C1	6.204E-04
150.0 R1	0:0:40	2.988E-06	2.767E-01	256.3	-29.3	256.3	-29.3	256.3	-29.3	0	C1	1.037E-03
215.0 R2	0:0:40	2.842E-06	2.632E-01	257.1	-23.6	257.1	-23.6	257.1	-23.6	0	C1	1.120E-03
215.0 S2	0:0:0	2.943E-06	2.725E-01	256.1	-28.9	256.1	-28.9	256.1	-28.9	0	C1	0.000E+00
265.0 S3	0:0:0	2.875E-06	2.662E-01	256.9	-29.6	256.9	-29.6	256.9	-29.6	0	C1	1.093E-03
265.0 R3	0:0:40	2.690E-06	2.490E-01	257.1	-21.7	257.1	-21.7	257.1	-21.7	0	C1	1.194E-03
315.0 R4	0:0:40	2.520E-06	2.334E-01	257.7	-16.7	257.7	-16.7	257.7	-16.7	0	C1	1.176E-03
315.0 S4	0:0:0	2.721E-06	2.519E-01	258.4	-28.3	258.4	-28.3	258.4	-28.3	0	C1	0.000E+00
355.0 S5	0:0:0	2.624E-06	2.430E-01	258.8	-28.5	258.8	-28.5	258.8	-28.5	0	C1	1.185E-03
265.0 P5	0:0:40	2.451E-06	2.269E-01	260.3	-18.8	260.3	-18.8	260.3	-18.8	0	C1	0.000E+00
355.0 R5	0:0:40	2.336E-06	2.163E-01	256.5	-10.9	256.5	-10.9	256.5	-10.9	0	C1	0.000E+00
395.0 R6	0:0:40	2.170E-06	2.009E-01	257.8	-2.4	257.8	-2.4	257.8	-2.4	0	C1	1.194E-03
395.0 S6	0:0:0	2.412E-06	2.233E-01	258.9	-27.4	258.9	-27.4	258.9	-27.4	0	C1	0.000E+00
435.0 S7	0:0:0	2.195E-06	2.032E-01	258.9	-28.3	258.9	-28.3	258.9	-28.3	0	C1	1.269E-03
355.0 P7	0:0:40	1.947E-06	1.802E-01	258.6	-6.5	258.6	-6.5	258.6	-6.5	0	C1	1.241E-03
435.0 R7	0:0:40	2.065E-06	1.912E-01	259.7	15.1	259.7	15.1	259.7	15.1	0	C1	0.000E+00
475.0 R8	0:0:40	2.192E-06	2.030E-01	257.4	42.8	257.4	42.8	257.4	42.8	0	C1	1.194E-03
475.0 S8	0:0:0	1.714E-06	1.587E-01	257.2	-25.6	257.2	-25.6	257.2	-25.6	0	C1	1.185E-03
510.0 S9	0:0:0	1.401E-06	1.297E-01	257.5	-27.9	257.5	-27.9	257.5	-27.9	0	C1	1.167E-03
435.0 P9	0:0:40	1.539E-06	1.425E-01	258.0	36.8	258.0	36.8	258.0	36.8	0	C1	0.000E+00
510.0 R9	0:0:40	2.699E-06	2.499E-01	258.0	63.1	258.0	63.1	258.0	63.1	0	C1	0.000E+00
540.0 RA	0:0:40	3.604E-06	3.337E-01	259.7	75.2	259.7	75.2	259.7	75.2	0	C1	1.148E-03
540.0 SA	0:0:0	8.927E-07	8.266E-02	256.8	-25.2	256.8	-25.2	256.8	-25.2	0	C1	0.000E+00
555.0 SB	0:0:0	7.288E-07	6.749E-02	258.1	-27.9	258.1	-27.9	258.1	-27.9	0	C1	1.185E-03
510.0 PB	0:0:40	2.638E-06	2.443E-01	261.5	75.6	261.5	75.6	261.5	75.6	0	C1	1.130E-03
555.0 RB	0:0:40	4.094E-06	3.790E-01	265.1	81.0	265.1	81.0	265.1	81.0	0	C1	1.139E-03
570.0 RC	0:0:40	4.869E-06	4.509E-01	262.1	84.9	262.1	84.9	262.1	84.9	0	C1	1.167E-03
570.0 SC	0:0:0	4.047E-07	3.747E-02	259.0	-22.6	259.0	-22.6	259.0	-22.6	0	C1	1.148E-03
585.0 SD	0:0:0	1.653E-07	1.531E-02	259.1	-24.4	259.1	-24.4	259.1	-24.4	0	C1	1.120E-03
540.0 PD	0:0:40	3.791E-06	3.510E-01	255.3	87.3	255.3	87.3	255.3	87.3	0	C1	0.000E+00
585.0 RD	0:0:40	5.471E-06	5.066E-01	286.7	86.7	286.7	86.7	286.7	86.7	0	C1	1.130E-03



----- Parameters sample & data -----

Site : 15A1N1  
 Sample : 15A1N130  
 Specimen : 15A1N1301A  
 Volume : 10.800      masse : n.d  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	2.528E-06	2.340E-01	256.6	-4.6	256.6	-4.6	256.6	-4.6	0	C1	0.000E+00
150.0 S1	0:0:0	2.463E-06	2.281E-01	259.6	-4.0	259.6	-4.0	259.6	-4.0	0	C1	6.574E-04
150.0 R1	0:0:40	2.461E-06	2.279E-01	259.9	-2.0	259.9	-2.0	259.9	-2.0	0	C1	6.481E-04
215.0 R2	0:0:40	2.381E-06	2.205E-01	258.2	0.1	258.2	0.1	258.2	0.1	0	C1	6.667E-04
215.0 S2	0:0:0	2.376E-06	2.200E-01	258.6	-2.8	258.6	-2.8	258.6	-2.8	0	C1	6.852E-04
265.0 S3	0:0:0	2.298E-06	2.127E-01	258.7	-4.0	258.7	-4.0	258.7	-4.0	0	C1	6.759E-04
265.0 R3	0:0:40	2.296E-06	2.126E-01	257.6	4.2	257.6	4.2	257.6	4.2	0	C1	6.759E-04
315.0 R4	0:0:40	2.237E-06	2.072E-01	258.7	8.5	258.7	8.5	258.7	8.5	0	C1	6.852E-04
315.0 S4	0:0:0	2.202E-06	2.039E-01	258.5	-1.7	258.5	-1.7	258.5	-1.7	0	C1	6.852E-04
355.0 S5	0:0:0	2.116E-06	1.959E-01	258.6	-2.5	258.6	-2.5	258.6	-2.5	0	C1	6.852E-04
265.0 P5	0:0:40	2.118E-06	1.961E-01	257.1	5.0	257.1	5.0	257.1	5.0	0	C1	0.000E+00
355.0 R5	0:0:40	2.148E-06	1.989E-01	258.6	13.9	258.6	13.9	258.6	13.9	0	C1	0.000E+00
395.0 R6	0:0:40	2.122E-06	1.965E-01	259.1	17.9	259.1	17.9	259.1	17.9	0	C1	7.222E-04
395.0 S6	0:0:0	1.988E-06	1.841E-01	258.6	0.0	258.6	0.0	258.6	0.0	0	C1	0.000E+00
435.0 S7	0:0:0	1.823E-06	1.688E-01	257.4	-0.7	257.4	-0.7	257.4	-0.7	0	C1	7.315E-04
355.0 P7	0:0:40	1.893E-06	1.753E-01	258.2	14.4	258.2	14.4	258.2	14.4	0	C1	7.500E-04
435.0 R7	0:0:40	2.079E-06	1.925E-01	258.6	27.7	258.6	27.7	258.6	27.7	0	C1	0.000E+00
475.0 R8	0:0:40	2.230E-06	2.065E-01	261.1	46.0	261.1	46.0	261.1	46.0	0	C1	7.407E-04
475.0 S8	0:0:0	1.529E-06	1.416E-01	257.2	1.6	257.2	1.6	257.2	1.6	0	C1	7.315E-04
510.0 S9	0:0:0	1.172E-06	1.085E-01	257.3	-1.4	257.3	-1.4	257.3	-1.4	0	C1	7.222E-04
435.0 P9	0:0:40	1.546E-06	1.432E-01	260.0	40.2	260.0	40.2	260.0	40.2	0	C1	0.000E+00
510.0 R9	0:0:40	2.489E-06	2.304E-01	259.4	61.1	259.4	61.1	259.4	61.1	0	C1	0.000E+00
540.0 RA	0:0:40	3.325E-06	3.079E-01	256.7	78.5	256.7	78.5	256.7	78.5	0	C1	7.222E-04
540.0 SA	0:0:0	6.293E-07	5.827E-02	257.2	3.0	257.2	3.0	257.2	3.0	0	C1	0.000E+00
555.0 SB	0:0:0	3.504E-07	3.244E-02	257.7	0.1	257.7	0.1	257.7	0.1	0	C1	7.130E-04
510.0 PB	0:0:40	2.037E-06	1.886E-01	264.6	80.2	264.6	80.2	264.6	80.2	0	C1	7.130E-04
555.0 RB	0:0:40	3.868E-06	3.581E-01	275.6	83.8	275.6	83.8	275.6	83.8	0	C1	7.037E-04
570.0 RC	0:0:40	4.340E-06	4.018E-01	300.7	87.4	300.7	87.4	300.7	87.4	0	C1	7.130E-04
570.0 SC	0:0:0	1.150E-07	1.065E-02	260.3	13.4	260.3	13.4	260.3	13.4	0	C1	7.037E-04
585.0 SD	0:0:0	5.229E-08	4.842E-03	261.7	0.1	261.7	0.1	261.7	0.1	1	C1	6.852E-04
540.0 PD	0:0:40	3.109E-06	2.879E-01	277.8	88.4	277.8	88.4	277.8	88.4	0	C1	0.000E+00
585.0 RD	0:0:40	4.488E-06	4.156E-01	322.1	87.8	322.1	87.8	322.1	87.8	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 15A1N1  
 Sample : 15A1N140  
 Specimen : 15A1N1401B  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	1.564E-06	1.448E-01	246.4	-24.7	246.4	-24.7	246.4	-24.7	0	C1	0.000E+00
150.0 S1	0:0:0	1.537E-06	1.423E-01	249.0	-24.0	249.0	-24.0	249.0	-24.0	0	C1	6.111E-04
150.0 R1	0:0:40	1.516E-06	1.404E-01	247.9	-22.1	247.9	-22.1	247.9	-22.1	0	C1	0.000E+00
215.0 R2	0:0:40	1.442E-06	1.335E-01	248.6	-19.6	248.6	-19.6	248.6	-19.6	0	C1	0.000E+00
215.0 S2	0:0:0	1.480E-06	1.370E-01	248.9	-23.4	248.9	-23.4	248.9	-23.4	0	C1	6.296E-04
265.0 S3	0:0:0	1.436E-06	1.330E-01	249.2	-24.3	249.2	-24.3	249.2	-24.3	0	C1	6.296E-04
265.0 R3	0:0:40	1.359E-06	1.259E-01	249.1	-15.8	249.1	-15.8	249.1	-15.8	0	C1	6.389E-04
315.0 R4	0:0:40	1.250E-06	1.157E-01	248.1	-7.4	248.1	-7.4	248.1	-7.4	0	C1	6.111E-04
315.0 S4	0:0:0	1.332E-06	1.234E-01	249.2	-22.2	249.2	-22.2	249.2	-22.2	0	C1	6.111E-04
355.0 S5	0:0:0	1.270E-06	1.176E-01	250.6	-23.6	250.6	-23.6	250.6	-23.6	0	C1	6.389E-04
265.0 P5	0:0:40	1.204E-06	1.115E-01	248.9	-14.4	248.9	-14.4	248.9	-14.4	0	C1	0.000E+00
355.0 R5	0:0:40	1.165E-06	1.079E-01	248.7	-1.6	248.7	-1.6	248.7	-1.6	0	C1	0.000E+00
395.0 R6	0:0:40	1.106E-06	1.024E-01	250.8	12.1	250.8	12.1	250.8	12.1	0	C1	6.667E-04
395.0 S6	0:0:0	1.144E-06	1.059E-01	251.3	-20.1	251.3	-20.1	251.3	-20.1	0	C1	0.000E+00
435.0 S7	0:0:0	9.922E-07	9.187E-02	249.6	-22.8	249.6	-22.8	249.6	-22.8	0	C1	6.481E-04
355.0 P7	0:0:40	9.264E-07	8.578E-02	252.2	8.0	252.2	8.0	252.2	8.0	0	C1	6.759E-04
435.0 R7	0:0:40	1.139E-06	1.055E-01	249.8	35.7	249.8	35.7	249.8	35.7	0	C1	0.000E+00
475.0 R8	0:0:40	1.612E-06	1.492E-01	253.0	65.9	253.0	65.9	253.0	65.9	0	C1	6.574E-04
475.0 S8	0:0:0	6.262E-07	5.798E-02	249.8	-10.5	249.8	-10.5	249.8	-10.5	0	C1	6.574E-04
510.0 S9	0:0:0	4.281E-07	3.964E-02	248.5	-20.6	248.5	-20.6	248.5	-20.6	0	C1	6.574E-04
435.0 P9	0:0:40	9.650E-07	8.935E-02	255.4	65.1	255.4	65.1	255.4	65.1	0	C1	0.000E+00
510.0 R9	0:0:40	1.952E-06	1.808E-01	259.4	77.1	259.4	77.1	259.4	77.1	0	C1	0.000E+00
540.0 RA	0:0:40	2.470E-06	2.287E-01	261.4	83.8	261.4	83.8	261.4	83.8	0	C1	6.389E-04
540.0 SA	0:0:0	1.779E-07	1.647E-02	249.3	-11.0	249.3	-11.0	249.3	-11.0	0	C1	0.000E+00
555.0 SB	0:0:0	1.007E-07	9.320E-03	249.7	-16.1	249.7	-16.1	249.7	-16.1	0	C1	0.000E+00
510.0 PB	0:0:40	1.870E-06	1.732E-01	255.7	85.3	255.7	85.3	255.7	85.3	2	C1	6.389E-04
555.0 RB	0:0:40	2.659E-06	2.462E-01	290.4	86.5	290.4	86.5	290.4	86.5	0	C1	6.296E-04
570.0 RC	0:0:40	2.848E-06	2.637E-01	290.0	88.6	290.0	88.6	290.0	88.6	0	C1	6.574E-04
570.0 SC	0:0:0	3.264E-08	3.022E-03	255.2	9.2	255.2	9.2	255.2	9.2	0	C1	6.389E-04
585.0 SD	0:0:0	2.049E-08	1.897E-03	244.2	-20.4	244.2	-20.4	244.2	-20.4	0	C1	6.296E-04
540.0 PD	0:0:40	2.426E-06	2.246E-01	349.9	88.7	349.9	88.7	349.9	88.7	0	C1	0.000E+00
585.0 RD	0:0:40	2.921E-06	2.705E-01	309.8	87.8	309.8	87.8	309.8	87.8	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A1N1  
 Sample : 15A1N150  
 Specimen : 15A1N1501B  
 Volume : 10.800      masse : n.d  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	1.523E-06	1.410E-01	291.9	11.9	291.9	11.9	291.9	11.9	0	C1	0.000E+00
150.0 S1	0:0:0	1.512E-06	1.400E-01	292.8	12.3	292.8	12.3	292.8	12.3	0	C1	3.704E-04
150.0 R1	0:0:40	1.524E-06	1.411E-01	293.2	14.3	293.2	14.3	293.2	14.3	0	C1	0.000E+00
215.0 R2	0:0:40	1.516E-06	1.404E-01	293.2	15.0	293.2	15.0	293.2	15.0	0	C1	3.704E-04
215.0 S2	0:0:0	1.497E-06	1.386E-01	293.3	13.0	293.3	13.0	293.3	13.0	0	C1	0.000E+00
265.0 S3	0:0:0	1.465E-06	1.356E-01	295.9	12.6	295.9	12.6	295.9	12.6	0	C1	3.704E-04
265.0 R3	0:0:40	1.499E-06	1.388E-01	295.3	17.2	295.3	17.2	295.3	17.2	0	C1	3.704E-04
315.0 R4	0:0:40	1.481E-06	1.371E-01	293.2	21.1	293.2	21.1	293.2	21.1	0	C1	3.796E-04
315.0 S4	0:0:0	1.408E-06	1.304E-01	293.5	14.6	293.5	14.6	293.5	14.6	0	C1	3.704E-04
355.0 S5	0:0:0	1.346E-06	1.246E-01	294.0	12.7	294.0	12.7	294.0	12.7	0	C1	3.796E-04
265.0 P5	0:0:40	1.385E-06	1.283E-01	290.9	18.6	290.9	18.6	290.9	18.6	0	C1	0.000E+00
355.0 R5	0:0:40	1.520E-06	1.408E-01	291.9	31.5	291.9	31.5	291.9	31.5	0	C1	0.000E+00
395.0 R6	0:0:40	1.554E-06	1.439E-01	294.8	35.9	294.8	35.9	294.8	35.9	0	C1	3.796E-04
395.0 S6	0:0:0	1.285E-06	1.190E-01	294.8	14.4	294.8	14.4	294.8	14.4	0	C1	0.000E+00
435.0 S7	0:0:0	1.175E-06	1.088E-01	294.9	13.4	294.9	13.4	294.9	13.4	0	C1	3.889E-04
435.0 R7	0:0:40	1.590E-06	1.473E-01	294.1	43.2	294.1	43.2	294.1	43.2	0	C1	0.000E+00
475.0 R8	0:0:40	1.664E-06	1.541E-01	293.8	52.8	293.8	52.8	293.8	52.8	0	C1	3.889E-04
475.0 S8	0:0:0	1.010E-06	9.354E-02	293.9	14.0	293.9	14.0	293.9	14.0	0	C1	3.796E-04
510.0 S9	0:0:0	7.596E-07	7.033E-02	294.2	12.2	294.2	12.2	294.2	12.2	0	C1	3.981E-04
435.0 P9	0:0:40	1.208E-06	1.118E-01	297.0	52.0	297.0	52.0	297.0	52.0	0	C1	0.000E+00
510.0 R9	0:0:40	1.807E-06	1.673E-01	294.0	65.6	294.0	65.6	294.0	65.6	0	C1	0.000E+00
540.0 RA	0:0:40	2.341E-06	2.168E-01	301.3	79.5	301.3	79.5	301.3	79.5	0	C1	3.889E-04
540.0 SA	0:0:0	3.980E-07	3.685E-02	292.7	18.7	292.7	18.7	292.7	18.7	0	C1	0.000E+00
555.0 SB	0:0:0	1.646E-07	1.524E-02	296.0	16.3	296.0	16.3	296.0	16.3	0	C1	4.074E-04
510.0 PB	0:0:40	1.423E-06	1.317E-01	299.0	82.9	299.0	82.9	299.0	82.9	0	C1	3.889E-04
555.0 RB	0:0:40	2.702E-06	2.502E-01	298.0	85.5	298.0	85.5	298.0	85.5	0	C1	3.889E-04
570.0 RC	0:0:40	2.902E-06	2.687E-01	290.9	87.6	290.9	87.6	290.9	87.6	0	C1	3.796E-04
570.0 SC	0:0:0	4.777E-08	4.423E-03	291.2	31.4	291.2	31.4	291.2	31.4	0	C1	3.889E-04
585.0 SD	0:0:0	2.648E-08	2.451E-03	295.3	21.9	295.3	21.9	295.3	21.9	0	C1	3.796E-04
540.0 PD	0:0:40	2.119E-06	1.962E-01	306.1	88.6	306.1	88.6	306.1	88.6	0	C1	0.000E+00
585.0 RD	0:0:40	2.945E-06	2.727E-01	307.8	87.9	307.8	87.9	307.8	87.9	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15B\_01  
 Sample : 15B\_0105  
 Specimen : 15B\_0105B  
 Volume : 10.800 masse : n.d  
 Lat : -20.89954 Long : -69.32336 Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 19 2  
 azimuth mag : 64.0 IGRF Declination : -5.1  
 azimuth sun : 297.0 Local Declination : -6.8  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 147.2  
 core dip : 54.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana GPS pt 120"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	1.767E-05	1.636E+00	25.8	-24.4	126.8	-65.0	126.8	-65.0	0	C1	0.000E+00
150.0 S1	0:0:0	1.724E-05	1.596E+00	26.7	-25.4	129.6	-64.8	129.6	-64.8	0	C1	0.000E+00
150.0 R1	0:0:40	1.698E-05	1.572E+00	27.2	-23.2	126.2	-63.3	126.2	-63.3	0	C1	0.000E+00
215.0 R2	0:0:40	1.615E-05	1.495E+00	26.7	-21.2	121.9	-62.4	121.9	-62.4	0	C1	1.444E-03
215.0 S2	0:0:0	1.650E-05	1.528E+00	25.3	-24.2	125.7	-65.3	125.7	-65.3	0	C1	0.000E+00
265.0 S3	0:0:0	1.590E-05	1.472E+00	27.0	-24.3	128.0	-64.0	128.0	-64.0	0	C1	0.000E+00
265.0 R3	0:0:40	1.526E-05	1.413E+00	27.2	-19.5	119.8	-61.0	119.8	-61.0	0	C1	1.500E-03
315.0 R4	0:0:40	1.443E-05	1.336E+00	25.6	-17.3	114.4	-60.7	114.4	-60.7	0	C1	1.481E-03
315.0 S4	0:0:0	1.513E-05	1.401E+00	26.5	-23.2	125.3	-63.8	125.3	-63.8	0	C1	1.472E-03
355.0 S5	0:0:0	1.462E-05	1.354E+00	26.7	-24.4	127.8	-64.3	127.8	-64.3	0	C1	1.500E-03
265.0 P5	0:0:40	1.406E-05	1.302E+00	27.1	-18.9	118.7	-60.7	118.7	-60.7	0	C1	0.000E+00
355.0 R5	0:0:40	1.373E-05	1.271E+00	25.6	-14.6	110.8	-58.7	110.8	-58.7	0	C1	0.000E+00
395.0 R6	0:0:40	1.305E-05	1.208E+00	29.8	-10.8	111.6	-53.1	111.6	-53.1	0	C1	1.472E-03
395.0 S6	0:0:0	1.391E-05	1.288E+00	27.4	-23.8	127.5	-63.4	127.5	-63.4	0	C1	0.000E+00
435.0 S7	0:0:0	1.315E-05	1.218E+00	28.0	-23.3	127.2	-62.7	127.2	-62.7	0	C1	1.519E-03
355.0 P7	0:0:40	1.232E-05	1.141E+00	26.1	-12.5	108.8	-56.7	108.8	-56.7	0	C1	1.481E-03
435.0 R7	0:0:40	1.203E-05	1.114E+00	27.5	-5.0	102.9	-50.0	102.9	-50.0	0	C1	0.000E+00
475.0 R8	0:0:40	1.108E-05	1.026E+00	27.3	2.5	96.6	-43.8	96.6	-43.8	0	C1	1.435E-03
475.0 S8	0:0:0	1.172E-05	1.086E+00	27.5	-23.8	127.5	-63.3	127.5	-63.3	0	C1	1.454E-03
510.0 S9	0:0:0	1.016E-05	9.407E-01	26.6	-25.2	129.3	-64.8	129.3	-64.8	0	C1	1.398E-03
435.0 P9	0:0:40	9.238E-06	8.554E-01	27.5	2.0	97.3	-44.2	97.3	-44.2	0	C1	0.000E+00
510.0 R9	0:0:40	9.740E-06	9.019E-01	26.5	19.1	86.2	-29.5	86.2	-29.5	0	C1	0.000E+00
540.0 RA	0:0:40	9.978E-06	9.239E-01	24.9	50.0	72.9	-1.2	72.9	-1.2	0	C1	1.398E-03
540.0 SA	0:0:0	5.930E-06	5.490E-01	26.1	-23.4	125.2	-64.2	125.2	-64.2	0	C1	0.000E+00
555.0 SB	0:0:0	4.600E-06	4.259E-01	25.1	-24.4	126.0	-65.5	126.0	-65.5	0	C1	1.435E-03
510.0 PB	0:0:40	6.637E-06	6.145E-01	25.6	50.5	73.2	-0.5	73.2	-0.5	0	C1	0.000E+00
555.0 RB	0:0:40	1.143E-05	1.059E+00	23.1	67.4	66.2	14.9	66.2	14.9	0	C1	1.361E-03
570.0 RC	0:0:40	1.415E-05	1.310E+00	25.8	80.9	61.6	27.7	61.6	27.7	0	C1	1.306E-03
570.0 SC	0:0:0	1.838E-06	1.702E-01	28.1	-23.4	127.6	-62.7	127.6	-62.7	0	C1	0.000E+00
585.0 SD	0:0:0	8.976E-07	8.311E-02	25.2	-23.5	124.3	-65.0	124.3	-65.0	0	C1	1.343E-03
540.0 PD	0:0:40	1.076E-05	9.961E-01	8.0	85.2	58.0	31.2	58.0	31.2	0	C1	0.000E+00
585.0 RD	0:0:40	1.532E-05	1.419E+00	9.0	86.8	57.8	32.8	57.8	32.8	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15B\_02  
 Sample : 15B\_0201  
 Specimen : 15B\_0201B  
 Volume : 10.800 masse : n.d  
 Lat : -20.89954 Long : -69.32336 Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 19 7  
 azimuth mag : 25.0 IGRF Declination : -5.1  
 azimuth sun : 258.0 Local Declination : -7.8  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 107.2  
 core dip : 35.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana GPS pt 120"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	2.745E-05	2.542E+00	334.9	-10.7	343.4	-41.4	343.4	-41.4	0	C1	0.000E+00
150.0 S1	0:0:0	2.663E-05	2.465E+00	337.6	-11.8	346.4	-43.4	346.4	-43.4	0	C1	3.426E-03
150.0 R1	0:0:40	2.645E-05	2.450E+00	337.9	-8.6	348.0	-40.3	348.0	-40.3	0	C1	3.435E-03
215.0 R2	0:0:40	2.532E-05	2.344E+00	337.0	-7.4	347.3	-39.0	347.3	-39.0	0	C1	3.426E-03
215.0 S2	0:0:0	2.549E-05	2.360E+00	335.9	-10.8	344.6	-41.9	344.6	-41.9	0	C1	3.685E-03
265.0 S3	0:0:0	2.459E-05	2.277E+00	338.1	-10.7	347.4	-42.5	347.4	-42.5	0	C1	3.676E-03
265.0 R3	0:0:40	2.419E-05	2.240E+00	335.9	-5.1	346.8	-36.5	346.8	-36.5	0	C1	3.620E-03
315.0 R4	0:0:40	2.312E-05	2.141E+00	336.2	-3.2	347.9	-34.7	347.9	-34.7	0	C1	3.694E-03
315.0 S4	0:0:0	2.335E-05	2.162E+00	335.9	-9.9	345.0	-41.0	345.0	-41.0	0	C1	3.667E-03
355.0 S5	0:0:0	2.241E-05	2.075E+00	338.0	-9.6	347.7	-41.3	347.7	-41.3	0	C1	3.778E-03
265.0 P5	0:0:40	2.214E-05	2.050E+00	335.9	-4.3	347.1	-35.7	347.1	-35.7	0	C1	0.000E+00
355.0 R5	0:0:40	2.194E-05	2.032E+00	337.0	0.3	349.9	-31.6	349.9	-31.6	0	C1	0.000E+00
395.0 R6	0:0:40	2.124E-05	1.967E+00	335.9	3.7	349.7	-28.0	349.7	-28.0	0	C1	3.787E-03
395.0 S6	0:0:0	2.099E-05	1.943E+00	337.0	-10.2	346.3	-41.6	346.3	-41.6	0	C1	0.000E+00
435.0 S7	0:0:0	1.950E-05	1.806E+00	337.4	-10.3	346.6	-41.8	346.6	-41.8	0	C1	3.694E-03
355.0 P7	0:0:40	1.938E-05	1.794E+00	337.9	3.2	351.8	-29.0	351.8	-29.0	0	C1	3.833E-03
435.0 R7	0:0:40	1.945E-05	1.801E+00	336.0	10.5	351.7	-21.5	351.7	-21.5	0	C1	0.000E+00
475.0 R8	0:0:40	1.827E-05	1.692E+00	336.6	21.2	355.0	-11.2	355.0	-11.2	0	C1	3.639E-03
475.0 S8	0:0:0	1.645E-05	1.523E+00	336.7	-8.6	346.5	-40.1	346.5	-40.1	0	C1	3.657E-03
510.0 S9	0:0:0	1.340E-05	1.241E+00	336.7	-11.3	345.4	-42.6	345.4	-42.6	0	C1	3.565E-03
435.0 P9	0:0:40	1.430E-05	1.324E+00	336.1	20.1	354.3	-12.2	354.3	-12.2	0	C1	0.000E+00
510.0 R9	0:0:40	1.699E-05	1.574E+00	336.7	40.3	359.5	7.4	359.5	7.4	0	C1	0.000E+00
540.0 RA	0:0:40	1.892E-05	1.752E+00	335.2	63.0	4.5	29.6	4.5	29.6	0	C1	3.537E-03
540.0 SA	0:0:0	7.309E-06	6.768E-01	336.2	-7.7	346.3	-39.1	346.3	-39.1	0	C1	0.000E+00
555.0 SB	0:0:0	5.202E-06	4.816E-01	336.6	-10.1	345.8	-41.5	345.8	-41.5	0	C1	3.509E-03
510.0 PB	0:0:40	1.264E-05	1.170E+00	334.5	63.2	4.3	29.9	4.3	29.9	0	C1	3.481E-03
555.0 RB	0:0:40	2.103E-05	1.947E+00	336.1	74.7	9.1	40.6	9.1	40.6	0	C1	3.454E-03
570.0 RC	0:0:40	2.484E-05	2.300E+00	338.0	84.2	13.8	49.5	13.8	49.5	0	C1	3.463E-03
570.0 SC	0:0:0	1.615E-06	1.495E-01	336.9	-6.3	347.5	-37.8	347.5	-37.8	0	C1	3.407E-03
585.0 SD	0:0:0	7.050E-07	6.528E-02	335.0	-6.3	345.3	-37.3	345.3	-37.3	0	C1	3.398E-03
540.0 PD	0:0:40	1.886E-05	1.746E+00	335.8	85.8	14.5	51.1	14.5	51.1	0	C1	0.000E+00
585.0 RD	0:0:40	2.578E-05	2.387E+00	323.8	85.8	13.2	51.6	13.2	51.6	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15B\_07  
 Sample : 15B\_0702  
 Specimen : 15B\_0702A  
 Volume : 10.800 masse : n.d  
 Lat : -20.89903 Long : -69.32187 Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 20 18  
 azimuth mag : 0.0 IGRF Declination : -5.1  
 azimuth sun : 257.0 Local Declination : 4.7  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 94.7  
 core dip : 22.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	1.641E-05	1.519E+00	356.0	-8.5	0.1	-30.4	0.1	-30.4	0	C1	0.000E+00
150.0 S1	0:0:0	1.596E-05	1.477E+00	354.5	-7.9	358.4	-29.8	358.4	-29.8	0	C1	1.287E-03
150.0 R1	0:0:40	1.588E-05	1.471E+00	357.5	-5.2	1.9	-27.2	1.9	-27.2	0	C1	1.287E-03
215.0 R2	0:0:40	1.532E-05	1.418E+00	358.0	-4.0	2.5	-25.9	2.5	-25.9	0	C1	1.324E-03
215.0 S2	0:0:0	1.536E-05	1.422E+00	357.3	-5.9	1.7	-27.8	1.7	-27.8	0	C1	1.324E-03
265.0 S3	0:0:0	1.486E-05	1.376E+00	358.0	-5.5	2.4	-27.5	2.4	-27.5	0	C1	1.352E-03
265.0 R3	0:0:40	1.474E-05	1.365E+00	357.2	-1.4	1.7	-23.3	1.7	-23.3	0	C1	1.352E-03
315.0 R4	0:0:40	1.420E-05	1.315E+00	356.2	0.1	0.6	-21.8	0.6	-21.8	0	C1	1.352E-03
315.0 S4	0:0:0	1.425E-05	1.319E+00	356.5	-5.7	0.8	-27.7	0.8	-27.7	0	C1	1.361E-03
355.0 S5	0:0:0	1.374E-05	1.273E+00	357.6	-5.0	2.0	-27.0	2.0	-27.0	0	C1	1.352E-03
265.0 P5	0:0:40	1.369E-05	1.268E+00	358.0	-0.8	2.5	-22.8	2.5	-22.8	0	C1	0.000E+00
355.0 R5	0:0:40	1.362E-05	1.261E+00	356.1	3.7	0.6	-18.2	0.6	-18.2	0	C1	0.000E+00
395.0 R6	0:0:40	1.324E-05	1.226E+00	358.2	5.9	2.8	-16.1	2.8	-16.1	0	C1	1.352E-03
395.0 S6	0:0:0	1.308E-05	1.211E+00	357.7	-4.2	2.2	-26.2	2.2	-26.2	0	C1	0.000E+00
435.0 S7	0:0:0	1.228E-05	1.137E+00	357.5	-4.5	1.9	-26.5	1.9	-26.5	0	C1	1.352E-03
355.0 P7	0:0:40	1.232E-05	1.141E+00	358.0	5.3	2.6	-16.7	2.6	-16.7	0	C1	1.380E-03
435.0 R7	0:0:40	1.237E-05	1.145E+00	359.5	9.7	4.1	-12.3	4.1	-12.3	0	C1	0.000E+00
475.0 R8	0:0:40	1.159E-05	1.073E+00	359.9	18.4	4.6	-3.6	4.6	-3.6	0	C1	1.343E-03
475.0 S8	0:0:0	1.064E-05	9.850E-01	357.1	-3.8	1.4	-25.8	1.4	-25.8	0	C1	1.343E-03
510.0 S9	0:0:0	8.635E-06	7.995E-01	356.9	-5.3	1.3	-27.2	1.3	-27.2	0	C1	1.333E-03
435.0 P9	0:0:40	9.136E-06	8.459E-01	359.8	18.6	4.5	-3.4	4.5	-3.4	0	C1	0.000E+00
510.0 R9	0:0:40	1.053E-05	9.749E-01	359.0	35.4	3.9	13.4	3.9	13.4	0	C1	0.000E+00
540.0 RA	0:0:40	1.154E-05	1.069E+00	10.4	62.7	11.0	40.9	11.0	40.9	0	C1	1.343E-03
540.0 SA	0:0:0	4.312E-06	3.993E-01	356.2	-3.1	0.5	-25.1	0.5	-25.1	0	C1	0.000E+00
555.0 SB	0:0:0	2.737E-06	2.534E-01	358.0	-5.2	2.5	-27.2	2.5	-27.2	0	C1	1.333E-03
510.0 PB	0:0:40	6.988E-06	6.471E-01	1.5	66.9	5.5	44.9	5.5	44.9	0	C1	1.352E-03
555.0 RB	0:0:40	1.294E-05	1.198E+00	2.5	76.0	5.7	54.0	5.7	54.0	0	C1	1.343E-03
570.0 RC	0:0:40	1.473E-05	1.364E+00	8.7	84.0	6.6	62.1	6.6	62.1	0	C1	1.343E-03
570.0 SC	0:0:0	1.053E-06	9.748E-02	358.1	-1.1	2.7	-23.1	2.7	-23.1	0	C1	1.343E-03
585.0 SD	0:0:0	6.301E-07	5.834E-02	357.6	-3.1	2.0	-25.1	2.0	-25.1	0	C1	1.343E-03
540.0 PD	0:0:40	1.148E-05	1.063E+00	359.5	85.4	4.6	63.4	4.6	63.4	0	C1	0.000E+00
585.0 RD	0:0:40	1.545E-05	1.431E+00	336.5	86.9	1.8	65.2	1.8	65.2	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15B\_08  
 Sample : 15B\_0804  
 Specimen : 15B\_0804A  
 Volume : 10.800 masse : n.d  
 Lat : -20.89903 Long : -69.32187 Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 20 24  
 azimuth mag : 346.0 IGRF Declination : -5.1  
 azimuth sun : 233.0 Local Declination : -6.1  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 69.9  
 core dip : 19.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	2.494E-05	2.310E+00	21.9	-23.6	6.8	-41.0	6.8	-41.0	0	C1	0.000E+00
150.0 S1	0:0:0	2.457E-05	2.275E+00	23.2	-24.0	8.5	-41.1	8.5	-41.1	0	C1	1.509E-03
150.0 R1	0:0:40	2.441E-05	2.261E+00	24.2	-23.0	9.4	-40.1	9.4	-40.1	0	C1	0.000E+00
215.0 R2	0:0:40	2.354E-05	2.180E+00	24.0	-22.0	9.0	-39.0	9.0	-39.0	0	C1	1.528E-03
215.0 S2	0:0:0	2.380E-05	2.204E+00	23.7	-23.5	8.9	-40.6	8.9	-40.6	0	C1	1.556E-03
265.0 S3	0:0:0	2.313E-05	2.141E+00	23.4	-23.4	8.5	-40.5	8.5	-40.5	0	C1	1.574E-03
265.0 R3	0:0:40	2.258E-05	2.091E+00	22.3	-20.9	6.7	-38.3	6.7	-38.3	0	C1	1.556E-03
315.0 R4	0:0:40	2.155E-05	1.995E+00	20.5	-19.2	4.3	-36.7	4.3	-36.7	0	C1	1.593E-03
315.0 S4	0:0:0	2.224E-05	2.060E+00	26.3	-23.0	11.9	-39.7	11.9	-39.7	0	C1	0.000E+00
355.0 S5	0:0:0	2.154E-05	1.995E+00	24.3	-21.9	9.3	-38.9	9.3	-38.9	0	C1	1.611E-03
265.0 P5	0:0:40	2.114E-05	1.958E+00	22.4	-21.3	6.9	-38.6	6.9	-38.6	0	C1	0.000E+00
355.0 R5	0:0:40	2.055E-05	1.903E+00	24.3	-15.8	8.0	-32.9	8.0	-32.9	0	C1	0.000E+00
395.0 R6	0:0:40	1.944E-05	1.800E+00	23.2	-11.7	6.1	-29.0	6.1	-29.0	0	C1	1.648E-03
395.0 S6	0:0:0	2.048E-05	1.896E+00	23.6	-21.8	8.4	-39.0	8.4	-39.0	0	C1	0.000E+00
435.0 S7	0:0:0	1.836E-05	1.700E+00	23.8	-23.0	8.9	-40.1	8.9	-40.1	0	C1	1.731E-03
355.0 P7	0:0:40	1.755E-05	1.625E+00	24.3	-12.7	7.4	-29.9	7.4	-29.9	0	C1	1.685E-03
435.0 R7	0:0:40	1.714E-05	1.587E+00	23.2	-0.2	4.3	-17.6	4.3	-17.6	0	C1	0.000E+00
475.0 R8	0:0:40	1.481E-05	1.371E+00	24.2	23.4	2.1	5.9	2.1	5.9	0	C1	1.750E-03
475.0 S8	0:0:0	1.401E-05	1.297E+00	23.0	-19.7	7.3	-36.9	7.3	-36.9	0	C1	1.352E-03
510.0 S9	0:0:0	9.374E-06	8.679E-01	22.9	-22.7	7.8	-39.9	7.8	-39.9	0	C1	1.750E-03
435.0 P9	0:0:40	9.557E-06	8.849E-01	22.5	21.1	0.8	3.4	0.8	3.4	0	C1	0.000E+00
510.0 R9	0:0:40	1.557E-05	1.441E+00	20.4	55.5	354.3	37.3	354.3	37.3	0	C1	0.000E+00
540.0 RA	0:0:40	2.229E-05	2.064E+00	35.7	76.4	355.3	58.9	355.3	58.9	0	C1	0.000E+00
540.0 SA	0:0:0	3.132E-06	2.900E-01	23.0	-18.1	7.0	-35.3	7.0	-35.3	0	C1	0.000E+00
555.0 SB	0:0:0	1.577E-06	1.461E-01	22.2	-21.7	6.7	-39.1	6.7	-39.1	0	C1	1.370E-03
510.0 PB	0:0:40	1.406E-05	1.302E+00	37.0	79.9	353.0	62.3	353.0	62.3	0	C1	1.731E-03
555.0 RB	0:0:40	2.474E-05	2.290E+00	358.6	84.9	339.6	65.9	339.6	65.9	0	C1	1.713E-03
570.0 RC	0:0:40	2.647E-05	2.451E+00	47.6	84.6	350.2	67.0	350.2	67.0	0	C1	1.704E-03
570.0 SC	0:0:0	5.346E-07	4.950E-02	21.2	-14.1	4.2	-31.6	4.2	-31.6	0	C1	1.676E-03
585.0 SD	0:0:0	2.342E-07	2.168E-02	22.7	-17.6	6.6	-34.9	6.6	-34.9	0	C1	1.667E-03
540.0 PD	0:0:40	2.279E-05	2.110E+00	48.7	84.0	351.4	66.6	351.4	66.6	0	C1	0.000E+00
585.0 RD	0:0:40	2.708E-05	2.508E+00	336.7	87.7	337.4	68.9	337.4	68.9	0	C1	0.000E+00



----- Parameters sample & data -----


Site : 15B\_09  
 Sample : 15B\_0901  
 Specimen : 15B\_0901A  
 Volume : 10.800      masse : n.d  
 Lat : -20.89949      Long : -69.32024      Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 20 44  
 azimuth mag : 43.0    IGRF Declination : -5.1  
 azimuth sun : 293.0    Local Declination : -5.5  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 127.5  
 core dip : 14.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana GPS pt 168"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T


Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	1.144E-05	1.059E+00	308.4	-59.3	321.4	-65.7	321.4	-65.7	0	C1	0.000E+00
150.0 S1	0:0:0	1.116E-05	1.034E+00	307.1	-61.0	318.0	-66.8	318.0	-66.8	0	C1	1.398E-03
150.0 R1	0:0:40	1.087E-05	1.007E+00	309.4	-58.5	323.5	-65.2	323.5	-65.2	0	C1	1.389E-03
215.0 R2	0:0:40	1.024E-05	9.481E-01	307.9	-57.9	322.4	-64.3	322.4	-64.3	0	C1	1.389E-03
215.0 S2	0:0:0	1.062E-05	9.837E-01	308.0	-58.9	321.5	-65.2	321.5	-65.2	0	C1	1.389E-03
265.0 S3	0:0:0	1.035E-05	9.584E-01	308.3	-59.6	321.1	-65.9	321.1	-65.9	0	C1	1.380E-03
265.0 R3	0:0:40	9.697E-06	8.978E-01	308.1	-58.3	322.2	-64.7	322.2	-64.7	0	C1	1.370E-03
315.0 R4	0:0:40	8.961E-06	8.298E-01	305.8	-56.4	321.6	-62.5	321.6	-62.5	0	C1	1.333E-03
315.0 S4	0:0:0	9.592E-06	8.882E-01	308.6	-59.6	321.3	-66.0	321.3	-66.0	0	C1	1.361E-03
355.0 S5	0:0:0	9.284E-06	8.596E-01	309.6	-57.9	324.3	-64.7	324.3	-64.7	0	C1	1.324E-03
265.0 P5	0:0:40	8.755E-06	8.106E-01	306.4	-57.2	321.5	-63.3	321.5	-63.3	0	C1	0.000E+00
355.0 R5	0:0:40	7.775E-06	7.199E-01	307.0	-53.4	325.4	-60.0	325.4	-60.0	0	C1	0.000E+00
395.0 R6	0:0:40	7.102E-06	6.576E-01	307.3	-49.7	328.3	-56.6	328.3	-56.6	0	C1	1.315E-03
395.0 S6	0:0:0	8.378E-06	7.757E-01	306.1	-58.1	320.3	-64.1	320.3	-64.1	0	C1	0.000E+00
435.0 S7	0:0:0	8.177E-06	7.572E-01	308.9	-57.5	324.0	-64.2	324.0	-64.2	0	C1	1.315E-03
355.0 P7	0:0:40	7.175E-06	6.643E-01	307.2	-53.6	325.5	-60.2	325.5	-60.2	0	C1	1.287E-03
435.0 R7	0:0:40	6.336E-06	5.867E-01	306.9	-48.3	328.8	-55.2	328.8	-55.2	0	C1	0.000E+00
475.0 R8	0:0:40	4.990E-06	4.620E-01	307.0	-36.8	334.3	-44.2	334.3	-44.2	0	C1	0.000E+00
475.0 S8	0:0:0	6.775E-06	6.273E-01	305.3	-55.7	321.6	-61.7	321.6	-61.7	0	C1	1.287E-03
510.0 S9	0:0:0	5.614E-06	5.198E-01	305.0	-57.2	319.9	-63.0	319.9	-63.0	0	C1	1.213E-03
435.0 P9	0:0:40	4.254E-06	3.938E-01	307.9	-44.0	332.2	-51.3	332.2	-51.3	0	C1	0.000E+00
510.0 R9	0:0:40	3.059E-06	2.832E-01	306.8	-1.0	343.2	-9.3	343.2	-9.3	0	C1	0.000E+00
540.0 RA	0:0:40	4.851E-06	4.491E-01	309.6	65.1	3.4	54.6	3.4	54.6	0	C1	0.000E+00
540.0 SA	0:0:0	2.848E-06	2.637E-01	304.8	-53.4	323.0	-59.4	323.0	-59.4	0	C1	0.000E+00
555.0 SB	0:0:0	2.238E-06	2.072E-01	305.1	-55.5	321.6	-61.5	321.6	-61.5	0	C1	1.741E-03
510.0 PB	0:0:40	2.323E-06	2.151E-01	308.7	54.4	357.9	44.5	357.9	44.5	0	C1	9.167E-04
555.0 RB	0:0:40	6.051E-06	5.603E-01	306.1	75.8	9.6	64.9	9.6	64.9	0	C1	8.796E-04
570.0 RC	0:0:40	8.298E-06	7.683E-01	309.6	82.6	20.2	70.4	20.2	70.4	0	C1	8.333E-04
570.0 SC	0:0:0	1.089E-06	1.008E-01	305.9	-51.9	325.3	-58.3	325.3	-58.3	0	C1	0.000E+00
585.0 SD	0:0:0	6.119E-07	5.666E-02	306.3	-55.1	323.3	-61.4	323.3	-61.4	0	C1	7.315E-04
540.0 PD	0:0:40	5.817E-06	5.387E-01	316.2	84.7	25.8	71.8	25.8	71.8	0	C1	0.000E+00
585.0 RD	0:0:40	9.588E-06	8.878E-01	305.5	85.9	25.9	73.3	25.9	73.3	0	C1	0.000E+00

NRM

NRM = 1.06 A/m



15B\_0901A



15B\_0901A



TH SC

----- Parameters sample & data -----

Site : 15B\_10  
 Sample : 15B\_1001  
 Specimen : 15B\_1001A  
 Volume : 10.800 masse : n.d  
 Lat : -20.90039 Long : -69.32557 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 15 54  
 azimuth mag : 302.0 IGRF Declination : -5.1  
 azimuth sun : 93.0 Local Declination : -6.5  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 25.5  
 core dip : 39.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana GPS pt 237"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	4.180E-05	3.871E+00	358.5	-37.8	290.5	-76.7	290.5	-76.7	0	C1	0.000E+00
150.0 S1	0:0:0	4.143E-05	3.836E+00	357.4	-38.6	286.0	-77.5	286.0	-77.5	0	C1	2.204E-03
150.0 R1	0:0:40	4.109E-05	3.804E+00	359.0	-36.4	292.3	-75.4	292.3	-75.4	0	C1	2.204E-03
215.0 R2	0:0:40	3.985E-05	3.690E+00	0.0	-36.0	295.5	-75.0	295.5	-75.0	0	C1	0.000E+00
215.0 S2	0:0:0	4.047E-05	3.747E+00	359.3	-37.2	293.2	-76.2	293.2	-76.2	0	C1	2.250E-03
265.0 S3	0:0:0	3.958E-05	3.664E+00	358.4	-36.8	290.2	-75.8	290.2	-75.8	0	C1	2.259E-03
265.0 R3	0:0:40	3.844E-05	3.560E+00	359.8	-34.6	295.0	-73.6	295.0	-73.6	0	C1	2.296E-03
315.0 R4	0:0:40	3.704E-05	3.430E+00	359.0	-34.0	292.6	-73.0	292.6	-73.0	0	C1	2.296E-03
315.0 S4	0:0:0	3.838E-05	3.554E+00	0.6	-34.4	297.3	-73.4	297.3	-73.4	0	C1	2.306E-03
355.0 S5	0:0:0	3.769E-05	3.490E+00	2.4	-36.2	303.0	-75.1	303.0	-75.1	0	C1	0.000E+00
265.0 P5	0:0:40	3.661E-05	3.389E+00	356.6	-33.5	286.1	-72.3	286.1	-72.3	0	C1	0.000E+00
355.0 R5	0:0:40	3.566E-05	3.302E+00	357.4	-32.5	288.7	-71.4	288.7	-71.4	0	C1	0.000E+00
395.0 R6	0:0:40	3.440E-05	3.185E+00	3.0	-29.6	302.7	-68.5	302.7	-68.5	0	C1	2.380E-03
395.0 S6	0:0:0	3.647E-05	3.377E+00	2.7	-36.6	304.2	-75.5	304.2	-75.5	0	C1	0.000E+00
435.0 S7	0:0:0	3.547E-05	3.284E+00	2.1	-36.5	302.2	-75.5	302.2	-75.5	0	C1	2.435E-03
355.0 P7	0:0:40	3.356E-05	3.107E+00	358.8	-32.3	292.2	-71.3	292.2	-71.3	0	C1	2.361E-03
435.0 R7	0:0:40	3.222E-05	2.984E+00	359.3	-27.8	294.0	-66.8	294.0	-66.8	0	C1	0.000E+00
475.0 R8	0:0:40	2.943E-05	2.725E+00	2.2	-24.2	299.9	-63.1	299.9	-63.1	0	C1	2.398E-03
475.0 S8	0:0:0	3.288E-05	3.044E+00	358.3	-36.8	290.0	-75.7	290.0	-75.7	0	C1	2.444E-03
510.0 S9	0:0:0	3.028E-05	2.803E+00	358.9	-39.2	291.3	-78.1	291.3	-78.1	0	C1	2.370E-03
435.0 P9	0:0:40	2.732E-05	2.529E+00	2.2	-27.9	300.4	-66.8	300.4	-66.8	0	C1	0.000E+00
510.0 R9	0:0:40	2.431E-05	2.251E+00	0.6	-17.4	296.6	-56.4	296.6	-56.4	0	C1	0.000E+00
540.0 RA	0:0:40	2.041E-05	1.890E+00	359.3	3.5	294.7	-35.5	294.7	-35.5	0	C1	2.370E-03
540.0 SA	0:0:0	2.321E-05	2.149E+00	358.9	-38.0	291.7	-77.0	291.7	-77.0	0	C1	0.000E+00
555.0 SB	0:0:0	1.936E-05	1.793E+00	0.3	-39.6	296.6	-78.6	296.6	-78.6	0	C1	2.361E-03
510.0 PB	0:0:40	1.541E-05	1.427E+00	359.2	-4.0	294.4	-43.0	294.4	-43.0	0	C1	2.389E-03
555.0 RB	0:0:40	1.752E-05	1.622E+00	0.4	29.4	295.9	-9.6	295.9	-9.6	0	C1	2.352E-03
570.0 RC	0:0:40	2.177E-05	2.016E+00	356.0	59.6	293.3	20.6	293.3	20.6	0	C1	2.343E-03
570.0 SC	0:0:0	1.118E-05	1.035E+00	358.1	-38.0	288.8	-76.9	288.8	-76.9	0	C1	2.324E-03
585.0 SD	0:0:0	6.196E-06	5.737E-01	358.6	-37.6	290.6	-76.6	290.6	-76.6	0	C1	2.306E-03
540.0 PD	0:0:40	1.442E-05	1.335E+00	358.8	67.5	295.0	28.5	295.0	28.5	0	C1	0.000E+00
585.0 RD	0:0:40	2.850E-05	2.639E+00	2.0	80.5	295.9	41.6	295.9	41.6	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 15B\_11  
 Sample : 15B\_1102  
 Specimen : 15B\_1102A  
 Volume : 10.800 masse : n.d  
 Lat : -20.90039 Long : -69.32557 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 16 10  
 azimuth mag : 50.0 IGRF Declination : -5.1  
 azimuth sun : 212.0 Local Declination : -4.3  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 135.7  
 core dip : 7.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana GPS pt 237"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	9.012E-06	8.345E-01	219.8	-10.9	264.8	-5.5	264.8	-5.5	0	C1	0.000E+00
150.0 S1	0:0:0	8.747E-06	8.099E-01	219.4	-9.3	264.6	-3.9	264.6	-3.9	0	C1	1.120E-03
150.0 R1	0:0:40	8.679E-06	8.036E-01	219.2	-6.1	264.7	-0.7	264.7	-0.7	0	C1	1.111E-03
215.0 R2	0:0:40	8.231E-06	7.621E-01	219.6	-3.4	265.3	2.0	265.3	2.0	0	C1	1.139E-03
215.0 S2	0:0:0	8.275E-06	7.662E-01	220.0	-9.1	265.2	-3.7	265.2	-3.7	0	C1	1.139E-03
265.0 S3	0:0:0	7.846E-06	7.265E-01	221.0	-9.7	266.1	-4.4	266.1	-4.4	0	C1	1.148E-03
265.0 R3	0:0:40	7.676E-06	7.107E-01	221.3	-1.5	267.1	3.7	267.1	3.7	0	C1	1.157E-03
315.0 R4	0:0:40	7.323E-06	6.780E-01	219.8	6.0	266.2	11.4	266.2	11.4	0	C1	1.185E-03
315.0 S4	0:0:0	7.357E-06	6.812E-01	219.7	-8.0	265.0	-2.6	265.0	-2.6	0	C1	1.185E-03
355.0 S5	0:0:0	6.768E-06	6.267E-01	220.6	-9.7	265.7	-4.3	265.7	-4.3	0	C1	1.204E-03
265.0 P5	0:0:40	6.746E-06	6.247E-01	219.5	7.6	266.0	13.0	266.0	13.0	0	C1	0.000E+00
355.0 R5	0:0:40	7.612E-06	7.048E-01	222.4	29.5	271.1	34.6	271.1	34.6	0	C1	0.000E+00
395.0 R6	0:0:40	8.830E-06	8.176E-01	224.3	41.7	275.0	46.5	275.0	46.5	0	C1	1.213E-03
395.0 S6	0:0:0	6.314E-06	5.846E-01	221.1	0.5	267.0	5.8	267.0	5.8	0	C1	0.000E+00
435.0 S7	0:0:0	6.028E-06	5.582E-01	220.6	-5.3	266.1	0.1	266.1	0.1	0	C1	1.287E-03
355.0 P7	0:0:40	7.175E-06	6.644E-01	224.4	34.8	274.0	39.6	274.0	39.6	0	C1	1.287E-03
435.0 R7	0:0:40	9.382E-06	8.687E-01	221.4	51.0	273.8	56.0	273.8	56.0	0	C1	0.000E+00
475.0 R8	0:0:40	1.155E-05	1.070E+00	225.9	62.6	283.3	67.0	283.3	67.0	0	C1	1.315E-03
475.0 S8	0:0:0	6.125E-06	5.671E-01	219.1	29.3	267.6	34.7	267.6	34.7	0	C1	1.389E-03
510.0 S9	0:0:0	4.450E-06	4.120E-01	218.7	6.9	265.1	12.3	265.1	12.3	0	C1	1.389E-03
435.0 P9	0:0:40	7.108E-06	6.581E-01	223.5	52.5	276.6	57.3	276.6	57.3	0	C1	0.000E+00
510.0 R9	0:0:40	1.030E-05	9.537E-01	225.2	65.6	284.5	69.9	284.5	69.9	0	C1	0.000E+00
540.0 RA	0:0:40	1.114E-05	1.031E+00	227.6	76.1	302.3	79.5	302.3	79.5	0	C1	1.398E-03
540.0 SA	0:0:0	2.562E-06	2.373E-01	220.2	14.4	267.3	19.7	267.3	19.7	0	C1	0.000E+00
555.0 SB	0:0:0	1.566E-06	1.450E-01	220.0	5.1	266.3	10.4	266.3	10.4	0	C1	1.343E-03
510.0 PB	0:0:40	5.029E-06	4.656E-01	224.0	71.2	288.5	75.4	288.5	75.4	0	C1	1.278E-03
555.0 RB	0:0:40	1.040E-05	9.634E-01	231.7	81.5	329.8	83.1	329.8	83.1	0	C1	1.241E-03
570.0 RC	0:0:40	1.216E-05	1.125E+00	251.9	86.3	14.7	83.2	14.7	83.2	0	C1	1.222E-03
570.0 SC	0:0:0	5.498E-07	5.091E-02	223.1	5.9	269.5	11.0	269.5	11.0	0	C1	1.185E-03
585.0 SD	0:0:0	2.452E-07	2.270E-02	222.2	-5.9	267.6	-0.7	267.6	-0.7	0	C1	1.176E-03
540.0 PD	0:0:40	6.963E-06	6.447E-01	284.1	86.3	21.4	81.3	21.4	81.3	0	C1	0.000E+00
585.0 RD	0:0:40	1.253E-05	1.160E+00	321.8	87.8	36.9	81.2	36.9	81.2	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15B\_13  
 Sample : 15B\_1301  
 Specimen : 15B\_1301B  
 Volume : 10.800      masse : n.d  
 Lat : -20.89840      Long : -69.33993      Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 18 58  
 azimuth mag : 237.0    IGRF Declination : -5.1  
 azimuth sun : 113.0    Local Declination : -3.5  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 323.5  
 core dip : 47.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	6.105E-05	5.653E+00	67.1	-35.8	339.4	-39.0	339.4	-39.0	0	C1	0.000E+00
150.0 S1	0:0:0	5.923E-05	5.484E+00	68.9	-36.2	340.8	-38.0	340.8	-38.0	0	C1	3.741E-03
150.0 R1	0:0:40	5.803E-05	5.374E+00	68.2	-33.2	337.1	-36.9	337.1	-36.9	0	C1	3.778E-03
215.0 R2	0:0:40	5.416E-05	5.015E+00	69.7	-31.8	336.5	-35.1	336.5	-35.1	0	C1	3.963E-03
215.0 S2	0:0:0	5.635E-05	5.217E+00	68.2	-36.1	340.2	-38.4	340.2	-38.4	0	C1	0.000E+00
265.0 S3	0:0:0	5.395E-05	4.996E+00	70.0	-35.3	340.4	-36.7	340.4	-36.7	0	C1	3.991E-03
265.0 R3	0:0:40	5.003E-05	4.632E+00	69.2	-29.7	334.1	-34.3	334.1	-34.3	0	C1	4.167E-03
315.0 R4	0:0:40	4.588E-05	4.248E+00	68.5	-24.8	328.9	-31.9	328.9	-31.9	0	C1	4.324E-03
315.0 S4	0:0:0	5.061E-05	4.686E+00	68.6	-34.6	338.8	-37.4	338.8	-37.4	0	C1	4.231E-03
355.0 S5	0:0:0	4.830E-05	4.472E+00	69.0	-34.6	339.1	-37.1	339.1	-37.1	0	C1	4.259E-03
265.0 P5	0:0:40	4.466E-05	4.135E+00	66.8	-28.4	331.4	-35.3	331.4	-35.3	0	C1	0.000E+00
355.0 R5	0:0:40	4.205E-05	3.894E+00	69.1	-20.9	325.7	-29.2	325.7	-29.2	0	C1	0.000E+00
395.0 R6	0:0:40	3.841E-05	3.557E+00	68.8	-14.6	320.1	-25.3	320.1	-25.3	0	C1	4.324E-03
395.0 S6	0:0:0	4.463E-05	4.132E+00	68.4	-34.2	338.3	-37.3	338.3	-37.3	0	C1	0.000E+00
435.0 S7	0:0:0	4.118E-05	3.813E+00	69.3	-35.2	339.8	-37.2	339.8	-37.2	0	C1	4.657E-03
355.0 P7	0:0:40	3.557E-05	3.293E+00	68.6	-17.4	322.2	-27.3	322.2	-27.3	0	C1	4.444E-03
435.0 R7	0:0:40	3.390E-05	3.139E+00	69.4	-4.5	312.4	-18.0	312.4	-18.0	0	C1	0.000E+00
475.0 R8	0:0:40	2.975E-05	2.755E+00	67.6	17.2	295.7	-3.7	295.7	-3.7	0	C1	4.620E-03
475.0 S8	0:0:0	3.300E-05	3.055E+00	68.3	-32.4	336.3	-36.4	336.3	-36.4	0	C1	4.657E-03
510.0 S9	0:0:0	2.414E-05	2.235E+00	68.7	-34.3	338.6	-37.2	338.6	-37.2	0	C1	4.630E-03
435.0 P9	0:0:40	2.138E-05	1.980E+00	68.9	20.5	294.4	-0.4	294.4	-0.4	0	C1	0.000E+00
510.0 R9	0:0:40	3.202E-05	2.965E+00	68.1	51.6	271.7	21.4	271.7	21.4	0	C1	0.000E+00
540.0 RA	0:0:40	5.156E-05	4.774E+00	56.8	79.7	244.3	36.8	244.3	36.8	0	C1	4.583E-03
540.0 SA	0:0:0	8.540E-06	7.908E-01	67.4	-30.9	334.3	-36.3	334.3	-36.3	0	C1	0.000E+00
555.0 SB	0:0:0	4.282E-06	3.965E-01	68.0	-33.7	337.6	-37.3	337.6	-37.3	0	C1	4.481E-03
510.0 PB	0:0:40	3.404E-05	3.152E+00	52.2	83.1	240.5	38.5	240.5	38.5	0	C1	4.491E-03
555.0 RB	0:0:40	6.127E-05	5.673E+00	40.7	86.2	236.8	40.0	236.8	40.0	0	C1	4.500E-03
570.0 RC	0:0:40	6.593E-05	6.105E+00	8.4	86.8	234.1	39.8	234.1	39.8	0	C1	4.491E-03
570.0 SC	0:0:0	1.096E-06	1.015E-01	69.9	-26.5	331.5	-32.0	331.5	-32.0	0	C1	4.324E-03
585.0 SD	0:0:0	3.803E-07	3.521E-02	64.5	-25.1	326.6	-35.0	326.6	-35.0	0	C1	4.324E-03
540.0 PD	0:0:40	5.443E-05	5.040E+00	2.2	87.8	233.6	40.8	233.6	40.8	0	C1	0.000E+00
585.0 RD	0:0:40	6.556E-05	6.071E+00	36.5	88.5	234.7	41.8	234.7	41.8	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15B\_14  
 Sample : 15B\_1401  
 Specimen : 15B\_1401C  
 Volume : 10.800 masse : n.d  
 Lat : -20.89840 Long : -69.33993 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 18 59  
 azimuth mag : 306.0 IGRF Declination : -5.1  
 azimuth sun : 180.0 Local Declination : -5.7  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 30.3  
 core dip : 16.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	4.045E-05	3.745E+00	36.6	-13.7	340.5	-26.3	340.5	-26.3	0	C1	0.000E+00
150.0 S1	0:0:0	3.802E-05	3.521E+00	36.9	-13.9	340.9	-26.4	340.9	-26.4	0	C1	1.528E-03
150.0 R1	0:0:40	3.749E-05	3.471E+00	33.1	-9.3	336.0	-22.5	336.0	-22.5	0	C1	1.537E-03
215.0 R2	0:0:40	3.483E-05	3.225E+00	34.6	-3.8	336.6	-16.8	336.6	-16.8	0	C1	1.593E-03
215.0 S2	0:0:0	3.557E-05	3.294E+00	34.8	-12.7	338.4	-25.6	338.4	-25.6	0	C1	1.593E-03
265.0 S3	0:0:0	3.360E-05	3.111E+00	35.1	-12.2	338.6	-25.1	338.6	-25.1	0	C1	1.611E-03
265.0 R3	0:0:40	3.276E-05	3.033E+00	35.4	0.5	336.7	-12.5	336.7	-12.5	0	C1	1.639E-03
315.0 R4	0:0:40	3.109E-05	2.879E+00	34.5	6.3	334.9	-6.9	334.9	-6.9	0	C1	1.694E-03
315.0 S4	0:0:0	3.157E-05	2.923E+00	37.7	-11.3	341.2	-23.7	341.2	-23.7	0	C1	1.722E-03
355.0 S5	0:0:0	3.002E-05	2.780E+00	37.0	-10.8	340.4	-23.3	340.4	-23.3	0	C1	1.759E-03
265.0 P5	0:0:40	2.939E-05	2.722E+00	35.7	2.8	336.6	-10.2	336.6	-10.2	0	C1	0.000E+00
355.0 R5	0:0:40	2.982E-05	2.761E+00	34.5	11.3	334.1	-1.9	334.1	-1.9	0	C1	0.000E+00
395.0 R6	0:0:40	2.934E-05	2.716E+00	34.3	17.5	332.9	4.1	332.9	4.1	0	C1	1.778E-03
395.0 S6	0:0:0	2.808E-05	2.600E+00	34.3	-8.8	337.1	-21.8	337.1	-21.8	0	C1	0.000E+00
435.0 S7	0:0:0	2.639E-05	2.443E+00	36.2	-9.5	339.3	-22.2	339.3	-22.2	0	C1	1.815E-03
355.0 P7	0:0:40	2.691E-05	2.492E+00	35.7	13.9	334.8	0.8	334.8	0.8	0	C1	1.843E-03
435.0 R7	0:0:40	2.835E-05	2.625E+00	34.8	22.9	332.5	9.6	332.5	9.6	0	C1	0.000E+00
475.0 R8	0:0:40	2.843E-05	2.632E+00	33.2	32.3	329.5	18.5	329.5	18.5	0	C1	1.843E-03
475.0 S8	0:0:0	2.358E-05	2.183E+00	35.9	-6.4	338.4	-19.2	338.4	-19.2	0	C1	1.861E-03
510.0 S9	0:0:0	2.061E-05	1.908E+00	35.0	-10.5	338.3	-23.4	338.3	-23.4	0	C1	1.824E-03
435.0 P9	0:0:40	2.371E-05	2.196E+00	34.0	30.3	330.6	16.7	330.6	16.7	0	C1	0.000E+00
510.0 R9	0:0:40	2.777E-05	2.572E+00	34.3	44.2	328.3	30.5	328.3	30.5	0	C1	0.000E+00
540.0 RA	0:0:40	3.164E-05	2.929E+00	33.6	63.9	322.4	49.6	322.4	49.6	0	C1	1.759E-03
540.0 SA	0:0:0	1.268E-05	1.174E+00	33.9	-6.8	336.4	-19.9	336.4	-19.9	0	C1	0.000E+00
555.0 SB	0:0:0	8.709E-06	8.064E-01	34.8	-10.0	337.9	-23.0	337.9	-23.0	0	C1	1.741E-03
510.0 PB	0:0:40	2.079E-05	1.925E+00	32.9	65.6	321.3	51.2	321.3	51.2	0	C1	1.759E-03
555.0 RB	0:0:40	3.750E-05	3.473E+00	27.4	77.0	313.0	61.8	313.0	61.8	0	C1	1.731E-03
570.0 RC	0:0:40	4.353E-05	4.031E+00	22.9	84.2	306.4	68.6	306.4	68.6	0	C1	1.722E-03
570.0 SC	0:0:0	3.492E-06	3.234E-01	35.3	-7.2	337.9	-20.1	337.9	-20.1	0	C1	1.704E-03
585.0 SD	0:0:0	2.025E-06	1.875E-01	35.7	-8.1	338.5	-20.9	338.5	-20.9	0	C1	1.704E-03
540.0 PD	0:0:40	2.989E-05	2.767E+00	16.5	85.4	304.0	69.6	304.0	69.6	0	C1	0.000E+00
585.0 RD	0:0:40	4.595E-05	4.254E+00	0.2	86.9	300.3	70.9	300.3	70.9	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15B\_15  
 Sample : 15B\_1501  
 Specimen : 15B\_1501B  
 Volume : 10.800 masse : n.d  
 Lat : -20.89840 Long : -69.33993 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 19 4  
 azimuth mag : 57.0 IGRF Declination : -5.1  
 azimuth sun : 291.0 Local Declination : -6.7  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 140.3  
 core dip : 33.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	4.349E-05	4.027E+00	318.0	-16.5	354.9	-38.7	354.9	-38.7	0	C1	0.000E+00
150.0 S1	0:0:0	4.324E-05	4.003E+00	319.2	-16.3	356.3	-39.1	356.3	-39.1	0	C1	2.019E-03
150.0 R1	0:0:40	4.324E-05	4.003E+00	318.7	-15.7	356.1	-38.4	356.1	-38.4	0	C1	2.009E-03
215.0 R2	0:0:40	4.259E-05	3.943E+00	318.0	-16.3	355.0	-38.6	355.0	-38.6	0	C1	2.111E-03
215.0 S2	0:0:0	4.270E-05	3.953E+00	318.7	-15.1	356.5	-37.9	356.5	-37.9	0	C1	2.120E-03
265.0 S3	0:0:0	4.198E-05	3.887E+00	319.4	-15.5	357.0	-38.5	357.0	-38.5	0	C1	2.083E-03
265.0 R3	0:0:40	4.166E-05	3.857E+00	318.4	-13.8	357.0	-36.5	357.0	-36.5	0	C1	2.139E-03
315.0 R4	0:0:40	4.032E-05	3.734E+00	318.2	-13.3	357.0	-36.1	357.0	-36.1	0	C1	2.148E-03
315.0 S4	0:0:0	4.063E-05	3.762E+00	319.1	-14.8	357.1	-37.7	357.1	-37.7	0	C1	2.139E-03
355.0 S5	0:0:0	3.924E-05	3.634E+00	320.7	-15.0	358.8	-38.6	358.8	-38.6	0	C1	2.194E-03
265.0 P5	0:0:40	3.879E-05	3.591E+00	316.3	-11.7	355.9	-33.8	355.9	-33.8	0	C1	0.000E+00
355.0 R5	0:0:40	3.862E-05	3.576E+00	317.9	-11.7	357.6	-34.4	357.6	-34.4	0	C1	0.000E+00
395.0 R6	0:0:40	3.540E-05	3.277E+00	317.9	-6.0	0.5	-29.3	0.5	-29.3	0	C1	2.241E-03
395.0 S6	0:0:0	3.614E-05	3.346E+00	319.9	-14.0	358.5	-37.4	358.5	-37.4	0	C1	0.000E+00
435.0 S7	0:0:0	3.231E-05	2.991E+00	317.5	-16.4	354.4	-38.5	354.4	-38.5	0	C1	2.306E-03
355.0 P7	0:0:40	3.148E-05	2.915E+00	319.5	-9.4	0.4	-33.0	0.4	-33.0	0	C1	2.343E-03
435.0 R7	0:0:40	3.129E-05	2.897E+00	318.4	5.4	5.9	-19.1	5.9	-19.1	0	C1	0.000E+00
475.0 R8	0:0:40	2.818E-05	2.609E+00	321.3	18.3	13.4	-8.0	13.4	-8.0	0	C1	2.398E-03
475.0 S8	0:0:0	2.711E-05	2.510E+00	317.7	-14.5	355.8	-36.9	355.8	-36.9	0	C1	2.398E-03
510.0 S9	0:0:0	2.215E-05	2.051E+00	317.4	-16.3	354.4	-38.3	354.4	-38.3	0	C1	2.426E-03
435.0 P9	0:0:40	2.222E-05	2.058E+00	317.3	14.0	8.3	-10.7	8.3	-10.7	0	C1	0.000E+00
510.0 R9	0:0:40	2.944E-05	2.726E+00	322.8	32.8	19.6	5.1	19.6	5.1	0	C1	0.000E+00
540.0 RA	0:0:40	3.235E-05	2.995E+00	324.6	52.3	27.6	23.0	27.6	23.0	0	C1	2.370E-03
540.0 SA	0:0:0	1.382E-05	1.280E+00	319.5	-15.1	357.4	-38.2	357.4	-38.2	0	C1	0.000E+00
555.0 SB	0:0:0	1.018E-05	9.428E-01	316.5	-15.1	354.1	-36.9	354.1	-36.9	0	C1	2.333E-03
510.0 PB	0:0:40	2.213E-05	2.049E+00	320.4	62.2	29.5	33.1	29.5	33.1	0	C1	2.343E-03
555.0 RB	0:0:40	3.411E-05	3.158E+00	315.3	72.9	33.7	43.4	33.7	43.4	0	C1	2.306E-03
570.0 RC	0:0:40	3.855E-05	3.569E+00	318.1	80.4	40.4	49.4	40.4	49.4	0	C1	2.278E-03
570.0 SC	0:0:0	5.033E-06	4.660E-01	318.8	-13.5	357.5	-36.5	357.5	-36.5	0	C1	2.259E-03
585.0 SD	0:0:0	2.860E-06	2.648E-01	318.1	-15.8	355.4	-38.2	355.4	-38.2	0	C1	2.250E-03
540.0 PD	0:0:40	3.115E-05	2.884E+00	307.3	84.7	43.3	53.6	43.3	53.6	0	C1	0.000E+00
585.0 RD	0:0:40	4.212E-05	3.900E+00	328.8	76.2	40.3	44.7	40.3	44.7	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 15B\_16  
 Sample : 15B\_1601  
 Specimen : 15B\_1601A  
 Volume : 10.800 masse : n.d  
 Lat : -20.89840 Long : -69.33993 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 19 6  
 azimuth mag : 9.0 IGRF Declination : -5.1  
 azimuth sun : 244.0 Local Declination : -6.1  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 92.9  
 core dip : 21.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	1.806E-05	1.672E+00	351.0	-18.5	351.9	-39.1	351.9	-39.1	0	C1	0.000E+00
150.0 S1	0:0:0	1.767E-05	1.637E+00	353.0	-19.7	354.2	-40.5	354.2	-40.5	0	C1	1.509E-03
150.0 R1	0:0:40	1.755E-05	1.625E+00	352.0	-17.9	353.1	-38.7	353.1	-38.7	0	C1	1.593E-03
215.0 R2	0:0:40	1.699E-05	1.573E+00	350.6	-17.2	351.5	-37.8	351.5	-37.8	0	C1	0.000E+00
215.0 S2	0:0:0	1.712E-05	1.585E+00	352.8	-17.9	354.1	-38.7	354.1	-38.7	0	C1	1.593E-03
265.0 S3	0:0:0	1.662E-05	1.539E+00	354.7	-18.8	356.3	-39.7	356.3	-39.7	0	C1	1.648E-03
265.0 R3	0:0:40	1.621E-05	1.501E+00	351.5	-14.6	352.8	-35.3	352.8	-35.3	0	C1	1.676E-03
315.0 R4	0:0:40	1.543E-05	1.429E+00	351.2	-12.9	352.6	-33.6	352.6	-33.6	0	C1	1.694E-03
315.0 S4	0:0:0	1.572E-05	1.456E+00	352.1	-17.3	353.3	-38.1	353.3	-38.1	0	C1	1.667E-03
355.0 S5	0:0:0	1.517E-05	1.405E+00	351.3	-17.2	352.4	-37.9	352.4	-37.9	0	C1	1.694E-03
265.0 P5	0:0:40	1.483E-05	1.373E+00	351.2	-13.7	352.5	-34.4	352.5	-34.4	0	C1	0.000E+00
355.0 R5	0:0:40	1.447E-05	1.340E+00	350.7	-8.8	352.3	-29.5	352.3	-29.5	0	C1	0.000E+00
395.0 R6	0:0:40	1.371E-05	1.269E+00	351.5	-2.0	353.7	-22.7	353.7	-22.7	0	C1	1.759E-03
395.0 S6	0:0:0	1.402E-05	1.298E+00	353.0	-14.5	354.5	-35.3	354.5	-35.3	0	C1	0.000E+00
435.0 S7	0:0:0	1.323E-05	1.225E+00	352.8	-15.2	354.3	-36.0	354.3	-36.0	0	C1	1.796E-03
355.0 P7	0:0:40	1.283E-05	1.188E+00	350.0	-7.2	351.6	-27.9	351.6	-27.9	0	C1	1.750E-03
435.0 R7	0:0:40	1.269E-05	1.175E+00	350.7	1.3	353.1	-19.4	353.1	-19.4	0	C1	0.000E+00
475.0 R8	0:0:40	1.200E-05	1.111E+00	352.6	12.8	355.6	-8.1	355.6	-8.1	0	C1	1.787E-03
475.0 S8	0:0:0	1.148E-05	1.063E+00	351.6	-13.4	353.1	-34.2	353.1	-34.2	0	C1	1.833E-03
510.0 S9	0:0:0	9.545E-06	8.838E-01	351.6	-17.5	352.7	-38.2	352.7	-38.2	0	C1	1.704E-03
435.0 P9	0:0:40	9.198E-06	8.517E-01	351.5	5.8	354.1	-14.9	354.1	-14.9	0	C1	0.000E+00
510.0 R9	0:0:40	1.031E-05	9.542E-01	349.8	28.3	353.8	7.6	353.8	7.6	0	C1	0.000E+00
540.0 RA	0:0:40	1.160E-05	1.074E+00	347.9	58.9	355.0	38.2	355.0	38.2	0	C1	0.000E+00
540.0 SA	0:0:0	5.577E-06	5.164E-01	351.2	-15.3	352.3	-36.0	352.3	-36.0	0	C1	0.000E+00
555.0 SB	0:0:0	4.287E-06	3.969E-01	352.2	-19.0	353.2	-39.7	353.2	-39.7	0	C1	1.611E-03
510.0 PB	0:0:40	6.756E-06	6.256E-01	349.5	53.3	355.5	32.5	355.5	32.5	0	C1	1.611E-03
555.0 RB	0:0:40	1.292E-05	1.197E+00	346.9	71.8	356.5	51.1	356.5	51.1	0	C1	1.583E-03
570.0 RC	0:0:40	1.587E-05	1.469E+00	351.0	80.2	359.9	59.3	359.9	59.3	0	C1	1.565E-03
570.0 SC	0:0:0	1.934E-06	1.791E-01	352.4	-14.9	353.8	-35.7	353.8	-35.7	0	C1	1.537E-03
585.0 SD	0:0:0	7.806E-07	7.228E-02	353.4	-15.8	355.0	-36.6	355.0	-36.6	0	C1	1.528E-03
540.0 PD	0:0:40	1.106E-05	1.025E+00	330.4	83.3	355.6	63.0	355.6	63.0	0	C1	0.000E+00
585.0 RD	0:0:40	1.759E-05	1.628E+00	328.5	86.3	358.1	65.7	358.1	65.7	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15B\_17  
 Sample : 15B\_1701  
 Specimen : 15B\_1701C  
 Volume : 10.800 masse : n.d  
 Lat : -20.89840 Long : -69.33993 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 19 28  
 azimuth mag : 21.0 IGRF Declination : -5.1  
 azimuth sun : 260.0 Local Declination : -6.3  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 104.7  
 core dip : 35.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	2.521E-06	2.335E-01	338.1	15.7	352.7	-16.9	352.7	-16.9	0	C1	0.000E+00
150.0 S1	0:0:0	2.421E-06	2.242E-01	336.5	13.8	350.6	-18.4	350.6	-18.4	0	C1	6.111E-04
150.0 R1	0:0:40	2.463E-06	2.280E-01	336.1	18.0	351.2	-14.2	351.2	-14.2	0	C1	6.204E-04
215.0 R2	0:0:40	2.401E-06	2.223E-01	336.4	20.5	352.1	-11.9	352.1	-11.9	0	C1	0.000E+00
215.0 S2	0:0:0	2.327E-06	2.155E-01	335.0	15.7	349.6	-16.2	349.6	-16.2	0	C1	6.111E-04
265.0 S3	0:0:0	2.223E-06	2.058E-01	335.7	15.0	350.1	-17.0	350.1	-17.0	0	C1	6.019E-04
265.0 R3	0:0:40	2.303E-06	2.133E-01	335.6	22.7	351.9	-9.6	351.9	-9.6	0	C1	6.019E-04
315.0 R4	0:0:40	2.250E-06	2.083E-01	335.7	26.0	352.8	-6.3	352.8	-6.3	0	C1	6.019E-04
315.0 S4	0:0:0	2.085E-06	1.930E-01	335.3	17.9	350.5	-14.2	350.5	-14.2	0	C1	6.019E-04
355.0 S5	0:0:0	1.960E-06	1.815E-01	335.7	17.2	350.7	-14.9	350.7	-14.9	0	C1	6.204E-04
265.0 P5	0:0:40	2.064E-06	1.911E-01	335.6	24.4	352.4	-7.9	352.4	-7.9	0	C1	0.000E+00
355.0 R5	0:0:40	2.172E-06	2.011E-01	334.0	31.3	352.7	-0.8	352.7	-0.8	0	C1	0.000E+00
395.0 R6	0:0:40	2.199E-06	2.036E-01	336.4	36.9	356.0	4.1	356.0	4.1	0	C1	6.111E-04
395.0 S6	0:0:0	1.824E-06	1.689E-01	336.8	20.7	352.6	-11.7	352.6	-11.7	0	C1	0.000E+00
435.0 S7	0:0:0	1.613E-06	1.494E-01	336.1	18.7	351.5	-13.6	351.5	-13.6	0	C1	5.926E-04
355.0 P7	0:0:40	1.885E-06	1.745E-01	337.3	35.6	356.4	2.6	356.4	2.6	0	C1	5.833E-04
435.0 R7	0:0:40	2.140E-06	1.982E-01	334.1	45.1	356.3	12.5	356.3	12.5	0	C1	0.000E+00
475.0 R8	0:0:40	2.330E-06	2.157E-01	334.7	55.3	359.5	22.3	359.5	22.3	0	C1	0.000E+00
475.0 S8	0:0:0	1.356E-06	1.255E-01	334.6	26.1	351.9	-6.0	351.9	-6.0	0	C1	5.556E-04
510.0 S9	0:0:0	9.370E-07	8.676E-02	335.4	20.0	351.1	-12.1	351.1	-12.1	0	C1	5.000E-04
435.0 P9	0:0:40	1.615E-06	1.495E-01	334.5	56.1	359.6	23.0	359.6	23.0	0	C1	0.000E+00
510.0 R9	0:0:40	2.505E-06	2.319E-01	333.5	69.5	3.6	36.0	3.6	36.0	0	C1	0.000E+00
540.0 RA	0:0:40	3.385E-06	3.135E-01	332.8	82.4	9.5	48.1	9.5	48.1	0	C1	4.352E-04
540.0 SA	0:0:0	3.893E-07	3.605E-02	335.2	37.2	355.2	4.6	355.2	4.6	0	C1	0.000E+00
555.0 SB	0:0:0	2.087E-07	1.932E-02	334.7	24.0	351.5	-8.0	351.5	-8.0	0	C1	4.167E-04
510.0 PB	0:0:40	2.071E-06	1.918E-01	332.7	82.7	9.6	48.4	9.6	48.4	0	C1	4.074E-04
555.0 RB	0:0:40	3.922E-06	3.631E-01	324.5	86.0	10.9	51.7	10.9	51.7	0	C1	4.074E-04
570.0 RC	0:0:40	4.237E-06	3.923E-01	314.9	86.9	11.1	52.8	11.1	52.8	0	C1	3.889E-04
570.0 SC	0:0:0	1.182E-07	1.095E-02	333.7	37.3	354.0	5.0	354.0	5.0	0	C1	3.796E-04
585.0 SD	0:0:0	7.450E-08	6.898E-03	336.6	25.1	353.5	-7.4	353.5	-7.4	1	C1	3.796E-04
540.0 PD	0:0:40	3.537E-06	3.275E-01	323.7	87.1	11.9	52.6	11.9	52.6	0	C1	0.000E+00
585.0 RD	0:0:40	4.426E-06	4.098E-01	307.4	86.9	10.5	53.0	10.5	53.0	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15B\_18  
 Sample : 15B\_1801  
 Specimen : 15B\_1801A  
 Volume : 10.800 masse : n.d  
 Lat : -20.89840 Long : -69.33993 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 19 57  
 azimuth mag : 110.0 IGRF Declination : -5.1  
 azimuth sun : 356.0 Local Declination : -3.8  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 196.2  
 core dip : 48.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	1.596E-05	1.477E+00	278.9	-43.7	344.7	-33.0	344.7	-33.0	0	C1	0.000E+00
150.0 S1	0:0:0	1.577E-05	1.460E+00	275.1	-44.8	341.9	-31.2	341.9	-31.2	0	C1	1.741E-03
150.0 R1	0:0:40	1.561E-05	1.446E+00	278.0	-42.1	345.9	-31.7	345.9	-31.7	0	C1	0.000E+00
215.0 R2	0:0:40	1.518E-05	1.406E+00	278.8	-42.5	345.9	-32.4	345.9	-32.4	0	C1	1.815E-03
215.0 S2	0:0:0	1.542E-05	1.428E+00	279.6	-43.2	345.5	-33.2	345.5	-33.2	0	C1	1.796E-03
265.0 S3	0:0:0	1.507E-05	1.395E+00	280.0	-42.9	345.9	-33.4	345.9	-33.4	0	C1	1.806E-03
265.0 R3	0:0:40	1.451E-05	1.344E+00	280.7	-41.5	347.7	-33.2	347.7	-33.2	0	C1	1.861E-03
315.0 R4	0:0:40	1.381E-05	1.278E+00	280.0	-40.2	348.8	-32.0	348.8	-32.0	0	C1	1.815E-03
315.0 S4	0:0:0	1.440E-05	1.333E+00	280.4	-42.5	346.6	-33.4	346.6	-33.4	0	C1	0.000E+00
355.0 S5	0:0:0	1.402E-05	1.298E+00	281.0	-43.7	345.5	-34.4	345.5	-34.4	0	C1	1.806E-03
265.0 P5	0:0:40	1.350E-05	1.250E+00	277.9	-41.1	346.9	-31.1	346.9	-31.1	0	C1	0.000E+00
355.0 R5	0:0:40	1.300E-05	1.204E+00	277.7	-38.0	349.8	-29.4	349.8	-29.4	0	C1	0.000E+00
395.0 R6	0:0:40	1.218E-05	1.127E+00	278.7	-37.9	350.5	-30.0	350.5	-30.0	0	C1	1.852E-03
395.0 S6	0:0:0	1.313E-05	1.216E+00	278.6	-43.4	344.8	-32.7	344.8	-32.7	0	C1	0.000E+00
435.0 S7	0:0:0	1.243E-05	1.151E+00	278.1	-43.1	344.9	-32.2	344.9	-32.2	0	C1	1.843E-03
355.0 P7	0:0:40	1.151E-05	1.065E+00	278.2	-37.9	350.2	-29.6	350.2	-29.6	0	C1	1.806E-03
435.0 R7	0:0:40	1.072E-05	9.926E-01	277.9	-33.3	354.4	-26.9	354.4	-26.9	0	C1	0.000E+00
475.0 R8	0:0:40	9.075E-06	8.403E-01	279.8	-26.2	1.9	-24.1	1.9	-24.1	0	C1	1.787E-03
475.0 S8	0:0:0	1.084E-05	1.004E+00	277.8	-42.4	345.5	-31.7	345.5	-31.7	0	C1	1.843E-03
510.0 S9	0:0:0	9.144E-06	8.467E-01	276.4	-42.2	345.1	-30.7	345.1	-30.7	0	C1	1.852E-03
435.0 P9	0:0:40	7.560E-06	7.000E-01	279.0	-27.4	0.3	-24.3	0.3	-24.3	0	C1	0.000E+00
510.0 R9	0:0:40	6.480E-06	6.000E-01	278.2	0.1	21.8	-6.0	21.8	-6.0	0	C1	0.000E+00
540.0 RA	0:0:40	9.274E-06	8.587E-01	284.2	71.8	84.4	35.3	84.4	35.3	0	C1	1.759E-03
540.0 SA	0:0:0	3.387E-06	3.136E-01	274.4	-34.3	351.7	-25.1	351.7	-25.1	0	C1	0.000E+00
555.0 SB	0:0:0	2.314E-06	2.143E-01	273.3	-38.5	347.2	-26.7	347.2	-26.7	0	C1	1.750E-03
510.0 PB	0:0:40	5.053E-06	4.679E-01	283.8	70.0	82.4	34.6	82.4	34.6	0	C1	1.741E-03
555.0 RB	0:0:40	1.173E-05	1.086E+00	275.6	80.7	94.0	40.4	94.0	40.4	0	C1	1.713E-03
570.0 RC	0:0:40	1.328E-05	1.230E+00	312.5	86.7	103.0	39.7	103.0	39.7	0	C1	1.667E-03
570.0 SC	0:0:0	9.064E-07	8.392E-02	273.4	-29.5	355.3	-21.6	355.3	-21.6	0	C1	0.000E+00
585.0 SD	0:0:0	5.375E-07	4.977E-02	275.8	-32.4	354.2	-24.9	354.2	-24.9	0	C1	1.639E-03
540.0 PD	0:0:40	1.129E-05	1.046E+00	288.0	86.3	101.6	40.8	101.6	40.8	0	C1	0.000E+00
585.0 RD	0:0:40	1.365E-05	1.264E+00	285.6	87.1	102.5	41.2	102.5	41.2	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15B\_19  
 Sample : 15B\_1902  
 Specimen : 15B\_1902B  
 Volume : 10.800 masse : n.d  
 Lat : -20.89840 Long : -69.33993 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 20 23  
 azimuth mag : 93.0 IGRF Declination : -5.1  
 azimuth sun : 341.0 Local Declination : -5.4  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 177.6  
 core dip : 19.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	2.153E-06	1.994E-01	242.5	-60.1	309.1	-48.2	309.1	-48.2	0	C1	0.000E+00
150.0 S1	0:0:0	1.826E-06	1.691E-01	239.7	-60.5	306.9	-48.0	306.9	-48.0	0	C1	8.426E-04
150.0 R1	0:0:40	1.352E-06	1.252E-01	240.0	-49.5	313.0	-37.8	313.0	-37.8	0	C1	8.426E-04
215.0 R2	0:0:40	1.002E-06	9.276E-02	238.6	-39.8	315.7	-28.3	315.7	-28.3	0	C1	8.333E-04
215.0 S2	0:0:0	1.448E-06	1.341E-01	238.2	-59.1	306.8	-46.4	306.8	-46.4	0	C1	8.519E-04
265.0 S3	0:0:0	1.280E-06	1.185E-01	239.0	-61.0	306.2	-48.2	306.2	-48.2	0	C1	7.870E-04
265.0 R3	0:0:40	7.055E-07	6.533E-02	239.6	-31.1	319.5	-20.3	319.5	-20.3	0	C1	7.778E-04
315.0 R4	0:0:40	6.007E-07	5.562E-02	242.7	30.8	342.6	37.8	342.6	37.8	0	C1	6.852E-04
315.0 S4	0:0:0	8.149E-07	7.545E-02	240.1	-52.6	311.6	-40.8	311.6	-40.8	0	C1	7.500E-04
355.0 S5	0:0:0	7.846E-07	7.265E-02	240.5	-55.8	310.3	-43.8	310.3	-43.8	0	C1	7.407E-04
265.0 P5	0:0:40	9.649E-07	8.934E-02	239.3	64.4	10.6	67.6	10.6	67.6	0	C1	0.000E+00
355.0 R5	0:0:40	2.281E-06	2.112E-01	250.0	79.1	53.1	71.7	53.1	71.7	0	C1	0.000E+00
395.0 R6	0:0:40	4.318E-06	3.998E-01	260.2	84.9	71.8	71.2	71.8	71.2	0	C1	7.685E-04
395.0 S6	0:0:0	6.400E-07	5.926E-02	242.7	53.8	358.3	58.4	358.3	58.4	0	C1	0.000E+00
435.0 S7	0:0:0	3.546E-07	3.283E-02	240.4	19.8	335.7	28.1	335.7	28.1	0	C1	8.056E-04
355.0 P7	0:0:40	1.480E-06	1.370E-01	248.1	77.2	46.9	71.6	46.9	71.6	0	C1	8.241E-04
435.0 R7	0:0:40	4.007E-06	3.710E-01	249.8	85.3	73.0	72.1	73.0	72.1	0	C1	0.000E+00
475.0 R8	0:0:40	5.898E-06	5.461E-01	284.3	86.9	78.8	70.0	78.8	70.0	0	C1	8.611E-04
475.0 S8	0:0:0	1.920E-06	1.778E-01	251.4	81.6	61.0	71.9	61.0	71.9	0	C1	8.519E-04
510.0 S9	0:0:0	6.253E-07	5.790E-02	244.0	70.7	27.4	70.0	27.4	70.0	0	C1	8.241E-04
435.0 P9	0:0:40	2.405E-06	2.227E-01	261.9	85.0	72.3	71.1	72.3	71.1	0	C1	0.000E+00
510.0 R9	0:0:40	5.248E-06	4.859E-01	289.5	87.9	81.6	70.2	81.6	70.2	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 15C\_21  
 Sample : 15C\_2101  
 Specimen : 15C\_2101A  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 17 14  
 azimuth mag : 145.0 IGRF Declination : -5.1  
 azimuth sun : 345.0 Local Declination : -3.2  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 231.8  
 core dip : 16.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo GPS pt 315"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	1.780E-05	1.648E+00	224.5	-54.8	354.9	-42.3	354.9	-42.3	0	C1	0.000E+00
150.0 S1	0:0:0	1.713E-05	1.587E+00	223.6	-55.6	353.9	-42.8	353.9	-42.8	0	C1	1.639E-03
150.0 R1	0:0:40	1.636E-05	1.514E+00	224.1	-53.1	355.1	-40.5	355.1	-40.5	0	C1	1.704E-03
215.0 R2	0:0:40	1.389E-05	1.286E+00	225.5	-49.4	357.4	-37.1	357.4	-37.1	0	C1	1.731E-03
215.0 S2	0:0:0	1.560E-05	1.444E+00	224.1	-55.3	354.4	-42.7	354.4	-42.7	0	C1	1.713E-03
265.0 S3	0:0:0	1.528E-05	1.415E+00	227.0	-56.4	356.2	-44.1	356.2	-44.1	0	C1	1.787E-03
265.0 R3	0:0:40	1.264E-05	1.171E+00	226.1	-47.4	358.5	-35.3	358.5	-35.3	0	C1	0.000E+00
315.0 R4	0:0:40	8.477E-06	7.849E-01	226.0	-26.1	3.7	-14.5	3.7	-14.5	0	C1	1.843E-03
315.0 S4	0:0:0	1.343E-05	1.243E+00	225.8	-56.3	355.3	-43.9	355.3	-43.9	0	C1	1.843E-03
355.0 S5	0:0:0	1.143E-05	1.058E+00	227.5	-56.2	356.6	-44.1	356.6	-44.1	0	C1	1.907E-03
265.0 P5	0:0:40	8.898E-06	8.239E-01	225.0	-44.8	358.3	-32.6	358.3	-32.6	0	C1	0.000E+00
355.0 R5	0:0:40	6.844E-06	6.337E-01	228.6	24.9	17.7	34.7	17.7	34.7	0	C1	0.000E+00
395.0 R6	0:0:40	1.094E-05	1.013E+00	230.8	63.4	47.6	69.6	47.6	69.6	0	C1	2.056E-03
395.0 S6	0:0:0	8.628E-06	7.989E-01	225.5	-55.5	355.3	-43.1	355.3	-43.1	0	C1	0.000E+00
435.0 S7	0:0:0	5.439E-06	5.037E-01	226.4	-55.7	355.9	-43.4	355.9	-43.4	0	C1	2.111E-03
355.0 P7	0:0:40	8.038E-06	7.443E-01	234.9	69.6	64.8	73.0	64.8	73.0	0	C1	2.120E-03
435.0 R7	0:0:40	1.682E-05	1.557E+00	241.5	81.2	108.2	75.9	108.2	75.9	0	C1	0.000E+00
475.0 R8	0:0:40	1.970E-05	1.824E+00	243.8	85.2	124.5	75.5	124.5	75.5	0	C1	2.296E-03
475.0 S8	0:0:0	3.222E-06	2.984E-01	225.2	-56.2	354.9	-43.7	354.9	-43.7	0	C1	2.333E-03
510.0 S9	0:0:0	2.065E-06	1.912E-01	224.7	-57.2	354.1	-44.6	354.1	-44.6	0	C1	2.454E-03
435.0 P9	0:0:40	1.787E-05	1.654E+00	267.5	85.4	125.5	73.6	125.5	73.6	0	C1	0.000E+00
510.0 R9	0:0:40	2.161E-05	2.001E+00	234.0	87.6	134.3	75.3	134.3	75.3	0	C1	0.000E+00
540.0 RA	0:0:40	2.314E-05	2.143E+00	275.4	87.5	132.8	73.6	132.8	73.6	0	C1	2.528E-03
540.0 SA	0:0:0	1.083E-06	1.003E-01	223.1	-56.5	353.2	-43.7	353.2	-43.7	0	C1	0.000E+00
555.0 SB	0:0:0	9.816E-07	9.089E-02	223.2	-56.1	353.4	-43.3	353.4	-43.3	0	C1	2.546E-03
510.0 PB	0:0:40	2.249E-05	2.082E+00	301.8	87.7	135.2	72.7	135.2	72.7	0	C1	2.500E-03
555.0 RB	0:0:40	2.372E-05	2.196E+00	297.6	87.9	135.3	72.9	135.3	72.9	0	C1	2.556E-03
570.0 RC	0:0:40	2.405E-05	2.227E+00	289.5	87.7	134.5	73.1	134.5	73.1	0	C1	2.509E-03
570.0 SC	0:0:0	8.087E-07	7.488E-02	225.4	-56.5	354.9	-44.0	354.9	-44.0	0	C1	2.583E-03
585.0 SD	0:0:0	7.742E-07	7.169E-02	223.1	-56.0	353.4	-43.2	353.4	-43.2	0	C1	2.583E-03
540.0 PD	0:0:40	2.402E-05	2.224E+00	340.9	88.8	140.5	72.9	140.5	72.9	0	C1	0.000E+00
585.0 RD	0:0:40	2.440E-05	2.260E+00	305.3	88.0	136.4	72.8	136.4	72.8	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15C\_21  
 Sample : 15C\_2102  
 Specimen : 15C\_2102C  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 17 17  
 azimuth mag : 177.0 IGRF Declination : -5.1  
 azimuth sun : 19.0 Local Declination : -2.7  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 264.3  
 core dip : 25.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo GPS pt 315"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	1.244E-05	1.152E+00	191.2	-39.5	3.2	-14.8	3.2	-14.8	0	C1	0.000E+00
150.0 S1	0:0:0	1.228E-05	1.137E+00	189.6	-38.6	2.0	-13.9	2.0	-13.9	0	C1	1.241E-03
150.0 R1	0:0:40	1.212E-05	1.123E+00	189.0	-38.4	1.5	-13.7	1.5	-13.7	0	C1	1.278E-03
215.0 R2	0:0:40	1.161E-05	1.075E+00	191.6	-35.9	3.8	-11.4	3.8	-11.4	0	C1	1.333E-03
215.0 S2	0:0:0	1.196E-05	1.107E+00	190.3	-39.4	2.5	-14.7	2.5	-14.7	1	C1	1.333E-03
265.0 S3	0:0:0	1.183E-05	1.096E+00	193.0	-39.5	4.7	-15.0	4.7	-15.0	0	C1	1.380E-03
265.0 R3	0:0:40	1.120E-05	1.037E+00	192.1	-35.6	4.3	-11.1	4.3	-11.1	0	C1	1.398E-03
315.0 R4	0:0:40	1.045E-05	9.671E-01	191.5	-31.3	4.2	-6.8	4.2	-6.8	0	C1	1.435E-03
315.0 S4	0:0:0	1.135E-05	1.051E+00	192.2	-39.7	4.0	-15.1	4.0	-15.1	0	C1	1.444E-03
355.0 S5	0:0:0	1.075E-05	9.952E-01	191.8	-39.5	3.7	-14.9	3.7	-14.9	0	C1	1.472E-03
265.0 P5	0:0:40	1.013E-05	9.375E-01	190.9	-35.0	3.4	-10.3	3.4	-10.3	0	C1	0.000E+00
355.0 R5	0:0:40	9.148E-06	8.470E-01	192.0	-26.8	5.0	-2.2	5.0	-2.2	0	C1	0.000E+00
395.0 R6	0:0:40	7.367E-06	6.821E-01	192.9	-10.8	7.4	13.6	7.4	13.6	0	C1	1.583E-03
395.0 S6	0:0:0	9.236E-06	8.552E-01	192.3	-37.9	4.3	-13.3	4.3	-13.3	0	C1	0.000E+00
435.0 S7	0:0:0	6.669E-06	6.175E-01	192.5	-37.9	4.4	-13.3	4.4	-13.3	0	C1	1.639E-03
355.0 P7	0:0:40	5.279E-06	4.888E-01	192.4	-14.3	6.5	10.2	6.5	10.2	0	C1	1.630E-03
435.0 R7	0:0:40	5.905E-06	5.467E-01	194.1	33.8	16.5	57.7	16.5	57.7	0	C1	0.000E+00
475.0 R8	0:0:40	7.518E-06	6.961E-01	196.9	67.1	108.6	82.9	108.6	82.9	0	C1	1.657E-03
475.0 S8	0:0:0	3.926E-06	3.636E-01	193.1	-36.9	5.0	-12.5	5.0	-12.5	0	C1	1.667E-03
510.0 S9	0:0:0	2.181E-06	2.019E-01	192.7	-38.2	4.5	-13.7	4.5	-13.7	0	C1	1.722E-03
435.0 P9	0:0:40	5.928E-06	5.489E-01	205.5	75.6	147.0	76.6	147.0	76.6	0	C1	0.000E+00
510.0 R9	0:0:40	9.977E-06	9.238E-01	203.1	82.3	164.6	71.8	164.6	71.8	0	C1	0.000E+00
540.0 RA	0:0:40	1.193E-05	1.104E+00	209.7	86.8	170.2	67.7	170.2	67.7	0	C1	1.722E-03
540.0 SA	0:0:0	7.636E-07	7.070E-02	193.8	-35.7	5.7	-11.3	5.7	-11.3	0	C1	0.000E+00
555.0 SB	0:0:0	5.247E-07	4.859E-02	192.0	-36.8	4.1	-12.2	4.1	-12.2	0	C1	1.722E-03
510.0 PB	0:0:40	1.041E-05	9.641E-01	257.2	88.8	171.5	65.2	171.5	65.2	0	C1	1.731E-03
555.0 RB	0:0:40	1.236E-05	1.145E+00	332.2	88.7	172.9	63.9	172.9	63.9	0	C1	1.722E-03
570.0 RC	0:0:40	1.281E-05	1.186E+00	310.0	86.6	168.7	62.7	168.7	62.7	0	C1	1.731E-03
570.0 SC	0:0:0	2.150E-07	1.990E-02	193.2	-35.1	5.3	-10.6	5.3	-10.6	0	C1	1.704E-03
585.0 SD	0:0:0	1.176E-07	1.089E-02	189.9	-34.3	2.6	-9.6	2.6	-9.6	0	C1	1.713E-03
540.0 PD	0:0:40	1.212E-05	1.123E+00	332.5	87.2	171.5	62.5	171.5	62.5	0	C1	0.000E+00
585.0 RD	0:0:40	1.292E-05	1.197E+00	352.4	87.4	173.6	62.4	173.6	62.4	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15C\_21  
 Sample : 15C\_2103  
 Specimen : 15C\_2103A  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 17 20  
 azimuth mag : 60.0 IGRF Declination : -5.1  
 azimuth sun : 261.0 Local Declination : -5.3  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 144.7  
 core dip : 33.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo GPS pt 315"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	4.551E-06	4.214E-01	321.9	-13.9	5.1	-38.2	5.1	-38.2	0	C1	0.000E+00
150.0 S1	0:0:0	4.478E-06	4.147E-01	320.6	-14.9	3.2	-38.5	3.2	-38.5	0	C1	4.537E-04
150.0 R1	0:0:40	4.462E-06	4.132E-01	318.9	-12.4	2.6	-35.5	2.6	-35.5	0	C1	4.444E-04
215.0 R2	0:0:40	4.283E-06	3.966E-01	320.7	-10.0	5.8	-34.1	5.8	-34.1	0	C1	4.537E-04
215.0 S2	0:0:0	4.323E-06	4.003E-01	320.1	-12.7	3.7	-36.3	3.7	-36.3	0	C1	4.537E-04
265.0 S3	0:0:0	4.215E-06	3.903E-01	322.7	-13.5	6.3	-38.1	6.3	-38.1	0	C1	4.630E-04
265.0 R3	0:0:40	4.117E-06	3.812E-01	322.5	-7.1	9.2	-32.2	9.2	-32.2	0	C1	4.630E-04
315.0 R4	0:0:40	3.932E-06	3.641E-01	320.9	-3.2	9.2	-28.0	9.2	-28.0	0	C1	4.537E-04
315.0 S4	0:0:0	4.001E-06	3.704E-01	322.7	-12.3	6.8	-37.0	6.8	-37.0	0	C1	4.537E-04
355.0 S5	0:0:0	3.738E-06	3.461E-01	322.4	-11.9	6.7	-36.5	6.7	-36.5	0	C1	4.722E-04
265.0 P5	0:0:40	3.640E-06	3.370E-01	322.4	-5.9	9.6	-31.0	9.6	-31.0	0	C1	0.000E+00
355.0 R5	0:0:40	3.648E-06	3.378E-01	320.5	3.9	11.8	-21.3	11.8	-21.3	0	C1	0.000E+00
395.0 R6	0:0:40	3.386E-06	3.135E-01	319.8	15.4	15.4	-10.3	15.4	-10.3	0	C1	4.722E-04
395.0 S6	0:0:0	3.285E-06	3.041E-01	320.5	-12.4	4.3	-36.1	4.3	-36.1	0	C1	0.000E+00
435.0 S7	0:0:0	2.472E-06	2.289E-01	321.1	-14.7	3.7	-38.5	3.7	-38.5	0	C1	4.907E-04
355.0 P7	0:0:40	2.472E-06	2.289E-01	320.7	13.1	15.5	-12.7	15.5	-12.7	0	C1	4.815E-04
435.0 R7	0:0:40	3.143E-06	2.910E-01	320.6	39.2	24.5	11.7	24.5	11.7	0	C1	0.000E+00
475.0 R8	0:0:40	3.401E-06	3.149E-01	321.7	60.0	33.6	30.9	33.6	30.9	0	C1	4.907E-04
475.0 S8	0:0:0	1.630E-06	1.509E-01	321.0	-13.3	4.4	-37.2	4.4	-37.2	0	C1	5.000E-04
510.0 S9	0:0:0	1.030E-06	9.538E-02	318.5	-13.7	1.4	-36.5	1.4	-36.5	0	C1	5.000E-04
435.0 P9	0:0:40	2.518E-06	2.332E-01	321.4	65.3	35.9	35.7	35.9	35.7	0	C1	0.000E+00
510.0 R9	0:0:40	3.923E-06	3.632E-01	322.0	73.6	40.9	43.1	40.9	43.1	0	C1	0.000E+00
540.0 RA	0:0:40	4.580E-06	4.241E-01	323.8	83.6	48.6	51.6	48.6	51.6	0	C1	5.093E-04
540.0 SA	0:0:0	3.947E-07	3.655E-02	319.3	-13.2	2.6	-36.4	2.6	-36.4	0	C1	0.000E+00
555.0 SB	0:0:0	2.415E-07	2.236E-02	320.0	-14.7	2.5	-38.1	2.5	-38.1	0	C1	5.185E-04
510.0 PB	0:0:40	3.837E-06	3.553E-01	321.4	84.3	48.9	52.4	48.9	52.4	0	C1	5.000E-04
555.0 RB	0:0:40	4.786E-06	4.431E-01	315.3	85.6	49.5	53.8	49.5	53.8	0	C1	5.185E-04
570.0 RC	0:0:40	4.952E-06	4.585E-01	306.8	87.4	51.0	55.4	51.0	55.4	0	C1	5.093E-04
570.0 SC	0:0:0	1.138E-07	1.054E-02	315.6	-11.1	359.8	-32.9	359.8	-32.9	0	C1	5.093E-04
585.0 SD	0:0:0	7.786E-07	7.209E-02	21.2	-10.2	82.6	-40.4	82.6	-40.4	0	C1	1.472E-03
585.0 SD	0:0:0	8.486E-08	7.857E-03	317.2	-12.0	1.1	-34.4	1.1	-34.4	1	C1	5.185E-04
540.0 PD	0:0:40	4.598E-06	4.258E-01	339.9	87.0	52.9	54.2	52.9	54.2	0	C1	0.000E+00
585.0 RD	0:0:40	5.002E-06	4.631E-01	298.8	87.8	51.2	55.9	51.2	55.9	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15C\_21  
 Sample : 15C\_2104  
 Specimen : 15C\_2104A  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 17 22  
 azimuth mag : 343.0 IGRF Declination : -5.1  
 azimuth sun : 185.0 Local Declination : -5.2  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 67.8  
 core dip : 21.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo GPS pt 315"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	1.356E-05	1.256E+00	21.2	-11.1	2.1	-30.5	2.1	-30.5	0	C1	0.000E+00
150.0 S1	0:0:0	1.337E-05	1.238E+00	20.7	-11.1	1.6	-30.6	1.6	-30.6	0	C1	1.259E-03
150.0 R1	0:0:40	1.332E-05	1.233E+00	20.0	-8.9	0.4	-28.5	0.4	-28.5	0	C1	1.269E-03
215.0 R2	0:0:40	1.288E-05	1.192E+00	20.2	-7.8	0.5	-27.4	0.5	-27.4	0	C1	1.324E-03
215.0 S2	0:0:0	1.293E-05	1.197E+00	19.7	-10.2	0.3	-29.8	0.3	-29.8	0	C1	0.000E+00
265.0 S3	0:0:0	1.274E-05	1.180E+00	23.1	-10.9	4.2	-30.1	4.2	-30.1	0	C1	0.000E+00
265.0 R3	0:0:40	1.254E-05	1.161E+00	19.8	-5.7	359.7	-25.4	359.7	-25.4	0	C1	1.333E-03
315.0 R4	0:0:40	1.233E-05	1.142E+00	18.5	-5.2	358.2	-25.0	358.2	-25.0	0	C1	1.380E-03
315.0 S4	0:0:0	1.243E-05	1.151E+00	20.3	-9.6	0.9	-29.1	0.9	-29.1	0	C1	1.435E-03
355.0 S5	0:0:0	1.221E-05	1.130E+00	21.0	-9.6	1.6	-29.0	1.6	-29.0	0	C1	1.454E-03
265.0 P5	0:0:40	1.205E-05	1.115E+00	19.9	-6.0	359.9	-25.7	359.9	-25.7	0	C1	0.000E+00
355.0 R5	0:0:40	1.196E-05	1.108E+00	19.6	-3.4	359.2	-23.1	359.2	-23.1	0	C1	0.000E+00
395.0 R6	0:0:40	1.151E-05	1.066E+00	21.0	0.9	0.1	-18.6	0.1	-18.6	0	C1	1.481E-03
395.0 S6	0:0:0	1.156E-05	1.070E+00	21.1	-9.8	1.8	-29.2	1.8	-29.2	0	C1	0.000E+00
435.0 S7	0:0:0	1.031E-05	9.549E-01	20.0	-10.7	0.7	-30.3	0.7	-30.3	0	C1	1.639E-03
355.0 P7	0:0:40	1.014E-05	9.385E-01	21.7	-2.7	1.2	-22.1	1.2	-22.1	0	C1	1.583E-03
435.0 R7	0:0:40	1.026E-05	9.498E-01	19.2	9.4	357.1	-10.4	357.1	-10.4	0	C1	0.000E+00
475.0 R8	0:0:40	9.198E-06	8.517E-01	19.4	21.7	355.7	1.8	355.7	1.8	0	C1	1.519E-03
475.0 S8	0:0:0	8.226E-06	7.617E-01	18.9	-10.2	359.3	-29.9	359.3	-29.9	0	C1	0.000E+00
510.0 S9	0:0:0	6.281E-06	5.816E-01	19.3	-10.9	360.0	-30.6	360.0	-30.6	0	C1	1.528E-03
435.0 P9	0:0:40	6.690E-06	6.195E-01	19.8	20.7	356.2	0.9	356.2	0.9	0	C1	0.000E+00
510.0 R9	0:0:40	8.403E-06	7.781E-01	19.5	43.1	353.1	23.1	353.1	23.1	0	C1	0.000E+00
540.0 RA	0:0:40	9.247E-06	8.562E-01	12.8	64.7	345.4	44.0	345.4	44.0	0	C1	1.509E-03
540.0 SA	0:0:0	3.356E-06	3.107E-01	19.5	-7.9	359.7	-27.5	359.7	-27.5	0	C1	0.000E+00
555.0 SB	0:0:0	2.535E-06	2.348E-01	20.4	-10.4	1.1	-29.9	1.1	-29.9	0	C1	1.509E-03
510.0 PB	0:0:40	6.464E-06	5.985E-01	16.5	65.6	347.4	45.1	347.4	45.1	0	C1	1.500E-03
555.0 RB	0:0:40	9.375E-06	8.680E-01	16.2	73.9	345.2	53.3	345.2	53.3	0	C1	1.491E-03
570.0 RC	0:0:40	1.016E-05	9.404E-01	18.3	81.7	343.2	61.0	343.2	61.0	0	C1	1.491E-03
570.0 SC	0:0:0	1.138E-07	1.054E-02	315.5	-11.4	288.1	-25.8	288.1	-25.8	0	C1	1.481E-03
540.0 PD	0:0:40	8.268E-06	7.655E-01	10.8	82.4	340.8	61.5	340.8	61.5	0	C1	0.000E+00
585.0 RD	0:0:40	1.035E-05	9.584E-01	0.5	83.8	337.9	62.8	337.9	62.8	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 15C\_22  
 Sample : 15C\_2201  
 Specimen : 15C\_2201A  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 17 43  
 azimuth mag : 218.0 IGRF Declination : -5.1  
 azimuth sun : 72.0 Local Declination : -2.7  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 305.3  
 core dip : 72.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo GPS pt 315"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	7.430E-06	6.880E-01	56.5	-63.9	10.1	-30.6	10.1	-30.6	0	C1	0.000E+00
150.0 S1	0:0:0	7.292E-06	6.752E-01	57.0	-62.9	8.9	-30.7	8.9	-30.7	0	C1	9.444E-04
150.0 R1	0:0:40	7.016E-06	6.496E-01	56.0	-61.3	7.4	-31.8	7.4	-31.8	0	C1	9.444E-04
215.0 R2	0:0:40	6.708E-06	6.211E-01	54.6	-60.2	6.5	-32.8	6.5	-32.8	0	C1	9.722E-04
215.0 S2	0:0:0	7.098E-06	6.572E-01	56.1	-62.3	8.5	-31.3	8.5	-31.3	0	C1	1.000E-03
265.0 S3	0:0:0	6.969E-06	6.453E-01	56.7	-62.9	9.0	-30.9	9.0	-30.9	0	C1	1.037E-03
265.0 R3	0:0:40	6.349E-06	5.878E-01	54.7	-60.1	6.4	-32.8	6.4	-32.8	0	C1	1.028E-03
315.0 R4	0:0:40	5.940E-06	5.500E-01	57.3	-58.7	4.3	-32.1	4.3	-32.1	0	C1	1.056E-03
315.0 S4	0:0:0	6.627E-06	6.136E-01	54.7	-62.0	8.4	-32.1	8.4	-32.1	0	C1	1.037E-03
355.0 S5	0:0:0	6.449E-06	5.971E-01	54.7	-63.0	9.5	-31.7	9.5	-31.7	0	C1	1.056E-03
265.0 P5	0:0:40	5.862E-06	5.427E-01	55.1	-59.2	5.3	-33.0	5.3	-33.0	0	C1	0.000E+00
355.0 R5	0:0:40	5.428E-06	5.025E-01	54.3	-56.7	2.7	-34.3	2.7	-34.3	0	C1	0.000E+00
395.0 R6	0:0:40	4.917E-06	4.553E-01	55.8	-54.7	360.0	-34.1	360.0	-34.1	0	C1	1.093E-03
395.0 S6	0:0:0	5.871E-06	5.436E-01	57.8	-61.4	7.2	-30.9	7.2	-30.9	0	C1	0.000E+00
435.0 S7	0:0:0	5.553E-06	5.142E-01	57.7	-62.1	7.9	-30.7	7.9	-30.7	0	C1	1.120E-03
355.0 P7	0:0:40	4.685E-06	4.338E-01	55.3	-56.1	1.7	-34.0	1.7	-34.0	0	C1	1.130E-03
435.0 R7	0:0:40	4.145E-06	3.838E-01	54.2	-50.9	356.0	-36.2	356.0	-36.2	0	C1	0.000E+00
475.0 R8	0:0:40	3.335E-06	3.088E-01	55.9	-44.8	348.3	-36.6	348.3	-36.6	0	C1	0.000E+00
475.0 S8	0:0:0	4.684E-06	4.337E-01	55.1	-62.0	8.3	-31.9	8.3	-31.9	0	C1	0.000E+00
510.0 S9	0:0:0	4.235E-06	3.921E-01	55.4	-61.7	8.0	-31.9	8.0	-31.9	0	C1	1.111E-03
435.0 P9	0:0:40	2.960E-06	2.741E-01	55.5	-48.0	352.2	-36.1	352.2	-36.1	0	C1	0.000E+00
510.0 R9	0:0:40	2.204E-06	2.041E-01	55.5	-29.6	329.2	-38.4	329.2	-38.4	0	C1	0.000E+00
540.0 RA	0:0:40	1.516E-06	1.403E-01	54.2	12.8	279.3	-28.3	279.3	-28.3	0	C1	1.157E-03
540.0 SA	0:0:0	2.970E-06	2.750E-01	55.3	-61.2	7.5	-32.1	7.5	-32.1	0	C1	0.000E+00
555.0 SB	0:0:0	2.623E-06	2.428E-01	54.8	-61.9	8.3	-32.0	8.3	-32.0	0	C1	1.167E-03
510.0 PB	0:0:40	1.212E-06	1.122E-01	52.8	0.0	292.0	-35.1	292.0	-35.1	0	C1	1.185E-03
555.0 RB	0:0:40	1.834E-06	1.698E-01	52.4	51.3	245.2	-7.0	245.2	-7.0	0	C1	1.194E-03
570.0 RC	0:0:40	3.063E-06	2.836E-01	44.9	73.8	226.7	6.2	226.7	6.2	0	C1	1.213E-03
570.0 SC	0:0:0	1.652E-06	1.529E-01	58.0	-61.3	7.0	-30.9	7.0	-30.9	0	C1	1.148E-03
585.0 SD	0:0:0	1.150E-06	1.065E-01	55.7	-61.9	8.1	-31.7	8.1	-31.7	0	C1	1.222E-03
540.0 PD	0:0:40	2.193E-06	2.031E-01	48.0	76.0	225.8	8.4	225.8	8.4	0	C1	0.000E+00
585.0 RD	0:0:40	4.317E-06	3.997E-01	43.7	83.2	220.1	13.0	220.1	13.0	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15C\_23  
 Sample : 15C\_2301  
 Specimen : 15C\_2301A  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 17 45  
 azimuth mag : 172.0 IGRF Declination : -5.1  
 azimuth sun : 27.0 Local Declination : -2.5  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 259.5  
 core dip : 72.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo GPS pt 315"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	8.024E-06	7.430E-01	333.1	-63.3	5.1	-41.1	5.1	-41.1	0	C1	0.000E+00
150.0 S1	0:0:0	7.884E-06	7.300E-01	335.7	-63.7	3.5	-41.4	3.5	-41.4	0	C1	7.593E-04
150.0 R1	0:0:40	7.655E-06	7.088E-01	337.5	-61.8	3.9	-43.4	3.9	-43.4	0	C1	7.315E-04
215.0 R2	0:0:40	7.295E-06	6.755E-01	334.9	-60.9	6.0	-43.5	6.0	-43.5	0	C1	7.407E-04
215.0 S2	0:0:0	7.670E-06	7.102E-01	335.7	-62.7	4.3	-42.2	4.3	-42.2	0	C1	0.000E+00
265.0 S3	0:0:0	7.513E-06	6.956E-01	337.0	-62.8	3.6	-42.5	3.6	-42.5	0	C1	7.500E-04
265.0 R3	0:0:40	6.937E-06	6.423E-01	335.8	-60.7	5.7	-44.0	5.7	-44.0	0	C1	7.407E-04
315.0 R4	0:0:40	6.465E-06	5.986E-01	335.3	-59.4	6.9	-44.9	6.9	-44.9	0	C1	7.222E-04
315.0 S4	0:0:0	7.153E-06	6.623E-01	335.6	-61.6	5.1	-43.2	5.1	-43.2	0	C1	7.407E-04
355.0 S5	0:0:0	6.986E-06	6.468E-01	336.5	-61.5	4.7	-43.4	4.7	-43.4	0	C1	7.407E-04
265.0 P5	0:0:40	6.453E-06	5.975E-01	334.4	-59.4	7.5	-44.6	7.5	-44.6	0	C1	0.000E+00
355.0 R5	0:0:40	5.999E-06	5.555E-01	335.0	-55.8	10.2	-47.7	10.2	-47.7	0	C1	0.000E+00
395.0 R6	0:0:40	5.436E-06	5.034E-01	334.8	-54.1	11.8	-49.0	11.8	-49.0	0	C1	7.500E-04
395.0 S6	0:0:0	6.452E-06	5.974E-01	335.0	-61.1	5.9	-43.4	5.9	-43.4	0	C1	0.000E+00
435.0 S7	0:0:0	6.217E-06	5.757E-01	338.1	-60.9	4.2	-44.4	4.2	-44.4	0	C1	7.685E-04
355.0 P7	0:0:40	5.393E-06	4.994E-01	332.9	-55.9	11.4	-46.9	11.4	-46.9	0	C1	7.593E-04
435.0 R7	0:0:40	4.784E-06	4.430E-01	336.5	-50.1	14.6	-52.8	14.6	-52.8	0	C1	0.000E+00
475.0 R8	0:0:40	3.652E-06	3.381E-01	336.1	-39.3	28.8	-60.3	28.8	-60.3	0	C1	7.037E-04
475.0 S8	0:0:0	5.143E-06	4.762E-01	336.2	-59.2	6.6	-45.3	6.6	-45.3	0	C1	0.000E+00
510.0 S9	0:0:0	4.418E-06	4.091E-01	333.2	-61.0	6.9	-43.0	6.9	-43.0	0	C1	6.852E-04
435.0 P9	0:0:40	3.227E-06	2.988E-01	337.2	-46.6	17.8	-55.8	17.8	-55.8	0	C1	0.000E+00
510.0 R9	0:0:40	2.284E-06	2.115E-01	335.4	-15.5	81.9	-66.3	81.9	-66.3	0	C1	0.000E+00
540.0 RA	0:0:40	2.164E-06	2.004E-01	333.3	38.8	146.2	-27.9	146.2	-27.9	0	C1	6.481E-04
540.0 SA	0:0:0	2.647E-06	2.451E-01	333.8	-59.8	7.6	-44.2	7.6	-44.2	0	C1	0.000E+00
555.0 SB	0:0:0	2.138E-06	1.979E-01	332.4	-60.9	7.4	-42.8	7.4	-42.8	0	C1	6.389E-04
510.0 PB	0:0:40	1.282E-06	1.187E-01	332.2	27.5	138.2	-37.1	138.2	-37.1	0	C1	6.574E-04
555.0 RB	0:0:40	2.940E-06	2.722E-01	330.7	66.0	158.0	-3.1	158.0	-3.1	0	C1	6.296E-04
570.0 RC	0:0:40	5.512E-06	5.104E-01	346.7	82.9	167.8	11.1	167.8	11.1	0	C1	6.296E-04
570.0 SC	0:0:0	8.674E-07	8.031E-02	334.0	-60.2	7.1	-43.9	7.1	-43.9	0	C1	6.204E-04
585.0 SD	0:0:0	5.106E-07	4.727E-02	334.2	-61.6	5.9	-42.8	5.9	-42.8	0	C1	6.296E-04
540.0 PD	0:0:40	2.915E-06	2.699E-01	328.6	80.6	164.5	9.9	164.5	9.9	0	C1	0.000E+00
585.0 RD	0:0:40	6.524E-06	6.041E-01	329.2	85.3	167.0	13.9	167.0	13.9	0	C1	0.000E+00



----- Parameters sample & data -----


Site : 15CN24  
 Sample : 15CN2402  
 Specimen : 15CN2402A  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.1  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 85.0  
 core dip : 0.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo GPS pt 315"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T


Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	2.158E-06	1.998E-01	199.1	-30.6	194.1	-30.6	194.1	-30.6	0	C1	0.000E+00
150.0 S1	0:0:0	2.124E-06	1.966E-01	199.4	-32.0	194.4	-32.0	194.4	-32.0	0	C1	4.815E-04
150.0 R1	0:0:40	2.083E-06	1.928E-01	202.0	-30.6	197.0	-30.6	197.0	-30.6	0	C1	4.722E-04
215.0 R2	0:0:40	1.959E-06	1.814E-01	201.5	-27.9	196.5	-27.9	196.5	-27.9	0	C1	4.815E-04
215.0 S2	0:0:0	1.995E-06	1.847E-01	202.8	-31.5	197.8	-31.5	197.8	-31.5	0	C1	4.815E-04
265.0 S3	0:0:0	1.909E-06	1.768E-01	204.1	-32.9	199.1	-32.9	199.1	-32.9	0	C1	5.648E-04
265.0 R3	0:0:40	1.768E-06	1.637E-01	204.5	-24.4	199.5	-24.4	199.5	-24.4	0	C1	5.556E-04
315.0 R4	0:0:40	1.446E-06	1.339E-01	202.4	-11.2	197.4	-11.2	197.4	-11.2	0	C1	5.741E-04
315.0 S4	0:0:0	1.535E-06	1.421E-01	202.5	-24.6	197.5	-24.6	197.5	-24.6	0	C1	5.741E-04
355.0 S5	0:0:0	8.889E-07	8.231E-02	202.5	-23.7	197.5	-23.7	197.5	-23.7	0	C1	5.833E-04
265.0 P5	0:0:40	8.238E-07	7.628E-02	200.3	-9.4	195.3	-9.4	195.3	-9.4	0	C1	0.000E+00
355.0 R5	0:0:40	1.113E-06	1.030E-01	198.7	47.1	193.7	47.1	193.7	47.1	0	C1	0.000E+00
395.0 R6	0:0:40	1.319E-06	1.222E-01	198.7	57.9	193.7	57.9	193.7	57.9	0	C1	5.648E-04
395.0 S6	0:0:0	6.986E-07	6.469E-02	198.8	-10.1	193.8	-10.1	193.8	-10.1	0	C1	0.000E+00
435.0 S7	0:0:0	6.887E-07	6.377E-02	200.7	-18.8	195.7	-18.8	195.7	-18.8	0	C1	5.556E-04
355.0 P7	0:0:40	1.412E-06	1.308E-01	198.8	63.2	193.8	63.2	193.8	63.2	0	C1	5.648E-04
435.0 R7	0:0:40	1.726E-06	1.598E-01	201.7	69.4	196.7	69.4	196.7	69.4	0	C1	0.000E+00
475.0 R8	0:0:40	1.992E-06	1.844E-01	201.1	73.3	196.1	73.3	196.1	73.3	0	C1	5.370E-04
475.0 S8	0:0:0	5.449E-07	5.046E-02	199.4	-3.4	194.4	-3.4	194.4	-3.4	0	C1	0.000E+00
510.0 S9	0:0:0	4.995E-07	4.625E-02	201.5	-18.5	196.5	-18.5	196.5	-18.5	0	C1	5.185E-04
435.0 P9	0:0:40	1.708E-06	1.582E-01	194.5	74.1	189.5	74.1	189.5	74.1	0	C1	0.000E+00
510.0 R9	0:0:40	2.169E-06	2.008E-01	191.5	76.3	186.5	76.3	186.5	76.3	0	C1	0.000E+00
540.0 RA	0:0:40	2.343E-06	2.170E-01	189.4	82.1	184.4	82.1	184.4	82.1	0	C1	4.815E-04
540.0 SA	0:0:0	3.857E-07	3.571E-02	197.8	-7.4	192.8	-7.4	192.8	-7.4	0	C1	0.000E+00
555.0 SB	0:0:0	3.396E-07	3.145E-02	199.9	-15.0	194.9	-15.0	194.9	-15.0	0	C1	4.815E-04
510.0 PB	0:0:40	2.103E-06	1.947E-01	190.3	82.1	185.3	82.1	185.3	82.1	0	C1	4.815E-04
555.0 RB	0:0:40	2.441E-06	2.260E-01	189.5	83.0	184.5	83.0	184.5	83.0	0	C1	4.815E-04
570.0 RC	0:0:40	2.832E-06	2.622E-01	184.6	85.3	179.6	85.3	179.6	85.3	0	C1	4.815E-04
570.0 SC	0:0:0	2.377E-07	2.201E-02	198.4	-5.4	193.4	-5.4	193.4	-5.4	0	C1	4.815E-04
585.0 SD	0:0:0	1.617E-07	1.497E-02	192.6	-17.1	187.6	-17.1	187.6	-17.1	0	C1	4.722E-04
540.0 PD	0:0:40	2.351E-06	2.177E-01	204.3	86.4	199.3	86.4	199.3	86.4	0	C1	0.000E+00
585.0 RD	0:0:40	3.384E-06	3.134E-01	155.4	87.5	150.4	87.5	150.4	87.5	0	C1	0.000E+00

NRM

NRM = 0.20 A/m




E



scale: 0.1 A/m

15CN2402A

TH SC





----- Parameters sample & data -----

Site : 15CN24  
 Sample : 15CN2407  
 Specimen : 15CN2407A  
 Volume : 10.800      masse : n.d  
 Lat : -20.98858      Long : -69.29995      Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.1  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 85.0  
 core dip : 0.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo GPS pt 315"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	4.735E-06	4.385E-01	196.5	-68.0	191.5	-68.0	191.5	-68.0	0	C1	0.000E+00
150.0 S1	0:0:0	4.685E-06	4.338E-01	195.4	-68.3	190.4	-68.3	190.4	-68.3	0	C1	5.185E-04
150.0 R1	0:0:40	4.545E-06	4.208E-01	201.2	-69.6	196.2	-69.6	196.2	-69.6	0	C1	5.278E-04
215.0 R2	0:0:40	4.275E-06	3.959E-01	196.0	-68.9	191.0	-68.9	191.0	-68.9	0	C1	5.463E-04
215.0 S2	0:0:0	4.464E-06	4.133E-01	198.8	-69.3	193.8	-69.3	193.8	-69.3	1	C1	5.833E-04
265.0 S3	0:0:0	4.339E-06	4.017E-01	201.7	-69.9	196.7	-69.9	196.7	-69.9	0	C1	6.111E-04
265.0 R3	0:0:40	3.905E-06	3.616E-01	199.7	-67.3	194.7	-67.3	194.7	-67.3	0	C1	6.204E-04
315.0 R4	0:0:40	3.506E-06	3.247E-01	200.2	-65.4	195.2	-65.4	195.2	-65.4	0	C1	6.481E-04
315.0 S4	0:0:0	4.035E-06	3.736E-01	199.0	-69.3	194.0	-69.3	194.0	-69.3	0	C1	6.667E-04
355.0 S5	0:0:0	3.853E-06	3.567E-01	202.7	-70.3	197.7	-70.3	197.7	-70.3	0	C1	0.000E+00
265.0 P5	0:0:40	3.400E-06	3.148E-01	199.8	-65.3	194.8	-65.3	194.8	-65.3	0	C1	0.000E+00
355.0 R5	0:0:40	2.959E-06	2.740E-01	203.0	-63.7	198.0	-63.7	198.0	-63.7	0	C1	0.000E+00
395.0 R6	0:0:40	2.494E-06	2.309E-01	200.8	-60.7	195.8	-60.7	195.8	-60.7	0	C1	7.037E-04
395.0 S6	0:0:0	3.496E-06	3.237E-01	197.3	-69.5	192.3	-69.5	192.3	-69.5	0	C1	0.000E+00
435.0 S7	0:0:0	3.227E-06	2.988E-01	198.8	-68.5	193.8	-68.5	193.8	-68.5	0	C1	7.222E-04
355.0 P7	0:0:40	2.323E-06	2.151E-01	201.9	-60.2	196.9	-60.2	196.9	-60.2	0	C1	7.130E-04
435.0 R7	0:0:40	1.706E-06	1.580E-01	203.7	-51.2	198.7	-51.2	198.7	-51.2	0	C1	0.000E+00
475.0 R8	0:0:40	8.947E-07	8.284E-02	205.5	-18.6	200.5	-18.6	200.5	-18.6	0	C1	7.222E-04
475.0 S8	0:0:0	2.541E-06	2.352E-01	200.6	-68.5	195.6	-68.5	195.6	-68.5	0	C1	0.000E+00
510.0 S9	0:0:0	1.933E-06	1.790E-01	196.7	-68.6	191.7	-68.6	191.7	-68.6	0	C1	7.130E-04
435.0 P9	0:0:40	7.108E-07	6.581E-02	202.3	-13.1	197.3	-13.1	197.3	-13.1	0	C1	0.000E+00
510.0 R9	0:0:40	1.388E-06	1.285E-01	211.3	63.4	206.3	63.4	206.3	63.4	0	C1	0.000E+00
540.0 RA	0:0:40	2.690E-06	2.491E-01	225.7	83.7	220.7	83.7	220.7	83.7	0	C1	7.222E-04
540.0 SA	0:0:0	1.048E-06	9.701E-02	198.2	-68.9	193.2	-68.9	193.2	-68.9	0	C1	0.000E+00
555.0 SB	0:0:0	8.241E-07	7.630E-02	199.4	-68.7	194.4	-68.7	194.4	-68.7	0	C1	7.130E-04
510.0 PB	0:0:40	2.114E-06	1.958E-01	200.7	84.4	195.7	84.4	195.7	84.4	0	C1	7.315E-04
555.0 RB	0:0:40	3.393E-06	3.142E-01	255.4	87.3	250.4	87.3	250.4	87.3	0	C1	7.130E-04
570.0 RC	0:0:40	4.069E-06	3.767E-01	291.5	86.3	286.5	86.3	286.5	86.3	0	C1	7.130E-04
570.0 SC	0:0:0	4.786E-07	4.432E-02	197.9	-67.9	192.9	-67.9	192.9	-67.9	0	C1	7.130E-04
585.0 SD	0:0:0	3.155E-07	2.921E-02	199.4	-69.6	194.4	-69.6	194.4	-69.6	0	C1	3.704E-04
540.0 PD	0:0:40	3.389E-06	3.138E-01	308.2	87.3	303.2	87.3	303.2	87.3	0	C1	0.000E+00
585.0 RD	0:0:40	4.523E-06	4.188E-01	269.6	89.0	264.6	89.0	264.6	89.0	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 15CN24  
 Sample : 15CN2408  
 Specimen : 15CN2408A  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.1  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 85.0  
 core dip : 0.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo GPS pt 315"  
 Observation : "oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	3.221E-06	2.982E-01	212.1	69.0	207.1	69.0	207.1	69.0	0	C1	0.000E+00
150.0 S1	0:0:0	3.187E-06	2.951E-01	223.3	73.0	218.3	73.0	218.3	73.0	0	C1	3.426E-04
150.0 R1	0:0:40	3.261E-06	3.020E-01	217.2	72.7	212.2	72.7	212.2	72.7	0	C1	3.426E-04
215.0 R2	0:0:40	3.249E-06	3.008E-01	218.3	72.5	213.3	72.5	213.3	72.5	0	C1	3.519E-04
215.0 S2	0:0:0	3.127E-06	2.895E-01	216.4	71.7	211.4	71.7	211.4	71.7	0	C1	3.519E-04
265.0 S3	0:0:0	3.034E-06	2.809E-01	218.0	71.3	213.0	71.3	213.0	71.3	0	C1	3.704E-04
265.0 R3	0:0:40	3.198E-06	2.961E-01	216.9	73.7	211.9	73.7	211.9	73.7	0	C1	3.704E-04
315.0 R4	0:0:40	3.184E-06	2.948E-01	220.2	74.7	215.2	74.7	215.2	74.7	0	C1	3.889E-04
315.0 S4	0:0:0	2.913E-06	2.697E-01	217.2	71.6	212.2	71.6	212.2	71.6	0	C1	3.796E-04
355.0 S5	0:0:0	2.799E-06	2.592E-01	215.5	71.4	210.5	71.4	210.5	71.4	0	C1	3.796E-04
265.0 P5	0:0:40	2.993E-06	2.772E-01	216.8	72.3	211.8	72.3	211.8	72.3	0	C1	0.000E+00
355.0 R5	0:0:40	3.117E-06	2.886E-01	219.6	74.5	214.6	74.5	214.6	74.5	0	C1	0.000E+00
395.0 R6	0:0:40	3.116E-06	2.885E-01	222.6	75.4	217.6	75.4	217.6	75.4	0	C1	3.889E-04
395.0 S6	0:0:0	2.645E-06	2.449E-01	213.9	73.0	208.9	73.0	208.9	73.0	0	C1	0.000E+00
435.0 S7	0:0:0	2.447E-06	2.266E-01	219.1	73.6	214.1	73.6	214.1	73.6	0	C1	3.889E-04
355.0 P7	0:0:40	2.814E-06	2.606E-01	217.1	75.1	212.1	75.1	212.1	75.1	0	C1	3.889E-04
435.0 R7	0:0:40	3.060E-06	2.833E-01	219.2	77.0	214.2	77.0	214.2	77.0	0	C1	0.000E+00
475.0 R8	0:0:40	3.063E-06	2.836E-01	221.6	77.9	216.6	77.9	216.6	77.9	0	C1	4.074E-04
475.0 S8	0:0:0	2.110E-06	1.954E-01	214.5	73.4	209.5	73.4	209.5	73.4	0	C1	0.000E+00
510.0 S9	0:0:0	1.674E-06	1.550E-01	218.4	72.4	213.4	72.4	213.4	72.4	0	C1	3.981E-04
435.0 P9	0:0:40	2.337E-06	2.164E-01	217.7	76.1	212.7	76.1	212.7	76.1	0	C1	0.000E+00
510.0 R9	0:0:40	2.978E-06	2.757E-01	226.7	80.9	221.7	80.9	221.7	80.9	0	C1	0.000E+00
540.0 RA	0:0:40	3.018E-06	2.795E-01	227.5	83.7	222.5	83.7	222.5	83.7	0	C1	3.796E-04
540.0 SA	0:0:0	1.071E-06	9.918E-02	212.4	72.1	207.4	72.1	207.4	72.1	0	C1	0.000E+00
555.0 SB	0:0:0	8.534E-07	7.902E-02	216.4	72.7	211.4	72.7	211.4	72.7	0	C1	3.889E-04
510.0 PB	0:0:40	2.237E-06	2.071E-01	226.3	83.3	221.3	83.3	221.3	83.3	0	C1	3.796E-04
555.0 RB	0:0:40	2.943E-06	2.725E-01	242.0	85.6	237.0	85.6	237.0	85.6	0	C1	3.796E-04
570.0 RC	0:0:40	3.067E-06	2.839E-01	243.0	86.0	238.0	86.0	238.0	86.0	0	C1	3.704E-04
570.0 SC	0:0:0	5.562E-07	5.150E-02	217.7	74.1	212.7	74.1	212.7	74.1	0	C1	3.796E-04
585.0 SD	0:0:0	3.374E-07	3.124E-02	216.5	73.3	211.5	73.3	211.5	73.3	0	C1	3.704E-04
540.0 PD	0:0:40	2.297E-06	2.127E-01	238.5	87.4	233.5	87.4	233.5	87.4	0	C1	0.000E+00
585.0 RD	0:0:40	3.070E-06	2.842E-01	256.1	87.1	251.1	87.1	251.1	87.1	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15DN02  
 Sample : 15DN0201  
 Specimen : 15DN0201C  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.1  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 85.0  
 core dip : 0.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo"  
 Observation : "non oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	3.777E-05	3.497E+00	52.9	47.6	47.9	47.6	47.9	47.6	0	C1	0.000E+00
150.0 S1	0:0:0	3.659E-05	3.388E+00	52.8	46.8	47.8	46.8	47.8	46.8	0	C1	1.352E-03
150.0 R1	0:0:40	3.770E-05	3.491E+00	51.3	48.8	46.3	48.8	46.3	48.8	0	C1	1.315E-03
215.0 R2	0:0:40	3.732E-05	3.455E+00	51.6	50.1	46.6	50.1	46.6	50.1	0	C1	1.389E-03
215.0 S2	0:0:0	3.543E-05	3.281E+00	53.3	47.7	48.3	47.7	48.3	47.7	0	C1	1.370E-03
265.0 S3	0:0:0	3.434E-05	3.180E+00	53.5	47.5	48.5	47.5	48.5	47.5	0	C1	1.444E-03
265.0 R3	0:0:40	3.690E-05	3.417E+00	53.4	50.5	48.4	50.5	48.4	50.5	0	C1	1.593E-03
315.0 R4	0:0:40	3.683E-05	3.410E+00	53.7	52.2	48.7	52.2	48.7	52.2	0	C1	1.519E-03
315.0 S4	0:0:0	3.360E-05	3.111E+00	54.6	48.2	49.6	48.2	49.6	48.2	0	C1	1.537E-03
355.0 S5	0:0:0	3.250E-05	3.010E+00	54.7	47.7	49.7	47.7	49.7	47.7	0	C1	1.676E-03
265.0 P5	0:0:40	3.483E-05	3.225E+00	54.2	51.3	49.2	51.3	49.2	51.3	0	C1	0.000E+00
355.0 R5	0:0:40	3.668E-05	3.396E+00	53.6	53.2	48.6	53.2	48.6	53.2	0	C1	0.000E+00
395.0 R6	0:0:40	3.745E-05	3.467E+00	51.8	54.9	46.8	54.9	46.8	54.9	0	C1	1.741E-03
395.0 S6	0:0:0	3.295E-05	3.051E+00	51.0	50.0	46.0	50.0	46.0	50.0	0	C1	0.000E+00
435.0 S7	0:0:0	3.100E-05	2.871E+00	52.1	48.5	47.1	48.5	47.1	48.5	0	C1	1.815E-03
355.0 P7	0:0:40	3.444E-05	3.189E+00	52.1	53.9	47.1	53.9	47.1	53.9	0	C1	1.815E-03
435.0 R7	0:0:40	3.644E-05	3.374E+00	52.5	55.6	47.5	55.6	47.5	55.6	0	C1	0.000E+00
475.0 R8	0:0:40	3.707E-05	3.432E+00	52.0	59.5	47.0	59.5	47.0	59.5	0	C1	1.880E-03
475.0 S8	0:0:0	2.974E-05	2.754E+00	50.0	50.0	45.0	50.0	45.0	50.0	0	C1	0.000E+00
510.0 S9	0:0:0	2.384E-05	2.207E+00	54.3	48.8	49.3	48.8	49.3	48.8	0	C1	1.824E-03
435.0 P9	0:0:40	2.873E-05	2.661E+00	52.1	55.4	47.1	55.4	47.1	55.4	0	C1	0.000E+00
510.0 R9	0:0:40	3.477E-05	3.220E+00	50.2	62.8	45.2	62.8	45.2	62.8	0	C1	0.000E+00
540.0 RA	0:0:40	3.342E-05	3.094E+00	54.3	75.3	49.3	75.3	49.3	75.3	0	C1	1.759E-03
540.0 SA	0:0:0	1.261E-05	1.167E+00	52.1	50.8	47.1	50.8	47.1	50.8	0	C1	0.000E+00
555.0 SB	0:0:0	5.705E-06	5.282E-01	51.4	48.9	46.4	48.9	46.4	48.9	0	C1	0.000E+00
510.0 PB	0:0:40	1.452E-05	1.344E+00	47.2	74.8	42.2	74.8	42.2	74.8	0	C1	1.750E-03
555.0 RB	0:0:40	3.212E-05	2.974E+00	46.7	82.6	41.7	82.6	41.7	82.6	0	C1	1.750E-03
570.0 RC	0:0:40	3.360E-05	3.111E+00	23.8	86.7	18.8	86.7	18.8	86.7	0	C1	1.704E-03
570.0 SC	0:0:0	1.740E-06	1.611E-01	49.7	56.0	44.7	56.0	44.7	56.0	0	C1	1.704E-03
585.0 SD	0:0:0	6.942E-07	6.427E-02	50.0	53.2	45.0	53.2	45.0	53.2	0	C1	1.722E-03
540.0 PD	0:0:40	1.941E-05	1.798E+00	24.0	87.9	19.0	87.9	19.0	87.9	0	C1	0.000E+00
585.0 RD	0:0:40	3.359E-05	3.110E+00	34.6	86.8	29.6	86.8	29.6	86.8	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15DN02  
 Sample : 15DN0201  
 Specimen : 15DN0201D  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.1  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 85.0  
 core dip : 0.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo"  
 Observation : "non oriented"

dc applied magnetic field : 40.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N1	0:0:0	1.979E-05	1.833E+00	52.5	48.7	47.5	48.7	47.5	48.7	0	C1	0.000E+00
150.0 S1	0:0:0	1.901E-05	1.760E+00	53.2	46.7	48.2	46.7	48.2	46.7	0	C1	1.630E-03
150.0 R1	0:0:40	1.985E-05	1.838E+00	52.6	49.9	47.6	49.9	47.6	49.9	0	C1	1.556E-03
215.0 R2	0:0:40	1.958E-05	1.813E+00	49.7	51.2	44.7	51.2	44.7	51.2	0	C1	1.574E-03
215.0 S2	0:0:0	1.824E-05	1.689E+00	52.7	48.4	47.7	48.4	47.7	48.4	0	C1	0.000E+00
265.0 S3	0:0:0	1.741E-05	1.612E+00	52.7	48.3	47.7	48.3	47.7	48.3	0	C1	1.648E-03
265.0 R3	0:0:40	1.920E-05	1.778E+00	53.3	51.9	48.3	51.9	48.3	51.9	0	C1	1.676E-03
315.0 R4	0:0:40	1.911E-05	1.769E+00	53.0	54.5	48.0	54.5	48.0	54.5	0	C1	1.741E-03
315.0 S4	0:0:0	1.666E-05	1.543E+00	53.8	49.2	48.8	49.2	48.8	49.2	0	C1	1.787E-03
355.0 S5	0:0:0	1.577E-05	1.460E+00	53.5	47.7	48.5	47.7	48.5	47.7	0	C1	1.824E-03
265.0 P5	0:0:40	1.743E-05	1.614E+00	51.8	52.3	46.8	52.3	46.8	52.3	0	C1	0.000E+00
355.0 R5	0:0:40	1.869E-05	1.731E+00	51.9	56.4	46.9	56.4	46.9	56.4	0	C1	0.000E+00
395.0 R6	0:0:40	1.907E-05	1.766E+00	53.0	58.1	48.0	58.1	48.0	58.1	0	C1	1.907E-03
395.0 S6	0:0:0	1.562E-05	1.446E+00	51.4	50.3	46.4	50.3	46.4	50.3	0	C1	0.000E+00
435.0 S7	0:0:0	1.418E-05	1.313E+00	53.0	48.5	48.0	48.5	48.0	48.5	0	C1	1.954E-03
355.0 P7	0:0:40	1.688E-05	1.563E+00	51.9	56.0	46.9	56.0	46.9	56.0	0	C1	2.000E-03
435.0 R7	0:0:40	1.847E-05	1.710E+00	52.0	59.4	47.0	59.4	47.0	59.4	0	C1	0.000E+00
475.0 R8	0:0:40	1.934E-05	1.791E+00	54.1	64.3	49.1	64.3	49.1	64.3	0	C1	1.991E-03
475.0 S8	0:0:0	1.326E-05	1.228E+00	53.0	52.3	48.0	52.3	48.0	52.3	0	C1	0.000E+00
510.0 S9	0:0:0	9.888E-06	9.156E-01	51.6	50.0	46.6	50.0	46.6	50.0	0	C1	1.954E-03
435.0 P9	0:0:40	1.383E-05	1.281E+00	51.8	62.8	46.8	62.8	46.8	62.8	0	C1	0.000E+00
510.0 R9	0:0:40	1.750E-05	1.620E+00	49.4	67.3	44.4	67.3	44.4	67.3	0	C1	0.000E+00
540.0 RA	0:0:40	1.912E-05	1.770E+00	51.3	79.6	46.3	79.6	46.3	79.6	0	C1	1.833E-03
540.0 SA	0:0:0	5.314E-06	4.921E-01	49.0	54.0	44.0	54.0	44.0	54.0	0	C1	0.000E+00
555.0 SB	0:0:0	3.130E-06	2.899E-01	52.2	51.0	47.2	51.0	47.2	51.0	0	C1	1.769E-03
510.0 PB	0:0:40	1.058E-05	9.793E-01	45.2	78.4	40.2	78.4	40.2	78.4	0	C1	1.806E-03
555.0 RB	0:0:40	1.922E-05	1.780E+00	43.9	83.2	38.9	83.2	38.9	83.2	0	C1	1.778E-03
570.0 RC	0:0:40	2.079E-05	1.925E+00	30.0	86.5	25.0	86.5	25.0	86.5	0	C1	0.000E+00
570.0 SC	0:0:0	1.484E-06	1.374E-01	49.7	57.4	44.7	57.4	44.7	57.4	0	C1	1.722E-03
585.0 SD	0:0:0	6.111E-07	5.658E-02	50.4	52.5	45.4	52.5	45.4	52.5	0	C1	1.713E-03
540.0 PD	0:0:40	1.364E-05	1.263E+00	7.0	88.2	2.0	88.2	2.0	88.2	0	C1	0.000E+00
585.0 RD	0:0:40	2.003E-05	1.855E+00	73.6	89.0	68.6	89.0	68.6	89.0	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P01  
 Specimen : 13PI\_P01A  
 Volume : n.d      masse : 3.600  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "not oriented"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	9.408E-06	2.613E-03	13.6	27.8	13.6	27.8	13.6	27.8	0	C1	5.694E-06
100.0 RA	0:0:40	9.495E-06	2.638E-03	14.4	28.0	14.4	28.0	14.4	28.0	0	C1	5.778E-06
100.0 VA	0:0:-40	9.192E-06	2.553E-03	11.2	25.5	11.2	25.5	11.2	25.5	0	C1	5.778E-06
160.0 RB	0:0:40	9.277E-06	2.577E-03	10.9	30.2	10.9	30.2	10.9	30.2	0	C1	5.722E-06
160.0 VB	0:0:-40	8.738E-06	2.427E-03	11.0	23.7	11.0	23.7	11.0	23.7	0	C1	5.722E-06
220.0 RC	0:0:40	8.770E-06	2.436E-03	12.4	37.1	12.4	37.1	12.4	37.1	0	C1	5.806E-06
220.0 VC	0:0:-40	7.141E-06	1.984E-03	14.1	15.2	14.1	15.2	14.1	15.2	0	C1	5.500E-06
260.0 RD	0:0:40	8.477E-06	2.355E-03	12.7	44.1	12.7	44.1	12.7	44.1	0	C1	5.750E-06
260.0 VD	0:0:-40	5.969E-06	1.658E-03	13.7	3.5	13.7	3.5	13.7	3.5	0	C1	5.806E-06
300.0 RE	0:0:40	8.328E-06	2.313E-03	12.5	47.4	12.5	47.4	12.5	47.4	0	C1	5.694E-06
300.0 VE	0:0:-40	5.366E-06	1.490E-03	15.1	-5.1	15.1	-5.1	15.1	-5.1	0	C1	5.833E-06
220.0 PE	0:0:40	6.077E-06	1.688E-03	15.1	27.1	15.1	27.1	15.1	27.1	0	C1	5.778E-06
350.0 RF	0:0:40	8.090E-06	2.247E-03	11.4	54.7	11.4	54.7	11.4	54.7	0	C1	5.806E-06
350.0 VF	0:0:-40	4.779E-06	1.328E-03	17.1	-21.7	17.1	-21.7	17.1	-21.7	0	C1	5.778E-06
400.0 RG	0:0:40	8.025E-06	2.229E-03	11.4	64.3	11.4	64.3	11.4	64.3	0	C1	5.861E-06
400.0 VG	0:0:-40	4.905E-06	1.363E-03	17.1	-48.1	17.1	-48.1	17.1	-48.1	0	C1	5.917E-06
300.0 PG	0:0:40	4.581E-06	1.272E-03	14.2	41.5	14.2	41.5	14.2	41.5	0	C1	5.889E-06
450.0 RH	0:0:40	8.164E-06	2.268E-03	9.5	74.3	9.5	74.3	9.5	74.3	0	C1	6.028E-06
450.0 VH	0:0:-40	6.032E-06	1.676E-03	23.0	-72.2	23.0	-72.2	23.0	-72.2	1	C1	5.917E-06
475.0 RI	0:0:40	8.312E-06	2.309E-03	7.0	79.4	7.0	79.4	7.0	79.4	0	C1	5.917E-06
475.0 VI	0:0:-40	6.722E-06	1.867E-03	25.9	-78.7	25.9	-78.7	25.9	-78.7	0	C1	5.917E-06
400.0 PI	0:0:40	4.645E-06	1.290E-03	10.3	72.0	10.3	72.0	10.3	72.0	0	C1	5.917E-06
515.0 RJ	0:0:40	8.522E-06	2.367E-03	5.9	85.2	5.9	85.2	5.9	85.2	0	C1	5.750E-06
515.0 VJ	0:0:-40	7.917E-06	2.199E-03	39.4	-86.1	39.4	-86.1	39.4	-86.1	0	C1	5.750E-06
535.0 RK	0:0:40	8.564E-06	2.379E-03	346.3	86.4	346.3	86.4	346.3	86.4	0	C1	5.722E-06
535.0 VK	0:0:-40	8.203E-06	2.279E-03	74.5	-87.8	74.5	-87.8	74.5	-87.8	0	C1	0.000E+00
475.0 PK	0:0:40	6.993E-06	1.943E-03	348.1	87.2	348.1	87.2	348.1	87.2	0	C1	0.000E+00
535.0 X+	40:0:0	8.791E-06	2.442E-03	5.9	-1.3	5.9	-1.3	5.9	-1.3	0	C1	5.667E-06
535.0 X-	-40:0:0	8.200E-06	2.278E-03	182.7	3.6	182.7	3.6	182.7	3.6	0	C1	5.667E-06
535.0 Y+	0:40:0	8.716E-06	2.421E-03	95.5	2.4	95.5	2.4	95.5	2.4	0	C1	5.611E-06
535.0 Y-	0:-40:0	8.722E-06	2.423E-03	285.5	-1.1	285.5	-1.1	285.5	-1.1	0	C1	5.611E-06
555.0 RL	0:0:40	8.443E-06	2.345E-03	350.6	86.2	350.6	86.2	350.6	86.2	0	C1	5.639E-06
555.0 VL	0:0:-40	8.255E-06	2.293E-03	57.1	-87.0	57.1	-87.0	57.1	-87.0	0	C1	0.000E+00
555.0 Y+	0:40:0	8.873E-06	2.465E-03	85.6	3.4	85.6	3.4	85.6	3.4	0	C1	5.611E-06
555.0 Y-	0:-40:0	8.631E-06	2.397E-03	269.3	-0.1	269.3	-0.1	269.3	-0.1	0	C1	5.611E-06
555.0 X+	40:0:0	8.888E-06	2.469E-03	4.0	0.8	4.0	0.8	4.0	0.8	0	C1	5.556E-06
555.0 X-	-40:0:0	8.347E-06	2.319E-03	178.6	2.8	178.6	2.8	178.6	2.8	1	C1	5.583E-06







----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P02  
 Specimen : 13PI\_P02A  
 Volume : n.d      masse : 4.230  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "not oriented"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.174E-05	2.775E-03	190.3	41.9	190.3	41.9	190.3	41.9	0	C1	4.563E-06
100.0 RA	0:0:40	1.190E-05	2.813E-03	191.1	43.7	191.1	43.7	191.1	43.7	0	C1	4.563E-06
100.0 VA	0:0:-40	1.147E-05	2.711E-03	187.9	41.1	187.9	41.1	187.9	41.1	0	C1	4.610E-06
160.0 RB	0:0:40	1.184E-05	2.799E-03	189.9	44.1	189.9	44.1	189.9	44.1	0	C1	4.586E-06
160.0 VB	0:0:-40	1.093E-05	2.585E-03	188.6	40.0	188.6	40.0	188.6	40.0	0	C1	4.586E-06
220.0 RC	0:0:40	1.168E-05	2.761E-03	191.9	47.7	191.9	47.7	191.9	47.7	0	C1	4.657E-06
220.0 VC	0:0:-40	9.752E-06	2.305E-03	188.5	36.3	188.5	36.3	188.5	36.3	0	C1	4.586E-06
260.0 RD	0:0:40	1.138E-05	2.691E-03	190.3	49.6	190.3	49.6	190.3	49.6	0	C1	4.586E-06
260.0 VD	0:0:-40	8.920E-06	2.109E-03	189.5	34.1	189.5	34.1	189.5	34.1	0	C1	4.610E-06
300.0 RE	0:0:40	1.138E-05	2.691E-03	191.4	52.9	191.4	52.9	191.4	52.9	0	C1	4.610E-06
300.0 VE	0:0:-40	7.716E-06	1.824E-03	189.5	27.2	189.5	27.2	189.5	27.2	0	C1	4.634E-06
220.0 PE	0:0:40	9.214E-06	2.178E-03	190.8	44.0	190.8	44.0	190.8	44.0	0	C1	4.610E-06
350.0 RF	0:0:40	1.101E-05	2.603E-03	188.5	58.4	188.5	58.4	188.5	58.4	0	C1	4.657E-06
350.0 VF	0:0:-40	5.940E-06	1.404E-03	190.0	13.4	190.0	13.4	190.0	13.4	0	C1	4.634E-06
400.0 RG	0:0:40	1.080E-05	2.553E-03	192.8	66.0	192.8	66.0	192.8	66.0	0	C1	4.728E-06
400.0 VG	0:0:-40	4.803E-06	1.135E-03	188.1	-22.0	188.1	-22.0	188.1	-22.0	0	C1	4.775E-06
300.0 PG	0:0:40	6.116E-06	1.446E-03	188.2	44.5	188.2	44.5	188.2	44.5	0	C1	4.823E-06
450.0 RH	0:0:40	1.094E-05	2.585E-03	192.3	76.4	192.3	76.4	192.3	76.4	0	C1	4.917E-06
450.0 VH	0:0:-40	6.315E-06	1.493E-03	188.2	-63.1	188.2	-63.1	188.2	-63.1	0	C1	4.988E-06
475.0 RI	0:0:40	1.110E-05	2.624E-03	192.8	81.6	192.8	81.6	192.8	81.6	0	C1	4.965E-06
475.0 VI	0:0:-40	7.664E-06	1.812E-03	184.0	-74.2	184.0	-74.2	184.0	-74.2	0	C1	4.846E-06
400.0 PI	0:0:40	5.425E-06	1.282E-03	191.0	72.1	191.0	72.1	191.0	72.1	0	C1	4.894E-06
515.0 RJ	0:0:40	1.141E-05	2.697E-03	203.7	88.1	203.7	88.1	203.7	88.1	0	C1	4.965E-06
515.0 VJ	0:0:-40	1.042E-05	2.463E-03	172.5	-85.8	172.5	-85.8	172.5	-85.8	0	C1	4.894E-06
535.0 RK	0:0:40	1.127E-05	2.665E-03	163.5	88.6	163.5	88.6	163.5	88.6	0	C1	4.894E-06
535.0 VK	0:0:-40	1.071E-05	2.531E-03	211.2	-88.1	211.2	-88.1	211.2	-88.1	0	C1	0.000E+00
475.0 PK	0:0:40	8.171E-06	1.932E-03	303.0	85.7	303.0	85.7	303.0	85.7	0	C1	0.000E+00
535.0 X+	40:0:0	9.990E-06	2.362E-03	357.1	0.6	357.1	0.6	357.1	0.6	0	C1	4.965E-06
535.0 X-	-40:0:0	1.075E-05	2.540E-03	178.4	2.6	178.4	2.6	178.4	2.6	0	C1	4.917E-06
535.0 Y+	0:40:0	1.022E-05	2.416E-03	97.7	3.3	97.7	3.3	97.7	3.3	0	C1	4.823E-06
535.0 Y-	0:-40:0	1.047E-05	2.476E-03	282.1	-0.6	282.1	-0.6	282.1	-0.6	0	C1	4.823E-06
555.0 RL	0:0:40	1.125E-05	2.660E-03	280.1	88.7	280.1	88.7	280.1	88.7	0	C1	0.000E+00
555.0 VL	0:0:-40	1.077E-05	2.547E-03	156.4	-87.1	156.4	-87.1	156.4	-87.1	0	C1	4.799E-06
555.0 Y+	0:40:0	1.008E-05	2.382E-03	90.1	3.3	90.1	3.3	90.1	3.3	0	C1	4.917E-06
555.0 Y-	0:-40:0	1.005E-05	2.376E-03	268.9	-0.6	268.9	-0.6	268.9	-0.6	0	C1	4.823E-06
555.0 X+	40:0:0	1.039E-05	2.457E-03	348.3	1.9	348.3	1.9	348.3	1.9	0	C1	4.870E-06
555.0 X-	-40:0:0	1.065E-05	2.517E-03	177.9	1.0	177.9	1.0	177.9	1.0	0	C1	4.823E-06





----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P03  
 Specimen : 13PI\_P03A  
 Volume : n.d      masse : 3.590  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "not oriented"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	9.413E-06	2.622E-03	7.6	-35.1	7.6	-35.1	7.6	-35.1	0	C1	4.958E-06
100.0 RA	0:0:40	9.201E-06	2.563E-03	8.7	-34.1	8.7	-34.1	8.7	-34.1	0	C1	4.986E-06
100.0 VA	0:0:-40	9.439E-06	2.629E-03	8.2	-36.1	8.2	-36.1	8.2	-36.1	0	C1	4.986E-06
160.0 RB	0:0:40	8.675E-06	2.416E-03	7.8	-32.0	7.8	-32.0	7.8	-32.0	0	C1	4.986E-06
160.0 VB	0:0:-40	9.268E-06	2.582E-03	8.1	-38.3	8.1	-38.3	8.1	-38.3	0	C1	4.986E-06
220.0 RC	0:0:40	7.243E-06	2.018E-03	9.3	-25.7	9.3	-25.7	9.3	-25.7	0	C1	5.014E-06
220.0 VC	0:0:-40	8.806E-06	2.453E-03	9.0	-43.9	9.0	-43.9	9.0	-43.9	0	C1	5.014E-06
260.0 RD	0:0:40	6.003E-06	1.672E-03	8.7	-14.8	8.7	-14.8	8.7	-14.8	0	C1	5.070E-06
260.0 VD	0:0:-40	8.481E-06	2.362E-03	10.8	-50.3	10.8	-50.3	10.8	-50.3	0	C1	5.014E-06
300.0 RE	0:0:40	5.413E-06	1.508E-03	6.7	-6.7	6.7	-6.7	6.7	-6.7	0	C1	5.042E-06
300.0 VE	0:0:-40	8.371E-06	2.332E-03	8.6	-53.9	8.6	-53.9	8.6	-53.9	0	C1	5.097E-06
220.0 PE	0:0:40	6.340E-06	1.766E-03	8.6	-38.3	8.6	-38.3	8.6	-38.3	0	C1	5.070E-06
350.0 RF	0:0:40	4.703E-06	1.310E-03	6.2	9.3	6.2	9.3	6.2	9.3	0	C1	5.097E-06
350.0 VF	0:0:-40	8.150E-06	2.270E-03	11.1	-59.0	11.1	-59.0	11.1	-59.0	0	C1	5.070E-06
400.0 RG	0:0:40	4.529E-06	1.262E-03	5.9	35.8	5.9	35.8	5.9	35.8	0	C1	5.125E-06
400.0 VG	0:0:-40	8.144E-06	2.269E-03	13.6	-67.1	13.6	-67.1	13.6	-67.1	0	C1	5.181E-06
300.0 PG	0:0:40	3.682E-06	1.026E-03	6.9	-19.8	6.9	-19.8	6.9	-19.8	0	C1	5.181E-06
450.0 RH	0:0:40	5.574E-06	1.553E-03	4.6	63.3	4.6	63.3	4.6	63.3	0	C1	5.209E-06
450.0 VH	0:0:-40	8.332E-06	2.321E-03	16.8	-77.6	16.8	-77.6	16.8	-77.6	0	C1	5.209E-06
475.0 RI	0:0:40	6.561E-06	1.828E-03	357.6	74.4	357.6	74.4	357.6	74.4	0	C1	5.237E-06
475.0 VI	0:0:-40	8.379E-06	2.334E-03	28.9	-83.1	28.9	-83.1	28.9	-83.1	0	C1	5.153E-06
400.0 PI	0:0:40	2.684E-06	7.475E-04	2.4	54.8	2.4	54.8	2.4	54.8	0	C1	5.209E-06
515.0 RJ	0:0:40	7.883E-06	2.196E-03	351.2	82.6	351.2	82.6	351.2	82.6	0	C1	5.125E-06
515.0 VJ	0:0:-40	8.721E-06	2.429E-03	65.2	-87.7	65.2	-87.7	65.2	-87.7	0	C1	5.097E-06
535.0 RK	0:0:40	8.285E-06	2.308E-03	355.3	85.0	355.3	85.0	355.3	85.0	0	C1	5.014E-06
535.0 VK	0:0:-40	8.708E-06	2.426E-03	111.4	-88.8	111.4	-88.8	111.4	-88.8	0	C1	0.000E+00
475.0 PK	0:0:40	6.090E-06	1.696E-03	335.1	83.3	335.1	83.3	335.1	83.3	0	C1	0.000E+00
535.0 X+	40:0:0	9.153E-06	2.550E-03	0.5	-2.4	0.5	-2.4	0.5	-2.4	0	C1	5.125E-06
535.0 X-	-40:0:0	8.504E-06	2.369E-03	179.8	-0.6	179.8	-0.6	179.8	-0.6	0	C1	5.070E-06
535.0 Y+	0:40:0	8.978E-06	2.501E-03	86.4	-1.2	86.4	-1.2	86.4	-1.2	0	C1	5.014E-06
535.0 Y-	0:-40:0	8.964E-06	2.497E-03	277.9	-2.6	277.9	-2.6	277.9	-2.6	0	C1	5.014E-06
555.0 RL	0:0:40	8.366E-06	2.330E-03	340.4	85.2	340.4	85.2	340.4	85.2	0	C1	5.125E-06
555.0 VL	0:0:-40	8.907E-06	2.481E-03	117.6	-86.5	117.6	-86.5	117.6	-86.5	0	C1	0.000E+00
555.0 Y+	0:40:0	9.209E-06	2.565E-03	88.8	0.7	88.8	0.7	88.8	0.7	0	C1	4.958E-06
555.0 Y-	0:-40:0	9.066E-06	2.525E-03	270.6	-2.6	270.6	-2.6	270.6	-2.6	0	C1	4.958E-06
555.0 X+	40:0:0	9.350E-06	2.604E-03	358.2	-1.1	358.2	-1.1	358.2	-1.1	0	C1	4.986E-06
555.0 X-	-40:0:0	8.810E-06	2.454E-03	183.2	-2.5	183.2	-2.5	183.2	-2.5	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P04  
 Specimen : 13PI\_P04A  
 Volume : n.d      masse : 4.210  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "not oriented"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.302E-05	3.093E-03	63.5	10.9	63.5	10.9	63.5	10.9	0	C1	5.178E-06
100.0 RA	0:0:40	1.314E-05	3.122E-03	63.1	12.7	63.1	12.7	63.1	12.7	0	C1	5.202E-06
100.0 VA	0:0:-40	1.302E-05	3.092E-03	65.8	9.9	65.8	9.9	65.8	9.9	0	C1	5.202E-06
160.0 RB	0:0:40	1.300E-05	3.088E-03	65.3	15.5	65.3	15.5	65.3	15.5	0	C1	5.202E-06
160.0 VB	0:0:-40	1.266E-05	3.006E-03	64.4	8.0	64.4	8.0	64.4	8.0	0	C1	5.178E-06
220.0 RC	0:0:40	1.260E-05	2.994E-03	66.9	19.8	66.9	19.8	66.9	19.8	0	C1	5.226E-06
220.0 VC	0:0:-40	1.198E-05	2.847E-03	65.8	4.9	65.8	4.9	65.8	4.9	0	C1	5.107E-06
260.0 RD	0:0:40	1.212E-05	2.878E-03	66.3	23.0	66.3	23.0	66.3	23.0	0	C1	5.202E-06
260.0 VD	0:0:-40	1.135E-05	2.695E-03	66.2	0.9	66.2	0.9	66.2	0.9	0	C1	5.012E-06
300.0 RE	0:0:40	1.181E-05	2.804E-03	65.3	28.0	65.3	28.0	65.3	28.0	0	C1	5.059E-06
300.0 VE	0:0:-40	1.063E-05	2.525E-03	65.2	-4.5	65.2	-4.5	65.2	-4.5	0	C1	5.131E-06
220.0 PE	0:0:40	1.065E-05	2.530E-03	65.0	12.1	65.0	12.1	65.0	12.1	0	C1	5.178E-06
350.0 RF	0:0:40	1.119E-05	2.658E-03	62.7	37.2	62.7	37.2	62.7	37.2	0	C1	5.131E-06
350.0 VF	0:0:-40	9.455E-06	2.246E-03	69.7	-14.5	69.7	-14.5	69.7	-14.5	0	C1	5.249E-06
400.0 RG	0:0:40	1.090E-05	2.590E-03	64.5	51.2	64.5	51.2	64.5	51.2	0	C1	5.273E-06
400.0 VG	0:0:-40	8.966E-06	2.130E-03	69.0	-36.2	69.0	-36.2	69.0	-36.2	0	C1	5.321E-06
300.0 PG	0:0:40	7.165E-06	1.702E-03	64.9	12.1	64.9	12.1	64.9	12.1	0	C1	5.321E-06
450.0 RH	0:0:40	1.172E-05	2.783E-03	59.5	66.7	59.5	66.7	59.5	66.7	0	C1	5.416E-06
450.0 VH	0:0:-40	1.007E-05	2.393E-03	72.7	-61.0	72.7	-61.0	72.7	-61.0	0	C1	5.487E-06
475.0 RI	0:0:40	1.251E-05	2.971E-03	61.6	75.7	61.6	75.7	61.6	75.7	0	C1	5.534E-06
475.0 VI	0:0:-40	1.093E-05	2.597E-03	71.1	-71.4	71.1	-71.4	71.1	-71.4	0	C1	5.487E-06
400.0 PI	0:0:40	5.232E-06	1.243E-03	64.2	53.4	64.2	53.4	64.2	53.4	0	C1	5.439E-06
515.0 RJ	0:0:40	1.388E-05	3.297E-03	43.2	85.6	43.2	85.6	43.2	85.6	0	C1	5.511E-06
515.0 VJ	0:0:-40	1.337E-05	3.176E-03	73.3	-82.3	73.3	-82.3	73.3	-82.3	0	C1	5.439E-06
535.0 RK	0:0:40	1.435E-05	3.409E-03	41.4	86.2	41.4	86.2	41.4	86.2	0	C1	5.416E-06
535.0 VK	0:0:-40	1.397E-05	3.319E-03	95.6	-86.6	95.6	-86.6	95.6	-86.6	0	C1	0.000E+00
475.0 PK	0:0:40	9.406E-06	2.234E-03	309.0	87.5	309.0	87.5	309.0	87.5	0	C1	0.000E+00
535.0 X+	40:0:0	1.438E-05	3.415E-03	3.3	-1.5	3.3	-1.5	3.3	-1.5	0	C1	5.392E-06
535.0 X-	-40:0:0	1.398E-05	3.320E-03	174.3	2.9	174.3	2.9	174.3	2.9	0	C1	1.995E-06
535.0 Y+	0:40:0	1.308E-05	3.107E-03	91.0	0.4	91.0	0.4	91.0	0.4	0	C1	5.368E-06
535.0 Y-	0:-40:0	1.183E-05	2.810E-03	280.8	1.0	280.8	1.0	280.8	1.0	0	C1	5.392E-06
555.0 RL	0:0:40	1.454E-05	3.453E-03	343.5	88.0	343.5	88.0	343.5	88.0	0	C1	5.416E-06
555.0 VL	0:0:-40	1.445E-05	3.432E-03	93.9	-84.8	93.9	-84.8	93.9	-84.8	0	C1	0.000E+00
555.0 Y+	0:40:0	1.340E-05	3.182E-03	84.1	1.5	84.1	1.5	84.1	1.5	0	C1	5.226E-06
555.0 Y-	0:-40:0	1.233E-05	2.929E-03	266.2	1.5	266.2	1.5	266.2	1.5	0	C1	5.273E-06
555.0 X+	40:0:0	1.488E-05	3.534E-03	359.9	-0.1	359.9	-0.1	359.9	-0.1	0	C1	5.416E-06
555.0 X-	-40:0:0	1.446E-05	3.434E-03	181.4	1.3	181.4	1.3	181.4	1.3	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P05  
 Specimen : 13PI\_P05A  
 Volume : n.d      masse : 2.610  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "not oriented"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	5.210E-06	1.996E-03	112.9	46.0	112.9	46.0	112.9	46.0	0	C1	3.218E-06
100.0 RA	0:0:40	5.263E-06	2.016E-03	106.5	46.9	106.5	46.9	106.5	46.9	0	C1	3.218E-06
100.0 VA	0:0:-40	5.173E-06	1.982E-03	109.8	46.2	109.8	46.2	109.8	46.2	0	C1	3.218E-06
160.0 RB	0:0:40	5.351E-06	2.050E-03	108.2	48.3	108.2	48.3	108.2	48.3	0	C1	3.295E-06
160.0 VB	0:0:-40	5.122E-06	1.963E-03	107.6	46.6	107.6	46.6	107.6	46.6	0	C1	3.295E-06
220.0 RC	0:0:40	5.375E-06	2.059E-03	111.8	50.0	111.8	50.0	111.8	50.0	0	C1	3.257E-06
220.0 VC	0:0:-40	5.048E-06	1.934E-03	111.2	45.9	111.2	45.9	111.2	45.9	0	C1	3.218E-06
260.0 RD	0:0:40	5.305E-06	2.033E-03	108.7	50.1	108.7	50.1	108.7	50.1	0	C1	3.257E-06
260.0 VD	0:0:-40	4.964E-06	1.902E-03	110.0	46.2	110.0	46.2	110.0	46.2	0	C1	3.142E-06
300.0 RE	0:0:40	5.388E-06	2.064E-03	108.6	51.1	108.6	51.1	108.6	51.1	0	C1	3.257E-06
300.0 VE	0:0:-40	4.797E-06	1.838E-03	110.8	44.0	110.8	44.0	110.8	44.0	0	C1	3.295E-06
220.0 PE	0:0:40	5.032E-06	1.928E-03	110.9	47.8	110.8	47.8	110.8	47.8	0	C1	3.218E-06
350.0 RF	0:0:40	5.333E-06	2.043E-03	108.0	52.0	108.0	52.0	108.0	52.0	0	C1	3.257E-06
350.0 VF	0:0:-40	4.512E-06	1.729E-03	112.2	43.6	112.2	43.6	112.2	43.6	0	C1	3.372E-06
400.0 RG	0:0:40	5.254E-06	2.013E-03	108.9	54.9	108.9	54.9	108.9	54.9	0	C1	3.257E-06
400.0 VG	0:0:-40	4.056E-06	1.554E-03	109.3	39.8	109.3	39.8	109.3	39.8	0	C1	3.257E-06
300.0 PG	0:0:40	4.607E-06	1.765E-03	106.4	47.8	106.4	47.8	106.4	47.8	0	C1	3.295E-06
450.0 RH	0:0:40	5.080E-06	1.946E-03	108.1	59.9	108.1	59.9	108.1	59.9	0	C1	3.257E-06
450.0 VH	0:0:-40	2.959E-06	1.134E-03	108.2	28.1	108.2	28.1	108.2	28.1	0	C1	3.257E-06
475.0 RI	0:0:40	4.966E-06	1.903E-03	106.5	64.8	106.5	64.8	106.5	64.8	0	C1	3.218E-06
475.0 VI	0:0:-40	2.268E-06	8.688E-04	110.7	11.0	110.7	11.0	110.7	11.0	0	C1	3.218E-06
400.0 PI	0:0:40	3.062E-06	1.173E-03	104.4	44.6	104.4	44.6	104.4	44.6	0	C1	3.257E-06
515.0 RJ	0:0:40	4.913E-06	1.882E-03	104.2	75.1	104.2	75.1	104.2	75.1	0	C1	3.180E-06
515.0 VJ	0:0:-40	2.300E-06	8.810E-04	107.1	-50.8	107.1	-50.8	107.1	-50.8	0	C1	3.180E-06
535.0 RK	0:0:40	4.901E-06	1.878E-03	105.3	81.6	105.3	81.6	105.3	81.6	0	C1	3.257E-06
535.0 VK	0:0:-40	3.054E-06	1.170E-03	113.3	-71.4	113.3	-71.4	113.3	-71.4	0	C1	0.000E+00
475.0 PK	0:0:40	1.857E-06	7.116E-04	108.2	67.4	108.2	67.4	108.2	67.4	0	C1	0.000E+00
535.0 X+	40:0:0	3.392E-06	1.300E-03	18.4	14.9	18.4	14.9	18.4	14.9	0	C1	3.218E-06
535.0 X-	-40:0:0	4.014E-06	1.538E-03	169.2	16.0	169.2	16.0	169.2	16.0	0	C1	3.218E-06
535.0 Y+	0:40:0	4.341E-06	1.663E-03	88.8	12.4	88.8	12.4	88.8	12.4	0	C1	3.295E-06
535.0 Y-	0:-40:0	2.803E-06	1.074E-03	270.6	21.2	270.6	21.2	270.6	21.2	0	C1	3.218E-06
555.0 RL	0:0:40	4.977E-06	1.907E-03	110.5	85.2	110.5	85.2	110.5	85.2	0	C1	3.218E-06
555.0 VL	0:0:-40	3.553E-06	1.361E-03	110.0	-75.6	110.0	-75.6	110.0	-75.6	0	C1	0.000E+00
555.0 Y+	0:40:0	4.648E-06	1.781E-03	93.0	10.6	93.0	10.6	93.0	10.6	0	C1	3.180E-06
555.0 Y-	0:-40:0	3.420E-06	1.310E-03	271.0	11.2	271.0	11.2	271.0	11.2	0	C1	3.257E-06
555.0 X+	40:0:0	3.918E-06	1.501E-03	4.9	9.0	4.9	9.0	4.9	9.0	0	C1	3.180E-06
555.0 X-	-40:0:0	4.349E-06	1.666E-03	170.1	10.8	170.1	10.8	170.1	10.8	0	C1	3.142E-06







----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P06  
 Specimen : 13PI\_P06A  
 Volume : n.d      masse : 4.290  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "not oriented"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.378E-05	3.211E-03	181.9	50.0	181.9	50.0	181.9	50.0	0	C1	4.569E-06
100.0 RA	0:0:40	1.395E-05	3.253E-03	176.0	51.4	176.0	51.4	176.0	51.4	0	C1	4.569E-06
100.0 VA	0:0:-40	1.368E-05	3.188E-03	181.1	49.2	181.1	49.2	181.1	49.2	0	C1	4.615E-06
160.0 RB	0:0:40	1.410E-05	3.286E-03	181.5	50.1	181.5	50.1	181.5	50.1	0	C1	4.569E-06
160.0 VB	0:0:-40	1.346E-05	3.139E-03	179.5	48.0	179.5	48.0	179.5	48.0	0	C1	4.662E-06
220.0 RC	0:0:40	1.416E-05	3.300E-03	181.5	51.9	181.5	51.9	181.5	51.9	0	C1	4.615E-06
220.0 VC	0:0:-40	1.317E-05	3.070E-03	181.8	47.9	181.8	47.9	181.8	47.9	0	C1	4.592E-06
260.0 RD	0:0:40	1.400E-05	3.264E-03	184.5	51.9	184.5	51.9	184.5	51.9	0	C1	4.615E-06
260.0 VD	0:0:-40	1.293E-05	3.015E-03	181.8	51.3	181.8	51.3	181.8	51.3	0	C1	4.476E-06
300.0 RE	0:0:40	1.418E-05	3.306E-03	178.0	52.9	178.0	52.9	178.0	52.9	0	C1	4.522E-06
300.0 VE	0:0:-40	1.245E-05	2.902E-03	181.2	46.4	181.2	46.4	181.2	46.4	0	C1	4.545E-06
220.0 PE	0:0:40	1.322E-05	3.082E-03	180.0	52.4	180.0	52.4	180.0	52.4	0	C1	4.615E-06
350.0 RF	0:0:40	1.405E-05	3.275E-03	181.7	53.5	181.7	53.5	181.7	53.5	0	C1	4.522E-06
350.0 VF	0:0:-40	1.165E-05	2.717E-03	182.6	44.4	182.6	44.4	182.6	44.4	0	C1	4.709E-06
400.0 RG	0:0:40	1.384E-05	3.225E-03	186.0	55.2	186.0	55.2	186.0	55.2	0	C1	4.569E-06
400.0 VG	0:0:-40	1.028E-05	2.397E-03	180.5	40.8	180.5	40.8	180.5	40.8	0	C1	4.569E-06
300.0 PG	0:0:40	1.191E-05	2.776E-03	177.2	49.3	177.2	49.3	177.2	49.3	0	C1	4.569E-06
450.0 RH	0:0:40	1.348E-05	3.142E-03	185.7	63.4	185.7	63.4	185.7	63.4	0	C1	4.569E-06
450.0 VH	0:0:-40	6.865E-06	1.600E-03	180.4	23.7	180.4	23.7	180.4	23.7	0	C1	4.569E-06
475.0 RI	0:0:40	1.320E-05	3.076E-03	185.4	67.3	185.4	67.3	185.4	67.3	0	C1	4.592E-06
475.0 VI	0:0:-40	5.143E-06	1.199E-03	182.9	0.1	182.9	0.1	182.9	0.1	0	C1	4.569E-06
400.0 PI	0:0:40	7.202E-06	1.679E-03	179.9	44.8	179.9	44.8	179.9	44.8	0	C1	4.569E-06
515.0 RJ	0:0:40	1.313E-05	3.060E-03	186.3	77.2	186.3	77.2	186.3	77.2	0	C1	4.545E-06
515.0 VJ	0:0:-40	6.462E-06	1.506E-03	175.9	-61.5	175.9	-61.5	175.9	-61.5	0	C1	4.545E-06
535.0 RK	0:0:40	1.313E-05	3.060E-03	192.9	82.3	192.9	82.3	192.9	82.3	0	C1	4.569E-06
535.0 VK	0:0:-40	8.723E-06	2.033E-03	177.2	-76.7	177.2	-76.7	177.2	-76.7	0	C1	0.000E+00
475.0 PK	0:0:40	4.692E-06	1.094E-03	174.9	69.0	174.9	69.0	174.9	69.0	0	C1	0.000E+00
535.0 X+	40:0:0	8.190E-06	1.909E-03	7.5	14.5	7.5	14.5	7.5	14.5	0	C1	4.569E-06
535.0 X-	-40:0:0	1.131E-05	2.636E-03	216.1	12.3	216.1	12.3	216.1	12.3	0	C1	4.569E-06
535.0 Y+	0:40:0	1.051E-05	2.451E-03	97.0	13.9	97.0	13.9	97.0	13.9	0	C1	4.545E-06
535.0 Y-	0:-40:0	1.015E-05	2.367E-03	274.5	9.9	274.5	9.9	274.5	9.9	0	C1	4.569E-06
555.0 RL	0:0:40	1.333E-05	3.107E-03	206.0	84.2	206.0	84.2	206.0	84.2	0	C1	4.545E-06
555.0 VL	0:0:-40	1.007E-05	2.346E-03	169.1	-80.9	169.1	-80.9	169.1	-80.9	0	C1	0.000E+00
555.0 Y+	0:40:0	1.165E-05	2.716E-03	98.0	9.5	98.0	9.5	98.0	9.5	0	C1	4.476E-06
555.0 Y-	0:-40:0	1.149E-05	2.678E-03	260.2	6.4	260.2	6.4	260.2	6.4	0	C1	4.499E-06
555.0 X+	40:0:0	9.842E-06	2.294E-03	0.0	7.3	0.0	7.3	0.0	7.3	0	C1	0.000E+00
555.0 X-	-40:0:0	1.223E-05	2.852E-03	179.1	8.5	179.1	8.5	179.1	8.5	0	C1	4.499E-06





----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P07  
 Specimen : 13PI\_P07A  
 Volume : n.d      masse : 5.170  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "not oriented"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.964E-05	3.798E-03	275.6	-22.6	275.6	-22.6	275.6	-22.6	0	C1	5.010E-06
100.0 RA	0:0:40	1.952E-05	3.775E-03	272.4	-21.6	272.4	-21.6	272.4	-21.6	0	C1	5.029E-06
100.0 VA	0:0:-40	1.976E-05	3.822E-03	275.6	-25.2	275.6	-25.2	275.6	-25.2	0	C1	5.029E-06
160.0 RB	0:0:40	1.801E-05	3.483E-03	274.5	-20.5	274.5	-20.5	274.5	-20.5	0	C1	4.159E-06
160.0 VB	0:0:-40	1.827E-05	3.533E-03	279.5	-22.9	279.5	-22.9	279.5	-22.9	0	C1	4.333E-06
220.0 RC	0:0:40	1.725E-05	3.336E-03	275.2	-20.0	275.2	-20.0	275.2	-20.0	0	C1	3.907E-06
220.0 VC	0:0:-40	1.785E-05	3.453E-03	275.7	-25.1	275.7	-25.1	275.7	-25.1	0	C1	3.888E-06
260.0 RD	0:0:40	1.692E-05	3.273E-03	274.8	-17.3	274.8	-17.3	274.8	-17.3	0	C1	3.946E-06
260.0 VD	0:0:-40	1.768E-05	3.420E-03	274.5	-25.3	274.5	-25.3	274.5	-25.3	0	C1	3.849E-06
300.0 RE	0:0:40	1.641E-05	3.174E-03	272.5	-16.5	272.5	-16.5	272.5	-16.5	0	C1	3.907E-06
300.0 VE	0:0:-40	1.746E-05	3.377E-03	275.1	-27.0	275.1	-27.0	275.1	-27.0	0	C1	3.965E-06
220.0 PE	0:0:40	1.680E-05	3.249E-03	275.7	-21.4	275.7	-21.4	275.7	-21.4	0	C1	4.120E-06
350.0 RF	0:0:40	1.524E-05	2.949E-03	272.3	-13.4	272.3	-13.4	272.3	-13.4	0	C1	4.043E-06
350.0 VF	0:0:-40	1.681E-05	3.251E-03	275.5	-31.1	275.5	-31.1	275.5	-31.1	0	C1	4.101E-06
400.0 RG	0:0:40	1.298E-05	2.511E-03	276.4	-3.9	276.4	-3.9	276.4	-3.9	0	C1	4.159E-06
400.0 VG	0:0:-40	1.583E-05	3.062E-03	275.4	-38.0	275.4	-38.0	275.4	-38.0	0	C1	4.197E-06
300.0 PG	0:0:40	1.395E-05	2.698E-03	273.6	-26.5	273.6	-26.5	273.6	-26.5	0	C1	4.217E-06
450.0 RH	0:0:40	1.046E-05	2.023E-03	277.5	29.8	277.5	29.8	277.5	29.8	0	C1	4.275E-06
450.0 VH	0:0:-40	1.471E-05	2.846E-03	277.4	-54.9	277.4	-54.9	277.4	-54.9	0	C1	4.294E-06
475.0 RI	0:0:40	1.086E-05	2.100E-03	276.5	50.8	276.5	50.8	276.5	50.8	0	C1	4.352E-06
475.0 VI	0:0:-40	1.457E-05	2.818E-03	278.6	-64.7	278.6	-64.7	278.6	-64.7	0	C1	4.352E-06
400.0 PI	0:0:40	7.301E-06	1.412E-03	274.6	-27.9	274.6	-27.9	274.6	-27.9	0	C1	4.371E-06
515.0 RJ	0:0:40	1.394E-05	2.696E-03	276.7	74.0	276.7	74.0	276.7	74.0	0	C1	4.507E-06
515.0 VJ	0:0:-40	1.603E-05	3.100E-03	272.1	-78.9	272.1	-78.9	272.1	-78.9	0	C1	4.526E-06
535.0 RK	0:0:40	1.549E-05	2.996E-03	280.6	81.0	280.6	81.0	280.6	81.0	0	C1	4.565E-06
535.0 VK	0:0:-40	1.672E-05	3.233E-03	270.4	-84.6	270.4	-84.6	270.4	-84.6	0	C1	0.000E+00
475.0 PK	0:0:40	6.157E-06	1.191E-03	281.5	70.4	281.5	70.4	281.5	70.4	0	C1	0.000E+00
535.0 X+	40:0:0	1.575E-05	3.046E-03	354.6	-3.9	354.6	-3.9	354.6	-3.9	0	C1	4.565E-06
535.0 X-	-40:0:0	1.528E-05	2.956E-03	188.8	-0.4	188.8	-0.4	188.8	-0.4	0	C1	4.584E-06
535.0 Y+	0:40:0	1.373E-05	2.656E-03	95.2	-0.9	95.2	-0.9	95.2	-0.9	0	C1	4.545E-06
535.0 Y-	0:-40:0	1.744E-05	3.372E-03	278.4	-3.7	278.4	-3.7	278.4	-3.7	0	C1	4.545E-06
555.0 RL	0:0:40	1.605E-05	3.104E-03	285.3	82.7	285.3	82.7	285.3	82.7	0	C1	4.623E-06
555.0 VL	0:0:-40	1.703E-05	3.295E-03	254.1	-85.9	254.1	-85.9	254.1	-85.9	0	C1	0.000E+00
555.0 Y+	0:40:0	1.490E-05	2.881E-03	92.7	0.0	92.7	0.0	92.7	0.0	0	C1	4.584E-06
555.0 Y-	0:-40:0	1.761E-05	3.406E-03	275.1	-2.5	275.1	-2.5	275.1	-2.5	0	C1	4.565E-06
555.0 X+	40:0:0	1.642E-05	3.177E-03	354.8	-4.4	354.8	-4.4	354.8	-4.4	0	C1	4.565E-06
555.0 X-	-40:0:0	1.601E-05	3.096E-03	182.6	0.9	182.6	0.9	182.6	0.9	0	C1	4.545E-06





----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P08  
 Specimen : 13PI\_P08A  
 Volume : n.d      masse : 3.550  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "not oriented"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	7.785E-06	2.193E-03	164.5	-13.9	164.5	-13.9	164.5	-13.9	0	C1	4.000E-06
100.0 RA	0:0:40	7.755E-06	2.185E-03	160.1	-14.1	160.1	-14.1	160.1	-14.1	0	C1	4.028E-06
100.0 VA	0:0:-40	7.810E-06	2.200E-03	162.0	-15.9	162.0	-15.9	162.0	-15.9	0	C1	4.056E-06
160.0 RB	0:0:40	7.324E-06	2.063E-03	161.4	-11.5	161.4	-11.5	161.4	-11.5	0	C1	3.465E-06
160.0 VB	0:0:-40	7.370E-06	2.076E-03	159.8	-14.6	159.8	-14.6	159.8	-14.6	0	C1	3.634E-06
220.0 RC	0:0:40	7.126E-06	2.007E-03	160.7	-9.7	160.7	-9.7	160.7	-9.7	0	C1	3.352E-06
220.0 VC	0:0:-40	7.325E-06	2.063E-03	163.2	-15.9	163.2	-15.9	163.2	-15.9	0	C1	3.380E-06
260.0 RD	0:0:40	6.986E-06	1.968E-03	163.6	-9.3	163.6	-9.3	163.6	-9.3	0	C1	3.380E-06
260.0 VD	0:0:-40	7.258E-06	2.045E-03	164.1	-16.5	164.1	-16.5	164.1	-16.5	0	C1	3.296E-06
300.0 RE	0:0:40	6.838E-06	1.926E-03	160.4	-6.8	160.4	-6.8	160.4	-6.8	0	C1	3.352E-06
300.0 VE	0:0:-40	7.160E-06	2.017E-03	162.5	-18.1	162.5	-18.1	162.5	-18.1	0	C1	3.408E-06
220.0 PE	0:0:40	6.874E-06	1.936E-03	163.9	-11.1	163.9	-11.1	163.9	-11.1	0	C1	3.549E-06
350.0 RF	0:0:40	6.426E-06	1.810E-03	161.2	-4.0	161.2	-4.0	161.2	-4.0	0	C1	3.437E-06
350.0 VF	0:0:-40	6.840E-06	1.927E-03	164.6	-21.0	164.6	-21.0	164.6	-21.0	0	C1	3.521E-06
400.0 RG	0:0:40	5.717E-06	1.610E-03	163.6	4.0	163.6	4.0	163.6	4.0	0	C1	3.549E-06
400.0 VG	0:0:-40	6.480E-06	1.825E-03	162.2	-27.3	162.2	-27.3	162.2	-27.3	0	C1	3.577E-06
300.0 PG	0:0:40	5.898E-06	1.661E-03	162.8	-14.7	162.8	-14.7	162.8	-14.7	0	C1	3.606E-06
450.0 RH	0:0:40	4.701E-06	1.324E-03	165.7	31.0	165.7	31.0	165.7	31.0	0	C1	3.634E-06
450.0 VH	0:0:-40	5.837E-06	1.644E-03	163.2	-44.0	163.2	-44.0	163.2	-44.0	0	C1	3.634E-06
475.0 RI	0:0:40	4.612E-06	1.299E-03	167.2	47.6	167.2	47.6	167.2	47.6	0	C1	3.718E-06
475.0 VI	0:0:-40	5.679E-06	1.600E-03	163.1	-54.0	163.1	-54.0	163.1	-54.0	0	C1	3.662E-06
400.0 PI	0:0:40	3.418E-06	9.628E-04	162.7	-19.0	162.7	-19.0	162.7	-19.0	0	C1	3.690E-06
515.0 RJ	0:0:40	5.456E-06	1.537E-03	170.2	72.8	170.2	72.8	170.2	72.8	0	C1	3.803E-06
515.0 VJ	0:0:-40	6.193E-06	1.744E-03	156.9	-71.0	156.9	-71.0	156.9	-71.0	0	C1	3.803E-06
535.0 RK	0:0:40	6.016E-06	1.695E-03	171.7	80.5	171.7	80.5	171.7	80.5	0	C1	3.831E-06
535.0 VK	0:0:-40	6.456E-06	1.819E-03	158.8	-78.0	158.8	-78.0	158.8	-78.0	0	C1	0.000E+00
475.0 PK	0:0:40	2.078E-06	5.855E-04	176.3	58.7	176.3	58.7	176.3	58.7	0	C1	0.000E+00
535.0 X+	40:0:0	4.791E-06	1.349E-03	2.6	-3.6	2.6	-3.6	2.6	-3.6	0	C1	3.803E-06
535.0 X-	-40:0:0	6.987E-06	1.968E-03	179.4	-0.8	179.4	-0.8	179.4	-0.8	0	C1	0.000E+00
535.0 Y+	0:40:0	6.197E-06	1.746E-03	98.7	-2.2	98.7	-2.2	98.7	-2.2	0	C1	3.775E-06
535.0 Y-	0:-40:0	5.571E-06	1.569E-03	258.5	-1.9	258.5	-1.9	258.5	-1.9	0	C1	3.859E-06
555.0 RL	0:0:40	6.315E-06	1.779E-03	189.6	83.9	189.6	83.9	189.6	83.9	0	C1	3.859E-06
555.0 VL	0:0:-40	6.684E-06	1.883E-03	151.5	-78.6	151.5	-78.6	151.5	-78.6	0	C1	0.000E+00
555.0 Y+	0:40:0	6.492E-06	1.829E-03	95.8	-1.5	95.8	-1.5	95.8	-1.5	0	C1	3.831E-06
555.0 Y-	0:-40:0	5.918E-06	1.667E-03	266.3	0.4	266.3	0.4	266.3	0.4	0	C1	3.775E-06
555.0 X+	40:0:0	5.555E-06	1.565E-03	2.7	-3.4	2.7	-3.4	2.7	-3.4	0	C1	3.803E-06
555.0 X-	-40:0:0	7.141E-06	2.012E-03	181.8	0.7	181.8	0.7	181.8	0.7	0	C1	3.746E-06





----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P09  
 Specimen : 13PI\_P09A  
 Volume : n.d      masse : 3.330  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "not oriented"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	9.829E-06	2.952E-03	122.2	-28.7	122.2	-28.7	122.2	-28.7	0	C1	4.324E-06
100.0 RA	0:0:40	9.752E-06	2.929E-03	120.2	-29.1	120.2	-29.1	120.2	-29.1	0	C1	4.414E-06
100.0 VA	0:0:-40	9.912E-06	2.977E-03	121.6	-30.2	121.6	-30.2	121.6	-30.2	0	C1	4.324E-06
160.0 RB	0:0:40	9.144E-06	2.746E-03	120.3	-26.2	120.3	-26.2	120.3	-26.2	0	C1	3.814E-06
160.0 VB	0:0:-40	9.372E-06	2.814E-03	121.8	-30.0	121.8	-30.0	121.8	-30.0	0	C1	4.114E-06
220.0 RC	0:0:40	8.818E-06	2.648E-03	123.5	-25.6	123.5	-25.6	123.5	-25.6	0	C1	3.754E-06
220.0 VC	0:0:-40	9.307E-06	2.795E-03	124.5	-30.7	124.5	-30.7	124.5	-30.7	0	C1	3.724E-06
260.0 RD	0:0:40	8.618E-06	2.588E-03	123.4	-24.6	123.4	-24.6	123.4	-24.6	0	C1	3.784E-06
260.0 VD	0:0:-40	9.261E-06	2.781E-03	122.7	-31.4	122.7	-31.4	122.7	-31.4	0	C1	3.724E-06
300.0 RE	0:0:40	8.312E-06	2.496E-03	120.8	-22.3	120.8	-22.3	120.8	-22.3	0	C1	3.814E-06
300.0 VE	0:0:-40	9.170E-06	2.754E-03	123.3	-33.4	123.3	-33.4	123.3	-33.4	0	C1	3.814E-06
220.0 PE	0:0:40	8.613E-06	2.586E-03	125.0	-28.1	125.0	-28.1	125.0	-28.1	0	C1	3.934E-06
350.0 RF	0:0:40	7.626E-06	2.290E-03	120.7	-19.9	120.7	-19.9	120.7	-19.9	0	C1	3.874E-06
350.0 VF	0:0:-40	8.813E-06	2.646E-03	122.0	-35.4	122.0	-35.4	122.0	-35.4	0	C1	3.964E-06
400.0 RG	0:0:40	6.359E-06	1.910E-03	121.7	-9.6	121.7	-9.6	121.7	-9.6	0	C1	3.844E-06
400.0 VG	0:0:-40	8.439E-06	2.534E-03	123.7	-41.3	123.7	-41.3	123.7	-41.3	0	C1	3.934E-06
300.0 PG	0:0:40	7.272E-06	2.184E-03	121.6	-30.7	121.6	-30.7	121.6	-30.7	0	C1	3.904E-06
450.0 RH	0:0:40	4.616E-06	1.386E-03	122.0	23.7	122.0	23.7	122.0	23.7	0	C1	3.964E-06
450.0 VH	0:0:-40	7.748E-06	2.327E-03	125.1	-56.0	125.1	-56.0	125.1	-56.0	0	C1	4.024E-06
475.0 RI	0:0:40	4.628E-06	1.390E-03	118.7	47.4	118.7	47.4	118.7	47.4	0	C1	4.024E-06
475.0 VI	0:0:-40	7.492E-06	2.250E-03	124.2	-63.2	124.2	-63.2	124.2	-63.2	0	C1	4.024E-06
400.0 PI	0:0:40	3.874E-06	1.164E-03	121.2	-32.5	121.2	-32.5	121.2	-32.5	0	C1	4.054E-06
515.0 RJ	0:0:40	5.998E-06	1.801E-03	116.6	75.0	116.6	75.0	116.6	75.0	0	C1	4.114E-06
515.0 VJ	0:0:-40	7.806E-06	2.344E-03	125.0	-76.4	125.0	-76.4	125.0	-76.4	0	C1	4.144E-06
535.0 RK	0:0:40	6.825E-06	2.049E-03	103.7	81.4	103.7	81.4	103.7	81.4	0	C1	4.144E-06
535.0 VK	0:0:-40	7.903E-06	2.373E-03	138.7	-80.9	138.7	-80.9	138.7	-80.9	0	C1	0.000E+00
475.0 PK	0:0:40	3.295E-06	9.895E-04	120.3	75.1	120.3	75.1	120.3	75.1	0	C1	0.000E+00
535.0 X+	40:0:0	7.106E-06	2.134E-03	8.3	-3.5	8.3	-3.5	8.3	-3.5	0	C1	4.174E-06
535.0 X-	-40:0:0	8.197E-06	2.462E-03	176.8	-4.2	176.8	-4.2	176.8	-4.2	0	C1	4.174E-06
535.0 Y+	0:40:0	8.682E-06	2.607E-03	98.9	-2.3	98.9	-2.3	98.9	-2.3	0	C1	7.838E-06
535.0 Y-	0:-40:0	6.839E-06	2.054E-03	271.5	-5.9	271.5	-5.9	271.5	-5.9	0	C1	4.144E-06
555.0 RL	0:0:40	7.307E-06	2.194E-03	109.5	86.5	109.5	86.5	109.5	86.5	0	C1	4.204E-06
555.0 VL	0:0:-40	8.117E-06	2.437E-03	129.4	-82.0	129.4	-82.0	129.4	-82.0	0	C1	0.000E+00
555.0 Y+	0:40:0	8.934E-06	2.683E-03	91.4	-1.1	91.4	-1.1	91.4	-1.1	0	C1	4.144E-06
555.0 Y-	0:-40:0	7.583E-06	2.277E-03	270.2	-3.9	270.2	-3.9	270.2	-3.9	0	C1	4.144E-06
555.0 X+	40:0:0	7.832E-06	2.352E-03	7.8	-2.2	7.8	-2.2	7.8	-2.2	0	C1	4.144E-06
555.0 X-	-40:0:0	8.537E-06	2.564E-03	176.1	-2.4	176.1	-2.4	176.1	-2.4	0	C1	4.144E-06







----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P10  
 Specimen : 13PI\_P10A  
 Volume : n.d      masse : 2.110  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "not oriented"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.991E-05	9.437E-03	214.4	5.2	214.4	5.2	214.4	5.2	0	C1	1.199E-05
100.0 RA	0:0:40	1.990E-05	9.429E-03	211.0	6.9	211.0	6.9	211.0	6.9	0	C1	1.213E-05
100.0 VA	0:0:-40	1.975E-05	9.360E-03	213.5	4.1	213.5	4.1	213.5	4.1	0	C1	1.194E-05
160.0 RB	0:0:40	1.967E-05	9.324E-03	211.6	6.5	211.6	6.5	211.6	6.5	0	C1	1.166E-05
160.0 VB	0:0:-40	1.936E-05	9.173E-03	214.6	4.5	214.6	4.5	214.6	4.5	0	C1	1.209E-05
220.0 RC	0:0:40	1.942E-05	9.204E-03	214.5	7.4	214.5	7.4	214.5	7.4	0	C1	1.175E-05
220.0 VC	0:0:-40	1.926E-05	9.128E-03	214.3	3.5	214.3	3.5	214.3	3.5	0	C1	1.156E-05
260.0 RD	0:0:40	1.913E-05	9.066E-03	215.1	9.7	215.1	9.7	215.1	9.7	0	C1	1.190E-05
260.0 VD	0:0:-40	1.904E-05	9.024E-03	213.6	2.4	213.6	2.4	213.6	2.4	0	C1	1.152E-05
300.0 RE	0:0:40	1.904E-05	9.026E-03	213.5	10.1	213.5	10.1	213.5	10.1	0	C1	1.152E-05
300.0 VE	0:0:-40	1.866E-05	8.841E-03	213.2	1.7	213.2	1.7	213.2	1.7	0	C1	1.180E-05
220.0 PE	0:0:40	1.857E-05	8.802E-03	213.6	6.3	213.6	6.3	213.6	6.3	0	C1	1.204E-05
350.0 RF	0:0:40	1.855E-05	8.790E-03	211.9	11.8	211.9	11.8	211.9	11.8	0	C1	1.171E-05
350.0 VF	0:0:-40	1.790E-05	8.481E-03	214.3	-0.1	214.3	-0.1	214.3	-0.1	0	C1	1.204E-05
400.0 RG	0:0:40	1.784E-05	8.455E-03	214.2	15.3	214.2	15.3	214.2	15.3	0	C1	1.185E-05
400.0 VG	0:0:-40	1.702E-05	8.066E-03	212.8	-4.2	212.8	-4.2	212.8	-4.2	0	C1	1.185E-05
300.0 PG	0:0:40	1.708E-05	8.093E-03	212.2	5.0	212.2	5.0	212.2	5.0	0	C1	1.194E-05
450.0 RH	0:0:40	1.669E-05	7.909E-03	215.8	24.6	215.8	24.6	215.8	24.6	0	C1	1.199E-05
450.0 VH	0:0:-40	1.536E-05	7.277E-03	213.5	-13.6	213.5	-13.6	213.5	-13.6	0	C1	1.218E-05
475.0 RI	0:0:40	1.604E-05	7.602E-03	213.7	31.5	213.7	31.5	213.7	31.5	0	C1	1.218E-05
475.0 VI	0:0:-40	1.416E-05	6.710E-03	213.4	-20.7	213.4	-20.7	213.4	-20.7	0	C1	1.209E-05
400.0 PI	0:0:40	1.350E-05	6.397E-03	212.9	5.8	212.9	5.8	212.9	5.8	0	C1	1.218E-05
515.0 RJ	0:0:40	1.590E-05	7.537E-03	214.3	49.9	214.3	49.9	214.3	49.9	0	C1	1.232E-05
515.0 VJ	0:0:-40	1.383E-05	6.553E-03	210.1	-44.1	210.1	-44.1	210.1	-44.1	0	C1	1.227E-05
535.0 RK	0:0:40	1.678E-05	7.954E-03	216.9	64.4	216.9	64.4	216.9	64.4	0	C1	1.227E-05
535.0 VK	0:0:-40	1.447E-05	6.856E-03	212.0	-60.8	212.0	-60.8	212.0	-60.8	0	C1	0.000E+00
475.0 PK	0:0:40	7.447E-06	3.529E-03	214.7	17.2	214.7	17.2	214.7	17.2	0	C1	0.000E+00
535.0 X+	40:0:0	8.482E-06	4.020E-03	332.6	4.1	332.6	4.1	332.6	4.1	0	C1	1.237E-05
535.0 X-	-40:0:0	1.962E-05	9.298E-03	192.5	5.1	192.5	5.1	192.5	5.1	0	C1	1.242E-05
535.0 Y+	0:40:0	1.113E-05	5.277E-03	118.0	7.8	118.0	7.8	118.0	7.8	0	C1	1.237E-05
535.0 Y-	0:-40:0	1.736E-05	8.230E-03	255.1	1.1	255.1	1.1	255.1	1.1	0	C1	1.223E-05
555.0 RL	0:0:40	1.976E-05	9.367E-03	223.1	74.8	223.1	74.8	223.1	74.8	0	C1	1.237E-05
555.0 VL	0:0:-40	1.765E-05	8.364E-03	203.6	-74.9	203.6	-74.9	203.6	-74.9	0	C1	0.000E+00
555.0 Y+	0:40:0	1.609E-05	7.625E-03	106.1	3.9	106.1	3.9	106.1	3.9	0	C1	1.232E-05
555.0 Y-	0:-40:0	1.996E-05	9.462E-03	264.2	0.9	264.2	0.9	264.2	0.9	0	C1	1.237E-05
555.0 X+	40:0:0	1.479E-05	7.009E-03	352.1	0.1	352.1	0.1	352.1	0.1	0	C1	1.227E-05
555.0 X-	-40:0:0	2.154E-05	1.021E-02	188.8	3.5	188.8	3.5	188.8	3.5	0	C1	1.223E-05





----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P11  
 Specimen : 13PI\_P11A  
 Volume : n.d      masse : 3.970  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "not oriented"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	2.727E-05	6.869E-03	223.0	46.8	223.0	46.8	223.0	46.8	0	C1	7.733E-06
100.0 RA	0:0:40	2.757E-05	6.945E-03	213.1	48.1	213.1	48.1	213.1	48.1	0	C1	7.708E-06
100.0 VA	0:0:-40	2.688E-05	6.771E-03	221.2	45.5	221.2	45.5	221.2	45.5	0	C1	7.683E-06
160.0 RB	0:0:40	2.751E-05	6.929E-03	217.2	47.7	217.2	47.7	217.2	47.7	0	C1	7.582E-06
160.0 VB	0:0:-40	2.613E-05	6.583E-03	219.5	45.8	219.5	45.8	219.5	45.8	0	C1	7.657E-06
220.0 RC	0:0:40	2.744E-05	6.912E-03	219.6	49.1	219.6	49.1	219.6	49.1	0	C1	7.607E-06
220.0 VC	0:0:-40	2.509E-05	6.321E-03	218.6	44.0	218.6	44.0	218.6	44.0	0	C1	7.607E-06
260.0 RD	0:0:40	2.714E-05	6.837E-03	218.6	52.4	218.6	52.4	218.6	52.4	0	C1	7.733E-06
260.0 VD	0:0:-40	2.419E-05	6.093E-03	219.8	45.8	219.8	45.8	219.8	45.8	0	C1	7.557E-06
300.0 RE	0:0:40	2.726E-05	6.868E-03	219.0	51.2	219.0	51.2	219.0	51.2	0	C1	7.582E-06
300.0 VE	0:0:-40	2.278E-05	5.738E-03	218.4	41.8	218.4	41.8	218.4	41.8	0	C1	7.657E-06
220.0 PE	0:0:40	2.471E-05	6.225E-03	220.0	46.7	220.0	46.7	220.0	46.7	0	C1	7.708E-06
350.0 RF	0:0:40	2.695E-05	6.788E-03	217.7	53.2	217.7	53.2	217.7	53.2	0	C1	7.657E-06
350.0 VF	0:0:-40	2.020E-05	5.089E-03	220.8	38.0	220.8	38.0	220.8	38.0	0	C1	7.683E-06
400.0 RG	0:0:40	2.655E-05	6.688E-03	223.0	56.4	223.0	56.4	223.0	56.4	0	C1	6.297E-06
400.0 VG	0:0:-40	1.656E-05	4.172E-03	217.4	30.5	217.4	30.5	217.4	30.5	0	C1	7.809E-06
300.0 PG	0:0:40	2.067E-05	5.206E-03	216.4	46.3	216.4	46.3	216.4	46.3	0	C1	7.834E-06
450.0 RH	0:0:40	2.641E-05	6.653E-03	222.0	63.5	222.0	63.5	222.0	63.5	0	C1	7.834E-06
450.0 VH	0:0:-40	1.191E-05	3.001E-03	218.9	8.1	218.9	8.1	218.9	8.1	0	C1	7.960E-06
475.0 RI	0:0:40	2.648E-05	6.670E-03	216.9	67.2	216.9	67.2	216.9	67.2	0	C1	7.884E-06
475.0 VI	0:0:-40	1.028E-05	2.588E-03	217.2	-16.6	217.2	-16.6	217.2	-16.6	0	C1	7.884E-06
400.0 PI	0:0:40	1.532E-05	3.860E-03	217.8	50.0	217.8	50.0	217.8	50.0	0	C1	7.909E-06
515.0 RJ	0:0:40	2.735E-05	6.889E-03	225.0	77.9	225.0	77.9	225.0	77.9	0	C1	7.834E-06
515.0 VJ	0:0:-40	1.520E-05	3.828E-03	213.2	-66.9	213.2	-66.9	213.2	-66.9	0	C1	7.809E-06
535.0 RK	0:0:40	2.805E-05	7.065E-03	237.1	82.8	237.1	82.8	237.1	82.8	0	C1	7.733E-06
535.0 VK	0:0:-40	2.038E-05	5.134E-03	200.4	-79.4	200.4	-79.4	200.4	-79.4	0	C1	0.000E+00
475.0 PK	0:0:40	9.605E-06	2.419E-03	220.9	72.3	220.9	72.3	220.9	72.3	0	C1	0.000E+00
535.0 X+	40:0:0	1.876E-05	4.725E-03	346.8	10.6	346.8	10.6	346.8	10.6	0	C1	7.783E-06
535.0 X-	-40:0:0	2.386E-05	6.011E-03	179.5	10.0	179.5	10.0	179.5	10.0	0	C1	7.809E-06
535.0 Y+	0:40:0	2.198E-05	5.536E-03	94.1	12.6	94.1	12.6	94.1	12.6	0	C1	7.683E-06
535.0 Y-	0:-40:0	2.600E-05	6.549E-03	263.9	5.7	263.9	5.7	263.9	5.7	0	C1	0.000E+00
555.0 RL	0:0:40	2.877E-05	7.248E-03	252.0	85.9	252.0	85.9	252.0	85.9	0	C1	7.683E-06
555.0 VL	0:0:-40	2.457E-05	6.189E-03	197.0	-84.5	197.0	-84.5	197.0	-84.5	0	C1	0.000E+00
555.0 Y+	0:40:0	2.573E-05	6.482E-03	91.5	7.7	91.4	7.7	91.4	7.7	0	C1	7.582E-06
555.0 Y-	0:-40:0	2.752E-05	6.932E-03	269.1	2.0	269.1	2.0	269.1	2.0	0	C1	7.582E-06
555.0 X+	40:0:0	2.250E-05	5.667E-03	357.2	4.2	357.2	4.2	357.2	4.2	0	C1	0.000E+00
555.0 X-	-40:0:0	2.485E-05	6.259E-03	181.2	4.7	181.2	4.7	181.2	4.7	0	C1	7.557E-06





----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P12  
 Specimen : 13PI\_P12A  
 Volume : n.d      masse : 6.250  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	3.751E-08	6.002E-06	293.9	36.4	293.9	36.4	293.9	36.4	0	C1	1.280E-07
100.0 RA	0:0:40	4.079E-08	6.527E-06	291.5	42.8	291.5	42.8	291.5	42.8	0	C1	1.280E-07
100.0 VA	0:0:-40	3.683E-08	5.893E-06	289.4	36.9	289.4	36.9	289.4	36.9	0	C1	1.120E-07
160.0 RB	0:0:40	4.033E-08	6.453E-06	290.5	45.8	290.5	45.8	290.5	45.8	0	C1	1.440E-07
160.0 VB	0:0:-40	3.314E-08	5.303E-06	291.6	32.2	291.6	32.2	291.6	32.2	0	C1	1.600E-07
220.0 RC	0:0:40	4.177E-08	6.683E-06	287.5	51.1	287.5	51.1	287.5	51.1	1	C1	1.120E-07
220.0 VC	0:0:-40	2.987E-08	4.780E-06	287.3	26.5	287.3	26.5	287.3	26.5	0	C1	1.280E-07
260.0 RD	0:0:40	4.320E-08	6.913E-06	290.1	53.8	290.1	53.8	290.1	53.8	1	C1	1.440E-07
260.0 VD	0:0:-40	2.639E-08	4.223E-06	287.2	18.1	287.2	18.1	287.2	18.1	0	C1	1.280E-07
300.0 RE	0:0:40	4.496E-08	7.194E-06	289.8	55.0	289.8	55.0	289.8	55.0	1	C1	1.440E-07
300.0 VE	0:0:-40	2.372E-08	3.795E-06	287.9	5.5	287.9	5.5	287.9	5.5	0	C1	1.280E-07
220.0 PE	0:0:40	3.026E-08	4.841E-06	291.2	40.0	291.2	40.0	291.2	40.0	0	C1	1.280E-07
350.0 RF	0:0:40	4.961E-08	7.937E-06	290.8	67.0	290.8	67.0	290.8	67.0	1	C1	1.440E-07
350.0 VF	0:0:-40	2.077E-08	3.324E-06	288.2	-24.4	288.2	-24.4	288.2	-24.4	0	C1	1.440E-07
400.0 RG	0:0:40	5.502E-08	8.803E-06	290.6	70.1	290.6	70.1	290.6	70.1	1	C1	1.440E-07
400.0 VG	0:0:-40	2.094E-08	3.350E-06	287.3	-39.6	287.3	-39.6	287.3	-39.6	0	C1	1.440E-07
300.0 PG	0:0:40	2.238E-08	3.581E-06	291.3	43.3	291.3	43.3	291.3	43.3	0	C1	1.280E-07
450.0 RH	0:0:40	5.882E-08	9.411E-06	296.7	75.9	296.7	75.9	296.7	75.9	0	C1	1.280E-07
450.0 VH	0:0:-40	3.312E-08	5.299E-06	279.0	-68.5	279.0	-68.5	279.0	-68.5	1	C1	1.280E-07
475.0 RI	0:0:40	6.757E-08	1.081E-05	291.4	76.9	291.4	76.9	291.4	76.9	1	C1	1.280E-07
475.0 VI	0:0:-40	4.239E-08	6.782E-06	272.4	-75.8	272.4	-75.8	272.4	-75.8	0	C1	1.280E-07
400.0 PI	0:0:40	3.658E-08	5.852E-06	288.8	66.3	288.8	66.3	288.8	66.3	1	C1	1.440E-07
515.0 RJ	0:0:40	8.147E-08	1.303E-05	289.8	81.6	289.8	81.6	289.8	81.6	0	C1	1.120E-07
515.0 VJ	0:0:-40	6.234E-08	9.974E-06	286.5	-81.1	286.5	-81.1	286.5	-81.1	0	C1	1.280E-07
535.0 RK	0:0:40	8.943E-08	1.431E-05	320.4	84.5	320.4	84.5	320.4	84.5	0	C1	1.120E-07
535.0 VK	0:0:-40	7.570E-08	1.211E-05	238.7	-84.7	238.7	-84.7	238.7	-84.7	0	C1	0.000E+00
475.0 PK	0:0:40	3.505E-08	5.608E-06	250.3	66.7	250.3	66.7	250.3	66.7	0	C1	0.000E+00



----- Parameters sample & data -----



Site : 13PI\_P  
 Sample : 13PI\_P13  
 Specimen : 13PI\_P13A  
 Volume : n.d      masse : 6.340  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	4.495E-08	7.090E-06	306.2	-0.3	306.2	-0.3	306.2	-0.3	0	C1	1.893E-07
100.0 RA	0:0:40	4.551E-08	7.179E-06	302.5	16.1	302.5	16.1	302.5	16.1	0	C1	2.050E-07
100.0 VA	0:0:-40	4.243E-08	6.692E-06	302.7	3.4	302.7	3.4	302.7	3.4	0	C1	2.050E-07
160.0 RB	0:0:40	4.579E-08	7.223E-06	304.6	24.1	304.6	24.1	304.6	24.1	0	C1	2.208E-07
160.0 VB	0:0:-40	4.192E-08	6.613E-06	310.3	-7.1	310.3	-7.1	310.3	-7.1	0	C1	2.366E-07
220.0 RC	0:0:40	5.152E-08	8.127E-06	306.4	36.6	306.4	36.6	306.4	36.6	1	C1	2.050E-07
220.0 VC	0:0:-40	4.517E-08	7.124E-06	307.6	-30.5	307.6	-30.5	307.6	-30.5	0	C1	2.050E-07
260.0 RD	0:0:40	5.500E-08	8.675E-06	308.7	48.1	308.7	48.1	308.7	48.1	1	C1	2.366E-07
260.0 VD	0:0:-40	4.708E-08	7.426E-06	310.6	-42.3	310.6	-42.3	310.6	-42.3	1	C1	2.050E-07
300.0 RE	0:0:40	6.367E-08	1.004E-05	308.3	57.2	308.3	57.2	308.3	57.2	1	C1	2.366E-07
300.0 VE	0:0:-40	5.337E-08	8.418E-06	307.9	-55.6	307.9	-55.6	307.9	-55.6	1	C1	2.050E-07
220.0 PE	0:0:40	3.236E-08	5.103E-06	311.2	7.3	311.2	7.3	311.2	7.3	0	C1	2.208E-07
350.0 RF	0:0:40	7.867E-08	1.241E-05	301.0	67.9	301.0	67.9	301.0	67.9	0	C1	2.050E-07
350.0 VF	0:0:-40	5.416E-08	8.543E-06	303.5	-64.8	303.5	-64.8	303.5	-64.8	1	C1	2.208E-07
400.0 RG	0:0:40	8.979E-08	1.416E-05	302.9	73.7	302.9	73.7	302.9	73.7	0	C1	2.208E-07
400.0 VG	0:0:-40	6.872E-08	1.084E-05	306.2	-72.5	306.2	-72.5	306.2	-72.5	0	C1	2.050E-07
300.0 PG	0:0:40	3.423E-08	5.399E-06	303.4	46.3	303.4	46.3	303.4	46.3	1	C1	2.208E-07
450.0 RH	0:0:40	1.092E-07	1.723E-05	307.1	79.0	307.1	79.0	307.1	79.0	0	C1	2.366E-07
450.0 VH	0:0:-40	8.762E-08	1.382E-05	312.7	-78.2	312.7	-78.2	312.7	-78.2	0	C1	2.208E-07
475.0 RI	0:0:40	1.199E-07	1.891E-05	304.1	79.9	304.1	79.9	304.1	79.9	0	C1	2.208E-07
475.0 VI	0:0:-40	9.938E-08	1.567E-05	319.3	-81.8	319.3	-81.8	319.3	-81.8	0	C1	2.050E-07
400.0 PI	0:0:40	5.214E-08	8.224E-06	315.1	67.1	315.1	67.1	315.1	67.1	1	C1	2.366E-07
515.0 RJ	0:0:40	1.489E-07	2.349E-05	310.7	83.9	310.7	83.9	310.7	83.9	0	C1	2.050E-07
515.0 VJ	0:0:-40	1.313E-07	2.071E-05	314.6	-87.0	314.6	-87.0	314.6	-87.0	0	C1	2.050E-07
535.0 RK	0:0:40	1.688E-07	2.662E-05	307.2	84.5	307.2	84.5	307.2	84.5	0	C1	2.050E-07
535.0 VK	0:0:-40	1.632E-07	2.575E-05	252.9	-88.9	252.9	-88.9	252.9	-88.9	0	C1	0.000E+00
475.0 PK	0:0:40	5.767E-08	9.096E-06	301.2	81.1	301.2	81.1	301.2	81.1	0	C1	0.000E+00

NRM

NRM = 0.0000 Am<sup>2</sup>/kg







----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P14  
 Specimen : 13PI\_P14A  
 Volume : n.d      masse : 3.510  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	4.985E-07	1.420E-04	294.3	-55.3	294.3	-55.3	294.3	-55.3	0	C1	3.134E-07
100.0 RA	0:0:40	4.797E-07	1.367E-04	292.1	-54.1	292.1	-54.1	292.1	-54.1	0	C1	2.849E-07
100.0 VA	0:0:-40	4.863E-07	1.386E-04	297.1	-57.2	297.1	-57.2	297.1	-57.2	0	C1	2.849E-07
160.0 RB	0:0:40	4.590E-07	1.308E-04	296.1	-54.3	296.1	-54.3	296.1	-54.3	0	C1	2.849E-07
160.0 VB	0:0:-40	4.871E-07	1.388E-04	298.0	-56.7	298.0	-56.7	298.0	-56.7	0	C1	3.704E-07
220.0 RC	0:0:40	4.381E-07	1.248E-04	296.6	-53.7	296.6	-53.7	296.6	-53.7	0	C1	2.849E-07
220.0 VC	0:0:-40	4.843E-07	1.380E-04	296.6	-58.4	296.6	-58.4	296.6	-58.4	0	C1	2.849E-07
260.0 RD	0:0:40	4.198E-07	1.196E-04	297.4	-52.6	297.4	-52.6	297.4	-52.6	0	C1	2.849E-07
260.0 VD	0:0:-40	4.832E-07	1.377E-04	294.7	-58.0	294.7	-58.0	294.7	-58.0	0	C1	2.849E-07
300.0 RE	0:0:40	3.856E-07	1.099E-04	293.7	-50.7	293.7	-50.7	293.7	-50.7	0	C1	2.849E-07
300.0 VE	0:0:-40	4.805E-07	1.369E-04	294.3	-59.2	294.3	-59.2	294.3	-59.2	0	C1	3.134E-07
220.0 PE	0:0:40	4.394E-07	1.252E-04	297.6	-56.3	297.6	-56.3	297.6	-56.3	0	C1	3.419E-07
350.0 RF	0:0:40	2.846E-07	8.108E-05	295.4	-37.2	295.4	-37.2	295.4	-37.2	0	C1	3.419E-07
350.0 VF	0:0:-40	5.165E-07	1.472E-04	298.4	-65.7	298.4	-65.7	298.4	-65.7	0	C1	3.419E-07
400.0 RG	0:0:40	1.919E-07	5.467E-05	298.0	8.1	298.0	8.1	298.0	8.1	0	C1	3.419E-07
400.0 VG	0:0:-40	5.768E-07	1.643E-04	296.7	-73.0	296.7	-73.0	296.7	-73.0	0	C1	3.134E-07
300.0 PG	0:0:40	4.640E-07	1.322E-04	295.7	-67.8	295.7	-67.8	295.7	-67.8	0	C1	3.419E-07
450.0 RH	0:0:40	2.703E-07	7.700E-05	301.7	57.1	301.7	57.1	301.7	57.1	0	C1	3.704E-07
450.0 VH	0:0:-40	6.094E-07	1.736E-04	294.0	-78.9	294.0	-78.9	294.0	-78.9	0	C1	3.419E-07
475.0 RI	0:0:40	3.280E-07	9.345E-05	302.2	67.3	302.2	67.3	302.2	67.3	0	C1	3.419E-07
475.0 VI	0:0:-40	6.167E-07	1.757E-04	289.0	-81.0	289.0	-81.0	289.0	-81.0	0	C1	3.419E-07
400.0 PI	0:0:40	1.155E-07	3.290E-05	299.7	-10.5	299.7	-10.5	299.7	-10.5	0	C1	3.989E-07
515.0 RJ	0:0:40	4.872E-07	1.388E-04	304.6	79.1	304.6	79.1	304.6	79.1	0	C1	3.989E-07
515.0 VJ	0:0:-40	6.633E-07	1.890E-04	287.7	-85.2	287.7	-85.2	287.7	-85.2	0	C1	3.704E-07
535.0 RK	0:0:40	5.856E-07	1.668E-04	311.2	83.6	311.2	83.6	311.2	83.6	0	C1	3.419E-07
535.0 VK	0:0:-40	6.935E-07	1.976E-04	259.9	-88.0	259.9	-88.0	259.9	-88.0	1	C1	0.000E+00
475.0 PK	0:0:40	2.540E-07	7.237E-05	296.8	77.1	296.8	77.1	296.8	77.1	1	C1	0.000E+00





----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P15  
 Specimen : 13PI\_P15A  
 Volume : n.d      masse : 5.840  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -4.9  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.946E-06	3.332E-04	155.9	-18.5	155.9	-18.5	155.9	-18.5	0	C1	3.253E-07
100.0 RA	0:0:40	1.828E-06	3.130E-04	154.0	-14.5	154.0	-14.5	154.0	-14.5	0	C1	3.253E-07
100.0 VA	0:0:-40	1.876E-06	3.213E-04	154.2	-20.0	154.2	-20.0	154.2	-20.0	0	C1	3.253E-07
160.0 RB	0:0:40	1.646E-06	2.819E-04	156.0	-9.1	156.0	-9.1	156.0	-9.1	0	C1	3.596E-07
160.0 VB	0:0:-40	1.807E-06	3.094E-04	154.1	-23.8	154.1	-23.8	154.1	-23.8	0	C1	3.425E-07
220.0 RC	0:0:40	1.492E-06	2.554E-04	158.3	-1.9	158.3	-1.9	158.3	-1.9	0	C1	3.596E-07
220.0 VC	0:0:-40	1.698E-06	2.907E-04	156.5	-28.4	156.5	-28.4	156.5	-28.4	0	C1	3.425E-07
260.0 RD	0:0:40	1.379E-06	2.360E-04	158.2	5.0	158.2	5.0	158.2	5.0	0	C1	3.596E-07
260.0 VD	0:0:-40	1.634E-06	2.799E-04	157.8	-32.1	157.8	-32.1	157.8	-32.1	0	C1	3.596E-07
300.0 RE	0:0:40	1.295E-06	2.217E-04	156.0	13.0	156.0	13.0	156.0	13.0	0	C1	3.425E-07
300.0 VE	0:0:-40	1.578E-06	2.702E-04	156.9	-36.0	156.9	-36.0	156.9	-36.0	0	C1	3.596E-07
220.0 PE	0:0:40	1.280E-06	2.191E-04	157.8	-9.6	157.8	-9.6	157.8	-9.6	0	C1	3.938E-07
350.0 RF	0:0:40	1.362E-06	2.332E-04	156.2	38.1	156.2	38.1	156.2	38.1	0	C1	3.938E-07
350.0 VF	0:0:-40	1.682E-06	2.880E-04	157.5	-49.0	157.5	-49.0	157.5	-49.0	0	C1	3.767E-07
400.0 RG	0:0:40	1.596E-06	2.733E-04	159.6	54.8	159.6	54.8	159.6	54.8	0	C1	4.110E-07
400.0 VG	0:0:-40	1.687E-06	2.889E-04	157.0	-54.8	157.0	-54.8	157.0	-54.8	0	C1	3.938E-07
300.0 PG	0:0:40	1.010E-06	1.730E-04	156.1	-19.7	156.1	-19.7	156.1	-19.7	0	C1	4.281E-07
450.0 RH	0:0:40	1.994E-06	3.414E-04	158.9	68.2	158.9	68.2	158.9	68.2	0	C1	4.281E-07
450.0 VH	0:0:-40	1.772E-06	3.035E-04	159.2	-63.0	159.2	-63.0	159.2	-63.0	0	C1	4.281E-07
475.0 RI	0:0:40	2.175E-06	3.725E-04	159.9	72.3	159.9	72.3	159.9	72.3	0	C1	4.623E-07
475.0 VI	0:0:-40	1.796E-06	3.075E-04	158.5	-66.1	158.5	-66.1	158.5	-66.1	0	C1	4.795E-07
400.0 PI	0:0:40	9.250E-07	1.584E-04	158.3	44.4	158.3	44.4	158.3	44.4	0	C1	4.966E-07
515.0 RJ	0:0:40	2.428E-06	4.157E-04	162.9	80.7	162.9	80.7	162.9	80.7	0	C1	4.623E-07
515.0 VJ	0:0:-40	1.998E-06	3.421E-04	154.6	-76.1	154.6	-76.1	154.6	-76.1	0	C1	4.966E-07
535.0 RK	0:0:40	2.468E-06	4.227E-04	170.2	84.2	170.2	84.2	170.2	84.2	0	C1	4.623E-07
535.0 VK	0:0:-40	2.253E-06	3.857E-04	148.8	-80.4	148.8	-80.4	148.8	-80.4	0	C1	0.000E+00
475.0 PK	0:0:40	6.049E-07	1.036E-04	143.2	56.2	143.2	56.2	143.2	56.2	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P16  
 Specimen : 13PI\_P16A  
 Volume : n.d      masse : 5.790  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	2.829E-07	4.885E-05	245.3	42.7	245.3	42.7	245.3	42.7	0	C1	2.245E-07
100.0 RA	0:0:40	2.945E-07	5.087E-05	243.6	46.1	243.6	46.1	243.6	46.1	0	C1	2.245E-07
100.0 VA	0:0:-40	2.837E-07	4.900E-05	242.9	43.1	242.9	43.1	242.9	43.1	0	C1	2.418E-07
160.0 RB	0:0:40	2.883E-07	4.980E-05	242.9	45.7	242.9	45.7	242.9	45.7	0	C1	2.245E-07
160.0 VB	0:0:-40	2.684E-07	4.635E-05	241.5	40.9	241.5	40.9	241.5	40.9	0	C1	2.245E-07
220.0 RC	0:0:40	2.898E-07	5.005E-05	246.5	45.9	246.5	45.9	246.5	45.9	0	C1	2.245E-07
220.0 VC	0:0:-40	2.472E-07	4.270E-05	245.4	36.1	245.4	36.1	245.4	36.1	0	C1	1.382E-07
260.0 RD	0:0:40	2.889E-07	4.989E-05	245.4	48.8	245.4	48.8	245.4	48.8	0	C1	2.591E-07
260.0 VD	0:0:-40	2.311E-07	3.991E-05	245.7	34.6	245.7	34.6	245.7	34.6	0	C1	2.245E-07
300.0 RE	0:0:40	2.878E-07	4.970E-05	243.0	50.8	243.0	50.8	243.0	50.8	0	C1	2.245E-07
300.0 VE	0:0:-40	2.100E-07	3.627E-05	244.7	31.2	244.7	31.2	244.7	31.2	0	C1	2.418E-07
220.0 PE	0:0:40	2.423E-07	4.185E-05	246.2	41.5	246.2	41.5	246.2	41.5	0	C1	2.763E-07
350.0 RF	0:0:40	2.933E-07	5.065E-05	245.3	55.0	245.3	55.0	245.3	55.0	0	C1	2.591E-07
350.0 VF	0:0:-40	1.841E-07	3.179E-05	244.3	24.1	244.3	24.1	244.3	24.1	0	C1	2.245E-07
400.0 RG	0:0:40	3.031E-07	5.235E-05	244.1	57.6	244.1	57.6	244.1	57.6	0	C1	2.763E-07
400.0 VG	0:0:-40	1.582E-07	2.732E-05	241.2	11.5	241.2	11.5	241.2	11.5	0	C1	2.418E-07
300.0 PG	0:0:40	2.095E-07	3.618E-05	242.9	41.6	242.9	41.6	242.9	41.6	0	C1	2.591E-07
450.0 RH	0:0:40	3.351E-07	5.787E-05	248.9	66.2	248.9	66.2	248.9	66.2	0	C1	2.418E-07
450.0 VH	0:0:-40	1.391E-07	2.402E-05	240.8	-20.4	240.8	-20.4	240.8	-20.4	0	C1	2.245E-07
475.0 RI	0:0:40	3.629E-07	6.268E-05	248.4	71.4	248.4	71.4	248.4	71.4	0	C1	2.418E-07
475.0 VI	0:0:-40	1.626E-07	2.808E-05	239.7	-47.5	239.7	-47.5	239.7	-47.5	0	C1	2.418E-07
400.0 PI	0:0:40	1.664E-07	2.874E-05	244.1	48.2	244.1	48.2	244.1	48.2	0	C1	2.418E-07
515.0 RJ	0:0:40	4.244E-07	7.330E-05	253.6	79.0	253.6	79.0	253.6	79.0	0	C1	2.418E-07
515.0 VJ	0:0:-40	2.656E-07	4.587E-05	223.7	-76.3	223.7	-76.3	223.7	-76.3	0	C1	2.418E-07
535.0 RK	0:0:40	4.631E-07	7.998E-05	260.6	82.2	260.6	82.2	260.6	82.2	0	C1	2.418E-07
535.0 VK	0:0:-40	3.496E-07	6.038E-05	224.2	-83.0	224.2	-83.0	224.2	-83.0	0	C1	0.000E+00
475.0 PK	0:0:40	1.190E-07	2.056E-05	239.0	66.3	239.0	66.3	239.0	66.3	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 13PI\_P  
 Sample : 13PI\_P17  
 Specimen : 13PI\_P17A  
 Volume : n.d      masse : 4.500  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 40.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.345E-07	2.988E-05	305.2	19.7	305.2	19.7	305.2	19.7	0	C1	2.000E-07
100.0 RA	0:0:40	1.367E-07	3.038E-05	306.0	25.2	306.0	25.2	306.0	25.2	0	C1	2.000E-07
100.0 VA	0:0:-40	1.337E-07	2.970E-05	306.5	23.0	306.5	23.0	306.5	23.0	0	C1	2.000E-07
160.0 RB	0:0:40	1.329E-07	2.954E-05	306.8	26.5	306.8	26.5	306.8	26.5	0	C1	2.000E-07
160.0 VB	0:0:-40	1.273E-07	2.829E-05	306.6	21.7	306.6	21.7	306.6	21.7	0	C1	2.000E-07
220.0 RC	0:0:40	1.310E-07	2.911E-05	307.7	28.2	307.7	28.2	307.7	28.2	0	C1	2.000E-07
220.0 VC	0:0:-40	1.196E-07	2.657E-05	306.0	18.0	306.0	18.0	306.0	18.0	0	C1	1.778E-07
260.0 RD	0:0:40	1.289E-07	2.865E-05	306.1	31.9	306.1	31.9	306.1	31.9	0	C1	2.000E-07
260.0 VD	0:0:-40	1.145E-07	2.546E-05	308.9	16.2	308.9	16.2	308.9	16.2	0	C1	2.222E-07
300.0 RE	0:0:40	1.254E-07	2.787E-05	309.5	34.4	309.5	34.4	309.5	34.4	0	C1	1.778E-07
300.0 VE	0:0:-40	1.060E-07	2.355E-05	308.6	12.6	308.6	12.6	308.6	12.6	0	C1	2.222E-07
220.0 PE	0:0:40	1.127E-07	2.505E-05	310.4	23.4	310.4	23.4	310.4	23.4	0	C1	2.000E-07
350.0 RF	0:0:40	1.248E-07	2.773E-05	312.3	40.5	312.3	40.5	312.3	40.5	0	C1	2.222E-07
350.0 VF	0:0:-40	9.506E-08	2.112E-05	312.4	2.8	312.4	2.8	312.4	2.8	0	C1	2.000E-07
400.0 RG	0:0:40	1.243E-07	2.763E-05	311.7	45.9	311.7	45.9	311.7	45.9	0	C1	2.000E-07
400.0 VG	0:0:-40	8.543E-08	1.898E-05	312.8	-5.9	312.8	-5.9	312.8	-5.9	0	C1	1.778E-07
300.0 PG	0:0:40	9.135E-08	2.030E-05	313.4	21.6	313.4	21.6	313.4	21.6	0	C1	2.000E-07
450.0 RH	0:0:40	1.398E-07	3.106E-05	313.1	58.5	313.1	58.5	313.1	58.5	0	C1	2.222E-07
450.0 VH	0:0:-40	8.305E-08	1.845E-05	314.8	-32.2	314.8	-32.2	314.8	-32.2	0	C1	2.000E-07
475.0 RI	0:0:40	1.520E-07	3.378E-05	308.9	65.6	308.9	65.6	308.9	65.6	0	C1	2.000E-07
475.0 VI	0:0:-40	9.855E-08	2.190E-05	316.0	-54.6	316.0	-54.6	316.0	-54.6	0	C1	1.778E-07
400.0 PI	0:0:40	6.401E-08	1.423E-05	312.9	22.6	312.9	22.6	312.9	22.6	1	C1	2.000E-07
515.0 RJ	0:0:40	1.865E-07	4.145E-05	310.9	76.9	310.9	76.9	310.9	76.9	0	C1	1.778E-07
515.0 VJ	0:0:-40	1.476E-07	3.280E-05	311.4	-76.1	311.4	-76.1	311.4	-76.1	0	C1	2.222E-07
535.0 RK	0:0:40	2.060E-07	4.579E-05	302.3	82.5	302.3	82.5	302.3	82.5	0	C1	1.778E-07
535.0 VK	0:0:-40	1.787E-07	3.970E-05	305.4	-82.7	305.4	-82.7	305.4	-82.7	0	C1	0.000E+00
475.0 PK	0:0:40	5.033E-08	1.119E-05	300.8	55.1	300.8	55.1	300.8	55.1	0	C1	0.000E+00







----- Parameters sample & data -----

Site : PICA10  
 Sample : PICA1001  
 Specimen : PICA1001B  
 Volume : n.d      masse : 12.700  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -4.9  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.249E-06	9.837E-05	39.8	16.0	39.8	16.0	39.8	16.0	0	C1	3.780E-07
120.0 RA	0:0:50	1.234E-06	9.720E-05	40.1	20.5	40.1	20.5	40.1	20.5	0	C1	3.701E-07
120.0 VA	0:0:-50	1.190E-06	9.368E-05	40.5	14.9	40.5	14.9	40.5	14.9	0	C1	0.000E+00
180.0 RB	0:0:50	1.214E-06	9.559E-05	41.3	24.7	41.3	24.7	41.3	24.7	0	C1	0.000E+00
180.0 VB	0:0:-50	1.129E-06	8.892E-05	40.6	12.6	40.6	12.6	40.6	12.6	0	C1	3.780E-07
240.0 RC	0:0:50	1.220E-06	9.608E-05	44.9	30.7	44.9	30.7	44.9	30.7	0	C1	0.000E+00
240.0 VC	0:0:-50	1.050E-06	8.267E-05	46.2	7.3	46.2	7.3	46.2	7.3	0	C1	0.000E+00
120.0 PC	0:0:50	1.071E-06	8.437E-05	45.8	13.7	45.8	13.7	45.8	13.7	0	C1	0.000E+00
280.0 RD	0:0:50	1.229E-06	9.675E-05	46.4	36.7	46.4	36.7	46.4	36.7	0	C1	3.701E-07
280.0 VD	0:0:-50	1.005E-06	7.913E-05	47.1	2.5	47.1	2.5	47.1	2.5	0	C1	4.016E-07
320.0 RE	0:0:50	1.275E-06	1.004E-04	44.5	43.1	44.5	43.1	44.5	43.1	0	C1	0.000E+00
320.0 VE	0:0:-50	9.498E-07	7.479E-05	45.9	-5.1	45.9	-5.1	45.9	-5.1	0	C1	3.780E-07
240.0 PE	0:0:50	1.010E-06	7.949E-05	47.2	21.9	47.2	21.9	47.2	21.9	0	C1	0.000E+00
360.0 RF	0:0:50	1.339E-06	1.055E-04	46.4	50.1	46.4	50.1	46.4	50.1	0	C1	3.858E-07
360.0 VF	0:0:-50	9.110E-07	7.173E-05	48.5	-19.2	48.5	-19.2	48.5	-19.2	0	C1	4.094E-07
400.0 RG	0:0:50	1.447E-06	1.139E-04	47.2	56.8	47.2	56.8	47.2	56.8	0	C1	4.016E-07
400.0 VG	0:0:-50	9.925E-07	7.815E-05	44.9	-33.6	44.9	-33.6	44.9	-33.6	0	C1	3.858E-07
320.0 PG	0:0:50	9.636E-07	7.587E-05	45.8	33.2	45.8	33.2	45.8	33.2	0	C1	0.000E+00
440.0 RH	0:0:50	1.679E-06	1.322E-04	44.3	65.7	44.3	65.7	44.3	65.7	0	C1	4.094E-07
440.0 VH	0:0:-50	1.130E-06	8.894E-05	44.9	-53.8	44.9	-53.8	44.9	-53.8	0	C1	4.016E-07
480.0 RI	0:0:50	1.912E-06	1.506E-04	42.2	73.9	42.2	73.9	42.2	73.9	0	C1	4.016E-07
480.0 VI	0:0:-50	1.454E-06	1.145E-04	51.6	-68.6	51.6	-68.6	51.6	-68.6	0	C1	3.937E-07
400.0 PI	0:0:50	7.397E-07	5.825E-05	41.8	45.4	41.8	45.4	41.8	45.4	0	C1	4.016E-07
520.0 RJ	0:0:50	2.254E-06	1.775E-04	38.8	80.0	38.8	80.0	38.8	80.0	0	C1	3.937E-07
520.0 VJ	0:0:-50	1.945E-06	1.532E-04	48.1	-78.3	48.1	-78.3	48.1	-78.3	0	C1	3.937E-07
550.0 RK	0:0:50	2.747E-06	2.163E-04	64.9	87.2	64.9	87.2	64.9	87.2	0	C1	3.937E-07
550.0 VK	0:0:-50	2.572E-06	2.025E-04	80.1	-86.4	80.1	-86.4	80.1	-86.4	0	C1	0.000E+00
480.0 PK	0:0:50	5.809E-07	4.574E-05	48.2	73.0	48.2	73.0	48.2	73.0	0	C1	0.000E+00
550.0 X+	50:0:0	2.765E-06	2.177E-04	1.7	0.7	1.7	0.7	1.7	0.7	0	C1	0.000E+00
550.0 X-	-50:0:0	2.480E-06	1.953E-04	179.8	-0.1	179.8	-0.1	179.8	-0.1	0	C1	4.094E-07
550.0 Y+	0:50:0	2.533E-06	1.995E-04	274.3	-2.5	274.3	-2.5	274.3	-2.5	0	C1	0.000E+00
550.0 Y-	0:-50:0	2.639E-06	2.078E-04	89.9	2.3	89.9	2.3	89.9	2.3	0	C1	4.173E-07
550.0 Z+	0:0:50	2.624E-06	2.066E-04	357.4	87.8	357.4	87.8	357.4	87.8	0	C1	0.000E+00
550.0 Z-	0:0:-50	2.508E-06	1.974E-04	76.2	-85.8	76.2	-85.8	76.2	-85.8	0	C1	0.000E+00





----- Parameters sample & data -----

Site : PICA10  
 Sample : PICA1002  
 Specimen : PICA1002B  
 Volume : n.d      masse : 13.200  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in vacuum

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.090E-06	8.258E-05	330.4	-10.8	330.4	-10.8	330.4	-10.8	0	C1	3.182E-07
120.0 RA	0:0:50	1.060E-06	8.032E-05	330.3	-8.4	330.3	-8.4	330.3	-8.4	0	C1	3.030E-07
120.0 VA	0:0:-50	1.072E-06	8.120E-05	329.6	-13.7	329.6	-13.7	329.6	-13.7	0	C1	3.182E-07
180.0 RB	0:0:50	1.019E-06	7.719E-05	330.9	-5.6	330.9	-5.6	330.9	-5.6	0	C1	0.000E+00
180.0 VB	0:0:-50	1.047E-06	7.929E-05	329.0	-15.5	329.0	-15.5	329.0	-15.5	0	C1	0.000E+00
240.0 RC	0:0:50	9.734E-07	7.374E-05	328.2	-0.6	328.2	-0.6	328.2	-0.6	0	C1	0.000E+00
240.0 VC	0:0:-50	1.025E-06	7.765E-05	329.8	-20.5	329.8	-20.5	329.8	-20.5	0	C1	0.000E+00
120.0 PC	0:0:50	1.001E-06	7.586E-05	330.4	-16.1	330.4	-16.1	330.4	-16.1	0	C1	0.000E+00
280.0 RD	0:0:50	9.413E-07	7.131E-05	329.5	5.4	329.5	5.4	329.5	5.4	0	C1	3.409E-07
280.0 VD	0:0:-50	1.003E-06	7.598E-05	331.1	-23.1	331.1	-23.1	331.1	-23.1	0	C1	0.000E+00
320.0 RE	0:0:50	9.169E-07	6.947E-05	326.8	12.6	326.8	12.6	326.8	12.6	0	C1	3.409E-07
320.0 VE	0:0:-50	9.939E-07	7.530E-05	328.5	-28.2	328.5	-28.2	328.5	-28.2	0	C1	3.333E-07
240.0 PE	0:0:50	8.945E-07	6.776E-05	325.7	-9.0	325.7	-9.0	325.7	-9.0	0	C1	0.000E+00
360.0 RF	0:0:50	9.369E-07	7.098E-05	324.6	23.7	324.6	23.7	324.6	23.7	0	C1	3.333E-07
360.0 VF	0:0:-50	1.042E-06	7.892E-05	329.4	-38.3	329.4	-38.3	329.4	-38.3	0	C1	3.333E-07
400.0 RG	0:0:50	9.754E-07	7.390E-05	326.5	35.8	326.5	35.8	326.5	35.8	0	C1	0.000E+00
400.0 VG	0:0:-50	1.111E-06	8.418E-05	328.3	-47.6	328.3	-47.6	328.3	-47.6	0	C1	3.258E-07
320.0 PG	0:0:50	7.753E-07	5.873E-05	326.5	-6.9	326.5	-6.9	326.5	-6.9	0	C1	0.000E+00
440.0 RH	0:0:50	1.108E-06	8.394E-05	328.3	50.9	328.3	50.9	328.3	50.9	0	C1	0.000E+00
440.0 VH	0:0:-50	1.222E-06	9.259E-05	328.1	-58.4	328.1	-58.4	328.1	-58.4	0	C1	0.000E+00
480.0 RI	0:0:50	1.292E-06	9.789E-05	326.0	61.8	326.0	61.8	326.0	61.8	0	C1	3.409E-07
480.0 VI	0:0:-50	1.365E-06	1.034E-04	326.6	-66.6	326.6	-66.6	326.6	-66.6	0	C1	3.561E-07
400.0 PI	0:0:50	5.653E-07	4.283E-05	326.4	8.9	326.4	8.9	326.4	8.9	0	C1	3.409E-07
520.0 RJ	0:0:50	1.573E-06	1.191E-04	321.7	73.4	321.7	73.4	321.7	73.4	0	C1	3.561E-07
520.0 VJ	0:0:-50	1.608E-06	1.218E-04	336.0	-76.8	336.0	-76.8	336.0	-76.8	0	C1	3.409E-07
550.0 RK	0:0:50	2.044E-06	1.549E-04	316.6	82.1	316.6	82.1	316.6	82.1	0	C1	3.409E-07
550.0 VK	0:0:-50	1.995E-06	1.511E-04	339.4	-84.6	339.4	-84.6	339.4	-84.6	0	C1	3.485E-07
480.0 PK	0:0:50	2.440E-07	1.849E-05	326.0	18.8	326.0	18.8	326.0	18.8	0	C1	0.000E+00
580.0 RL	0:0:50	2.719E-06	2.060E-04	301.0	87.3	301.0	87.3	301.0	87.3	0	C1	3.409E-07
580.0 VL	0:0:-50	2.682E-06	2.032E-04	114.9	-87.2	114.9	-87.2	114.9	-87.2	0	C1	3.485E-07
550.0 PL	0:0:50	1.255E-06	9.511E-05	304.1	86.4	304.1	86.4	304.1	86.4	0	C1	0.000E+00
550.0 X+	50:0:0	2.065E-06	1.564E-04	352.6	-20.2	352.6	-20.2	352.6	-20.2	0	C1	0.000E+00
550.0 X-	-50:0:0	1.961E-06	1.486E-04	177.1	-15.4	177.1	-15.4	177.1	-15.4	0	C1	0.000E+00
550.0 Y+	0:50:0	2.001E-06	1.516E-04	268.4	-18.0	268.4	-18.0	268.4	-18.0	0	C1	0.000E+00
550.0 Y-	0:-50:0	1.943E-06	1.472E-04	95.5	-17.2	95.5	-17.2	95.5	-17.2	0	C1	3.485E-07
550.0 Z+	0:0:50	1.281E-06	9.704E-05	306.5	85.5	306.5	85.5	306.5	85.5	0	C1	0.000E+00
550.0 Z-	0:0:-50	2.479E-06	1.878E-04	140.4	-86.9	140.4	-86.9	140.4	-86.9	0	C1	0.000E+00





----- Parameters sample & data -----

Site : PICA50  
 Sample : PICA5001  
 Specimen : PICA5001F1  
 Volume : n.d      masse : 5.870  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	4.887E-06	8.326E-04	169.4	-25.2	169.4	-25.2	169.4	-25.2	0	C1	5.451E-07
120.0 RA	0:0:50	4.521E-06	7.701E-04	169.1	-23.5	169.1	-23.5	169.1	-23.5	0	C1	5.622E-07
120.0 VA	0:0:-50	4.819E-06	8.210E-04	168.9	-30.2	168.9	-30.2	168.9	-30.2	0	C1	0.000E+00
180.0 RB	0:0:50	4.149E-06	7.068E-04	170.8	-18.5	170.8	-18.5	170.8	-18.5	0	C1	5.281E-07
180.0 VB	0:0:-50	4.727E-06	8.052E-04	166.4	-33.6	166.4	-33.6	166.4	-33.6	0	C1	5.622E-07
240.0 RC	0:0:50	3.797E-06	6.469E-04	168.5	-13.1	168.5	-13.1	168.5	-13.1	0	C1	0.000E+00
240.0 VC	0:0:-50	4.644E-06	7.911E-04	165.7	-35.5	165.7	-35.5	165.7	-35.5	0	C1	0.000E+00
120.0 PC	0:0:50	4.235E-06	7.214E-04	168.1	-29.0	168.1	-29.0	168.1	-29.0	0	C1	0.000E+00
280.0 RD	0:0:50	3.597E-06	6.128E-04	167.6	-9.6	167.6	-9.6	167.6	-9.6	0	C1	0.000E+00
280.0 VD	0:0:-50	4.591E-06	7.821E-04	167.2	-39.9	167.2	-39.9	167.2	-39.9	0	C1	5.792E-07
320.0 RE	0:0:50	3.398E-06	5.788E-04	170.6	-7.0	170.6	-7.0	170.6	-7.0	0	C1	0.000E+00
320.0 VE	0:0:-50	4.514E-06	7.690E-04	166.9	-41.6	166.9	-41.6	166.9	-41.6	0	C1	5.792E-07
240.0 PE	0:0:50	3.591E-06	6.117E-04	168.3	-18.5	168.3	-18.5	168.3	-18.5	0	C1	0.000E+00
360.0 RF	0:0:50	3.272E-06	5.575E-04	167.7	-0.1	167.7	-0.1	167.7	-0.1	0	C1	5.792E-07
360.0 VF	0:0:-50	4.438E-06	7.560E-04	168.0	-43.0	168.0	-43.0	168.0	-43.0	0	C1	5.622E-07
400.0 RG	0:0:50	3.075E-06	5.239E-04	169.2	7.0	169.2	7.0	169.2	7.0	0	C1	0.000E+00
400.0 VG	0:0:-50	4.323E-06	7.364E-04	163.9	-45.5	163.9	-45.5	163.9	-45.5	0	C1	0.000E+00
320.0 PG	0:0:50	3.092E-06	5.268E-04	167.5	-8.7	167.5	-8.7	167.5	-8.7	0	C1	0.000E+00
440.0 RH	0:0:50	2.965E-06	5.051E-04	170.6	19.8	170.6	19.8	170.6	19.8	0	C1	0.000E+00
440.0 VH	0:0:-50	4.294E-06	7.316E-04	164.3	-48.0	164.3	-48.0	164.3	-48.0	0	C1	5.792E-07
480.0 RI	0:0:50	3.087E-06	5.260E-04	171.3	42.3	171.3	42.3	171.3	42.3	0	C1	5.451E-07
480.0 VI	0:0:-50	4.513E-06	7.689E-04	168.7	-58.4	168.7	-58.4	168.7	-58.4	0	C1	5.451E-07
400.0 PI	0:0:50	2.322E-06	3.956E-04	165.0	6.3	165.0	6.3	165.0	6.3	0	C1	5.111E-07
520.0 RJ	0:0:50	4.052E-06	6.903E-04	177.6	69.1	177.6	69.1	177.6	69.1	0	C1	4.940E-07
520.0 VJ	0:0:-50	4.904E-06	8.354E-04	162.7	-73.8	162.7	-73.8	162.7	-73.8	0	C1	5.281E-07
550.0 RK	0:0:50	5.500E-06	9.370E-04	192.7	83.8	192.7	83.8	192.7	83.8	0	C1	4.940E-07
550.0 VK	0:0:-50	5.720E-06	9.745E-04	151.4	-84.1	151.4	-84.1	151.4	-84.1	0	C1	5.451E-07
480.0 PK	0:0:50	6.542E-07	1.114E-04	165.9	40.3	165.9	40.3	165.9	40.3	0	C1	0.000E+00
550.0 X+	50:0:0	5.211E-06	8.878E-04	344.6	-4.5	344.6	-4.5	344.6	-4.5	0	C1	0.000E+00
550.0 X-	-50:0:0	5.899E-06	1.005E-03	176.9	-0.4	176.9	-0.4	176.9	-0.4	0	C1	5.451E-07
550.0 Y+	0:50:0	5.666E-06	9.653E-04	253.9	-1.6	253.9	-1.6	253.9	-1.6	0	C1	0.000E+00
550.0 Y-	0:-50:0	5.543E-06	9.443E-04	86.3	-2.3	86.3	-2.3	86.3	-2.3	0	C1	5.451E-07
550.0 Z+	0:0:50	5.242E-06	8.930E-04	186.5	86.9	186.5	86.9	186.5	86.9	0	C1	5.281E-07
550.0 Z-	0:0:-50	5.660E-06	9.642E-04	150.1	-84.2	150.1	-84.2	150.1	-84.2	0	C1	0.000E+00



----- Parameters sample & data -----



Site : PICA50  
 Sample : PICA5001  
 Specimen : PICA5001F2  
 Volume : n.d      masse : 4.720  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"

dc applied magnetic field : 50.0  $\mu$ T in vacuum

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	6.218E-06	1.317E-03	170.8	-25.3	170.8	-25.3	170.8	-25.3	0	C1	8.475E-07
120.0 RA	0:0:50	5.788E-06	1.226E-03	170.0	-25.0	170.0	-25.0	170.0	-25.0	0	C1	0.000E+00
120.0 VA	0:0:-50	6.116E-06	1.296E-03	169.3	-30.7	169.3	-30.7	169.3	-30.7	0	C1	0.000E+00
180.0 RB	0:0:50	5.353E-06	1.134E-03	170.6	-19.9	170.6	-19.9	170.6	-19.9	0	C1	0.000E+00
180.0 VB	0:0:-50	5.999E-06	1.271E-03	169.7	-31.9	169.7	-31.9	169.7	-31.9	0	C1	0.000E+00
240.0 RC	0:0:50	4.935E-06	1.045E-03	168.8	-14.7	168.8	-14.7	168.8	-14.7	0	C1	0.000E+00
240.0 VC	0:0:-50	5.883E-06	1.246E-03	171.0	-34.3	171.0	-34.3	171.0	-34.3	0	C1	0.000E+00
120.0 PC	0:0:50	5.476E-06	1.160E-03	170.1	-27.9	170.1	-27.9	170.1	-27.9	0	C1	0.000E+00
280.0 RD	0:0:50	4.667E-06	9.887E-04	171.5	-12.4	171.5	-12.4	171.5	-12.4	0	C1	9.534E-07
280.0 VD	0:0:-50	5.777E-06	1.224E-03	167.3	-37.6	167.3	-37.6	167.3	-37.6	0	C1	0.000E+00
320.0 RE	0:0:50	4.428E-06	9.382E-04	173.1	-9.1	173.1	-9.1	173.1	-9.1	0	C1	9.110E-07
320.0 VE	0:0:-50	5.673E-06	1.202E-03	171.4	-37.8	171.4	-37.8	171.4	-37.8	0	C1	0.000E+00
240.0 PE	0:0:50	4.659E-06	9.871E-04	168.8	-20.8	168.8	-20.8	168.8	-20.8	0	C1	0.000E+00
360.0 RF	0:0:50	4.187E-06	8.871E-04	171.0	-3.9	171.0	-3.9	171.0	-3.9	0	C1	0.000E+00
360.0 VF	0:0:-50	5.544E-06	1.175E-03	170.4	-40.7	170.4	-40.7	170.4	-40.7	0	C1	0.000E+00
400.0 RG	0:0:50	3.964E-06	8.398E-04	171.5	3.6	171.5	3.6	171.5	3.6	0	C1	0.000E+00
400.0 VG	0:0:-50	5.414E-06	1.147E-03	167.2	-42.8	167.2	-42.8	167.2	-42.8	0	C1	9.322E-07
320.0 PG	0:0:50	4.000E-06	8.474E-04	173.7	-11.0	173.7	-11.0	173.7	-11.0	0	C1	0.000E+00
440.0 RH	0:0:50	3.749E-06	7.944E-04	172.8	16.9	172.8	16.9	172.8	16.9	0	C1	0.000E+00
440.0 VH	0:0:-50	5.289E-06	1.121E-03	168.9	-45.9	168.9	-45.9	168.9	-45.9	0	C1	8.898E-07
480.0 RI	0:0:50	3.909E-06	8.283E-04	174.8	39.5	174.8	39.5	174.8	39.5	0	C1	8.898E-07
480.0 VI	0:0:-50	5.411E-06	1.146E-03	164.8	-56.4	164.8	-56.4	164.8	-56.4	0	C1	8.263E-07
400.0 PI	0:0:50	2.947E-06	6.244E-04	163.5	5.5	163.5	5.5	163.5	5.5	0	C1	8.898E-07
520.0 RJ	0:0:50	4.986E-06	1.056E-03	174.7	66.8	174.7	66.8	174.7	66.8	0	C1	8.475E-07
520.0 VJ	0:0:-50	5.927E-06	1.256E-03	163.7	-71.9	163.7	-71.9	163.7	-71.9	0	C1	8.475E-07
550.0 RK	0:0:50	6.484E-06	1.374E-03	188.8	82.2	188.8	82.2	188.8	82.2	0	C1	8.898E-07
550.0 VK	0:0:-50	6.590E-06	1.396E-03	151.1	-82.0	151.1	-82.0	151.1	-82.0	0	C1	8.475E-07
480.0 PK	0:0:50	9.631E-07	2.040E-04	168.7	26.3	168.7	26.3	168.7	26.3	0	C1	8.898E-07
580.0 RL	0:0:50	8.658E-06	1.834E-03	254.9	88.0	254.9	88.0	254.9	88.0	0	C1	8.898E-07
580.0 VL	0:0:-50	8.556E-06	1.813E-03	110.4	-88.2	110.4	-88.2	110.4	-88.2	0	C1	8.686E-07
550.0 PL	0:0:50	3.787E-06	8.024E-04	234.7	88.0	234.7	88.0	234.7	88.0	0	C1	8.686E-07
550.0 X+	50:0:0	6.485E-06	1.374E-03	354.0	-20.7	354.0	-20.7	354.0	-20.7	0	C1	8.475E-07
550.0 X-	-50:0:0	6.449E-06	1.366E-03	175.2	-16.7	175.2	-16.7	175.2	-16.7	0	C1	0.000E+00
550.0 Y+	0:50:0	6.318E-06	1.339E-03	263.7	-18.6	263.7	-18.6	263.7	-18.6	0	C1	0.000E+00
550.0 Y-	0:-50:0	6.302E-06	1.335E-03	92.6	-18.8	92.6	-18.8	92.6	-18.8	0	C1	0.000E+00
550.0 Z+	0:0:50	4.045E-06	8.570E-04	183.7	87.4	183.7	87.4	183.7	87.4	0	C1	0.000E+00
550.0 Z-	0:0:-50	7.817E-06	1.656E-03	137.4	-87.6	137.4	-87.6	137.4	-87.6	0	C1	8.898E-07

NRM

NRM = 0.0013 Am<sup>2</sup>/kg







----- Parameters sample & data -----

Site : PICA50  
 Sample : PICA5003  
 Specimen : PICA5003B  
 Volume : n.d      masse : 9.240  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	6.340E-06	6.861E-04	256.5	23.4	256.5	23.4	256.5	23.4	0	C1	6.277E-07
120.0 RA	0:0:50	6.175E-06	6.683E-04	256.9	26.8	256.9	26.8	256.9	26.8	0	C1	6.277E-07
120.0 VA	0:0:-50	5.953E-06	6.443E-04	255.9	21.6	255.9	21.6	255.9	21.6	0	C1	0.000E+00
180.0 RB	0:0:50	6.097E-06	6.598E-04	257.9	28.3	257.9	28.3	257.9	28.3	0	C1	0.000E+00
180.0 VB	0:0:-50	5.651E-06	6.116E-04	257.0	19.1	257.0	19.1	257.0	19.1	0	C1	0.000E+00
240.0 RC	0:0:50	6.003E-06	6.497E-04	262.0	32.5	262.0	32.5	262.0	32.5	0	C1	0.000E+00
240.0 VC	0:0:-50	5.318E-06	5.755E-04	258.8	16.2	258.8	16.2	258.8	16.2	0	C1	0.000E+00
120.0 PC	0:0:50	5.511E-06	5.964E-04	260.1	22.8	260.1	22.8	260.1	22.8	0	C1	0.000E+00
280.0 RD	0:0:50	5.887E-06	6.371E-04	261.6	34.7	261.6	34.7	261.6	34.7	0	C1	0.000E+00
280.0 VD	0:0:-50	5.030E-06	5.444E-04	258.7	14.7	258.7	14.7	258.7	14.7	0	C1	6.494E-07
320.0 RE	0:0:50	5.914E-06	6.400E-04	259.6	36.6	259.6	36.6	259.6	36.6	0	C1	0.000E+00
320.0 VE	0:0:-50	4.800E-06	5.195E-04	259.3	12.0	259.3	12.0	259.3	12.0	0	C1	6.494E-07
240.0 PE	0:0:50	5.394E-06	5.838E-04	258.6	29.9	258.6	29.9	258.6	29.9	0	C1	0.000E+00
360.0 RF	0:0:50	5.933E-06	6.421E-04	258.6	39.3	258.6	39.3	258.6	39.3	0	C1	6.385E-07
360.0 VF	0:0:-50	4.547E-06	4.921E-04	258.3	9.1	258.3	9.1	258.3	9.1	0	C1	6.602E-07
400.0 RG	0:0:50	5.838E-06	6.318E-04	260.2	43.8	260.2	43.8	260.2	43.8	0	C1	6.385E-07
400.0 VG	0:0:-50	4.285E-06	4.638E-04	258.2	5.5	258.2	5.5	258.2	5.5	0	C1	0.000E+00
320.0 PG	0:0:50	5.225E-06	5.654E-04	260.4	34.3	260.4	34.3	260.4	34.3	0	C1	0.000E+00
440.0 RH	0:0:50	6.026E-06	6.522E-04	261.9	48.8	261.9	48.8	261.9	48.8	0	C1	6.277E-07
440.0 VH	0:0:-50	3.950E-06	4.274E-04	260.6	-1.1	260.6	-1.1	260.6	-1.1	0	C1	6.385E-07
480.0 RI	0:0:50	6.231E-06	6.744E-04	259.0	57.3	259.0	57.3	259.0	57.3	0	C1	6.277E-07
480.0 VI	0:0:-50	3.414E-06	3.695E-04	256.2	-28.2	256.2	-28.2	256.2	-28.2	0	C1	6.385E-07
400.0 PI	0:0:50	4.103E-06	4.440E-04	257.9	40.2	257.9	40.2	257.9	40.2	0	C1	6.385E-07
520.0 RJ	0:0:50	6.304E-06	6.822E-04	257.5	72.4	257.5	72.4	257.5	72.4	0	C1	6.169E-07
520.0 VJ	0:0:-50	3.969E-06	4.295E-04	255.2	-65.5	255.2	-65.5	255.2	-65.5	0	C1	6.385E-07
550.0 RK	0:0:50	6.804E-06	7.364E-04	278.4	82.7	278.4	82.7	278.4	82.7	0	C1	6.277E-07
550.0 VK	0:0:-50	5.979E-06	6.471E-04	254.1	-82.9	254.1	-82.9	254.1	-82.9	0	C1	6.277E-07
480.0 PK	0:0:50	8.054E-07	8.716E-05	262.0	26.5	262.0	26.5	262.0	26.5	0	C1	6.494E-07
550.0 X+	50:0:0	6.166E-06	6.673E-04	343.6	1.2	343.6	1.2	343.6	1.2	0	C1	6.277E-07
550.0 X-	-50:0:0	6.094E-06	6.595E-04	175.7	1.0	175.7	1.0	175.7	1.0	0	C1	6.385E-07
550.0 Y+	0:50:0	6.627E-06	7.172E-04	267.0	-5.4	267.0	-5.4	267.0	-5.4	0	C1	0.000E+00
550.0 Y-	0:-50:0	5.600E-06	6.061E-04	94.9	8.7	94.9	8.7	94.9	8.7	0	C1	0.000E+00
550.0 Z+	0:0:50	6.292E-06	6.810E-04	283.7	83.7	283.7	83.7	283.7	83.7	0	C1	6.494E-07
550.0 Z-	0:0:-50	6.121E-06	6.624E-04	219.8	-86.4	219.8	-86.4	219.8	-86.4	0	C1	0.000E+00





----- Parameters sample & data -----

Site : PICA01  
 Sample : PICA0103  
 Specimen : PICA0103F1  
 Volume : n.d      masse : 4.650  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Glass over baked clays"  
 Locality : "Quebrada Chipana"  
 Observation : "non oriented"

dc applied magnetic field : 50.0  $\mu$ T in vacuum

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.290E-05	2.774E-03	218.8	7.7	218.8	7.7	218.8	7.7	0	C1	1.333E-06
120.0 RA	0:0:50	1.282E-05	2.757E-03	216.8	7.7	216.8	7.7	216.8	7.7	0	C1	1.269E-06
120.0 VA	0:0:-50	1.275E-05	2.741E-03	221.0	5.5	221.0	5.5	221.0	5.5	0	C1	1.269E-06
180.0 RB	0:0:50	1.264E-05	2.719E-03	221.1	10.0	221.1	10.0	221.1	10.0	0	C1	0.000E+00
180.0 VB	0:0:-50	1.249E-05	2.685E-03	220.2	4.8	220.2	4.8	220.2	4.8	0	C1	1.290E-06
240.0 RC	0:0:50	1.239E-05	2.664E-03	217.9	11.5	217.9	11.5	217.9	11.5	0	C1	0.000E+00
240.0 VC	0:0:-50	1.211E-05	2.604E-03	221.8	3.4	221.8	3.4	221.8	3.4	0	C1	1.290E-06
280.0 RD	0:0:50	1.222E-05	2.628E-03	220.6	12.8	220.6	12.8	220.6	12.8	0	C1	1.355E-06
280.0 VD	0:0:-50	1.187E-05	2.552E-03	223.9	1.3	223.9	1.3	223.9	1.3	0	C1	1.355E-06
320.0 RE	0:0:50	1.207E-05	2.597E-03	220.9	14.5	220.9	14.5	220.9	14.5	0	C1	1.398E-06
320.0 VE	0:0:-50	1.164E-05	2.504E-03	219.7	0.8	219.7	0.8	219.7	0.8	0	C1	1.398E-06
240.0 PE	0:0:50	1.183E-05	2.544E-03	221.2	9.0	221.2	9.0	221.2	9.0	0	C1	0.000E+00
360.0 RF	0:0:50	1.201E-05	2.583E-03	221.4	17.6	221.4	17.6	221.4	17.6	0	C1	1.462E-06
360.0 VF	0:0:-50	1.136E-05	2.442E-03	222.9	-3.2	222.9	-3.2	222.9	-3.2	0	C1	1.527E-06
400.0 RG	0:0:50	1.185E-05	2.549E-03	223.5	20.0	223.5	20.0	223.5	20.0	0	C1	0.000E+00
400.0 VG	0:0:-50	1.117E-05	2.401E-03	222.1	-4.8	222.1	-4.8	222.1	-4.8	0	C1	0.000E+00
320.0 PG	0:0:50	1.138E-05	2.447E-03	222.5	11.0	222.5	11.0	222.5	11.0	0	C1	0.000E+00
440.0 RH	0:0:50	1.180E-05	2.538E-03	223.1	24.1	223.1	24.1	223.1	24.1	0	C1	0.000E+00
440.0 VH	0:0:-50	1.083E-05	2.329E-03	219.9	-7.9	219.9	-7.9	219.9	-7.9	0	C1	0.000E+00
480.0 RI	0:0:50	1.133E-05	2.436E-03	223.2	28.7	223.2	28.7	223.2	28.7	0	C1	1.570E-06
480.0 VI	0:0:-50	1.022E-05	2.198E-03	219.8	-14.8	219.8	-14.8	219.8	-14.8	0	C1	1.484E-06
400.0 PI	0:0:50	1.032E-05	2.220E-03	221.0	15.1	221.0	15.1	221.0	15.1	0	C1	1.548E-06
520.0 RJ	0:0:50	1.113E-05	2.394E-03	221.5	42.1	221.5	42.1	221.5	42.1	0	C1	1.527E-06
520.0 VJ	0:0:-50	9.534E-06	2.050E-03	218.2	-32.7	218.2	-32.7	218.2	-32.7	0	C1	0.000E+00
550.0 RK	0:0:50	1.253E-05	2.694E-03	224.8	68.7	224.8	68.7	224.8	68.7	0	C1	1.548E-06
550.0 VK	0:0:-50	1.118E-05	2.404E-03	215.3	-67.8	215.3	-67.8	215.3	-67.8	0	C1	1.613E-06
480.0 PK	0:0:50	4.668E-06	1.004E-03	217.9	-21.9	217.9	-21.9	217.9	-21.9	0	C1	1.548E-06
580.0 RL	0:0:50	1.636E-05	3.518E-03	257.9	86.6	257.9	86.6	257.9	86.6	0	C1	1.527E-06
580.0 VL	0:0:-50	1.639E-05	3.524E-03	152.1	-87.3	152.1	-87.3	152.1	-87.3	0	C1	0.000E+00
550.0 PL	0:0:50	7.698E-06	1.656E-03	245.3	84.7	245.3	84.7	245.3	84.7	0	C1	0.000E+00
550.0 X+	50:0:0	1.214E-05	2.611E-03	345.1	-20.4	345.1	-20.4	345.1	-20.4	0	C1	1.613E-06
550.0 X-	-50:0:0	1.247E-05	2.682E-03	179.4	-17.4	179.4	-17.4	179.4	-17.4	0	C1	0.000E+00
550.0 Y+	0:50:0	1.305E-05	2.806E-03	263.8	-19.6	263.8	-19.6	263.8	-19.6	0	C1	1.527E-06
550.0 Y-	0:-50:0	1.141E-05	2.454E-03	83.9	-18.8	83.9	-18.8	83.9	-18.8	0	C1	0.000E+00
550.0 Z+	0:0:50	7.680E-06	1.652E-03	256.5	83.4	256.5	83.4	256.5	83.4	0	C1	1.527E-06
550.0 Z-	0:0:-50	1.605E-05	3.451E-03	192.7	-86.6	192.7	-86.6	192.7	-86.6	0	C1	0.000E+00





----- Parameters sample & data -----

Site : PICA01  
 Sample : PICA0103  
 Specimen : PICA0103F2  
 Volume : n.d      masse : 4.220  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Glass over baked clays"  
 Locality : "Quebrada Chipana"  
 Observation : "non oriented"

dc applied magnetic field : 50.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.389E-05	3.292E-03	269.3	14.0	269.3	14.0	269.3	14.0	0	C1	1.493E-06
120.0 RA	0:0:50	1.386E-05	3.283E-03	267.8	13.9	267.8	13.9	267.8	13.9	0	C1	1.493E-06
120.0 VA	0:0:-50	1.370E-05	3.246E-03	267.4	12.8	267.4	12.8	267.4	12.8	0	C1	1.493E-06
180.0 RB	0:0:50	1.371E-05	3.248E-03	268.3	15.5	268.3	15.5	268.3	15.5	0	C1	1.564E-06
180.0 VB	0:0:-50	1.346E-05	3.190E-03	268.9	11.5	268.9	11.5	268.9	11.5	0	C1	0.000E+00
240.0 RC	0:0:50	1.349E-05	3.196E-03	266.7	16.2	266.7	16.2	266.7	16.2	0	C1	0.000E+00
240.0 VC	0:0:-50	1.305E-05	3.092E-03	265.9	9.2	265.9	9.2	265.9	9.2	0	C1	1.611E-06
280.0 RD	0:0:50	1.333E-05	3.159E-03	268.5	17.9	268.5	17.9	268.5	17.9	0	C1	1.588E-06
280.0 VD	0:0:-50	1.280E-05	3.034E-03	268.8	8.5	268.8	8.5	268.8	8.5	0	C1	1.635E-06
320.0 RE	0:0:50	1.320E-05	3.128E-03	269.4	19.5	269.4	19.5	269.4	19.5	0	C1	0.000E+00
320.0 VE	0:0:-50	1.246E-05	2.953E-03	266.3	7.9	266.3	7.9	266.3	7.9	0	C1	0.000E+00
240.0 PE	0:0:50	1.285E-05	3.044E-03	270.1	14.6	270.1	14.6	270.1	14.6	0	C1	0.000E+00
360.0 RF	0:0:50	1.307E-05	3.096E-03	268.5	21.3	268.5	21.3	268.5	21.3	0	C1	1.801E-06
360.0 VF	0:0:-50	1.216E-05	2.880E-03	269.4	5.4	269.4	5.4	269.4	5.4	0	C1	1.801E-06
400.0 RG	0:0:50	1.306E-05	3.094E-03	269.2	24.1	269.2	24.1	269.2	24.1	0	C1	1.777E-06
400.0 VG	0:0:-50	1.189E-05	2.817E-03	271.4	1.8	271.4	1.8	271.4	1.8	0	C1	0.000E+00
320.0 PG	0:0:50	1.236E-05	2.929E-03	270.1	15.5	270.1	15.5	270.1	15.5	0	C1	0.000E+00
440.0 RH	0:0:50	1.295E-05	3.069E-03	271.5	27.7	271.5	27.7	271.5	27.7	0	C1	0.000E+00
440.0 VH	0:0:-50	1.136E-05	2.693E-03	268.7	-1.0	268.7	-1.0	268.7	-1.0	0	C1	0.000E+00
480.0 RI	0:0:50	1.262E-05	2.990E-03	269.6	33.7	269.6	33.7	269.6	33.7	0	C1	0.000E+00
480.0 VI	0:0:-50	1.053E-05	2.496E-03	265.3	-8.6	265.3	-8.6	265.3	-8.6	0	C1	1.777E-06
400.0 PI	0:0:50	1.099E-05	2.605E-03	267.5	17.4	267.5	17.4	267.5	17.4	0	C1	1.848E-06
520.0 RJ	0:0:50	1.230E-05	2.915E-03	266.7	44.8	266.7	44.8	266.7	44.8	0	C1	1.777E-06
520.0 VJ	0:0:-50	9.371E-06	2.221E-03	269.3	-28.4	269.3	-28.4	269.3	-28.4	0	C1	0.000E+00
550.0 RK	0:0:50	1.302E-05	3.085E-03	266.3	65.9	266.3	65.9	266.3	65.9	0	C1	1.848E-06
550.0 VK	0:0:-50	9.803E-06	2.323E-03	269.0	-58.9	269.0	-58.9	269.0	-58.9	0	C1	0.000E+00
480.0 PK	0:0:50	5.212E-06	1.235E-03	268.6	3.7	268.6	3.7	268.6	3.7	0	C1	1.825E-06
580.0 RL	0:0:50	1.589E-05	3.766E-03	266.0	82.9	266.0	82.9	266.0	82.9	0	C1	1.754E-06
580.0 VL	0:0:-50	1.482E-05	3.512E-03	269.0	-85.7	269.0	-85.7	269.0	-85.7	0	C1	1.825E-06
550.0 PL	0:0:50	6.898E-06	1.635E-03	266.2	75.5	266.2	75.5	266.2	75.5	0	C1	0.000E+00
550.0 X+	50:0:0	1.073E-05	2.544E-03	356.7	-19.5	356.7	-19.5	356.7	-19.5	0	C1	0.000E+00
550.0 X-	-50:0:0	1.051E-05	2.490E-03	181.8	-18.2	181.8	-18.2	181.8	-18.2	0	C1	0.000E+00
550.0 Y+	0:50:0	1.258E-05	2.981E-03	262.9	-16.0	262.9	-16.0	262.9	-16.0	0	C1	0.000E+00
550.0 Y-	0:-50:0	8.493E-06	2.013E-03	86.4	-23.9	86.4	-23.9	86.4	-23.9	0	C1	1.825E-06
550.0 Z+	0:0:50	7.103E-06	1.683E-03	269.9	75.0	269.9	75.0	269.9	75.0	0	C1	0.000E+00
550.0 Z-	0:0:-50	1.278E-05	3.028E-03	273.6	-82.2	273.6	-82.2	273.6	-82.2	0	C1	0.000E+00





----- Parameters sample & data -----

Site : PICA01  
 Sample : PICA0104  
 Specimen : PICA0104F1  
 Volume : n.d      masse : 3.310  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Glass over baked clays"  
 Locality : "Quebrada Chipana"  
 Observation : "non oriented"

dc applied magnetic field : 50.0  $\mu$ T in vacuum

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.407E-05	4.250E-03	118.3	12.6	118.3	12.6	118.3	12.6	0	C1	1.873E-06
120.0 RA	0:0:50	1.405E-05	4.244E-03	114.7	14.2	114.7	14.2	114.7	14.2	0	C1	1.903E-06
120.0 VA	0:0:-50	1.398E-05	4.225E-03	113.9	12.3	113.9	12.3	113.9	12.3	0	C1	1.873E-06
180.0 RB	0:0:50	1.396E-05	4.216E-03	117.5	14.3	117.5	14.3	117.5	14.3	0	C1	1.934E-06
180.0 VB	0:0:-50	1.381E-05	4.173E-03	116.1	11.5	116.1	11.5	116.1	11.5	0	C1	1.934E-06
240.0 RC	0:0:50	1.377E-05	4.159E-03	113.7	15.5	113.7	15.5	113.7	15.5	0	C1	0.000E+00
240.0 VC	0:0:-50	1.356E-05	4.098E-03	115.5	11.2	115.5	11.2	115.5	11.2	0	C1	1.903E-06
280.0 RD	0:0:50	1.367E-05	4.131E-03	116.1	15.7	116.1	15.7	116.1	15.7	0	C1	1.994E-06
280.0 VD	0:0:-50	1.338E-05	4.042E-03	115.9	10.9	115.9	10.9	115.9	10.9	0	C1	1.964E-06
320.0 RE	0:0:50	1.360E-05	4.110E-03	117.3	18.3	117.3	18.3	117.3	18.3	0	C1	2.024E-06
320.0 VE	0:0:-50	1.322E-05	3.995E-03	114.7	9.0	114.7	9.0	114.7	9.0	0	C1	2.054E-06
240.0 PE	0:0:50	1.340E-05	4.048E-03	113.7	13.5	113.7	13.5	113.7	13.5	0	C1	0.000E+00
360.0 RF	0:0:50	1.355E-05	4.093E-03	114.3	19.1	114.3	19.1	114.3	19.1	0	C1	2.085E-06
360.0 VF	0:0:-50	1.300E-05	3.927E-03	116.0	7.5	116.0	7.5	116.0	7.5	0	C1	2.085E-06
400.0 RG	0:0:50	1.343E-05	4.057E-03	116.0	20.2	116.0	20.2	116.0	20.2	0	C1	2.145E-06
400.0 VG	0:0:-50	1.279E-05	3.865E-03	116.4	5.7	116.4	5.7	116.4	5.7	0	C1	0.000E+00
320.0 PG	0:0:50	1.306E-05	3.945E-03	117.8	14.7	117.8	14.7	117.8	14.7	0	C1	1.511E-06
440.0 RH	0:0:50	1.326E-05	4.005E-03	117.1	23.8	117.1	23.8	117.1	23.8	0	C1	2.115E-06
440.0 VH	0:0:-50	1.234E-05	3.728E-03	117.4	2.9	117.4	2.9	117.4	2.9	0	C1	2.175E-06
480.0 RI	0:0:50	1.272E-05	3.843E-03	116.7	28.8	116.7	28.8	116.7	28.8	0	C1	2.175E-06
480.0 VI	0:0:-50	1.150E-05	3.473E-03	114.9	-3.2	114.9	-3.2	114.9	-3.2	0	C1	0.000E+00
400.0 PI	0:0:50	1.170E-05	3.535E-03	116.7	13.6	116.7	13.6	116.7	13.6	0	C1	0.000E+00
520.0 RJ	0:0:50	1.223E-05	3.694E-03	116.0	40.7	116.0	40.7	116.0	40.7	0	C1	2.145E-06
520.0 VJ	0:0:-50	1.023E-05	3.092E-03	115.8	-20.1	115.8	-20.1	115.8	-20.1	0	C1	2.115E-06
550.0 RK	0:0:50	1.293E-05	3.907E-03	116.3	66.4	116.3	66.4	116.3	66.4	0	C1	2.145E-06
550.0 VK	0:0:-50	1.098E-05	3.317E-03	120.0	-58.8	120.0	-58.8	120.0	-58.8	0	C1	2.145E-06
480.0 PK	0:0:50	5.861E-06	1.771E-03	117.7	-19.5	117.7	-19.5	117.7	-19.5	0	C1	2.175E-06
580.0 RL	0:0:50	1.673E-05	5.056E-03	328.1	88.7	328.1	88.7	328.1	88.7	0	C1	2.115E-06
580.0 VL	0:0:-50	1.680E-05	5.076E-03	120.9	-85.5	120.9	-85.5	120.9	-85.5	0	C1	2.175E-06
550.0 PL	0:0:50	6.929E-06	2.093E-03	160.6	89.5	160.6	89.5	160.6	89.5	0	C1	0.000E+00
550.0 X+	50:0:0	1.218E-05	3.680E-03	1.7	-21.1	1.7	-21.1	1.7	-21.1	0	C1	0.000E+00
550.0 X-	-50:0:0	1.282E-05	3.873E-03	179.0	-23.0	179.0	-23.0	179.0	-23.0	0	C1	2.145E-06
550.0 Y+	0:50:0	1.215E-05	3.670E-03	267.3	-20.8	267.3	-20.8	267.3	-20.8	0	C1	2.145E-06
550.0 Y-	0:-50:0	1.240E-05	3.748E-03	87.1	-22.4	87.1	-22.4	87.1	-22.4	0	C1	0.000E+00
550.0 Z+	0:0:50	7.005E-06	2.116E-03	262.7	88.7	262.7	88.7	262.7	88.7	0	C1	0.000E+00
550.0 Z-	0:0:-50	1.659E-05	5.011E-03	146.8	-86.2	146.8	-86.2	146.8	-86.2	0	C1	2.115E-06







----- Parameters sample & data -----

Site : PICA01  
 Sample : PICA0104  
 Specimen : PICA0104F2  
 Volume : n.d      masse : 4.500  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Glass over baked clays"  
 Locality : "Quebrada Chipana"  
 Observation : "non oriented"

dc applied magnetic field : 50.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.640E-05	3.644E-03	144.2	11.5	144.2	11.5	144.2	11.5	0	C1	1.733E-06
120.0 RA	0:0:50	1.636E-05	3.635E-03	143.4	12.2	143.4	12.2	143.4	12.2	0	C1	1.711E-06
120.0 VA	0:0:-50	1.627E-05	3.615E-03	143.9	10.8	143.9	10.8	143.9	10.8	0	C1	1.733E-06
180.0 RB	0:0:50	1.626E-05	3.614E-03	145.0	12.6	145.0	12.6	145.0	12.6	0	C1	1.778E-06
180.0 VB	0:0:-50	1.612E-05	3.583E-03	144.8	10.0	144.8	10.0	144.8	10.0	0	C1	1.800E-06
240.0 RC	0:0:50	1.602E-05	3.560E-03	143.6	14.5	143.6	14.5	143.6	14.5	0	C1	0.000E+00
240.0 VC	0:0:-50	1.577E-05	3.504E-03	144.6	9.5	144.6	9.5	144.6	9.5	0	C1	1.800E-06
280.0 RD	0:0:50	1.585E-05	3.522E-03	145.3	15.0	145.3	15.0	145.3	15.0	0	C1	1.800E-06
280.0 VD	0:0:-50	1.550E-05	3.444E-03	146.0	8.4	146.0	8.4	146.0	8.4	0	C1	1.844E-06
320.0 RE	0:0:50	1.565E-05	3.478E-03	145.1	16.0	145.1	16.0	145.1	16.0	0	C1	1.911E-06
320.0 VE	0:0:-50	1.513E-05	3.363E-03	143.0	6.6	143.0	6.6	143.0	6.6	0	C1	1.956E-06
240.0 PE	0:0:50	1.536E-05	3.413E-03	143.7	11.8	143.7	11.8	143.7	11.8	0	C1	0.000E+00
360.0 RF	0:0:50	1.540E-05	3.423E-03	144.1	18.6	144.1	18.6	144.1	18.6	0	C1	1.956E-06
360.0 VF	0:0:-50	1.479E-05	3.287E-03	145.8	5.1	145.8	5.1	145.8	5.1	0	C1	1.956E-06
400.0 RG	0:0:50	1.519E-05	3.375E-03	147.2	20.2	147.2	20.2	147.2	20.2	0	C1	1.978E-06
400.0 VG	0:0:-50	1.437E-05	3.193E-03	145.9	3.2	145.9	3.2	145.9	3.2	0	C1	1.956E-06
320.0 PG	0:0:50	1.464E-05	3.253E-03	145.5	13.1	145.5	13.1	145.5	13.1	0	C1	0.000E+00
440.0 RH	0:0:50	1.488E-05	3.307E-03	145.9	24.1	145.9	24.1	145.9	24.1	0	C1	1.956E-06
440.0 VH	0:0:-50	1.371E-05	3.048E-03	145.9	-0.6	145.9	-0.6	145.9	-0.6	0	C1	0.000E+00
480.0 RI	0:0:50	1.434E-05	3.186E-03	145.7	29.9	145.7	29.9	145.7	29.9	0	C1	2.000E-06
480.0 VI	0:0:-50	1.265E-05	2.812E-03	144.5	-7.6	144.5	-7.6	144.5	-7.6	0	C1	2.000E-06
400.0 PI	0:0:50	1.283E-05	2.851E-03	142.1	14.3	142.1	14.3	142.1	14.3	0	C1	2.000E-06
520.0 RJ	0:0:50	1.375E-05	3.056E-03	144.8	41.9	144.8	41.9	144.8	41.9	0	C1	1.956E-06
520.0 VJ	0:0:-50	1.136E-05	2.525E-03	143.5	-24.1	143.5	-24.1	143.5	-24.1	0	C1	1.978E-06
550.0 RK	0:0:50	1.431E-05	3.179E-03	144.4	63.5	144.4	63.5	144.4	63.5	0	C1	1.978E-06
550.0 VK	0:0:-50	1.116E-05	2.479E-03	142.8	-52.7	142.8	-52.7	142.8	-52.7	0	C1	2.000E-06
480.0 PK	0:0:50	6.664E-06	1.481E-03	143.8	3.8	143.8	3.8	143.8	3.8	0	C1	1.956E-06
580.0 RL	0:0:50	1.734E-05	3.852E-03	146.5	82.8	146.5	82.8	146.5	82.8	0	C1	2.022E-06
580.0 VL	0:0:-50	1.617E-05	3.592E-03	138.9	-80.0	138.9	-80.0	138.9	-80.0	0	C1	0.000E+00
550.0 PL	0:0:50	7.555E-06	1.679E-03	147.9	72.5	147.9	72.5	147.9	72.5	0	C1	1.911E-06
550.0 X+	50:0:0	9.581E-06	2.129E-03	1.2	-20.9	1.2	-20.9	1.2	-20.9	0	C1	0.000E+00
550.0 X-	-50:0:0	1.319E-05	2.932E-03	175.4	-16.6	175.4	-16.6	175.4	-16.6	0	C1	1.911E-06
550.0 Y+	0:50:0	1.130E-05	2.512E-03	247.1	-20.9	247.1	-20.9	247.1	-20.9	0	C1	2.000E-06
550.0 Y-	0:-50:0	1.163E-05	2.585E-03	91.1	-19.1	91.1	-19.1	91.1	-19.1	0	C1	1.911E-06
550.0 Z+	0:0:50	7.660E-06	1.702E-03	154.3	75.3	154.3	75.3	154.3	75.3	0	C1	0.000E+00
550.0 Z-	0:0:-50	1.392E-05	3.094E-03	149.3	-80.4	149.3	-80.4	149.3	-80.4	0	C1	1.978E-06



----- Parameters sample & data -----



Site : PICA06  
 Sample : PICA0601  
 Specimen : PICA0601F1  
 Volume : n.d      masse : 3.770  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Glass over baked clays"  
 Locality : "Quebrada Chipana"  
 Observation : "non oriented"

dc applied magnetic field : 50.0  $\mu$ T in vacuum

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	3.639E-06	9.653E-04	32.5	-63.3	32.5	-63.3	32.5	-63.3	0	C1	1.273E-06
120.0 RA	0:0:50	3.480E-06	9.232E-04	33.4	-62.5	33.4	-62.5	33.4	-62.5	0	C1	1.273E-06
120.0 VA	0:0:-50	3.708E-06	9.836E-04	34.8	-64.5	34.8	-64.5	34.8	-64.5	0	C1	1.300E-06
180.0 RB	0:0:50	3.196E-06	8.478E-04	35.0	-61.9	35.0	-61.9	35.0	-61.9	0	C1	1.300E-06
180.0 VB	0:0:-50	3.636E-06	9.646E-04	35.3	-65.2	35.3	-65.2	35.3	-65.2	0	C1	1.326E-06
240.0 RC	0:0:50	2.756E-06	7.310E-04	31.3	-60.1	31.3	-60.1	31.3	-60.1	0	C1	0.000E+00
240.0 VC	0:0:-50	3.463E-06	9.186E-04	35.5	-66.5	35.5	-66.5	35.5	-66.5	0	C1	1.353E-06
120.0 PC	0:0:50	3.191E-06	8.464E-04	35.6	-64.5	35.6	-64.5	35.6	-64.5	0	C1	0.000E+00
280.0 RD	0:0:50	2.369E-06	6.284E-04	36.0	-57.0	36.0	-57.0	36.0	-57.0	0	C1	1.326E-06
280.0 VD	0:0:-50	3.357E-06	8.904E-04	34.8	-67.6	34.8	-67.6	34.8	-67.6	0	C1	1.326E-06
320.0 RE	0:0:50	1.965E-06	5.213E-04	33.5	-53.3	33.5	-53.3	33.5	-53.3	0	C1	1.353E-06
320.0 VE	0:0:-50	3.237E-06	8.586E-04	33.9	-69.1	33.9	-69.1	33.9	-69.1	0	C1	1.353E-06
240.0 PE	0:0:50	2.515E-06	6.672E-04	35.2	-63.0	35.2	-63.0	35.2	-63.0	0	C1	0.000E+00
360.0 RF	0:0:50	9.514E-07	2.524E-04	32.4	-3.2	32.4	-3.2	32.4	-3.2	0	C1	1.326E-06
360.0 VF	0:0:-50	3.864E-06	1.025E-03	38.5	-75.4	38.5	-75.4	38.5	-75.4	0	C1	1.353E-06
400.0 RG	0:0:50	1.025E-06	2.720E-04	31.8	33.0	31.8	33.0	31.8	33.0	0	C1	1.326E-06
400.0 VG	0:0:-50	4.098E-06	1.087E-03	38.4	-77.6	38.4	-77.6	38.4	-77.6	0	C1	1.353E-06
320.0 PG	0:0:50	2.638E-06	6.997E-04	39.2	-70.4	39.2	-70.4	39.2	-70.4	0	C1	1.326E-06
440.0 RH	0:0:50	1.299E-06	3.446E-04	32.3	52.7	32.3	52.7	32.3	52.7	0	C1	1.353E-06
440.0 VH	0:0:-50	4.120E-06	1.093E-03	39.1	-79.5	39.1	-79.5	39.1	-79.5	0	C1	1.353E-06
480.0 RI	0:0:50	1.396E-06	3.703E-04	30.9	61.8	30.9	61.8	30.9	61.8	0	C1	1.379E-06
480.0 VI	0:0:-50	3.541E-06	9.392E-04	41.5	-79.2	41.5	-79.2	41.5	-79.2	0	C1	0.000E+00
400.0 PI	0:0:50	7.095E-07	1.882E-04	32.8	23.4	32.8	23.4	32.8	23.4	0	C1	1.379E-06
520.0 RJ	0:0:50	1.264E-06	3.352E-04	25.9	66.5	25.9	66.5	25.9	66.5	0	C1	1.485E-06
520.0 VJ	0:0:-50	3.312E-06	8.784E-04	42.9	-80.2	42.9	-80.2	42.9	-80.2	0	C1	1.485E-06
550.0 RK	0:0:50	2.292E-06	6.078E-04	16.2	82.1	16.2	82.1	16.2	82.1	0	C1	1.406E-06
550.0 VK	0:0:-50	3.416E-06	9.060E-04	50.7	-83.7	50.7	-83.7	50.7	-83.7	0	C1	1.485E-06
480.0 PK	0:0:50	3.733E-07	9.902E-05	31.5	-33.9	31.5	-33.9	31.5	-33.9	0	C1	1.538E-06
580.0 RL	0:0:50	4.670E-06	1.239E-03	322.4	87.6	322.4	87.6	322.4	87.6	0	C1	1.592E-06
580.0 VL	0:0:-50	5.468E-06	1.450E-03	76.4	-87.1	76.4	-87.1	76.4	-87.1	0	C1	0.000E+00
550.0 PL	0:0:50	7.082E-07	1.879E-04	9.3	81.2	9.3	81.2	9.3	81.2	0	C1	1.645E-06

NRM

NRM = 0.0010 Am<sup>2</sup>/kg





----- Parameters sample & data -----

Site : PICA06  
 Sample : PICA0601  
 Specimen : PICA0601F2  
 Volume : n.d      masse : 3.710  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Glass over baked clays"  
 Locality : "Quebrada Chipana"  
 Observation : "non oriented"

dc applied magnetic field : 50.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	2.589E-06	6.979E-04	331.2	-64.0	331.2	-64.0	331.2	-64.0	0	C1	1.159E-06
120.0 RA	0:0:50	2.498E-06	6.734E-04	329.5	-63.8	329.5	-63.8	329.5	-63.8	0	C1	1.159E-06
120.0 VA	0:0:-50	2.641E-06	7.118E-04	332.1	-65.6	332.1	-65.6	332.1	-65.6	0	C1	1.186E-06
180.0 RB	0:0:50	2.267E-06	6.111E-04	330.2	-62.0	330.2	-62.0	330.2	-62.0	0	C1	1.213E-06
180.0 VB	0:0:-50	2.590E-06	6.980E-04	332.9	-66.7	332.9	-66.7	332.9	-66.7	0	C1	1.240E-06
240.0 RC	0:0:50	1.951E-06	5.259E-04	327.4	-60.3	327.4	-60.3	327.4	-60.3	0	C1	0.000E+00
240.0 VC	0:0:-50	2.456E-06	6.619E-04	332.4	-68.2	332.4	-68.2	332.4	-68.2	0	C1	0.000E+00
120.0 PC	0:0:50	2.270E-06	6.120E-04	331.5	-65.9	331.5	-65.9	331.5	-65.9	0	C1	0.000E+00
280.0 RD	0:0:50	1.625E-06	4.380E-04	331.0	-57.7	331.0	-57.7	331.0	-57.7	0	C1	1.240E-06
280.0 VD	0:0:-50	2.322E-06	6.258E-04	334.0	-68.8	334.0	-68.8	334.0	-68.8	0	C1	1.186E-06
320.0 RE	0:0:50	1.368E-06	3.688E-04	329.6	-54.6	329.6	-54.6	329.6	-54.6	0	C1	1.186E-06
320.0 VE	0:0:-50	2.240E-06	6.037E-04	332.0	-70.3	332.0	-70.3	332.0	-70.3	0	C1	1.186E-06
240.0 PE	0:0:50	1.736E-06	4.679E-04	332.5	-63.8	332.5	-63.8	332.5	-63.8	0	C1	0.000E+00
360.0 RF	0:0:50	6.226E-07	1.678E-04	330.3	8.1	330.3	8.1	330.3	8.1	0	C1	1.159E-06
360.0 VF	0:0:-50	2.666E-06	7.187E-04	339.1	-77.4	339.0	-77.4	339.0	-77.4	0	C1	1.186E-06
400.0 RG	0:0:50	7.865E-07	2.120E-04	331.3	47.1	331.3	47.1	331.3	47.1	0	C1	1.186E-06
400.0 VG	0:0:-50	2.841E-06	7.659E-04	341.7	-80.2	341.7	-80.2	341.7	-80.2	0	C1	1.159E-06
320.0 PG	0:0:50	1.777E-06	4.791E-04	337.0	-73.3	337.0	-73.3	337.0	-73.3	0	C1	0.000E+00
440.0 RH	0:0:50	1.072E-06	2.891E-04	329.2	61.0	329.2	61.0	329.2	61.0	0	C1	1.213E-06
440.0 VH	0:0:-50	2.793E-06	7.529E-04	348.9	-81.2	348.9	-81.2	348.9	-81.2	0	C1	1.186E-06
480.0 RI	0:0:50	1.251E-06	3.371E-04	323.9	69.7	323.9	69.7	323.9	69.7	0	C1	1.240E-06
480.0 VI	0:0:-50	2.712E-06	7.310E-04	346.3	-83.0	346.3	-83.0	346.3	-83.0	0	C1	1.240E-06
400.0 PI	0:0:50	4.260E-07	1.148E-04	324.2	27.1	324.2	27.1	324.2	27.1	0	C1	0.000E+00
520.0 RJ	0:0:50	1.588E-06	4.281E-04	316.7	77.7	316.7	77.7	316.7	77.7	0	C1	1.213E-06
520.0 VJ	0:0:-50	2.644E-06	7.126E-04	345.5	-83.3	345.5	-83.3	345.5	-83.3	0	C1	1.132E-06
550.0 RK	0:0:50	1.895E-06	5.108E-04	310.4	83.1	310.4	83.1	310.4	83.1	0	C1	1.051E-06
550.0 VK	0:0:-50	2.546E-06	6.862E-04	351.0	-85.5	351.0	-85.5	351.0	-85.5	0	C1	1.078E-06
480.0 PK	0:0:50	5.242E-07	1.413E-04	319.2	66.4	319.2	66.4	319.2	66.4	0	C1	1.024E-06
580.0 RL	0:0:50	2.161E-06	5.825E-04	285.5	86.1	285.5	86.1	285.5	86.1	0	C1	0.000E+00
580.0 VL	0:0:-50	2.579E-06	6.952E-04	13.7	-87.1	13.7	-87.1	13.7	-87.1	0	C1	9.164E-07
550.0 PL	0:0:50	1.345E-06	3.624E-04	291.6	84.3	291.6	84.3	291.6	84.3	0	C1	8.895E-07
550.0 X+	50:0:0	2.511E-06	6.767E-04	1.2	-16.9	1.2	-16.9	1.2	-16.9	0	C1	0.000E+00





----- Parameters sample & data -----

Site : PICA07  
 Sample : PICA0701  
 Specimen : PICA0701F1  
 Volume : n.d      masse : 4.110  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Glass over baked clays"  
 Locality : "Quebrada Chipana"  
 Observation : "non oriented"

dc applied magnetic field : 50.0  $\mu$ T in vacuum

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	4.044E-06	9.839E-04	58.8	-37.9	58.8	-37.9	58.8	-37.9	0	C1	1.265E-06
120.0 RA	0:0:50	3.962E-06	9.640E-04	56.6	-37.9	56.6	-37.9	56.6	-37.9	0	C1	1.241E-06
120.0 VA	0:0:-50	4.080E-06	9.927E-04	57.6	-40.1	57.6	-40.1	57.6	-40.1	0	C1	0.000E+00
180.0 RB	0:0:50	3.778E-06	9.193E-04	60.1	-36.5	60.1	-36.5	60.1	-36.5	0	C1	1.314E-06
180.0 VB	0:0:-50	4.036E-06	9.820E-04	59.7	-41.1	59.7	-41.1	59.7	-41.1	0	C1	1.290E-06
240.0 RC	0:0:50	3.551E-06	8.639E-04	56.2	-34.4	56.2	-34.4	56.2	-34.4	0	C1	0.000E+00
240.0 VC	0:0:-50	3.960E-06	9.636E-04	60.4	-42.4	60.4	-42.4	60.4	-42.4	0	C1	1.241E-06
120.0 PC	0:0:50	3.803E-06	9.253E-04	57.9	-40.5	57.9	-40.5	57.9	-40.5	0	C1	0.000E+00
280.0 RD	0:0:50	3.345E-06	8.139E-04	56.8	-32.7	56.8	-32.7	56.8	-32.7	0	C1	1.338E-06
280.0 VD	0:0:-50	3.902E-06	9.494E-04	58.0	-43.3	58.0	-43.3	58.0	-43.3	0	C1	1.290E-06
320.0 RE	0:0:50	3.130E-06	7.616E-04	57.7	-29.9	57.7	-29.9	57.7	-29.9	0	C1	1.338E-06
320.0 VE	0:0:-50	3.865E-06	9.404E-04	57.6	-45.4	57.6	-45.4	57.6	-45.4	0	C1	1.363E-06
240.0 PE	0:0:50	3.417E-06	8.315E-04	57.8	-37.7	57.8	-37.7	57.8	-37.7	0	C1	0.000E+00
360.0 RF	0:0:50	2.890E-06	7.031E-04	57.6	-24.8	57.6	-24.8	57.6	-24.8	0	C1	1.411E-06
360.0 VF	0:0:-50	3.822E-06	9.300E-04	59.0	-47.0	59.0	-47.0	59.0	-47.0	0	C1	1.387E-06
400.0 RG	0:0:50	2.635E-06	6.412E-04	59.6	-21.4	59.6	-21.4	59.6	-21.4	0	C1	1.387E-06
400.0 VG	0:0:-50	3.804E-06	9.256E-04	60.7	-48.9	60.7	-48.9	60.7	-48.9	0	C1	1.411E-06
320.0 PG	0:0:50	3.015E-06	7.336E-04	59.6	-35.5	59.6	-35.5	59.6	-35.5	0	C1	1.411E-06
440.0 RH	0:0:50	2.351E-06	5.719E-04	58.7	-12.5	58.7	-12.5	58.7	-12.5	0	C1	1.411E-06
440.0 VH	0:0:-50	3.810E-06	9.271E-04	60.4	-52.5	60.4	-52.5	60.4	-52.5	0	C1	1.387E-06
480.0 RI	0:0:50	2.054E-06	4.998E-04	58.9	3.7	58.9	3.7	58.9	3.7	0	C1	1.411E-06
480.0 VI	0:0:-50	3.880E-06	9.440E-04	60.3	-57.1	60.3	-57.1	60.3	-57.1	0	C1	0.000E+00
400.0 PI	0:0:50	2.485E-06	6.047E-04	57.6	-35.2	57.6	-35.2	57.6	-35.2	0	C1	1.387E-06
520.0 RJ	0:0:50	2.086E-06	5.075E-04	56.2	42.6	56.2	42.6	56.2	42.6	0	C1	1.338E-06
520.0 VJ	0:0:-50	4.114E-06	1.001E-03	60.3	-66.9	60.3	-66.9	60.3	-66.9	0	C1	1.363E-06
550.0 RK	0:0:50	3.194E-06	7.772E-04	48.4	73.6	48.4	73.6	48.4	73.6	0	C1	1.338E-06
550.0 VK	0:0:-50	4.592E-06	1.117E-03	61.6	-77.6	61.6	-77.6	61.6	-77.6	0	C1	1.363E-06
480.0 PK	0:0:50	1.410E-06	3.432E-04	58.3	-48.5	58.3	-48.5	58.3	-48.5	0	C1	1.338E-06
580.0 RL	0:0:50	5.020E-06	1.221E-03	32.6	87.9	32.6	87.9	32.6	87.9	0	C1	0.000E+00
580.0 VL	0:0:-50	5.404E-06	1.315E-03	78.5	-86.1	78.5	-86.1	78.5	-86.1	0	C1	1.290E-06
550.0 PL	0:0:50	2.524E-06	6.142E-04	38.2	85.9	38.2	85.9	38.2	85.9	0	C1	1.338E-06
550.0 X+	50:0:0	4.335E-06	1.055E-03	12.4	-19.4	12.4	-19.4	12.4	-19.4	0	C1	0.000E+00
550.0 X-	-50:0:0	3.920E-06	9.539E-04	177.8	-19.2	177.8	-19.2	177.8	-19.2	0	C1	1.338E-06
550.0 Y+	0:50:0	3.966E-06	9.651E-04	267.6	-18.8	267.6	-18.8	267.6	-18.8	0	C1	1.338E-06
550.0 Y-	0:-50:0	4.316E-06	1.050E-03	87.1	-19.5	87.1	-19.5	87.1	-19.5	0	C1	0.000E+00
550.0 Z+	0:0:50	2.561E-06	6.232E-04	38.1	85.7	38.1	85.7	38.1	85.7	0	C1	0.000E+00
550.0 Z-	0:0:-50	5.231E-06	1.273E-03	73.0	-87.2	73.0	-87.2	73.0	-87.2	0	C1	1.363E-06





----- Parameters sample & data -----

Site : PICA07  
 Sample : PICA0701  
 Specimen : PICA0701F2  
 Volume : n.d      masse : 5.180  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Glass over baked clays"  
 Locality : "Quebrada Chipana"  
 Observation : "non oriented"

dc applied magnetic field : 50.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	4.077E-06	7.871E-04	261.7	-38.9	261.7	-38.9	261.7	-38.9	0	C1	1.004E-06
120.0 RA	0:0:50	4.005E-06	7.731E-04	259.0	-38.9	259.0	-38.9	259.0	-38.9	0	C1	9.846E-07
120.0 VA	0:0:-50	4.092E-06	7.900E-04	258.8	-39.8	258.8	-39.8	258.8	-39.8	0	C1	1.004E-06
180.0 RB	0:0:50	3.823E-06	7.380E-04	261.2	-37.0	261.2	-37.0	261.2	-37.0	0	C1	1.042E-06
180.0 VB	0:0:-50	4.050E-06	7.818E-04	260.2	-41.2	260.2	-41.2	260.2	-41.2	0	C1	1.100E-06
240.0 RC	0:0:50	3.614E-06	6.978E-04	259.4	-35.5	259.4	-35.5	259.4	-35.5	0	C1	0.000E+00
240.0 VC	0:0:-50	3.976E-06	7.675E-04	259.7	-42.6	259.7	-42.6	259.7	-42.6	0	C1	1.042E-06
280.0 RD	0:0:50	3.429E-06	6.620E-04	259.9	-34.0	259.9	-34.0	259.9	-34.0	0	C1	1.100E-06
280.0 VD	0:0:-50	3.924E-06	7.576E-04	260.3	-44.0	260.3	-44.0	260.3	-44.0	0	C1	1.081E-06
320.0 RE	0:0:50	3.238E-06	6.251E-04	265.2	-31.3	265.2	-31.3	265.2	-31.3	0	C1	1.081E-06
320.0 VE	0:0:-50	3.858E-06	7.449E-04	262.2	-44.6	262.2	-44.6	262.2	-44.6	0	C1	1.081E-06
240.0 PE	0:0:50	3.493E-06	6.743E-04	263.1	-37.5	263.1	-37.5	263.1	-37.5	1	C1	0.000E+00
360.0 RF	0:0:50	2.980E-06	5.752E-04	263.1	-28.1	263.1	-28.1	263.1	-28.1	0	C1	1.081E-06
360.0 VF	0:0:-50	3.815E-06	7.365E-04	264.9	-46.5	264.9	-46.5	264.9	-46.5	0	C1	1.081E-06
400.0 RG	0:0:50	2.745E-06	5.300E-04	260.9	-23.1	260.9	-23.1	260.9	-23.1	0	C1	1.120E-06
400.0 VG	0:0:-50	3.788E-06	7.312E-04	260.8	-49.0	260.8	-49.0	260.8	-49.0	0	C1	1.120E-06
320.0 PG	0:0:50	3.072E-06	5.931E-04	260.9	-35.4	260.9	-35.4	260.9	-35.4	0	C1	0.000E+00
440.0 RH	0:0:50	2.444E-06	4.719E-04	259.7	-15.2	259.7	-15.2	259.7	-15.2	0	C1	1.100E-06
440.0 VH	0:0:-50	3.728E-06	7.196E-04	259.4	-52.2	259.4	-52.2	259.4	-52.2	0	C1	1.120E-06
480.0 RI	0:0:50	2.078E-06	4.011E-04	259.9	1.3	259.9	1.3	259.9	1.3	0	C1	1.100E-06
480.0 VI	0:0:-50	3.710E-06	7.162E-04	260.2	-57.2	260.2	-57.2	260.2	-57.2	0	C1	1.100E-06
400.0 PI	0:0:50	2.457E-06	4.743E-04	260.1	-34.2	260.1	-34.2	260.1	-34.2	0	C1	0.000E+00
520.0 RJ	0:0:50	2.063E-06	3.983E-04	260.9	39.5	260.9	39.5	260.9	39.5	0	C1	1.120E-06
520.0 VJ	0:0:-50	3.818E-06	7.371E-04	257.8	-67.9	257.8	-67.9	257.8	-67.9	0	C1	1.100E-06
550.0 RK	0:0:50	3.026E-06	5.841E-04	263.7	70.9	263.7	70.9	263.7	70.9	0	C1	1.100E-06
550.0 VK	0:0:-50	4.218E-06	8.142E-04	253.2	-79.5	253.2	-79.5	253.2	-79.5	0	C1	0.000E+00
480.0 PK	0:0:50	1.294E-06	2.498E-04	256.9	-48.1	256.9	-48.1	256.9	-48.1	0	C1	1.081E-06
580.0 RL	0:0:50	4.564E-06	8.810E-04	281.5	83.3	281.5	83.3	281.5	83.3	0	C1	1.062E-06
580.0 VL	0:0:-50	4.962E-06	9.579E-04	206.8	-87.4	206.8	-87.4	206.8	-87.4	0	C1	1.062E-06
550.0 PL	0:0:50	2.368E-06	4.572E-04	264.7	81.1	264.7	81.1	264.7	81.1	0	C1	0.000E+00
550.0 X+	50:0:0	3.781E-06	7.300E-04	353.3	-17.5	353.3	-17.5	353.3	-17.5	0	C1	1.042E-06
550.0 X-	-50:0:0	3.871E-06	7.472E-04	184.5	-18.5	184.5	-18.5	184.5	-18.5	0	C1	1.062E-06
550.0 Y+	0:50:0	4.099E-06	7.912E-04	263.0	-17.1	263.0	-17.1	263.0	-17.1	0	C1	0.000E+00
550.0 Y-	0:-50:0	3.506E-06	6.769E-04	89.7	-17.3	89.7	-17.3	89.7	-17.3	0	C1	1.062E-06
550.0 Z+	0:0:50	2.421E-06	4.673E-04	274.1	81.5	274.1	81.5	274.1	81.5	0	C1	0.000E+00
550.0 Z-	0:0:-50	4.656E-06	8.989E-04	206.9	-87.2	206.9	-87.2	206.9	-87.2	0	C1	0.000E+00





----- Parameters sample & data -----

Site : PICA50  
 Sample : PICA5002  
 Specimen : PICA5002F1  
 Volume : n.d      masse : 4.090  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -4.9  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in vacuum

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	3.998E-06	9.774E-04	329.5	3.5	329.5	3.5	329.5	3.5	0	C1	1.027E-06
120.0 RA	0:0:50	3.954E-06	9.668E-04	327.5	4.9	327.5	4.9	327.5	4.9	0	C1	1.002E-06
120.0 VA	0:0:-50	3.922E-06	9.589E-04	327.3	1.1	327.3	1.1	327.3	1.1	0	C1	1.100E-06
180.0 RB	0:0:50	3.845E-06	9.401E-04	329.6	7.9	329.6	7.9	329.6	7.9	0	C1	1.076E-06
180.0 VB	0:0:-50	3.802E-06	9.295E-04	327.7	-0.2	327.7	-0.2	327.7	-0.2	0	C1	1.100E-06
240.0 RC	0:0:50	3.742E-06	9.150E-04	327.8	10.3	327.8	10.3	327.8	10.3	0	C1	0.000E+00
240.0 VC	0:0:-50	3.658E-06	8.943E-04	326.3	-2.5	326.3	-2.5	326.3	-2.5	0	C1	1.051E-06
120.0 PC	0:0:50	3.659E-06	8.946E-04	326.7	1.4	326.7	1.4	326.7	1.4	0	C1	0.000E+00
280.0 RD	0:0:50	3.671E-06	8.974E-04	327.3	12.8	327.3	12.8	327.3	12.8	0	C1	1.125E-06
280.0 VD	0:0:-50	3.552E-06	8.686E-04	329.0	-3.4	329.0	-3.4	329.0	-3.4	0	C1	1.100E-06
320.0 RE	0:0:50	3.593E-06	8.785E-04	328.6	14.9	328.6	14.9	328.6	14.9	0	C1	1.125E-06
320.0 VE	0:0:-50	3.446E-06	8.427E-04	326.9	-5.5	326.9	-5.5	326.9	-5.5	0	C1	1.100E-06
240.0 PE	0:0:50	3.471E-06	8.485E-04	326.9	6.4	326.9	6.4	326.9	6.4	0	C1	0.000E+00
360.0 RF	0:0:50	3.524E-06	8.616E-04	327.2	18.0	327.2	18.0	327.2	18.0	0	C1	1.125E-06
360.0 VF	0:0:-50	3.319E-06	8.114E-04	328.1	-7.3	328.1	-7.3	328.1	-7.3	0	C1	1.149E-06
400.0 RG	0:0:50	3.435E-06	8.397E-04	329.3	21.2	329.3	21.2	329.3	21.2	0	C1	1.100E-06
400.0 VG	0:0:-50	3.207E-06	7.841E-04	328.7	-10.2	328.7	-10.2	328.7	-10.2	0	C1	1.125E-06
320.0 PG	0:0:50	3.259E-06	7.969E-04	328.7	11.4	328.7	11.4	328.7	11.4	0	C1	1.125E-06
440.0 RH	0:0:50	3.394E-06	8.298E-04	327.9	28.3	327.9	28.3	327.9	28.3	0	C1	1.125E-06
440.0 VH	0:0:-50	3.038E-06	7.428E-04	330.1	-17.9	330.1	-17.9	330.1	-17.9	0	C1	1.100E-06
480.0 RI	0:0:50	3.377E-06	8.257E-04	329.0	42.8	329.0	42.8	329.0	42.8	0	C1	1.149E-06
480.0 VI	0:0:-50	2.899E-06	7.089E-04	329.4	-36.1	329.4	-36.1	329.4	-36.1	0	C1	1.100E-06
400.0 PI	0:0:50	2.500E-06	6.111E-04	327.7	14.7	327.7	14.7	327.7	14.7	0	C1	1.149E-06
520.0 RJ	0:0:50	3.862E-06	9.442E-04	325.1	64.0	325.1	64.0	325.1	64.0	0	C1	1.100E-06
520.0 VJ	0:0:-50	3.308E-06	8.087E-04	328.1	-64.2	328.1	-64.2	328.1	-64.2	0	C1	1.100E-06
550.0 RK	0:0:50	4.811E-06	1.176E-03	322.6	80.0	322.6	80.0	322.6	80.0	0	C1	1.100E-06
550.0 VK	0:0:-50	4.415E-06	1.079E-03	336.5	-83.5	336.5	-83.5	336.5	-83.5	0	C1	1.051E-06
480.0 PK	0:0:50	6.515E-07	1.593E-04	324.5	15.9	324.5	15.9	324.5	15.9	0	C1	1.076E-06
580.0 RL	0:0:50	5.968E-06	1.459E-03	305.0	87.3	305.0	87.3	305.0	87.3	0	C1	1.051E-06
580.0 VL	0:0:-50	5.901E-06	1.443E-03	112.5	-87.8	112.5	-87.8	112.5	-87.8	0	C1	0.000E+00
550.0 PL	0:0:50	3.560E-06	8.704E-04	293.5	87.6	293.5	87.6	293.5	87.6	0	C1	1.051E-06
550.0 X+	50:0:0	4.759E-06	1.163E-03	352.8	-12.9	352.8	-12.9	352.8	-12.9	0	C1	0.000E+00
550.0 X-	-50:0:0	4.549E-06	1.112E-03	173.7	-12.4	173.7	-12.4	173.7	-12.4	0	C1	0.000E+00
550.0 Y+	0:50:0	4.746E-06	1.160E-03	259.3	-12.1	259.3	-12.1	259.3	-12.1	0	C1	0.000E+00
550.0 Y-	0:-50:0	4.539E-06	1.110E-03	83.0	-13.2	83.0	-13.2	83.0	-13.2	0	C1	1.100E-06
550.0 Z+	0:0:50	3.527E-06	8.623E-04	308.9	86.2	308.9	86.2	308.9	86.2	0	C1	0.000E+00
550.0 Z-	0:0:-50	5.593E-06	1.367E-03	140.8	-87.9	140.8	-87.9	140.8	-87.9	0	C1	0.000E+00





----- Parameters sample & data -----

Site : PICA50  
 Sample : PICA5002  
 Specimen : PICA5002F2  
 Volume : n.d      masse : 3.800  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"

dc applied magnetic field : 50.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	4.133E-06	1.088E-03	95.7	5.3	95.7	5.3	95.7	5.3	0	C1	1.289E-06
120.0 RA	0:0:50	4.089E-06	1.076E-03	94.5	6.6	94.5	6.6	94.5	6.6	0	C1	1.263E-06
120.0 VA	0:0:-50	4.052E-06	1.066E-03	93.3	3.1	93.3	3.1	93.3	3.1	0	C1	1.263E-06
180.0 RB	0:0:50	3.989E-06	1.050E-03	93.8	8.8	93.8	8.8	93.8	8.8	0	C1	1.316E-06
180.0 VB	0:0:-50	3.949E-06	1.039E-03	96.2	2.1	96.2	2.1	96.2	2.1	0	C1	1.316E-06
240.0 RC	0:0:50	3.888E-06	1.023E-03	93.8	10.7	93.8	10.7	93.8	10.7	0	C1	0.000E+00
240.0 VC	0:0:-50	3.821E-06	1.005E-03	94.6	1.5	94.6	1.5	94.6	1.5	0	C1	1.316E-06
280.0 RD	0:0:50	3.814E-06	1.004E-03	95.1	12.8	95.1	12.8	95.1	12.8	0	C1	1.342E-06
280.0 VD	0:0:-50	3.728E-06	9.809E-04	96.3	-0.6	96.3	-0.6	96.3	-0.6	0	C1	1.342E-06
320.0 RE	0:0:50	3.735E-06	9.829E-04	98.0	14.7	98.0	14.7	98.0	14.7	0	C1	1.342E-06
320.0 VE	0:0:-50	3.610E-06	9.499E-04	94.5	-2.2	94.5	-2.2	94.5	-2.2	0	C1	1.368E-06
240.0 PE	0:0:50	3.645E-06	9.592E-04	95.4	8.0	95.4	8.0	95.4	8.0	0	C1	0.000E+00
360.0 RF	0:0:50	3.623E-06	9.535E-04	95.5	15.8	95.5	15.8	95.5	15.8	0	C1	1.368E-06
360.0 VF	0:0:-50	3.509E-06	9.234E-04	97.0	-3.3	97.0	-3.3	97.0	-3.3	0	C1	1.395E-06
400.0 RG	0:0:50	3.554E-06	9.354E-04	98.4	19.9	98.4	19.9	98.4	19.9	0	C1	1.395E-06
400.0 VG	0:0:-50	3.387E-06	8.913E-04	98.6	-6.3	98.6	-6.3	98.6	-6.3	0	C1	1.342E-06
320.0 PG	0:0:50	3.405E-06	8.959E-04	99.2	11.2	99.2	11.2	99.2	11.2	0	C1	0.000E+00
440.0 RH	0:0:50	3.456E-06	9.095E-04	98.0	25.5	98.0	25.5	98.0	25.5	0	C1	1.368E-06
440.0 VH	0:0:-50	3.184E-06	8.379E-04	98.3	-10.0	98.3	-10.0	98.3	-10.0	0	C1	1.368E-06
480.0 RI	0:0:50	3.384E-06	8.906E-04	97.1	38.6	97.1	38.6	97.1	38.6	0	C1	1.368E-06
480.0 VI	0:0:-50	2.925E-06	7.697E-04	92.8	-24.9	92.8	-24.9	92.8	-24.9	0	C1	1.316E-06
400.0 PI	0:0:50	2.688E-06	7.074E-04	93.8	12.6	93.8	12.6	93.8	12.6	0	C1	1.316E-06
520.0 RJ	0:0:50	3.601E-06	9.475E-04	93.9	60.2	93.9	60.2	93.9	60.2	0	C1	1.368E-06
520.0 VJ	0:0:-50	2.948E-06	7.759E-04	95.4	-51.8	95.4	-51.8	95.4	-51.8	0	C1	1.368E-06
550.0 RK	0:0:50	4.390E-06	1.155E-03	94.6	78.9	94.6	78.9	94.6	78.9	0	C1	1.368E-06
550.0 VK	0:0:-50	3.827E-06	1.007E-03	96.8	-76.0	96.8	-76.0	96.8	-76.0	0	C1	0.000E+00
480.0 PK	0:0:50	8.680E-07	2.284E-04	95.8	-12.4	95.8	-12.4	95.8	-12.4	0	C1	1.316E-06
580.0 RL	0:0:50	5.854E-06	1.541E-03	302.5	89.6	302.5	89.6	302.5	89.6	0	C1	1.316E-06
580.0 VL	0:0:-50	5.719E-06	1.505E-03	101.4	-88.1	101.4	-88.1	101.4	-88.1	0	C1	1.289E-06
550.0 PL	0:0:50	2.433E-06	6.403E-04	123.8	89.6	123.8	89.6	123.8	89.6	0	C1	0.000E+00
550.0 X+	50:0:0	4.233E-06	1.114E-03	12.2	-21.6	12.2	-21.6	12.2	-21.6	0	C1	1.289E-06
550.0 X-	-50:0:0	4.041E-06	1.063E-03	179.4	-18.6	179.4	-18.6	179.4	-18.6	0	C1	0.000E+00
550.0 Y+	0:50:0	4.044E-06	1.064E-03	267.6	-19.8	267.6	-19.8	267.6	-19.8	0	C1	1.316E-06
550.0 Y-	0:-50:0	4.104E-06	1.080E-03	89.5	-19.5	89.5	-19.5	89.5	-19.5	0	C1	0.000E+00
550.0 Z+	0:0:50	2.486E-06	6.541E-04	22.3	88.7	22.3	88.7	22.3	88.7	0	C1	1.316E-06
550.0 Z-	0:0:-50	5.050E-06	1.329E-03	113.2	-88.4	113.2	-88.4	113.2	-88.4	0	C1	1.316E-06



----- Parameters sample & data -----



Site : PICA50  
 Sample : PICA5004  
 Specimen : PICA5004F1  
 Volume : n.d      masse : 3.560  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -4.9  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in vacuum

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	3.550E-06	9.971E-04	163.8	11.6	163.8	11.6	163.8	11.6	0	C1	1.096E-06
120.0 RA	0:0:50	3.510E-06	9.859E-04	162.7	13.4	162.7	13.4	162.7	13.4	0	C1	1.124E-06
120.0 VA	0:0:-50	3.458E-06	9.714E-04	162.1	9.8	162.1	9.8	162.1	9.8	0	C1	1.152E-06
180.0 RB	0:0:50	3.424E-06	9.619E-04	164.1	15.9	164.1	15.9	164.1	15.9	0	C1	1.152E-06
180.0 VB	0:0:-50	3.333E-06	9.362E-04	162.6	8.0	162.6	8.0	162.6	8.0	0	C1	1.124E-06
240.0 RC	0:0:50	3.333E-06	9.364E-04	163.4	18.2	163.4	18.2	163.4	18.2	0	C1	0.000E+00
240.0 VC	0:0:-50	3.187E-06	8.952E-04	162.2	7.4	162.2	7.4	162.2	7.4	0	C1	1.124E-06
120.0 PC	0:0:50	3.209E-06	9.014E-04	163.6	10.2	163.6	10.2	163.6	10.2	0	C1	0.000E+00
280.0 RD	0:0:50	3.291E-06	9.243E-04	163.3	21.0	163.3	21.0	163.3	21.0	0	C1	1.152E-06
280.0 VD	0:0:-50	3.076E-06	8.640E-04	163.9	3.6	163.9	3.6	163.9	3.6	0	C1	1.264E-06
320.0 RE	0:0:50	3.210E-06	9.016E-04	165.4	22.9	165.4	22.9	165.4	22.9	0	C1	1.152E-06
320.0 VE	0:0:-50	2.975E-06	8.357E-04	161.8	1.5	161.8	1.5	161.8	1.5	0	C1	1.124E-06
240.0 PE	0:0:50	3.074E-06	8.635E-04	163.0	15.1	163.0	15.1	163.0	15.1	0	C1	0.000E+00
360.0 RF	0:0:50	3.165E-06	8.890E-04	163.0	25.2	163.0	25.2	163.0	25.2	0	C1	1.152E-06
360.0 VF	0:0:-50	2.867E-06	8.052E-04	162.7	-0.1	162.7	-0.1	162.7	-0.1	0	C1	1.152E-06
400.0 RG	0:0:50	3.097E-06	8.698E-04	163.3	28.8	163.3	28.8	163.3	28.8	0	C1	1.152E-06
400.0 VG	0:0:-50	2.753E-06	7.734E-04	164.7	-3.6	164.7	-3.6	164.7	-3.6	0	C1	1.124E-06
320.0 PG	0:0:50	2.903E-06	8.154E-04	162.4	19.7	162.4	19.7	162.4	19.7	0	C1	1.124E-06
440.0 RH	0:0:50	3.090E-06	8.681E-04	164.2	36.4	164.2	36.4	164.2	36.4	0	C1	1.124E-06
440.0 VH	0:0:-50	2.569E-06	7.216E-04	163.3	-11.5	163.3	-11.5	163.3	-11.5	0	C1	1.096E-06
480.0 RI	0:0:50	3.076E-06	8.640E-04	166.1	47.4	166.1	47.4	166.1	47.4	0	C1	1.180E-06
480.0 VI	0:0:-50	2.439E-06	6.851E-04	162.6	-29.4	162.6	-29.4	162.6	-29.4	0	C1	1.152E-06
400.0 PI	0:0:50	2.319E-06	6.514E-04	162.4	25.2	162.4	25.2	162.4	25.2	0	C1	1.152E-06
520.0 RJ	0:0:50	3.452E-06	9.697E-04	166.6	65.4	166.6	65.4	166.6	65.4	0	C1	1.124E-06
520.0 VJ	0:0:-50	2.743E-06	7.706E-04	157.3	-56.7	157.3	-56.7	157.3	-56.7	0	C1	1.124E-06
550.0 RK	0:0:50	4.309E-06	1.210E-03	178.6	81.9	178.6	81.9	178.6	81.9	0	C1	1.124E-06
550.0 VK	0:0:-50	3.901E-06	1.096E-03	149.1	-79.2	149.1	-79.2	149.1	-79.2	0	C1	1.152E-06
480.0 PK	0:0:50	7.066E-07	1.985E-04	163.3	23.9	163.3	23.9	163.3	23.9	0	C1	1.124E-06
580.0 RL	0:0:50	5.360E-06	1.506E-03	271.1	86.7	271.1	86.7	271.1	86.7	0	C1	0.000E+00
580.0 VL	0:0:-50	5.298E-06	1.488E-03	97.6	-86.7	97.6	-86.7	97.6	-86.7	0	C1	1.208E-06
550.0 PL	0:0:50	3.341E-06	9.384E-04	260.9	87.3	260.9	87.3	260.9	87.3	0	C1	0.000E+00
550.0 X+	50:0:0	4.226E-06	1.187E-03	347.0	-13.7	347.0	-13.7	347.0	-13.7	0	C1	1.180E-06
550.0 X-	-50:0:0	4.074E-06	1.144E-03	178.4	-8.2	178.4	-8.2	178.4	-8.2	0	C1	1.152E-06
550.0 Y+	0:50:0	4.196E-06	1.179E-03	269.4	-12.1	269.4	-12.1	269.4	-12.1	0	C1	1.180E-06
550.0 Y-	0:-50:0	3.962E-06	1.113E-03	95.4	-10.8	95.4	-10.8	95.4	-10.8	0	C1	0.000E+00
550.0 Z+	0:0:50	3.351E-06	9.414E-04	291.0	87.1	291.0	87.1	291.0	87.1	0	C1	0.000E+00
550.0 Z-	0:0:-50	5.054E-06	1.420E-03	117.0	-87.2	117.0	-87.2	117.0	-87.2	0	C1	1.180E-06

NRM

NRM = 0.0010 Am<sup>2</sup>/kg







----- Parameters sample & data -----

Site : PICA50  
 Sample : PICA5004  
 Specimen : PICA5004F2  
 Volume : n.d      masse : 2.480  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	2.343E-06	9.448E-04	195.7	-9.3	195.7	-9.3	195.7	-9.3	0	C1	8.871E-07
120.0 RA	0:0:50	2.283E-06	9.205E-04	191.5	-6.9	191.5	-6.9	191.5	-6.9	0	C1	8.065E-07
120.0 VA	0:0:-50	2.291E-06	9.237E-04	193.9	-11.8	193.9	-11.8	193.9	-11.8	0	C1	8.065E-07
180.0 RB	0:0:50	2.146E-06	8.652E-04	191.8	-2.8	191.8	-2.8	191.8	-2.8	0	C1	8.871E-07
180.0 VB	0:0:-50	2.224E-06	8.966E-04	195.9	-14.9	195.9	-14.9	195.9	-14.9	0	C1	8.468E-07
240.0 RC	0:0:50	2.025E-06	8.166E-04	192.3	1.7	192.3	1.7	192.3	1.7	0	C1	0.000E+00
240.0 VC	0:0:-50	2.139E-06	8.624E-04	192.1	-18.9	192.1	-18.9	192.1	-18.9	0	C1	8.871E-07
120.0 PC	0:0:50	2.071E-06	8.352E-04	193.1	-12.2	193.1	-12.2	193.1	-12.2	0	C1	0.000E+00
280.0 RD	0:0:50	1.945E-06	7.842E-04	194.9	5.2	194.9	5.2	194.9	5.2	0	C1	8.468E-07
280.0 VD	0:0:-50	2.086E-06	8.410E-04	192.4	-21.6	192.4	-21.6	192.4	-21.6	0	C1	8.871E-07
320.0 RE	0:0:50	1.874E-06	7.555E-04	192.9	7.9	192.9	7.9	192.9	7.9	0	C1	8.871E-07
320.0 VE	0:0:-50	2.020E-06	8.146E-04	190.2	-23.9	190.2	-23.9	190.2	-23.9	0	C1	8.871E-07
240.0 PE	0:0:50	1.856E-06	7.482E-04	192.2	-3.6	192.2	-3.6	192.2	-3.6	0	C1	0.000E+00
360.0 RF	0:0:50	1.809E-06	7.293E-04	192.1	11.4	192.1	11.4	192.1	11.4	0	C1	8.871E-07
360.0 VF	0:0:-50	1.977E-06	7.972E-04	194.4	-25.9	194.4	-25.9	194.4	-25.9	0	C1	8.871E-07
400.0 RG	0:0:50	1.772E-06	7.147E-04	197.2	16.8	197.2	16.8	197.2	16.8	0	C1	8.468E-07
400.0 VG	0:0:-50	1.939E-06	7.820E-04	194.6	-29.5	194.6	-29.5	194.6	-29.5	0	C1	8.468E-07
320.0 PG	0:0:50	1.695E-06	6.835E-04	195.6	4.0	195.6	4.0	195.6	4.0	0	C1	0.000E+00
440.0 RH	0:0:50	1.740E-06	7.016E-04	194.2	28.4	194.2	28.4	194.2	28.4	0	C1	8.871E-07
440.0 VH	0:0:-50	1.872E-06	7.547E-04	196.5	-34.9	196.5	-34.9	196.5	-34.9	0	C1	8.871E-07
480.0 RI	0:0:50	1.786E-06	7.201E-04	197.3	44.1	197.3	44.1	197.3	44.1	0	C1	8.871E-07
480.0 VI	0:0:-50	1.869E-06	7.536E-04	192.3	-46.2	192.3	-46.2	192.3	-46.2	0	C1	8.468E-07
400.0 PI	0:0:50	1.325E-06	5.342E-04	191.9	16.0	191.9	16.0	191.9	16.0	0	C1	8.871E-07
520.0 RJ	0:0:50	2.103E-06	8.479E-04	195.8	64.3	195.8	64.3	195.8	64.3	0	C1	8.468E-07
520.0 VJ	0:0:-50	2.072E-06	8.357E-04	190.9	-63.8	190.9	-63.8	190.9	-63.8	0	C1	8.468E-07
550.0 RK	0:0:50	2.707E-06	1.091E-03	197.8	80.8	197.8	80.8	197.8	80.8	0	C1	8.468E-07
550.0 VK	0:0:-50	2.586E-06	1.043E-03	182.1	-79.9	182.1	-79.9	182.1	-79.9	0	C1	8.468E-07
480.0 PK	0:0:50	4.637E-07	1.870E-04	192.3	19.9	192.3	19.9	192.3	19.9	0	C1	8.065E-07
580.0 RL	0:0:50	3.573E-06	1.441E-03	249.4	89.4	249.4	89.4	249.4	89.4	0	C1	8.468E-07
580.0 VL	0:0:-50	3.531E-06	1.424E-03	147.3	-87.9	147.3	-87.9	147.3	-87.9	0	C1	8.468E-07
550.0 PL	0:0:50	1.785E-06	7.196E-04	206.2	88.4	206.2	88.4	206.2	88.4	0	C1	8.871E-07
550.0 X+	50:0:0	2.509E-06	1.012E-03	1.3	-16.9	1.3	-16.9	1.3	-16.9	0	C1	0.000E+00
550.0 X-	-50:0:0	2.522E-06	1.017E-03	181.2	-14.0	181.2	-14.0	181.2	-14.0	0	C1	8.468E-07
550.0 Y+	0:50:0	2.689E-06	1.084E-03	265.7	-17.2	265.7	-17.2	265.7	-17.2	0	C1	0.000E+00
550.0 Y-	0:-50:0	2.297E-06	9.264E-04	91.5	-17.2	91.5	-17.2	91.5	-17.2	0	C1	0.000E+00
550.0 Z+	0:0:50	1.849E-06	7.454E-04	269.1	87.0	269.1	87.0	269.1	87.0	0	C1	8.065E-07
550.0 Z-	0:0:-50	3.162E-06	1.275E-03	151.3	-88.7	151.3	-88.7	151.3	-88.7	0	C1	0.000E+00



----- Parameters sample & data -----



Site : PICA\_A  
 Sample : PICA\_A1F  
 Specimen : PICA\_A1F1  
 Volume : n.d      masse : 3.520  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -4.9  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in vacuum

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	2.751E-06	7.816E-04	294.0	-54.7	294.0	-54.7	294.0	-54.7	0	C1	5.398E-07
120.0 RA	0:0:50	2.506E-06	7.120E-04	290.9	-53.2	290.9	-53.2	290.9	-53.2	0	C1	5.398E-07
120.0 VA	0:0:-50	2.828E-06	8.034E-04	292.1	-58.0	292.1	-58.0	292.1	-58.0	0	C1	5.966E-07
180.0 RB	0:0:50	2.192E-06	6.227E-04	293.3	-50.1	293.3	-50.1	293.3	-50.1	0	C1	5.114E-07
180.0 VB	0:0:-50	2.862E-06	8.132E-04	292.3	-61.1	292.3	-61.1	292.3	-61.1	0	C1	5.398E-07
240.0 RC	0:0:50	1.885E-06	5.355E-04	292.2	-46.0	292.2	-46.0	292.2	-46.0	0	C1	0.000E+00
240.0 VC	0:0:-50	2.866E-06	8.142E-04	293.1	-64.0	293.1	-64.0	293.1	-64.0	0	C1	5.398E-07
120.0 PC	0:0:50	2.508E-06	7.124E-04	291.3	-59.6	291.3	-59.6	291.3	-59.6	0	C1	0.000E+00
280.0 RD	0:0:50	1.656E-06	4.706E-04	294.1	-41.7	294.1	-41.7	294.1	-41.7	0	C1	5.966E-07
280.0 VD	0:0:-50	2.915E-06	8.280E-04	294.5	-65.4	294.5	-65.4	294.5	-65.4	0	C1	5.966E-07
320.0 RE	0:0:50	1.424E-06	4.047E-04	296.2	-33.6	296.2	-33.6	296.2	-33.6	0	C1	5.398E-07
320.0 VE	0:0:-50	3.016E-06	8.569E-04	293.6	-67.6	293.6	-67.6	293.6	-67.6	0	C1	5.682E-07
240.0 PE	0:0:50	1.926E-06	5.472E-04	292.2	-52.3	292.2	-52.3	292.2	-52.3	0	C1	0.000E+00
360.0 RF	0:0:50	1.202E-06	3.415E-04	293.9	-16.8	293.9	-16.8	293.9	-16.8	0	C1	6.250E-07
360.0 VF	0:0:-50	3.002E-06	8.528E-04	295.7	-68.9	295.7	-68.9	295.7	-68.9	0	C1	6.250E-07
400.0 RG	0:0:50	1.080E-06	3.068E-04	294.1	2.4	294.1	2.4	294.1	2.4	0	C1	6.250E-07
400.0 VG	0:0:-50	2.828E-06	8.034E-04	294.7	-68.7	294.7	-68.7	294.7	-68.7	0	C1	6.534E-07
320.0 PG	0:0:50	1.406E-06	3.994E-04	294.7	-40.5	294.7	-40.5	294.7	-40.5	0	C1	0.000E+00
440.0 RH	0:0:50	1.121E-06	3.186E-04	294.4	26.5	294.4	26.5	294.4	26.5	0	C1	6.250E-07
440.0 VH	0:0:-50	2.789E-06	7.922E-04	293.6	-70.7	293.6	-70.7	293.6	-70.7	0	C1	6.250E-07
480.0 RI	0:0:50	1.320E-06	3.749E-04	293.1	49.1	293.1	49.1	293.1	49.1	0	C1	6.534E-07
480.0 VI	0:0:-50	2.982E-06	8.473E-04	292.1	-75.2	292.1	-75.2	292.1	-75.2	0	C1	6.250E-07
400.0 PI	0:0:50	8.957E-07	2.545E-04	290.3	-22.3	290.3	-22.3	290.3	-22.3	0	C1	6.534E-07
520.0 RJ	0:0:50	2.039E-06	5.793E-04	289.7	71.4	289.7	71.4	289.7	71.4	0	C1	6.250E-07
520.0 VJ	0:0:-50	3.434E-06	9.756E-04	296.3	-81.9	296.3	-81.9	296.3	-81.9	0	C1	6.534E-07
550.0 RK	0:0:50	3.413E-06	9.697E-04	287.6	84.6	287.6	84.6	287.6	84.6	0	C1	5.966E-07
550.0 VK	0:0:-50	3.984E-06	1.132E-03	314.1	-87.7	314.1	-87.7	314.1	-87.7	0	C1	5.966E-07
480.0 PK	0:0:50	3.673E-07	1.044E-04	290.9	50.3	290.9	50.3	290.9	50.3	0	C1	5.682E-07
580.0 RL	0:0:50	4.454E-06	1.265E-03	280.0	87.5	280.0	87.5	280.0	87.5	0	C1	6.250E-07
580.0 VL	0:0:-50	4.556E-06	1.294E-03	89.3	-87.8	89.3	-87.8	89.3	-87.8	0	C1	6.818E-07
550.0 PL	0:0:50	3.458E-06	9.823E-04	277.7	87.7	277.7	87.7	277.7	87.7	0	C1	0.000E+00

NRM

NRM = 0.0008 Am<sup>2</sup>/kg



----- Parameters sample & data -----



Site : PICA\_A  
 Sample : PICA\_A1F  
 Specimen : PICA\_A1F2  
 Volume : n.d      masse : 2.890  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	3.124E-06	1.081E-03	74.5	-54.3	74.5	-54.3	74.5	-54.3	0	C1	9.689E-07
120.0 RA	0:0:50	2.803E-06	9.697E-04	74.5	-51.9	74.5	-51.9	74.5	-51.9	0	C1	0.000E+00
120.0 VA	0:0:-50	3.213E-06	1.112E-03	73.4	-57.6	73.4	-57.6	73.4	-57.6	0	C1	9.689E-07
180.0 RB	0:0:50	2.374E-06	8.213E-04	71.9	-47.7	71.9	-47.7	71.9	-47.7	0	C1	9.689E-07
180.0 VB	0:0:-50	3.294E-06	1.140E-03	74.2	-61.2	74.2	-61.2	74.2	-61.2	0	C1	9.689E-07
240.0 RC	0:0:50	2.072E-06	7.170E-04	71.5	-45.2	71.5	-45.2	71.5	-45.2	0	C1	0.000E+00
240.0 VC	0:0:-50	3.277E-06	1.134E-03	74.0	-62.5	74.0	-62.5	74.0	-62.5	0	C1	8.997E-07
120.0 PC	0:0:50	2.783E-06	9.629E-04	74.0	-58.3	74.0	-58.3	74.0	-58.3	0	C1	0.000E+00
280.0 RD	0:0:50	1.837E-06	6.355E-04	72.9	-40.2	72.9	-40.2	72.9	-40.2	0	C1	9.689E-07
280.0 VD	0:0:-50	3.351E-06	1.159E-03	72.4	-64.2	72.4	-64.2	72.4	-64.2	0	C1	1.003E-06
320.0 RE	0:0:50	1.574E-06	5.446E-04	73.9	-31.7	73.9	-31.7	73.9	-31.7	0	C1	1.003E-06
320.0 VE	0:0:-50	3.468E-06	1.200E-03	72.3	-66.4	72.3	-66.4	72.3	-66.4	0	C1	1.073E-06
240.0 PE	0:0:50	2.080E-06	7.196E-04	72.6	-50.2	72.6	-50.2	72.6	-50.2	0	C1	0.000E+00
360.0 RF	0:0:50	1.289E-06	4.460E-04	72.5	-12.3	72.5	-12.3	72.5	-12.3	0	C1	1.107E-06
360.0 VF	0:0:-50	3.365E-06	1.164E-03	74.5	-67.6	74.5	-67.6	74.5	-67.6	0	C1	1.038E-06
400.0 RG	0:0:50	1.231E-06	4.259E-04	73.1	14.1	73.1	14.1	73.1	14.1	0	C1	1.107E-06
400.0 VG	0:0:-50	3.061E-06	1.059E-03	76.7	-66.3	76.7	-66.3	76.7	-66.3	0	C1	1.107E-06
320.0 PG	0:0:50	1.525E-06	5.276E-04	74.7	-37.7	74.7	-37.7	74.7	-37.7	0	C1	0.000E+00
440.0 RH	0:0:50	1.435E-06	4.964E-04	73.3	39.5	73.3	39.5	73.3	39.5	0	C1	1.107E-06
440.0 VH	0:0:-50	2.869E-06	9.927E-04	76.1	-67.1	76.1	-67.1	76.1	-67.1	0	C1	1.142E-06
480.0 RI	0:0:50	1.910E-06	6.610E-04	68.7	61.6	68.7	61.6	68.7	61.6	0	C1	0.000E+00
480.0 VI	0:0:-50	3.136E-06	1.085E-03	72.5	-72.4	72.5	-72.4	72.5	-72.4	0	C1	1.142E-06
400.0 PI	0:0:50	1.051E-06	3.637E-04	70.7	-26.2	70.7	-26.2	70.7	-26.2	0	C1	1.176E-06
520.0 RJ	0:0:50	2.724E-06	9.425E-04	66.2	76.1	66.2	76.1	66.2	76.1	0	C1	1.142E-06
520.0 VJ	0:0:-50	3.833E-06	1.326E-03	77.2	-79.0	77.2	-79.0	77.2	-79.0	0	C1	1.142E-06
550.0 RK	0:0:50	3.975E-06	1.375E-03	62.5	84.6	62.5	84.6	62.5	84.6	0	C1	1.107E-06
550.0 VK	0:0:-50	4.822E-06	1.668E-03	84.8	-84.4	84.8	-84.4	84.8	-84.4	0	C1	1.107E-06
480.0 PK	0:0:50	7.302E-07	2.527E-04	77.5	-59.1	77.5	-59.1	77.5	-59.1	0	C1	1.038E-06
580.0 RL	0:0:50	5.679E-06	1.965E-03	341.2	88.7	341.2	88.7	341.2	88.7	0	C1	0.000E+00
580.0 VL	0:0:-50	6.094E-06	2.109E-03	109.3	-87.8	109.3	-87.8	109.3	-87.8	0	C1	1.176E-06
550.0 PL	0:0:50	3.485E-06	1.206E-03	337.7	88.7	337.7	88.7	337.7	88.7	0	C1	0.000E+00

NRM

NRM = 0.0011 Am<sup>2</sup>/kg



----- Parameters sample & data -----



Site : PICA\_A  
 Sample : PICA\_A3F  
 Specimen : PICA\_A3F1  
 Volume : n.d      masse : 3.520  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in vacuum

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.028E-06	2.921E-04	25.0	-52.9	25.0	-52.9	25.0	-52.9	0	C1	2.841E-07
120.0 RA	0:0:50	6.837E-07	1.942E-04	26.5	-37.9	26.5	-37.9	26.5	-37.9	0	C1	3.409E-07
120.0 VA	0:0:-50	1.187E-06	3.372E-04	26.6	-63.6	26.6	-63.6	26.6	-63.6	0	C1	3.409E-07
180.0 RB	0:0:50	4.544E-07	1.291E-04	27.7	-15.3	27.7	-15.3	27.7	-15.3	0	C1	2.841E-07
180.0 VB	0:0:-50	1.235E-06	3.507E-04	27.4	-68.9	27.4	-68.9	27.4	-68.9	0	C1	3.125E-07
240.0 RC	0:0:50	3.742E-07	1.063E-04	27.8	9.2	27.8	9.2	27.8	9.2	0	C1	0.000E+00
240.0 VC	0:0:-50	1.212E-06	3.443E-04	36.2	-72.2	36.2	-72.2	36.2	-72.2	0	C1	5.398E-07
120.0 PC	0:0:50	6.862E-07	1.949E-04	33.7	-57.8	33.7	-57.8	33.7	-57.8	0	C1	0.000E+00
280.0 RD	0:0:50	4.409E-07	1.253E-04	26.8	43.4	26.8	43.4	26.8	43.4	0	C1	3.125E-07
280.0 VD	0:0:-50	1.328E-06	3.772E-04	35.8	-76.1	35.8	-76.1	35.8	-76.1	0	C1	2.557E-07
320.0 RE	0:0:50	7.810E-07	2.219E-04	24.2	66.9	24.2	66.9	24.2	66.9	0	C1	3.125E-07
320.0 VE	0:0:-50	1.618E-06	4.596E-04	35.0	-79.2	35.0	-79.2	35.0	-79.2	0	C1	3.125E-07
240.0 PE	0:0:50	2.909E-07	8.263E-05	26.7	10.2	26.7	10.2	26.7	10.2	0	C1	0.000E+00
360.0 RF	0:0:50	1.420E-06	4.033E-04	17.1	79.5	17.1	79.5	17.1	79.5	0	C1	2.841E-07
360.0 VF	0:0:-50	1.657E-06	4.707E-04	35.8	-81.1	35.8	-81.1	35.8	-81.1	0	C1	2.841E-07
400.0 RG	0:0:50	1.771E-06	5.030E-04	15.1	82.4	15.1	82.4	15.1	82.4	0	C1	3.409E-07
400.0 VG	0:0:-50	1.384E-06	3.932E-04	38.2	-80.9	38.2	-80.9	38.2	-80.9	0	C1	3.409E-07
320.0 PG	0:0:50	5.111E-07	1.452E-04	23.7	63.9	23.7	63.9	23.7	63.9	0	C1	3.693E-07
440.0 RH	0:0:50	2.039E-06	5.793E-04	15.7	84.0	15.7	84.0	15.7	84.0	0	C1	3.977E-07
440.0 VH	0:0:-50	1.460E-06	4.148E-04	42.6	-82.0	42.6	-82.0	42.6	-82.0	0	C1	3.693E-07
480.0 RI	0:0:50	1.905E-06	5.412E-04	358.9	84.1	358.9	84.1	358.9	84.1	0	C1	3.977E-07
480.0 VI	0:0:-50	1.845E-06	5.243E-04	46.4	-84.9	46.4	-84.9	46.4	-84.9	0	C1	3.409E-07
400.0 PI	0:0:50	7.712E-07	2.191E-04	14.3	78.5	14.3	78.5	14.3	78.5	0	C1	0.000E+00
520.0 RJ	0:0:50	2.050E-06	5.825E-04	343.3	86.7	343.3	86.7	343.3	86.7	0	C1	3.409E-07
520.0 VJ	0:0:-50	2.203E-06	6.258E-04	62.5	-86.7	62.5	-86.7	62.5	-86.7	0	C1	3.977E-07
550.0 RK	0:0:50	2.268E-06	6.442E-04	322.1	87.9	322.1	87.9	322.1	87.9	0	C1	3.977E-07
550.0 VK	0:0:-50	2.287E-06	6.496E-04	83.8	-87.9	83.8	-87.9	83.8	-87.9	0	C1	3.693E-07
480.0 PK	0:0:50	1.375E-06	3.907E-04	324.1	87.5	324.1	87.5	324.1	87.5	0	C1	0.000E+00
580.0 RL	0:0:50	2.888E-06	8.204E-04	287.9	87.5	287.9	87.5	287.9	87.5	0	C1	3.977E-07
580.0 VL	0:0:-50	3.002E-06	8.529E-04	96.4	-87.7	96.4	-87.7	96.4	-87.7	0	C1	3.693E-07

NRM

NRM = 0.0003 Am<sup>2</sup>/kg







----- Parameters sample & data -----

Site : PICA\_A  
 Sample : PICA\_A3F  
 Specimen : PICA\_A3F2  
 Volume : n.d      masse : 3.360  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -4.9  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.295E-06	3.855E-04	70.6	55.0	70.6	55.0	70.6	55.0	0	C1	2.976E-07
120.0 RA	0:0:50	1.390E-06	4.138E-04	65.2	63.2	65.2	63.2	65.2	63.2	0	C1	2.976E-07
120.0 VA	0:0:-50	8.170E-07	2.432E-04	66.2	41.2	66.2	41.2	66.2	41.2	0	C1	2.976E-07
180.0 RB	0:0:50	1.481E-06	4.409E-04	63.8	71.3	63.8	71.3	63.8	71.3	0	C1	0.000E+00
180.0 VB	0:0:-50	5.282E-07	1.572E-04	68.0	14.1	68.0	14.1	68.0	14.1	0	C1	2.976E-07
240.0 RC	0:0:50	1.483E-06	4.413E-04	61.5	75.6	61.5	75.6	61.5	75.6	0	C1	0.000E+00
240.0 VC	0:0:-50	4.335E-07	1.290E-04	69.0	-11.9	69.0	-11.9	69.0	-11.9	0	C1	0.000E+00
120.0 PC	0:0:50	6.781E-07	2.018E-04	67.3	53.4	67.3	53.4	67.3	53.4	0	C1	0.000E+00
280.0 RD	0:0:50	1.558E-06	4.637E-04	64.6	77.3	64.6	77.3	64.6	77.3	0	C1	3.274E-07
280.0 VD	0:0:-50	4.758E-07	1.416E-04	68.6	-38.9	68.6	-38.9	68.6	-38.9	0	C1	2.679E-07
320.0 RE	0:0:50	1.723E-06	5.129E-04	65.2	80.4	65.2	80.4	65.2	80.4	0	C1	3.274E-07
320.0 VE	0:0:-50	6.231E-07	1.854E-04	70.4	-57.8	70.4	-57.8	70.4	-57.8	0	C1	3.274E-07
240.0 PE	0:0:50	1.065E-06	3.169E-04	64.9	73.9	64.9	73.9	64.9	73.9	0	C1	0.000E+00
360.0 RF	0:0:50	2.105E-06	6.266E-04	58.7	83.6	58.7	83.6	58.7	83.6	0	C1	3.571E-07
360.0 VF	0:0:-50	6.524E-07	1.942E-04	70.5	-62.4	70.5	-62.4	70.5	-62.4	0	C1	5.357E-07
400.0 RG	0:0:50	2.456E-06	7.309E-04	52.6	85.1	52.6	85.1	52.6	85.1	0	C1	3.571E-07
400.0 VG	0:0:-50	4.249E-07	1.265E-04	67.5	-49.1	67.5	-49.1	67.5	-49.1	0	C1	3.571E-07
320.0 PG	0:0:50	1.378E-06	4.100E-04	57.7	80.3	57.7	80.3	57.7	80.3	0	C1	0.000E+00
440.0 RH	0:0:50	2.746E-06	8.172E-04	49.6	86.0	49.6	86.0	49.6	86.0	0	C1	4.167E-07
440.0 VH	0:0:-50	3.127E-07	9.307E-05	67.3	-38.1	67.3	-38.1	67.3	-38.1	0	C1	4.464E-07
480.0 RI	0:0:50	2.976E-06	8.858E-04	40.4	86.9	40.4	86.9	40.4	86.9	0	C1	4.464E-07
480.0 VI	0:0:-50	5.764E-07	1.715E-04	67.7	-68.5	67.7	-68.5	67.7	-68.5	0	C1	4.762E-07
400.0 PI	0:0:50	1.448E-06	4.309E-04	51.6	83.0	51.6	83.0	51.6	83.0	0	C1	4.167E-07
520.0 RJ	0:0:50	3.050E-06	9.076E-04	15.5	88.1	15.5	88.1	15.5	88.1	0	C1	4.464E-07
520.0 VJ	0:0:-50	1.502E-06	4.469E-04	79.5	-83.2	79.5	-83.2	79.5	-83.2	0	C1	4.464E-07
550.0 RK	0:0:50	3.093E-06	9.204E-04	325.3	88.2	325.3	88.2	325.3	88.2	0	C1	4.167E-07
550.0 VK	0:0:-50	2.491E-06	7.413E-04	88.1	-86.5	88.1	-86.5	88.1	-86.5	0	C1	4.762E-07
480.0 PK	0:0:50	4.047E-07	1.204E-04	53.0	82.4	53.0	82.4	53.0	82.4	0	C1	4.762E-07
580.0 RL	0:0:50	3.659E-06	1.089E-03	279.5	87.6	279.5	87.6	279.5	87.6	0	C1	4.464E-07
580.0 VL	0:0:-50	3.761E-06	1.119E-03	98.9	-87.2	98.9	-87.2	98.9	-87.2	0	C1	5.357E-07
550.0 PL	0:0:50	2.479E-06	7.377E-04	283.3	87.9	283.3	87.9	283.3	87.9	0	C1	5.060E-07





----- Parameters sample & data -----

Site : PICA\_A  
 Sample : PICA\_ADF  
 Specimen : PICA\_ADF1  
 Volume : n.d      masse : 1.340  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in vacuum

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	2.483E-06	1.853E-03	11.6	-50.2	11.6	-50.2	11.6	-50.2	0	C1	9.701E-07
120.0 RA	0:0:50	2.439E-06	1.820E-03	10.4	-50.4	10.4	-50.4	10.4	-50.4	0	C1	9.701E-07
120.0 VA	0:0:-50	2.500E-06	1.866E-03	7.5	-51.9	7.5	-51.9	7.5	-51.9	0	C1	8.955E-07
180.0 RB	0:0:50	2.357E-06	1.759E-03	10.8	-49.3	10.8	-49.3	10.8	-49.3	0	C1	0.000E+00
180.0 VB	0:0:-50	2.497E-06	1.863E-03	10.4	-52.2	10.4	-52.2	10.4	-52.2	0	C1	9.701E-07
240.0 RC	0:0:50	2.254E-06	1.682E-03	11.5	-48.2	11.5	-48.2	11.5	-48.2	0	C1	0.000E+00
240.0 VC	0:0:-50	2.488E-06	1.857E-03	13.0	-52.9	13.0	-52.9	13.0	-52.9	0	C1	9.701E-07
280.0 RD	0:0:50	2.173E-06	1.622E-03	14.6	-46.7	14.6	-46.7	14.6	-46.7	0	C1	9.701E-07
280.0 VD	0:0:-50	2.480E-06	1.851E-03	15.9	-53.3	15.9	-53.3	15.9	-53.3	0	C1	1.045E-06
320.0 RE	0:0:50	2.083E-06	1.554E-03	15.1	-46.1	15.1	-46.1	15.1	-46.1	0	C1	1.119E-06
320.0 VE	0:0:-50	2.480E-06	1.851E-03	15.8	-53.8	15.8	-53.8	15.8	-53.8	0	C1	1.045E-06
240.0 PE	0:0:50	2.250E-06	1.679E-03	14.1	-49.7	14.1	-49.7	14.1	-49.7	0	C1	0.000E+00
360.0 RF	0:0:50	1.987E-06	1.483E-03	12.2	-43.7	12.2	-43.7	12.2	-43.7	0	C1	1.045E-06
360.0 VF	0:0:-50	2.468E-06	1.842E-03	17.1	-55.1	17.1	-55.1	17.1	-55.1	0	C1	1.045E-06
400.0 RG	0:0:50	1.868E-06	1.394E-03	16.9	-42.2	16.9	-42.2	16.9	-42.2	0	C1	1.045E-06
400.0 VG	0:0:-50	2.464E-06	1.839E-03	16.5	-56.5	16.5	-56.5	16.5	-56.5	0	C1	1.119E-06
320.0 PG	0:0:50	2.059E-06	1.537E-03	15.7	-48.0	15.7	-48.0	15.7	-48.0	0	C1	1.045E-06
440.0 RH	0:0:50	1.699E-06	1.268E-03	13.9	-39.4	13.9	-39.4	13.9	-39.4	0	C1	1.045E-06
440.0 VH	0:0:-50	2.458E-06	1.834E-03	17.6	-58.0	17.6	-58.0	17.6	-58.0	0	C1	9.701E-07
480.0 RI	0:0:50	1.438E-06	1.073E-03	13.6	-31.8	13.6	-31.8	13.6	-31.8	0	C1	1.045E-06
480.0 VI	0:0:-50	2.474E-06	1.847E-03	11.1	-61.1	11.1	-61.1	11.1	-61.1	0	C1	1.045E-06
400.0 PI	0:0:50	1.800E-06	1.343E-03	10.9	-48.3	10.9	-48.3	10.9	-48.3	0	C1	1.045E-06
520.0 RJ	0:0:50	1.046E-06	7.803E-04	10.2	-6.2	10.2	-6.2	10.2	-6.2	0	C1	9.701E-07
520.0 VJ	0:0:-50	2.545E-06	1.899E-03	15.8	-66.9	15.8	-66.9	15.8	-66.9	0	C1	9.701E-07
550.0 RK	0:0:50	1.403E-06	1.047E-03	5.2	60.6	5.2	60.6	5.2	60.6	0	C1	1.045E-06
550.0 VK	0:0:-50	2.796E-06	2.086E-03	23.6	-77.4	23.6	-77.4	23.6	-77.4	0	C1	9.701E-07
480.0 PK	0:0:50	1.361E-06	1.015E-03	15.6	-63.1	15.6	-63.1	15.6	-63.1	0	C1	9.701E-07
580.0 RL	0:0:50	3.059E-06	2.283E-03	339.9	85.8	339.9	85.8	339.9	85.8	0	C1	1.045E-06
580.0 VL	0:0:-50	3.288E-06	2.454E-03	77.0	-86.7	77.0	-86.7	77.0	-86.7	0	C1	0.000E+00
550.0 PL	0:0:50	9.543E-07	7.121E-04	352.6	82.6	352.6	82.6	352.6	82.6	0	C1	0.000E+00
550.0 X+	50:0:0	2.420E-06	1.806E-03	356.5	-28.7	356.5	-28.7	356.5	-28.7	0	C1	0.000E+00
550.0 X-	-50:0:0	2.150E-06	1.604E-03	172.2	-27.1	172.2	-27.1	172.2	-27.1	0	C1	1.045E-06
550.0 Y+	0:50:0	2.291E-06	1.710E-03	266.6	-30.0	266.6	-30.0	266.6	-30.0	0	C1	1.045E-06
550.0 Y-	0:-50:0	2.223E-06	1.659E-03	89.1	-28.1	89.1	-28.1	89.1	-28.1	0	C1	1.045E-06
550.0 Z+	0:0:50	9.912E-07	7.397E-04	351.6	81.5	351.6	81.5	351.6	81.5	0	C1	0.000E+00
550.0 Z-	0:0:-50	3.167E-06	2.363E-03	73.7	-87.2	73.7	-87.2	73.7	-87.2	0	C1	1.045E-06





----- Parameters sample & data -----

Site : PICA\_A  
 Sample : PICA\_AEF  
 Specimen : PICA\_AEF1  
 Volume : n.d      masse : 1.140  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"

dc applied magnetic field : 50.0  $\mu$ T in air

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	1.048E-06	9.195E-04	286.9	16.2	286.9	16.2	286.9	16.2	0	C1	9.649E-07
120.0 RA	0:0:50	1.039E-06	9.110E-04	283.0	17.2	283.0	17.2	283.0	17.2	0	C1	8.772E-07
120.0 VA	0:0:-50	1.016E-06	8.916E-04	286.6	13.6	286.6	13.6	286.6	13.6	0	C1	8.772E-07
180.0 RB	0:0:50	1.021E-06	8.956E-04	285.1	19.9	285.1	19.9	285.1	19.9	0	C1	9.649E-07
180.0 VB	0:0:-50	9.781E-07	8.580E-04	285.6	11.0	285.6	11.0	285.6	11.0	0	C1	9.649E-07
240.0 RC	0:0:50	1.001E-06	8.785E-04	283.9	22.2	283.9	22.2	283.9	22.2	0	C1	0.000E+00
240.0 VC	0:0:-50	9.277E-07	8.138E-04	287.0	8.4	287.0	8.4	287.0	8.4	0	C1	0.000E+00
120.0 PC	0:0:50	9.439E-07	8.280E-04	287.0	12.3	287.0	12.3	287.0	12.3	0	C1	0.000E+00
280.0 RD	0:0:50	9.919E-07	8.701E-04	285.2	25.1	285.2	25.1	285.2	25.1	0	C1	9.649E-07
280.0 VD	0:0:-50	8.950E-07	7.851E-04	287.1	5.8	287.1	5.8	287.1	5.8	0	C1	9.649E-07
320.0 RE	0:0:50	9.826E-07	8.620E-04	288.4	27.3	288.4	27.3	288.4	27.3	0	C1	8.772E-07
320.0 VE	0:0:-50	8.592E-07	7.537E-04	286.7	2.5	286.7	2.5	286.7	2.5	0	C1	9.649E-07
240.0 PE	0:0:50	9.106E-07	7.988E-04	288.5	17.8	288.5	17.8	288.5	17.8	0	C1	0.000E+00
360.0 RF	0:0:50	9.787E-07	8.585E-04	289.1	30.7	289.1	30.7	289.1	30.7	0	C1	1.053E-06
360.0 VF	0:0:-50	8.279E-07	7.262E-04	289.7	1.6	289.7	1.6	289.7	1.6	0	C1	8.772E-07
400.0 RG	0:0:50	9.766E-07	8.566E-04	290.8	33.6	290.8	33.6	290.8	33.6	0	C1	9.649E-07
400.0 VG	0:0:-50	7.954E-07	6.977E-04	290.8	-1.1	290.8	-1.1	290.8	-1.1	0	C1	9.649E-07
320.0 PG	0:0:50	8.712E-07	7.642E-04	289.3	23.2	289.3	23.2	289.3	23.2	0	C1	0.000E+00
440.0 RH	0:0:50	9.677E-07	8.489E-04	290.0	37.7	290.0	37.7	290.0	37.7	0	C1	9.649E-07
440.0 VH	0:0:-50	7.465E-07	6.548E-04	288.5	-4.5	288.5	-4.5	288.5	-4.5	0	C1	9.649E-07
480.0 RI	0:0:50	9.639E-07	8.455E-04	288.8	41.9	288.8	41.9	288.8	41.9	0	C1	8.772E-07
480.0 VI	0:0:-50	6.991E-07	6.132E-04	289.0	-11.8	289.0	-11.8	289.0	-11.8	0	C1	8.772E-07
400.0 PI	0:0:50	7.814E-07	6.854E-04	286.6	26.6	286.6	26.6	286.6	26.6	0	C1	9.649E-07
520.0 RJ	0:0:50	9.730E-07	8.535E-04	286.9	49.2	286.9	49.2	286.9	49.2	0	C1	1.053E-06
520.0 VJ	0:0:-50	6.659E-07	5.841E-04	287.5	-28.5	287.5	-28.5	287.5	-28.5	0	C1	1.053E-06
550.0 RK	0:0:50	1.016E-06	8.909E-04	287.4	59.5	287.4	59.5	287.4	59.5	0	C1	9.649E-07
550.0 VK	0:0:-50	7.168E-07	6.288E-04	287.3	-49.9	287.3	-49.9	287.3	-49.9	0	C1	1.053E-06
480.0 PK	0:0:50	5.402E-07	4.738E-04	285.5	24.5	285.5	24.5	285.5	24.5	0	C1	0.000E+00
580.0 RL	0:0:50	1.176E-06	1.032E-03	287.6	72.7	287.6	72.7	287.6	72.7	0	C1	8.772E-07
580.0 VL	0:0:-50	9.781E-07	8.579E-04	286.8	-74.1	286.8	-74.1	286.8	-74.1	0	C1	8.772E-07
550.0 PL	0:0:50	6.236E-07	5.471E-04	290.0	59.9	290.0	59.9	290.0	59.9	0	C1	1.053E-06
550.0 X+	50:0:0	9.330E-07	8.184E-04	331.0	-11.1	331.0	-11.1	331.0	-11.1	0	C1	8.772E-07
550.0 X-	-50:0:0	7.207E-07	6.321E-04	202.7	-13.2	202.7	-13.2	202.7	-13.2	0	C1	9.649E-07
550.0 Y+	0:50:0	1.045E-06	9.169E-04	276.0	-10.3	276.0	-10.3	276.0	-10.3	0	C1	9.649E-07
550.0 Y-	0:-50:0	4.838E-07	4.244E-04	83.4	-19.6	83.4	-19.6	83.4	-19.6	0	C1	8.772E-07
550.0 Z+	0:0:50	6.545E-07	5.741E-04	289.3	60.5	289.3	60.5	289.3	60.5	0	C1	1.140E-06
550.0 Z-	0:0:-50	9.261E-07	8.123E-04	282.2	-73.5	282.2	-73.5	282.2	-73.5	0	C1	0.000E+00





----- Parameters sample & data -----

Site : PICA\_A  
 Sample : PICA\_AGF  
 Specimen : PICA\_AGF1  
 Volume : n.d      masse : 3.100  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0    IGRF Declination : -4.9  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : " no orientation"

dc applied magnetic field : 50.0  $\mu$ T in vacuum

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 NO	0:0:0	9.778E-07	3.154E-04	240.5	33.0	240.5	33.0	240.5	33.0	0	C1	4.194E-07
120.0 RA	0:0:50	9.760E-07	3.148E-04	238.0	36.3	238.0	36.3	238.0	36.3	0	C1	4.839E-07
120.0 VA	0:0:-50	9.090E-07	2.932E-04	238.2	30.4	238.2	30.4	238.2	30.4	0	C1	4.194E-07
180.0 RB	0:0:50	9.646E-07	3.112E-04	240.9	39.1	240.9	39.1	240.9	39.1	0	C1	4.839E-07
180.0 VB	0:0:-50	8.420E-07	2.716E-04	239.5	28.1	239.5	28.1	239.5	28.1	0	C1	0.000E+00
240.0 RC	0:0:50	9.558E-07	3.083E-04	240.2	43.0	240.2	43.0	240.2	43.0	0	C1	0.000E+00
240.0 VC	0:0:-50	7.644E-07	2.466E-04	241.6	25.8	241.6	25.8	241.6	25.8	0	C1	4.839E-07
120.0 PC	0:0:50	8.166E-07	2.634E-04	242.1	30.9	242.1	30.9	242.1	30.9	0	C1	0.000E+00
280.0 RD	0:0:50	9.570E-07	3.087E-04	242.9	45.6	242.9	45.6	242.9	45.6	0	C1	0.000E+00
280.0 VD	0:0:-50	7.058E-07	2.277E-04	243.6	22.2	243.6	22.2	243.6	22.2	0	C1	5.161E-07
320.0 RE	0:0:50	9.666E-07	3.118E-04	243.1	49.1	243.1	49.1	243.1	49.1	0	C1	5.484E-07
320.0 VE	0:0:-50	6.493E-07	2.095E-04	242.3	18.1	242.3	18.1	242.3	18.1	0	C1	4.516E-07
240.0 PE	0:0:50	8.071E-07	2.603E-04	238.1	40.2	238.1	40.2	238.1	40.2	0	C1	0.000E+00
360.0 RF	0:0:50	1.052E-06	3.394E-04	242.6	56.0	242.6	56.0	242.6	56.0	0	C1	5.161E-07
360.0 VF	0:0:-50	5.703E-07	1.840E-04	241.1	2.7	241.1	2.7	241.1	2.7	0	C1	4.839E-07
400.0 RG	0:0:50	1.085E-06	3.500E-04	244.9	58.8	244.9	58.8	244.9	58.8	0	C1	5.161E-07
400.0 VG	0:0:-50	5.340E-07	1.722E-04	242.5	-2.6	242.5	-2.6	242.5	-2.6	0	C1	5.161E-07
320.0 PG	0:0:50	7.227E-07	2.331E-04	242.0	41.1	242.0	41.1	242.0	41.1	0	C1	4.839E-07
440.0 RH	0:0:50	1.113E-06	3.591E-04	244.4	63.0	244.4	63.0	244.4	63.0	0	C1	4.839E-07
440.0 VH	0:0:-50	4.998E-07	1.612E-04	239.3	-9.7	239.3	-9.7	239.3	-9.7	0	C1	5.484E-07
480.0 RI	0:0:50	1.061E-06	3.424E-04	245.4	64.6	245.4	64.6	245.4	64.6	0	C1	5.161E-07
480.0 VI	0:0:-50	4.612E-07	1.488E-04	240.1	-23.1	240.1	-23.1	240.1	-23.1	0	C1	5.484E-07
400.0 PI	0:0:50	7.644E-07	2.466E-04	242.6	55.1	242.6	55.1	242.6	55.1	0	C1	5.161E-07
520.0 RJ	0:0:50	1.061E-06	3.423E-04	243.8	69.9	243.8	69.9	243.8	69.9	0	C1	5.806E-07
520.0 VJ	0:0:-50	5.426E-07	1.750E-04	235.4	-52.2	235.4	-52.2	235.4	-52.2	0	C1	5.484E-07
550.0 RK	0:0:50	1.145E-06	3.695E-04	248.5	76.4	248.5	76.4	248.5	76.4	0	C1	5.484E-07
550.0 VK	0:0:-50	7.335E-07	2.366E-04	237.7	-73.0	237.7	-73.0	237.7	-73.0	0	C1	5.484E-07
480.0 PK	0:0:50	4.649E-07	1.500E-04	243.7	57.6	243.7	57.6	243.7	57.6	0	C1	5.806E-07
580.0 RL	0:0:50	1.504E-06	4.852E-04	259.9	83.0	259.9	83.0	259.9	83.0	0	C1	5.161E-07
580.0 VL	0:0:-50	1.297E-06	4.184E-04	204.1	-86.0	204.1	-86.0	204.1	-86.0	0	C1	5.484E-07
550.0 PL	0:0:50	6.153E-07	1.985E-04	247.9	76.8	247.9	76.8	247.9	76.8	0	C1	6.129E-07
550.0 X+	50:0:0	9.450E-07	3.048E-04	348.0	-20.1	348.0	-20.1	348.0	-20.1	0	C1	6.129E-07
550.0 X-	-50:0:0	1.009E-06	3.254E-04	180.4	-15.7	180.4	-15.7	180.4	-15.7	0	C1	5.806E-07
550.0 Y+	0:50:0	1.075E-06	3.467E-04	257.4	-16.0	257.4	-16.0	257.4	-16.0	0	C1	6.129E-07
550.0 Y-	0:-50:0	8.574E-07	2.766E-04	86.7	-19.3	86.7	-19.3	86.7	-19.3	0	C1	6.129E-07
550.0 Z+	0:0:50	6.751E-07	2.178E-04	251.1	79.6	251.1	79.6	251.1	79.6	0	C1	6.452E-07
550.0 Z-	0:0:-50	1.220E-06	3.934E-04	209.9	-85.0	209.9	-85.0	209.9	-85.0	0	C1	5.806E-07







----- Parameters sample & data -----

Site : 13A\_01  
 Sample : 13A\_0102  
 Specimen : 13A\_0102B  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	4.390E-07	4.065E-02	167.7	-48.3	167.7	-48.3	167.7	-48.3	0	C1	0.000E+00
5.0 F+	0:0:0	4.157E-07	3.849E-02	169.8	-48.5	169.8	-48.5	169.8	-48.5	0	C1	0.000E+00
7.5 F-	0:0:0	4.013E-07	3.716E-02	171.1	-48.7	171.1	-48.7	171.1	-48.7	0	C1	0.000E+00
10.0 F+	0:0:0	3.806E-07	3.524E-02	172.2	-49.4	172.2	-49.4	172.2	-49.4	0	C1	0.000E+00
12.5 F-	0:0:0	3.562E-07	3.298E-02	172.4	-49.5	172.4	-49.5	172.4	-49.5	0	C1	0.000E+00
15.0 F+	0:0:0	3.350E-07	3.102E-02	171.6	-50.1	171.6	-50.1	171.6	-50.1	0	C1	0.000E+00
17.5 F-	0:0:0	3.186E-07	2.950E-02	172.0	-50.3	172.0	-50.3	172.0	-50.3	0	C1	0.000E+00
20.0 F+	0:0:0	3.048E-07	2.822E-02	171.8	-50.3	171.8	-50.3	171.8	-50.3	0	C1	0.000E+00
22.5 F-	0:0:0	2.873E-07	2.661E-02	171.6	-51.1	171.6	-51.1	171.6	-51.1	0	C1	0.000E+00
25.0 F+	0:0:0	2.726E-07	2.524E-02	171.9	-50.1	171.9	-50.1	171.9	-50.1	0	C1	0.000E+00
30.0 F-	0:0:0	2.453E-07	2.271E-02	171.7	-51.9	171.7	-51.9	171.7	-51.9	0	C1	0.000E+00
35.0 F+	0:0:0	2.217E-07	2.053E-02	171.5	-50.7	171.5	-50.7	171.5	-50.7	0	C1	0.000E+00
40.0 F-	0:0:0	2.048E-07	1.896E-02	172.5	-52.2	172.5	-52.2	172.5	-52.2	0	C1	0.000E+00
45.0 F+	0:0:0	1.836E-07	1.700E-02	171.4	-51.4	171.4	-51.4	171.4	-51.4	0	C1	0.000E+00
50.0 F-	0:0:0	1.629E-07	1.509E-02	173.4	-52.4	173.4	-52.4	173.4	-52.4	0	C1	0.000E+00
60.0 F+	0:0:0	1.286E-07	1.191E-02	173.7	-52.7	173.7	-52.7	173.7	-52.7	0	C1	0.000E+00
70.0 F-	0:0:0	1.032E-07	9.552E-03	168.6	-50.3	168.6	-50.3	168.6	-50.3	0	C1	0.000E+00
80.0 F+	0:0:0	8.617E-08	7.979E-03	172.0	-50.9	172.0	-50.9	172.0	-50.9	0	C1	0.000E+00
90.0 F-	0:0:0	6.475E-08	5.995E-03	175.6	-45.6	175.6	-45.6	175.6	-45.6	1	C1	0.000E+00
100.0 F+	0:0:0	5.635E-08	5.217E-03	170.6	-53.6	170.6	-53.6	170.6	-53.6	1	C1	0.000E+00
110.0 F-	0:0:0	4.792E-08	4.437E-03	179.3	-49.7	179.3	-49.7	179.3	-49.7	1	C1	0.000E+00
120.0 F+	0:0:0	4.419E-08	4.092E-03	189.5	-56.9	189.5	-56.9	189.5	-56.9	1	C1	0.000E+00
130.0 F-	0:0:0	3.362E-08	3.113E-03	185.7	-47.9	185.7	-47.9	185.7	-47.9	1	C1	0.000E+00



13A\_0102B      AF IS



----- Parameters sample & data -----

Site : 13A\_10  
 Sample : 13A\_1001  
 Specimen : 13A\_1001A  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
20.0 D0	0:0:0	1.469E-06	1.360E-01	37.8	16.7	37.8	16.7	37.8	16.7	0	LA	0.000E+00
150.0 D+	0:0:0	1.425E-06	1.319E-01	40.2	15.9	40.2	15.9	40.2	15.9	0	C1	0.000E+00
220.0 D-	0:0:0	1.365E-06	1.264E-01	43.9	16.5	43.9	16.5	43.9	16.5	0	C1	1.667E-04
260.0 D+	0:0:0	1.330E-06	1.231E-01	44.6	16.3	44.6	16.3	44.6	16.3	0	C1	5.370E-04
300.0 D+	0:0:0	1.281E-06	1.186E-01	44.0	16.6	44.0	16.6	44.0	16.6	0	C1	5.370E-04
340.0 D+	0:0:0	1.205E-06	1.116E-01	45.5	16.7	45.5	16.7	45.5	16.7	0	C1	0.000E+00
380.0 D+	0:0:0	1.131E-06	1.047E-01	43.9	16.9	43.9	16.9	43.9	16.9	0	C1	0.000E+00
420.0 D+	0:0:0	1.033E-06	9.566E-02	44.4	17.2	44.4	17.2	44.4	17.2	0	C1	0.000E+00
460.0 D-	0:0:0	8.863E-07	8.206E-02	44.2	17.1	44.2	17.1	44.2	17.1	0	C1	5.648E-04
500.0 D+	0:0:0	6.682E-07	6.187E-02	42.6	16.5	42.6	16.5	42.6	16.5	0	C1	5.648E-04
530.0 D-	0:0:0	4.698E-07	4.350E-02	43.8	17.0	43.8	17.0	43.8	17.0	0	C1	5.741E-04
560.0 D+	0:0:0	8.805E-08	8.152E-03	43.6	19.9	43.6	19.9	43.6	19.9	0	C1	5.648E-04
590.0 D-	0:0:0	1.808E-08	1.674E-03	29.1	22.8	29.1	22.8	29.1	22.8	0	C1	5.556E-04

In situ





13A\_1001A

TH IS

----- Parameters sample & data -----

Site : 13A\_10  
 Sample : 13A\_1002  
 Specimen : 13A\_1002A  
 Volume : 10.800    masse : n.d  
 Lat : -20.58227    Long : -69.36015    Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"  
 dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	7.449E-07	6.897E-02	328.3	-11.1	328.3	-11.1	328.3	-11.1	0	LA	0.000E+00
5.0 F+	0:0:0	7.302E-07	6.761E-02	329.8	-12.6	329.8	-12.6	329.8	-12.6	0	C1	0.000E+00
10.0 F-	0:0:0	6.954E-07	6.438E-02	329.5	-13.5	329.5	-13.5	329.5	-13.5	0	C1	0.000E+00
15.0 F+	0:0:0	6.540E-07	6.056E-02	329.5	-14.0	329.5	-14.0	329.5	-14.0	0	C1	0.000E+00
25.0 F-	0:0:0	5.775E-07	5.347E-02	329.2	-14.6	329.2	-14.6	329.2	-14.6	0	C1	0.000E+00
30.0 F+	0:0:0	5.434E-07	5.031E-02	328.6	-14.6	328.6	-14.6	328.6	-14.6	0	C1	0.000E+00
35.0 F-	0:0:0	5.061E-07	4.686E-02	329.1	-14.9	329.1	-14.9	329.1	-14.9	0	C1	0.000E+00
40.0 F+	0:0:0	4.776E-07	4.422E-02	329.0	-14.7	329.0	-14.7	329.0	-14.7	0	C1	0.000E+00
50.0 F-	0:0:0	4.077E-07	3.775E-02	328.6	-14.3	328.6	-14.3	328.6	-14.3	0	C1	0.000E+00
60.0 F+	0:0:0	3.396E-07	3.145E-02	328.1	-14.7	328.1	-14.7	328.1	-14.7	0	C1	0.000E+00
70.0 F-	0:0:0	2.840E-07	2.630E-02	329.1	-14.5	329.1	-14.5	329.1	-14.5	0	C1	0.000E+00
80.0 F+	0:0:0	2.285E-07	2.115E-02	328.8	-14.9	328.8	-14.9	328.8	-14.9	0	C1	0.000E+00
90.0 F-	0:0:0	1.868E-07	1.730E-02	328.9	-12.9	328.9	-12.9	328.9	-12.9	0	C1	0.000E+00
100.0 F+	0:0:0	1.496E-07	1.385E-02	328.3	-14.7	328.3	-14.7	328.3	-14.7	0	C1	0.000E+00



13A\_1002A



AF IS

----- Parameters sample & data -----

Site : 13A\_20  
 Sample : 13A\_2002  
 Specimen : 13A\_2002A  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
20.0 D0	0:0:0	1.225E-07	1.135E-02	166.5	29.8	166.5	29.8	166.5	29.8	1	LA	0.000E+00
150.0 D+	0:0:0	1.127E-07	1.043E-02	165.7	33.7	165.7	33.7	165.7	33.7	0	C1	0.000E+00
220.0 D-	0:0:0	1.033E-07	9.565E-03	165.7	34.1	165.7	34.1	165.7	34.1	0	C1	1.667E-04
260.0 D+	0:0:0	9.577E-08	8.868E-03	164.8	33.2	164.8	33.2	164.8	33.2	0	C1	1.759E-04
300.0 D+	0:0:0	8.153E-08	7.549E-03	164.4	37.8	164.4	37.8	164.4	37.8	0	C1	1.667E-04
340.0 D+	0:0:0	6.158E-08	5.702E-03	165.3	38.4	165.3	38.4	165.3	38.4	1	C1	0.000E+00
380.0 D+	0:0:0	5.449E-08	5.046E-03	161.3	40.2	161.3	40.2	161.3	40.2	1	C1	0.000E+00
420.0 D+	0:0:0	4.702E-08	4.354E-03	161.4	34.2	161.4	34.2	161.4	34.2	1	C1	0.000E+00
460.0 D-	0:0:0	3.751E-08	3.473E-03	161.3	35.5	161.3	35.5	161.3	35.5	0	C1	1.667E-04
500.0 D+	0:0:0	2.365E-08	2.190E-03	174.6	24.5	174.6	24.5	174.6	24.5	0	C1	1.759E-04
530.0 D-	0:0:0	1.162E-08	1.076E-03	196.8	16.9	196.8	16.9	196.8	16.9	0	C1	0.000E+00
560.0 D+	0:0:0	1.087E-08	1.006E-03	235.3	-32.8	235.3	-32.8	235.3	-32.8	0	C1	1.667E-04
590.0 D-	0:0:0	6.888E-09	6.377E-04	169.6	-52.9	169.6	-52.9	169.6	-52.9	1	C1	1.759E-04







----- Parameters sample & data -----

Site : 13A\_20  
 Sample : 13A\_2002  
 Specimen : 13A\_2002B  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	1.680E-07	1.555E-02	158.3	40.6	158.3	40.6	158.3	40.6	0	C1	0.000E+00
5.0 F+	0:0:0	1.600E-07	1.482E-02	157.1	40.4	157.1	40.4	157.1	40.4	0	C1	0.000E+00
10.0 F-	0:0:0	1.478E-07	1.368E-02	157.2	40.1	157.2	40.1	157.2	40.1	0	C1	0.000E+00
15.0 F+	0:0:0	1.367E-07	1.266E-02	158.4	40.1	158.4	40.1	158.4	40.1	0	C1	0.000E+00
20.0 F-	0:0:0	1.273E-07	1.179E-02	157.1	39.4	157.1	39.4	157.1	39.4	0	C1	0.000E+00
25.0 F+	0:0:0	1.178E-07	1.091E-02	157.9	39.2	157.9	39.2	157.9	39.2	0	C1	0.000E+00
30.0 F-	0:0:0	1.079E-07	9.988E-03	157.8	40.2	157.8	40.2	157.8	40.2	0	C1	0.000E+00
35.0 F+	0:0:0	9.986E-08	9.247E-03	157.0	41.8	157.0	41.8	157.0	41.8	0	C1	0.000E+00
40.0 F-	0:0:0	9.289E-08	8.601E-03	156.9	41.5	156.9	41.5	156.9	41.5	0	C1	0.000E+00
50.0 F+	0:0:0	8.444E-08	7.818E-03	155.6	41.0	155.6	41.0	155.6	41.0	0	C1	0.000E+00
60.0 F-	0:0:0	6.575E-08	6.088E-03	154.3	39.6	154.3	39.6	154.3	39.6	0	C1	0.000E+00
70.0 F+	0:0:0	5.830E-08	5.398E-03	159.3	37.7	159.3	37.7	159.3	37.7	0	C1	0.000E+00
80.0 F-	0:0:0	4.955E-08	4.588E-03	160.8	41.9	160.8	41.9	160.8	41.9	0	C1	0.000E+00
90.0 F+	0:0:0	4.453E-08	4.124E-03	165.9	46.1	165.9	46.1	165.9	46.1	0	C1	0.000E+00
100.0 F-	0:0:0	3.737E-08	3.461E-03	161.1	34.8	161.1	34.8	161.1	34.8	0	C1	0.000E+00
110.0 F+	0:0:0	3.170E-08	2.935E-03	150.6	46.7	150.6	46.7	150.6	46.7	0	C1	0.000E+00
120.0 F-	0:0:0	2.287E-08	2.118E-03	162.3	39.0	162.3	39.0	162.3	39.0	0	C1	0.000E+00
130.0 F+	0:0:0	2.261E-08	2.093E-03	144.9	48.4	144.9	48.4	144.9	48.4	0	C1	0.000E+00





13A\_2002B AF IS

----- Parameters sample & data -----

Site : 13A\_30  
 Sample : 13A\_3001  
 Specimen : 13A\_3001B  
 Volume : 10.800    masse : n.d  
 Lat : -20.58227    Long : -69.36015    Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T



Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
20.0 D0	0:0:0	5.355E-08	4.959E-03	61.2	-27.5	61.2	-27.5	61.2	-27.5	0	C1	9.259E-05
150.0 D+	0:0:0	5.255E-08	4.866E-03	58.0	-27.6	58.0	-27.6	58.0	-27.6	0	C1	0.000E+00
220.0 D-	0:0:0	4.853E-08	4.493E-03	58.4	-27.2	58.4	-27.2	58.4	-27.2	0	C1	1.019E-04
260.0 D+	0:0:0	4.705E-08	4.357E-03	60.9	-28.4	60.9	-28.4	60.9	-28.4	0	C1	1.019E-04
300.0 D+	0:0:0	4.191E-08	3.880E-03	58.6	-30.8	58.6	-30.8	58.6	-30.8	0	C1	1.019E-04
340.0 D+	0:0:0	3.426E-08	3.172E-03	58.9	-27.9	58.9	-27.9	58.9	-27.9	0	C1	0.000E+00
380.0 D+	0:0:0	3.090E-08	2.861E-03	58.4	-27.7	58.4	-27.7	58.4	-27.7	0	C1	0.000E+00
420.0 D+	0:0:0	2.613E-08	2.420E-03	58.1	-27.6	58.1	-27.6	58.1	-27.6	0	C1	0.000E+00
460.0 D-	0:0:0	2.160E-08	2.000E-03	57.3	-27.8	57.3	-27.8	57.3	-27.8	0	C1	9.259E-05
500.0 D+	0:0:0	1.404E-08	1.300E-03	56.9	-28.5	56.9	-28.5	56.9	-28.5	0	C1	9.259E-05
530.0 D-	0:0:0	8.077E-09	7.479E-04	64.8	-29.4	64.8	-29.4	64.8	-29.4	0	C1	0.000E+00
560.0 D+	0:0:0	2.393E-09	2.215E-04	81.4	1.1	81.4	1.1	81.4	1.1	1	C1	1.019E-04
590.0 D-	0:0:0	2.827E-09	2.618E-04	34.8	-20.4	34.8	-20.4	34.8	-20.4	0	C1	1.019E-04



----- Parameters sample & data -----

Site : 13A\_30  
 Sample : 13A\_3002  
 Specimen : 13A\_3002A  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"  
 dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	2.272E-08	2.104E-03	75.6	-42.4	75.6	-42.4	75.6	-42.4	2	LA	0.000E+00
0.0 F0	0:0:0	2.249E-08	2.082E-03	82.2	-41.5	82.2	-41.5	82.2	-41.5	0	C1	1.481E-04
5.0 F+	0:0:0	2.278E-08	2.109E-03	79.8	-42.5	79.8	-42.5	79.8	-42.5	0	C1	0.000E+00
10.0 F-	0:0:0	2.209E-08	2.046E-03	74.8	-44.9	74.8	-44.9	74.8	-44.9	0	C1	0.000E+00
15.0 F+	0:0:0	2.049E-08	1.897E-03	66.2	-41.7	66.2	-41.7	66.2	-41.7	0	C1	0.000E+00
20.0 F-	0:0:0	1.886E-08	1.746E-03	58.2	-42.8	58.2	-42.8	58.2	-42.8	0	C1	0.000E+00
25.0 F+	0:0:0	2.003E-08	1.855E-03	62.4	-44.7	62.4	-44.7	62.4	-44.7	0	C1	0.000E+00
30.0 F-	0:0:0	1.727E-08	1.599E-03	56.1	-36.1	56.1	-36.1	56.1	-36.1	0	C1	0.000E+00
35.0 F+	0:0:0	1.709E-08	1.583E-03	48.6	-40.5	48.6	-40.5	48.6	-40.5	0	C1	0.000E+00
40.0 F-	0:0:0	1.678E-08	1.554E-03	58.6	-38.9	58.6	-38.9	58.6	-38.9	0	C1	0.000E+00
50.0 F+	0:0:0	1.236E-08	1.145E-03	34.5	-46.9	34.5	-46.9	34.5	-46.9	0	C1	0.000E+00
60.0 F-	0:0:0	1.153E-08	1.067E-03	45.6	-54.6	45.6	-54.6	45.6	-54.6	0	C1	0.000E+00
70.0 F+	0:0:0	1.093E-08	1.012E-03	39.6	-42.8	39.6	-42.8	39.6	-42.8	0	C1	0.000E+00
80.0 F-	0:0:0	8.815E-09	8.162E-04	40.3	-52.3	40.3	-52.3	40.3	-52.3	0	C1	0.000E+00
90.0 F+	0:0:0	9.783E-09	9.058E-04	60.6	-43.3	60.6	-43.3	60.6	-43.3	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 13A\_40  
 Sample : 13A\_4001  
 Specimen : 13A\_4001A  
 Volume : 10.800      masse : n.d  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
20.0 D0	0:0:0	5.917E-07	5.478E-02	218.6	36.1	218.6	36.1	218.6	36.1	0	C1	3.333E-04
150.0 D+	0:0:0	5.656E-07	5.237E-02	217.9	35.0	217.9	35.0	217.9	35.0	0	C1	0.000E+00
220.0 D-	0:0:0	5.309E-07	4.916E-02	221.7	35.0	221.7	35.0	221.7	35.0	0	C1	3.333E-04
260.0 D+	0:0:0	5.061E-07	4.686E-02	220.8	32.2	220.8	32.2	220.8	32.2	0	C1	3.333E-04
300.0 D+	0:0:0	4.657E-07	4.312E-02	221.0	33.4	221.0	33.4	221.0	33.4	0	C1	3.519E-04
340.0 D+	0:0:0	4.249E-07	3.935E-02	221.2	32.3	221.2	32.3	221.2	32.3	0	C1	0.000E+00
380.0 D+	0:0:0	3.875E-07	3.588E-02	221.4	33.4	221.4	33.4	221.4	33.4	0	C1	0.000E+00
420.0 D+	0:0:0	3.418E-07	3.165E-02	221.1	33.0	221.1	33.0	221.1	33.0	0	C1	0.000E+00
460.0 D-	0:0:0	2.674E-07	2.476E-02	220.0	33.7	220.0	33.7	220.0	33.7	0	C1	3.519E-04
500.0 D+	0:0:0	1.807E-07	1.673E-02	224.7	34.6	224.7	34.6	224.7	34.6	0	C1	3.611E-04
530.0 D-	0:0:0	1.008E-07	9.332E-03	218.8	30.6	218.8	30.6	218.8	30.6	0	C1	0.000E+00
560.0 D+	0:0:0	1.091E-08	1.010E-03	231.7	48.7	231.7	48.7	231.7	48.7	0	C1	3.611E-04
590.0 D-	0:0:0	5.361E-09	4.964E-04	247.9	-17.3	247.9	-17.3	247.9	-17.3	1	C1	3.704E-04







----- Parameters sample & data -----

Site : 13A\_40  
 Sample : 13A\_4004  
 Specimen : 13A\_4004B  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"  
 dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	4.498E-07	4.165E-02	40.3	23.7	40.3	23.7	40.3	23.7	0	C1	3.519E-04
5.0 F+	0:0:0	4.321E-07	4.001E-02	39.6	22.2	39.6	22.2	39.6	22.2	0	C1	0.000E+00
10.0 F-	0:0:0	3.895E-07	3.606E-02	39.6	21.9	39.6	21.9	39.6	21.9	0	C1	0.000E+00
15.0 F+	0:0:0	3.455E-07	3.199E-02	38.3	21.4	38.3	21.4	38.3	21.4	0	C1	0.000E+00
20.0 F-	0:0:0	3.145E-07	2.912E-02	38.4	21.8	38.4	21.8	38.4	21.8	0	C1	0.000E+00
25.0 F+	0:0:0	2.710E-07	2.509E-02	38.7	22.6	38.7	22.6	38.7	22.6	0	C1	0.000E+00
30.0 F-	0:0:0	2.455E-07	2.273E-02	37.0	22.2	37.0	22.2	37.0	22.2	0	C1	0.000E+00
35.0 F+	0:0:0	2.063E-07	1.910E-02	36.9	22.1	36.9	22.1	36.9	22.1	0	C1	0.000E+00
40.0 F-	0:0:0	1.934E-07	1.791E-02	37.7	22.4	37.7	22.4	37.7	22.4	0	C1	0.000E+00
50.0 F+	0:0:0	1.479E-07	1.370E-02	38.0	22.9	38.0	22.9	38.0	22.9	0	C1	0.000E+00
60.0 F-	0:0:0	1.258E-07	1.165E-02	42.2	22.1	42.2	22.1	42.2	22.1	0	C1	0.000E+00
70.0 F+	0:0:0	9.922E-08	9.187E-03	43.1	22.7	43.1	22.7	43.1	22.7	0	C1	0.000E+00
80.0 F-	0:0:0	8.333E-08	7.716E-03	38.5	27.8	38.5	27.8	38.5	27.8	0	C1	0.000E+00
90.0 F+	0:0:0	7.251E-08	6.714E-03	43.9	23.5	43.9	23.5	43.9	23.5	0	C1	0.000E+00
100.0 F-	0:0:0	6.312E-08	5.844E-03	45.0	24.3	45.0	24.3	45.0	24.3	0	C1	0.000E+00

In situ



13A\_4004B



AF IS

----- Parameters sample & data -----

Site : 13A\_50  
 Sample : 13A\_5001  
 Specimen : 13A\_5001C  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
20.0 D0	0:0:0	8.131E-06	7.529E-01	170.0	-27.3	170.0	-27.3	170.0	-27.3	0	C1	6.019E-04
150.0 D+	0:0:0	7.811E-06	7.233E-01	169.9	-26.2	169.9	-26.2	169.9	-26.2	0	C1	0.000E+00
220.0 D-	0:0:0	7.451E-06	6.899E-01	172.2	-27.5	172.2	-27.5	172.2	-27.5	0	C1	6.481E-04
260.0 D+	0:0:0	7.189E-06	6.657E-01	171.3	-27.7	171.3	-27.7	171.3	-27.7	0	C1	6.389E-04
300.0 D+	0:0:0	6.803E-06	6.299E-01	170.8	-26.6	170.8	-26.6	170.8	-26.6	0	C1	6.481E-04
340.0 D+	0:0:0	6.594E-06	6.105E-01	171.3	-27.4	171.3	-27.4	171.3	-27.4	0	C1	0.000E+00
380.0 D+	0:0:0	6.179E-06	5.722E-01	169.4	-28.1	169.4	-28.1	169.4	-28.1	0	C1	0.000E+00
420.0 D+	0:0:0	5.769E-06	5.342E-01	171.8	-26.8	171.8	-26.8	171.8	-26.8	0	C1	0.000E+00
460.0 D-	0:0:0	5.075E-06	4.699E-01	171.5	-27.0	171.5	-27.0	171.5	-27.0	0	C1	0.000E+00
500.0 D+	0:0:0	3.509E-06	3.249E-01	170.7	-27.3	170.7	-27.3	170.7	-27.3	0	C1	6.389E-04
530.0 D-	0:0:0	2.066E-06	1.913E-01	170.8	-27.5	170.8	-27.5	170.8	-27.5	0	C1	0.000E+00
560.0 D+	0:0:0	3.648E-07	3.378E-02	170.8	-23.9	170.8	-23.9	170.8	-23.9	0	C1	6.204E-04
590.0 D-	0:0:0	7.104E-08	6.578E-03	174.6	-16.8	174.6	-16.8	174.6	-16.8	0	C1	6.204E-04





----- Parameters sample & data -----

Site : 13A\_50  
 Sample : 13A\_5003  
 Specimen : 13A\_5003B  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T



Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	5.161E-06	4.778E-01	256.8	26.6	256.8	26.6	256.8	26.6	0	C1	3.519E-04
5.0 F+	0:0:0	5.127E-06	4.747E-01	256.9	26.5	256.9	26.5	256.9	26.5	0	C1	0.000E+00
10.0 F-	0:0:0	5.044E-06	4.670E-01	256.9	26.5	256.9	26.5	256.9	26.5	0	C1	0.000E+00
15.0 F+	0:0:0	4.899E-06	4.536E-01	256.9	26.6	256.9	26.6	256.9	26.6	0	C1	0.000E+00
20.0 F-	0:0:0	4.732E-06	4.382E-01	256.8	26.6	256.8	26.6	256.8	26.6	0	C1	0.000E+00
25.0 F+	0:0:0	4.552E-06	4.215E-01	256.8	26.7	256.8	26.7	256.8	26.7	0	C1	0.000E+00
30.0 F-	0:0:0	4.366E-06	4.043E-01	257.0	26.8	257.0	26.8	257.0	26.8	0	C1	0.000E+00
35.0 F+	0:0:0	4.200E-06	3.889E-01	257.0	26.9	257.0	26.9	257.0	26.9	0	C1	0.000E+00
40.0 F-	0:0:0	4.084E-06	3.782E-01	256.9	26.8	256.9	26.8	256.9	26.8	0	C1	0.000E+00
45.0 F+	0:0:0	3.939E-06	3.648E-01	256.9	26.9	256.9	26.9	256.9	26.9	0	C1	0.000E+00
50.0 F-	0:0:0	3.796E-06	3.515E-01	256.9	26.9	256.9	26.9	256.9	26.9	0	C1	0.000E+00
60.0 F+	0:0:0	3.531E-06	3.270E-01	256.9	26.9	256.9	26.9	256.9	26.9	0	C1	0.000E+00
65.0 F-	0:0:0	3.391E-06	3.140E-01	256.9	26.8	256.9	26.8	256.9	26.8	0	C1	0.000E+00
70.0 F+	0:0:0	3.245E-06	3.005E-01	256.9	26.9	256.9	26.9	256.9	26.9	0	C1	0.000E+00
80.0 FX	0:0:0	3.172E-06	2.937E-01	257.4	27.0	257.4	27.0	257.4	27.0	0	C1	0.000E+00
80.0 FY	0:0:0	3.058E-06	2.832E-01	256.9	27.5	256.9	27.5	256.9	27.5	0	C1	0.000E+00
80.0 FZ	0:0:0	3.001E-06	2.779E-01	256.8	27.0	256.8	27.0	256.8	27.0	0	C1	0.000E+00
90.0 FX	0:0:0	2.904E-06	2.689E-01	257.6	27.0	257.6	27.0	257.6	27.0	0	C1	0.000E+00
90.0 FY	0:0:0	2.772E-06	2.566E-01	256.9	27.7	256.9	27.7	256.9	27.7	0	C1	0.000E+00
90.0 FZ	0:0:0	2.706E-06	2.505E-01	256.8	27.0	256.8	27.0	256.8	27.0	0	C1	0.000E+00
100.0 FX	0:0:0	2.600E-06	2.407E-01	257.8	27.1	257.8	27.1	257.8	27.1	0	C1	0.000E+00
100.0 FY	0:0:0	2.446E-06	2.265E-01	257.0	28.1	257.0	28.1	257.0	28.1	0	C1	0.000E+00
100.0 FZ	0:0:0	2.372E-06	2.196E-01	256.8	27.1	256.8	27.1	256.8	27.1	0	C1	0.000E+00
110.0 F+	0:0:0	2.035E-06	1.884E-01	257.2	26.8	257.2	26.8	257.2	26.8	0	C1	0.000E+00
120.0 F-	0:0:0	1.737E-06	1.608E-01	257.4	26.8	257.4	26.8	257.4	26.8	0	C1	0.000E+00
130.0 F+	0:0:0	1.463E-06	1.355E-01	257.2	27.0	257.2	27.0	257.2	27.0	0	C1	0.000E+00
140.0 F-	0:0:0	1.252E-06	1.159E-01	257.7	27.2	257.7	27.2	257.7	27.2	0	C1	0.000E+00
150.0 F+	0:0:0	1.055E-06	9.772E-02	257.4	26.8	257.4	26.8	257.4	26.8	0	C1	0.000E+00



----- Parameters sample & data -----

Site : 13A\_\_1  
 Sample : 13A\_\_1A\_  
 Specimen : 13A\_\_1A\_B  
 Volume : n.d      masse : 6.850  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"  
 dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	2.255E-06	3.292E-04	63.7	30.8	63.7	30.8	63.7	30.8	0	C1	3.212E-07
5.0 F+	0:0:0	2.244E-06	3.276E-04	63.7	30.9	63.7	30.9	63.7	30.9	0	C1	0.000E+00
10.0 F-	0:0:0	2.205E-06	3.218E-04	63.5	30.9	63.5	30.9	63.5	30.9	0	C1	0.000E+00
15.0 F+	0:0:0	2.148E-06	3.136E-04	63.4	30.9	63.4	30.9	63.4	30.9	0	C1	0.000E+00
20.0 F-	0:0:0	2.084E-06	3.043E-04	63.4	30.8	63.4	30.8	63.4	30.8	0	C1	0.000E+00
25.0 F+	0:0:0	2.011E-06	2.936E-04	63.3	30.8	63.3	30.8	63.3	30.8	0	C1	0.000E+00
30.0 F-	0:0:0	1.931E-06	2.819E-04	63.2	30.9	63.2	30.9	63.2	30.9	0	C1	0.000E+00
40.0 F+	0:0:0	1.795E-06	2.621E-04	62.8	31.0	62.8	31.0	62.8	31.0	0	C1	0.000E+00
50.0 F-	0:0:0	1.631E-06	2.381E-04	62.7	31.0	62.7	31.0	62.7	31.0	0	C1	0.000E+00
60.0 F+	0:0:0	1.502E-06	2.192E-04	62.3	30.9	62.3	30.9	62.3	30.9	0	C1	0.000E+00
80.0 F-	0:0:0	1.279E-06	1.867E-04	62.3	31.2	62.3	31.2	62.3	31.2	0	C1	0.000E+00
100.0 F+	0:0:0	1.044E-06	1.525E-04	61.4	31.4	61.4	31.4	61.4	31.4	0	C1	0.000E+00
120.0 F-	0:0:0	8.765E-07	1.280E-04	61.3	31.2	61.3	31.2	61.3	31.2	0	C1	0.000E+00
140.0 F+	0:0:0	7.513E-07	1.097E-04	61.7	31.6	61.7	31.6	61.7	31.6	0	C1	0.000E+00
160.0 F-	0:0:0	6.524E-07	9.525E-05	61.5	30.8	61.5	30.8	61.5	30.8	0	C1	0.000E+00



13A\_\_1A\_B      AF IS





----- Parameters sample & data -----

Site : 13A\_\_1  
 Sample : 13A\_\_1A\_  
 Specimen : 13A\_\_1A\_F  
 Volume : n.d      masse : 1.200  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	1.865E-06	1.554E-03	7.0	-61.4	7.0	-61.4	7.0	-61.4	0	C1	0.000E+00
10.0 F+	0:0:0	1.838E-06	1.532E-03	6.8	-61.2	6.8	-61.2	6.8	-61.2	0	C1	0.000E+00
20.0 F-	0:0:0	1.742E-06	1.451E-03	6.6	-61.2	6.6	-61.2	6.6	-61.2	0	C1	0.000E+00
30.0 F+	0:0:0	1.597E-06	1.330E-03	6.5	-61.1	6.5	-61.1	6.5	-61.1	0	C1	0.000E+00
40.0 F-	0:0:0	1.455E-06	1.213E-03	6.3	-61.2	6.3	-61.2	6.3	-61.2	0	C1	0.000E+00
60.0 F+	0:0:0	1.143E-06	9.525E-04	6.8	-60.8	6.8	-60.8	6.8	-60.8	0	C1	0.000E+00
80.0 F-	0:0:0	8.966E-07	7.472E-04	6.2	-61.0	6.2	-61.0	6.2	-61.0	0	C1	0.000E+00
100.0 F+	0:0:0	6.865E-07	5.721E-04	5.6	-60.3	5.6	-60.3	5.6	-60.3	0	C1	0.000E+00
120.0 F-	0:0:0	5.279E-07	4.400E-04	5.9	-60.4	5.9	-60.4	5.9	-60.4	0	C1	0.000E+00
140.0 F+	0:0:0	4.176E-07	3.480E-04	6.2	-60.0	6.2	-60.0	6.2	-60.0	0	C1	0.000E+00
160.0 F-	0:0:0	3.273E-07	2.728E-04	10.1	-60.4	10.1	-60.4	10.1	-60.4	0	C1	0.000E+00




13A\_\_1A\_F      AF IS

----- Parameters sample & data -----

Site : 13A\_\_1  
 Sample : 13A\_\_1A\_  
 Specimen : 13A\_\_1A\_H  
 Volume : n.d      masse : 1.530  
 Lat : -20.58227      Long : -69.36015      Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 0.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA"  
 Observation : "no orientation"  
 dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	2.814E-07	1.839E-04	215.8	-41.3	215.8	-41.3	215.8	-41.3	0	C1	3.268E-07
0.0 F0	0:0:0	2.796E-07	1.827E-04	227.1	-7.5	227.1	-7.5	227.1	-7.5	0	C1	0.000E+00
5.0 F+	0:0:0	2.789E-07	1.823E-04	227.1	-7.2	227.1	-7.2	227.1	-7.2	0	C1	0.000E+00
10.0 F-	0:0:0	2.738E-07	1.789E-04	227.2	-7.1	227.2	-7.1	227.2	-7.1	0	C1	0.000E+00
15.0 F+	0:0:0	2.649E-07	1.732E-04	227.1	-7.2	227.1	-7.2	227.1	-7.2	0	C1	0.000E+00
20.0 F-	0:0:0	2.558E-07	1.672E-04	227.5	-7.2	227.5	-7.2	227.5	-7.2	0	C1	0.000E+00
25.0 F+	0:0:0	2.442E-07	1.596E-04	227.2	-7.1	227.2	-7.1	227.2	-7.1	0	C1	0.000E+00
30.0 F-	0:0:0	2.301E-07	1.504E-04	227.6	-7.1	227.6	-7.1	227.6	-7.1	0	C1	0.000E+00
40.0 F+	0:0:0	2.050E-07	1.340E-04	227.1	-7.1	227.1	-7.1	227.1	-7.1	0	C1	0.000E+00
50.0 F-	0:0:0	1.833E-07	1.198E-04	227.8	-6.7	227.8	-6.7	227.8	-6.7	0	C1	0.000E+00
60.0 F+	0:0:0	1.579E-07	1.032E-04	228.0	-7.3	228.0	-7.3	228.0	-7.3	0	C1	0.000E+00
70.0 F-	0:0:0	1.378E-07	9.004E-05	227.2	-7.2	227.2	-7.2	227.2	-7.2	0	C1	0.000E+00
80.0 F+	0:0:0	1.232E-07	8.053E-05	226.8	-5.3	226.8	-5.3	226.8	-5.3	0	C1	0.000E+00
100.0 F-	0:0:0	9.466E-08	6.187E-05	230.3	-7.7	230.3	-7.7	230.3	-7.7	0	C1	0.000E+00
120.0 F+	0:0:0	7.144E-08	4.669E-05	227.5	-6.5	227.5	-6.5	227.5	-6.5	0	C1	0.000E+00
140.0 F-	0:0:0	6.298E-08	4.116E-05	228.7	-5.4	228.7	-5.4	228.7	-5.4	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A1N0  
 Sample : 15A1N040  
 Specimen : 15A1N0402B  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	1.110E-06	1.028E-01	76.2	-16.2	76.2	-16.2	76.2	-16.2	0	C1	4.815E-04
5.0 F+	0:0:0	1.076E-06	9.967E-02	77.1	-15.7	77.1	-15.7	77.1	-15.7	0	C1	0.000E+00
10.0 F-	0:0:0	1.015E-06	9.395E-02	77.5	-15.3	77.5	-15.3	77.5	-15.3	0	C1	0.000E+00
15.0 F+	0:0:0	9.488E-07	8.785E-02	77.6	-15.1	77.6	-15.1	77.6	-15.1	0	C1	0.000E+00
20.0 F-	0:0:0	8.814E-07	8.161E-02	77.8	-15.1	77.8	-15.1	77.8	-15.1	0	C1	0.000E+00
25.0 F+	0:0:0	8.151E-07	7.547E-02	78.1	-14.7	78.1	-14.7	78.1	-14.7	0	C1	0.000E+00
30.0 F-	0:0:0	7.486E-07	6.931E-02	78.2	-14.8	78.2	-14.8	78.2	-14.8	0	C1	0.000E+00
35.0 F+	0:0:0	6.916E-07	6.404E-02	78.3	-14.5	78.3	-14.5	78.3	-14.5	0	C1	0.000E+00
40.0 F-	0:0:0	6.261E-07	5.798E-02	77.2	-15.0	77.2	-15.0	77.2	-15.0	0	C1	0.000E+00
50.0 F+	0:0:0	5.332E-07	4.937E-02	77.8	-14.7	77.8	-14.7	77.8	-14.7	0	C1	0.000E+00
60.0 F-	0:0:0	4.364E-07	4.041E-02	78.0	-15.2	78.0	-15.2	78.0	-15.2	0	C1	0.000E+00
70.0 F+	0:0:0	3.454E-07	3.198E-02	78.4	-14.5	78.4	-14.5	78.4	-14.5	0	C1	0.000E+00
80.0 F-	0:0:0	2.842E-07	2.631E-02	79.1	-15.8	79.1	-15.8	79.1	-15.8	0	C1	0.000E+00
90.0 F+	0:0:0	2.267E-07	2.099E-02	77.8	-13.2	77.8	-13.2	77.8	-13.2	0	C1	0.000E+00
100.0 F-	0:0:0	1.765E-07	1.634E-02	77.1	-15.5	77.1	-15.5	77.1	-15.5	0	C1	0.000E+00
110.0 F+	0:0:0	1.478E-07	1.369E-02	75.8	-12.5	75.8	-12.5	75.8	-12.5	0	C1	0.000E+00
120.0 F-	0:0:0	1.198E-07	1.110E-02	76.9	-16.2	76.9	-16.2	76.9	-16.2	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A1N1  
 Sample : 15A1N140  
 Specimen : 15A1N1401A  
 Volume : 9.500 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	1.041E-06	1.096E-01	247.3	-23.1	247.3	-23.1	247.3	-23.1	0	C1	4.947E-04
5.0 F+	0:0:0	1.020E-06	1.074E-01	247.5	-23.2	247.5	-23.2	247.5	-23.2	0	C1	0.000E+00
10.0 F-	0:0:0	9.580E-07	1.008E-01	248.0	-22.4	248.0	-22.4	248.0	-22.4	0	C1	0.000E+00
15.0 F+	0:0:0	8.974E-07	9.447E-02	248.2	-22.4	248.2	-22.4	248.2	-22.4	0	C1	0.000E+00
20.0 F-	0:0:0	8.360E-07	8.800E-02	248.5	-22.2	248.5	-22.2	248.5	-22.2	0	C1	0.000E+00
25.0 F+	0:0:0	7.725E-07	8.131E-02	249.1	-21.9	249.1	-21.9	249.1	-21.9	0	C1	0.000E+00
30.0 F-	0:0:0	7.047E-07	7.418E-02	248.7	-21.5	248.7	-21.5	248.7	-21.5	0	C1	0.000E+00
40.0 F+	0:0:0	5.997E-07	6.313E-02	248.5	-21.5	248.5	-21.5	248.5	-21.5	0	C1	0.000E+00
50.0 F-	0:0:0	4.751E-07	5.001E-02	248.5	-20.3	248.5	-20.3	248.5	-20.3	0	C1	0.000E+00
60.0 F+	0:0:0	3.796E-07	3.996E-02	248.7	-21.3	248.7	-21.3	248.7	-21.3	0	C1	0.000E+00
80.0 F-	0:0:0	2.300E-07	2.421E-02	248.1	-20.7	248.1	-20.7	248.1	-20.7	0	C1	0.000E+00
100.0 F+	0:0:0	1.450E-07	1.526E-02	248.6	-20.3	248.6	-20.3	248.6	-20.3	0	C1	0.000E+00
120.0 F-	0:0:0	9.862E-08	1.038E-02	251.0	-23.6	251.0	-23.6	251.0	-23.6	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 15A1N1  
 Sample : 15A1N170  
 Specimen : 15A1N1701A  
 Volume : 10.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	9.963E-07	9.225E-02	281.3	10.5	281.3	10.5	281.3	10.5	0	C1	4.259E-04
5.0 F+	0:0:0	8.618E-07	7.979E-02	284.7	10.0	284.7	10.0	284.7	10.0	0	C1	0.000E+00
10.0 F+	0:0:0	8.043E-07	7.447E-02	284.6	9.3	284.6	9.3	284.6	9.3	0	C1	0.000E+00
15.0 F-	0:0:0	7.428E-07	6.878E-02	284.9	9.4	284.9	9.4	284.9	9.4	0	C1	0.000E+00
20.0 F+	0:0:0	6.837E-07	6.331E-02	284.2	9.3	284.2	9.3	284.2	9.3	0	C1	0.000E+00
25.0 F-	0:0:0	6.264E-07	5.800E-02	284.3	9.1	284.3	9.1	284.3	9.1	0	C1	0.000E+00
30.0 F+	0:0:0	5.759E-07	5.333E-02	284.1	9.5	284.1	9.5	284.1	9.5	0	C1	0.000E+00
35.0 F-	0:0:0	5.277E-07	4.886E-02	284.5	8.7	284.5	8.7	284.5	8.7	0	C1	0.000E+00
40.0 F+	0:0:0	4.983E-07	4.614E-02	284.4	9.0	284.4	9.0	284.4	9.0	0	C1	0.000E+00
50.0 F-	0:0:0	4.075E-07	3.773E-02	284.1	8.9	284.1	8.9	284.1	8.9	0	C1	0.000E+00
60.0 F+	0:0:0	3.479E-07	3.221E-02	284.6	9.7	284.6	9.7	284.6	9.7	0	C1	0.000E+00
70.0 F-	0:0:0	2.878E-07	2.664E-02	284.7	8.5	284.7	8.5	284.7	8.5	0	C1	0.000E+00
80.0 F+	0:0:0	2.367E-07	2.192E-02	282.6	10.9	282.6	10.9	282.6	10.9	0	C1	0.000E+00
90.0 F-	0:0:0	1.838E-07	1.702E-02	283.2	9.7	283.2	9.7	283.2	9.7	0	C1	0.000E+00
100.0 F+	0:0:0	1.550E-07	1.435E-02	286.8	7.6	286.8	7.6	286.8	7.6	0	C1	0.000E+00
110.0 F-	0:0:0	1.248E-07	1.156E-02	283.4	5.4	283.4	5.4	283.4	5.4	0	C1	0.000E+00
120.0 F+	0:0:0	1.033E-07	9.566E-03	288.3	8.6	288.3	8.6	288.3	8.6	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A1N2  
 Sample : 15A1N200  
 Specimen : 15A1N2001A  
 Volume : 8.000 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	7.199E-07	8.999E-02	308.1	-17.1	308.1	-17.1	308.1	-17.1	0	C1	4.625E-04
5.0 F+	0:0:0	7.106E-07	8.883E-02	308.1	-16.6	308.1	-16.6	308.1	-16.6	0	C1	0.000E+00
10.0 F-	0:0:0	6.719E-07	8.398E-02	308.1	-16.1	308.1	-16.1	308.1	-16.1	0	C1	0.000E+00
15.0 F+	0:0:0	6.359E-07	7.949E-02	308.4	-16.0	308.4	-16.0	308.4	-16.0	0	C1	0.000E+00
20.0 F-	0:0:0	5.894E-07	7.367E-02	308.1	-15.9	308.1	-15.9	308.1	-15.9	0	C1	0.000E+00
25.0 F+	0:0:0	5.439E-07	6.799E-02	308.5	-15.7	308.5	-15.7	308.5	-15.7	0	C1	0.000E+00
30.0 F-	0:0:0	5.079E-07	6.349E-02	308.1	-15.7	308.1	-15.7	308.1	-15.7	0	C1	0.000E+00
35.0 F+	0:0:0	4.639E-07	5.799E-02	308.7	-15.4	308.7	-15.4	308.7	-15.4	0	C1	0.000E+00
40.0 F-	0:0:0	4.392E-07	5.490E-02	308.5	-15.7	308.5	-15.7	308.5	-15.7	0	C1	0.000E+00
50.0 F+	0:0:0	3.732E-07	4.665E-02	308.8	-16.0	308.8	-16.0	308.8	-16.0	0	C1	0.000E+00
60.0 F-	0:0:0	3.062E-07	3.828E-02	308.3	-14.8	308.3	-14.8	308.3	-14.8	0	C1	0.000E+00
70.0 F+	0:0:0	2.482E-07	3.103E-02	306.9	-16.2	306.9	-16.2	306.9	-16.2	0	C1	0.000E+00
80.0 F-	0:0:0	2.105E-07	2.631E-02	310.0	-14.6	310.0	-14.6	310.0	-14.6	0	C1	0.000E+00
90.0 F+	0:0:0	1.757E-07	2.197E-02	307.1	-15.8	307.1	-15.8	307.1	-15.8	0	C1	0.000E+00
100.0 F-	0:0:0	1.387E-07	1.733E-02	310.8	-16.6	310.8	-16.6	310.8	-16.6	0	C1	0.000E+00
110.0 F+	0:0:0	1.155E-07	1.443E-02	310.6	-15.4	310.6	-15.4	310.6	-15.4	0	C1	0.000E+00
120.0 F-	0:0:0	9.903E-08	1.238E-02	309.2	-14.6	309.2	-14.6	309.2	-14.6	0	C1	0.000E+00





15A1N2001A AF IS

----- Parameters sample & data -----

Site : 15A1P0  
 Sample : 15A1P010  
 Specimen : 15A1P0101A  
 Volume : 7.300 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 160.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.313E-06	1.799E-01	310.5	-23.1	20.5	-23.1	20.5	-23.1	0	C1	7.534E-04
0.0 F0	0:0:0	1.311E-06	1.796E-01	302.5	-25.0	12.5	-25.0	12.5	-25.0	0	C1	0.000E+00
5.0 F+	0:0:0	1.280E-06	1.753E-01	302.6	-25.3	12.6	-25.3	12.6	-25.3	0	C1	0.000E+00
10.0 F-	0:0:0	1.204E-06	1.649E-01	302.4	-24.9	12.4	-24.9	12.4	-24.9	0	C1	0.000E+00
15.0 F+	0:0:0	1.107E-06	1.517E-01	302.8	-24.8	12.8	-24.8	12.8	-24.8	0	C1	0.000E+00
20.0 F-	0:0:0	1.014E-06	1.389E-01	302.5	-24.0	12.5	-24.0	12.5	-24.0	0	C1	0.000E+00
25.0 F+	0:0:0	9.291E-07	1.273E-01	302.4	-23.8	12.4	-23.8	12.4	-23.8	0	C1	0.000E+00
30.0 F-	0:0:0	8.397E-07	1.150E-01	302.2	-22.8	12.2	-22.8	12.2	-22.8	0	C1	0.000E+00
40.0 F+	0:0:0	7.430E-07	1.018E-01	301.8	-22.3	11.8	-22.3	11.8	-22.3	0	C1	0.000E+00
50.0 F-	0:0:0	6.481E-07	8.879E-02	301.9	-22.9	11.9	-22.9	11.9	-22.9	0	C1	0.000E+00
60.0 F+	0:0:0	5.717E-07	7.831E-02	301.7	-21.3	11.7	-21.3	11.7	-21.3	0	C1	0.000E+00
70.0 F-	0:0:0	5.025E-07	6.884E-02	301.6	-22.2	11.6	-22.2	11.6	-22.2	0	C1	0.000E+00
90.0 F+	0:0:0	4.097E-07	5.613E-02	301.3	-22.0	11.3	-22.0	11.3	-22.0	0	C1	0.000E+00
110.0 F-	0:0:0	3.143E-07	4.306E-02	302.3	-24.7	12.3	-24.7	12.3	-24.7	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A1P0  
 Sample : 15A1P020  
 Specimen : 15A1P0201A  
 Volume : 8.700 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 160.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	4.408E-07	5.067E-02	275.9	-16.8	345.9	-16.8	345.9	-16.8	0	C1	3.678E-04
0.0 F0	0:0:0	4.413E-07	5.073E-02	277.3	-17.2	347.3	-17.2	347.3	-17.2	0	C1	0.000E+00
5.0 F+	0:0:0	4.332E-07	4.979E-02	277.9	-16.8	347.9	-16.8	347.9	-16.8	0	C1	0.000E+00
10.0 F-	0:0:0	4.024E-07	4.626E-02	277.4	-16.2	347.4	-16.2	347.4	-16.2	0	C1	0.000E+00
15.0 F+	0:0:0	3.696E-07	4.248E-02	277.2	-15.4	347.2	-15.4	347.2	-15.4	0	C1	0.000E+00
20.0 F-	0:0:0	3.386E-07	3.892E-02	277.3	-15.2	347.3	-15.2	347.3	-15.2	0	C1	0.000E+00
30.0 F+	0:0:0	2.779E-07	3.195E-02	277.0	-14.6	347.0	-14.6	347.0	-14.6	0	C1	0.000E+00
40.0 F-	0:0:0	2.299E-07	2.643E-02	276.2	-15.7	346.2	-15.7	346.2	-15.7	0	C1	0.000E+00
50.0 F+	0:0:0	1.898E-07	2.181E-02	275.9	-15.7	345.9	-15.7	345.9	-15.7	0	C1	0.000E+00
60.0 F-	0:0:0	1.512E-07	1.738E-02	273.4	-15.7	343.4	-15.7	343.4	-15.7	0	C1	0.000E+00
70.0 F+	0:0:0	1.287E-07	1.479E-02	274.8	-17.7	344.8	-17.7	344.8	-17.7	0	C1	0.000E+00
90.0 F-	0:0:0	8.738E-08	1.004E-02	273.4	-16.1	343.4	-16.1	343.4	-16.1	0	C1	0.000E+00
110.0 F+	0:0:0	6.391E-08	7.346E-03	268.0	-18.9	338.0	-18.9	338.0	-18.9	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 15A1P0  
 Sample : 15A1P030  
 Specimen : 15A1P0301A  
 Volume : 3.100 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 160.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	3.237E-08	1.044E-02	256.8	-40.5	326.8	-40.5	326.8	-40.5	0	C1	3.871E-04
0.0 F0	0:0:0	3.343E-08	1.079E-02	256.5	-44.9	326.5	-44.9	326.5	-44.9	0	C1	0.000E+00
5.0 F+	0:0:0	3.317E-08	1.070E-02	256.5	-44.7	326.5	-44.7	326.5	-44.7	0	C1	0.000E+00
10.0 F-	0:0:0	3.294E-08	1.063E-02	255.3	-42.0	325.3	-42.0	325.3	-42.0	0	C1	0.000E+00
15.0 F+	0:0:0	2.979E-08	9.611E-03	259.6	-40.5	329.6	-40.5	329.6	-40.5	0	C1	0.000E+00
20.0 F-	0:0:0	2.787E-08	8.991E-03	261.9	-40.6	331.9	-40.6	331.9	-40.6	0	C1	0.000E+00
25.0 F+	0:0:0	2.720E-08	8.775E-03	261.4	-38.9	331.4	-38.9	331.4	-38.9	0	C1	0.000E+00
30.0 F-	0:0:0	2.648E-08	8.543E-03	261.0	-37.8	331.0	-37.8	331.0	-37.8	0	C1	0.000E+00
40.0 F+	0:0:0	2.247E-08	7.248E-03	260.1	-37.3	330.1	-37.3	330.1	-37.3	0	C1	0.000E+00
50.0 F-	0:0:0	1.952E-08	6.298E-03	263.3	-41.6	333.3	-41.6	333.3	-41.6	0	C1	0.000E+00
60.0 F+	0:0:0	1.772E-08	5.717E-03	263.9	-31.0	333.9	-31.0	333.9	-31.0	0	C1	0.000E+00
70.0 F-	0:0:0	1.383E-08	4.460E-03	267.3	-35.1	337.3	-35.1	337.3	-35.1	0	C1	0.000E+00
90.0 F+	0:0:0	9.045E-09	2.918E-03	258.2	-41.9	328.2	-41.9	328.2	-41.9	0	C1	0.000E+00
110.0 F-	0:0:0	9.063E-09	2.924E-03	257.1	-26.9	327.1	-26.9	327.1	-26.9	0	C1	0.000E+00

In situ



15A1P0301A



AF IS

----- Parameters sample & data -----

Site : 15A1P0  
 Sample : 15A1P040  
 Specimen : 15A1P0401A  
 Volume : 5.700 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 160.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	2.160E-07	3.790E-02	278.2	-49.9	348.2	-49.9	348.2	-49.9	0	C1	3.860E-04
0.0 F0	0:0:0	2.168E-07	3.803E-02	275.4	-49.9	345.4	-49.9	345.4	-49.9	0	C1	0.000E+00
5.0 F+	0:0:0	2.112E-07	3.705E-02	275.8	-49.8	345.8	-49.8	345.8	-49.8	0	C1	0.000E+00
10.0 F-	0:0:0	1.906E-07	3.343E-02	277.2	-48.8	347.2	-48.8	347.2	-48.8	0	C1	0.000E+00
15.0 F+	0:0:0	1.664E-07	2.920E-02	278.1	-47.7	348.1	-47.7	348.1	-47.7	0	C1	0.000E+00
20.0 F-	0:0:0	1.421E-07	2.494E-02	280.4	-47.9	350.4	-47.9	350.4	-47.9	0	C1	0.000E+00
30.0 F+	0:0:0	1.041E-07	1.826E-02	281.0	-45.3	351.0	-45.3	351.0	-45.3	0	C1	0.000E+00
40.0 F-	0:0:0	8.288E-08	1.454E-02	283.7	-44.5	353.7	-44.5	353.7	-44.5	0	C1	0.000E+00
50.0 F+	0:0:0	6.952E-08	1.220E-02	283.3	-44.7	353.3	-44.7	353.3	-44.7	1	C1	0.000E+00
60.0 F-	0:0:0	5.675E-08	9.957E-03	282.6	-43.7	352.6	-43.7	352.6	-43.7	1	C1	0.000E+00
70.0 F+	0:0:0	4.251E-08	7.457E-03	285.6	-42.0	355.6	-42.0	355.6	-42.0	1	C1	0.000E+00
80.0 F-	0:0:0	3.638E-08	6.382E-03	287.4	-46.6	357.4	-46.6	357.4	-46.6	1	C1	0.000E+00
90.0 F+	0:0:0	2.754E-08	4.831E-03	281.9	-45.9	351.9	-45.9	351.9	-45.9	0	C1	0.000E+00
100.0 F-	0:0:0	2.774E-08	4.866E-03	282.8	-50.0	352.8	-50.0	352.8	-50.0	0	C1	0.000E+00
110.0 F+	0:0:0	2.272E-08	3.986E-03	268.1	-39.7	338.1	-39.7	338.1	-39.7	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A1P0  
 Sample : 15A1P050  
 Specimen : 15A1P0501A  
 Volume : 9.900 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 340.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	8.518E-07	8.604E-02	126.8	-16.7	16.8	-16.7	16.8	-16.7	0	C1	3.737E-04
0.0 N0	0:0:0	8.494E-07	8.579E-02	127.2	-16.8	17.2	-16.8	17.2	-16.8	0	C1	0.000E+00
5.0 F+	0:0:0	8.252E-07	8.335E-02	126.9	-16.5	16.9	-16.5	16.9	-16.5	0	C1	0.000E+00
10.0 F-	0:0:0	7.818E-07	7.897E-02	127.0	-16.0	17.0	-16.0	17.0	-16.0	0	C1	0.000E+00
15.0 F+	0:0:0	7.386E-07	7.461E-02	126.9	-15.9	16.9	-15.9	16.9	-15.9	0	C1	0.000E+00
20.0 F-	0:0:0	6.989E-07	7.060E-02	127.2	-15.8	17.2	-15.8	17.2	-15.8	0	C1	0.000E+00
25.0 F+	0:0:0	6.523E-07	6.588E-02	126.6	-15.2	16.6	-15.2	16.6	-15.2	0	C1	0.000E+00
30.0 F-	0:0:0	6.056E-07	6.117E-02	126.7	-15.5	16.7	-15.5	16.7	-15.5	0	C1	0.000E+00
40.0 F+	0:0:0	5.284E-07	5.338E-02	127.3	-15.5	17.3	-15.5	17.3	-15.5	0	C1	0.000E+00
50.0 F-	0:0:0	4.406E-07	4.450E-02	126.1	-16.0	16.1	-16.0	16.1	-16.0	0	C1	0.000E+00
60.0 F+	0:0:0	3.692E-07	3.730E-02	127.1	-16.1	17.1	-16.1	17.1	-16.1	0	C1	0.000E+00
70.0 F-	0:0:0	3.024E-07	3.055E-02	127.2	-16.3	17.2	-16.3	17.2	-16.3	0	C1	0.000E+00
90.0 F+	0:0:0	1.940E-07	1.960E-02	126.6	-16.6	16.6	-16.6	16.6	-16.6	0	C1	0.000E+00
110.0 F-	0:0:0	1.319E-07	1.333E-02	125.1	-16.8	15.1	-16.8	15.1	-16.8	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A1P0  
 Sample : 15A1P060  
 Specimen : 15A1P0601A  
 Volume : 7.500 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 340.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.276E-06	1.701E-01	124.1	-13.1	14.1	-13.1	14.1	-13.1	0	C1	7.600E-04
0.0 F0	0:0:0	1.273E-06	1.697E-01	126.1	-13.0	16.1	-13.0	16.1	-13.0	0	C1	0.000E+00
5.0 F+	0:0:0	1.247E-06	1.663E-01	125.8	-12.9	15.8	-12.9	15.8	-12.9	0	C1	0.000E+00
10.0 F-	0:0:0	1.170E-06	1.560E-01	125.4	-12.4	15.4	-12.4	15.4	-12.4	0	C1	0.000E+00
15.0 F+	0:0:0	1.084E-06	1.445E-01	125.5	-12.1	15.5	-12.1	15.5	-12.1	0	C1	0.000E+00
20.0 F-	0:0:0	9.959E-07	1.328E-01	125.1	-11.7	15.1	-11.7	15.1	-11.7	0	C1	0.000E+00
30.0 F+	0:0:0	8.272E-07	1.103E-01	124.8	-11.3	14.8	-11.3	14.8	-11.3	0	C1	0.000E+00
40.0 F-	0:0:0	7.037E-07	9.383E-02	124.6	-11.0	14.6	-11.0	14.6	-11.0	0	C1	0.000E+00
50.0 F+	0:0:0	5.752E-07	7.670E-02	125.3	-11.1	15.3	-11.1	15.3	-11.1	0	C1	0.000E+00
70.0 F-	0:0:0	3.858E-07	5.144E-02	124.7	-10.7	14.7	-10.7	14.7	-10.7	0	C1	0.000E+00
90.0 F+	0:0:0	2.677E-07	3.570E-02	124.4	-10.4	14.4	-10.4	14.4	-10.4	0	C1	0.000E+00
110.0 F-	0:0:0	1.692E-07	2.256E-02	125.5	-14.7	15.5	-14.7	15.5	-14.7	0	C1	0.000E+00



15A1P0601A AF IS





----- Parameters sample & data -----

Site : 15A1P0  
 Sample : 15A1P070  
 Specimen : 15A1P0701A  
 Volume : 5.800 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 340.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	2.415E-06	4.164E-01	98.0	32.4	348.0	32.4	348.0	32.4	0	C1	1.017E-03
5.0 F+	0:0:0	2.367E-06	4.081E-01	99.5	34.4	349.5	34.4	349.5	34.4	0	C1	0.000E+00
10.0 F-	0:0:0	2.164E-06	3.731E-01	99.7	34.5	349.7	34.5	349.7	34.5	0	C1	0.000E+00
15.0 F+	0:0:0	1.939E-06	3.342E-01	99.9	34.6	349.9	34.6	349.9	34.6	0	C1	0.000E+00
20.0 F-	0:0:0	1.727E-06	2.978E-01	100.1	34.5	350.1	34.5	350.1	34.5	0	C1	0.000E+00
25.0 F+	0:0:0	1.532E-06	2.641E-01	100.1	34.6	350.1	34.6	350.1	34.6	0	C1	0.000E+00
30.0 F-	0:0:0	1.337E-06	2.305E-01	100.0	34.2	350.0	34.2	350.0	34.2	0	C1	0.000E+00
40.0 F+	0:0:0	1.073E-06	1.849E-01	100.0	34.7	350.0	34.7	350.0	34.7	0	C1	0.000E+00
50.0 F-	0:0:0	8.275E-07	1.427E-01	99.7	34.4	349.7	34.4	349.7	34.4	0	C1	0.000E+00
60.0 F+	0:0:0	6.533E-07	1.126E-01	100.4	34.1	350.4	34.1	350.4	34.1	0	C1	0.000E+00
70.0 F-	0:0:0	5.101E-07	8.795E-02	99.5	32.9	349.5	32.9	349.5	32.9	0	C1	0.000E+00
80.0 F+	0:0:0	4.240E-07	7.311E-02	101.0	34.0	351.0	34.0	351.0	34.0	0	C1	0.000E+00
90.0 F-	0:0:0	3.450E-07	5.948E-02	99.6	33.4	349.6	33.4	349.6	33.4	0	C1	0.000E+00
110.0 F+	0:0:0	2.480E-07	4.275E-02	100.3	34.9	350.3	34.9	350.3	34.9	0	C1	0.000E+00



15A1P0701A



AF IS

----- Parameters sample & data -----

Site : 15A1P0  
 Sample : 15A1P080  
 Specimen : 15A1P0801A  
 Volume : 3.300 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 340.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.335E-07	4.046E-02	41.9	42.5	291.9	42.5	291.9	42.5	0	C1	3.939E-04
0.0 F0	0:0:0	1.325E-07	4.017E-02	51.6	43.6	301.6	43.6	301.6	43.6	0	C1	0.000E+00
5.0 F+	0:0:0	1.291E-07	3.912E-02	51.2	44.1	301.2	44.1	301.2	44.1	0	C1	0.000E+00
10.0 F-	0:0:0	1.196E-07	3.626E-02	50.3	44.8	300.3	44.8	300.3	44.8	0	C1	0.000E+00
15.0 F+	0:0:0	1.099E-07	3.329E-02	49.0	45.8	299.0	45.8	299.0	45.8	0	C1	0.000E+00
20.0 F-	0:0:0	1.006E-07	3.047E-02	49.6	46.1	299.6	46.1	299.6	46.1	0	C1	0.000E+00
30.0 F+	0:0:0	8.559E-08	2.594E-02	47.9	46.8	297.9	46.8	297.9	46.8	0	C1	0.000E+00
40.0 F-	0:0:0	7.272E-08	2.204E-02	46.0	47.1	296.0	47.1	296.0	47.1	1	C1	0.000E+00
50.0 F+	0:0:0	6.407E-08	1.942E-02	47.0	48.4	297.0	48.4	297.0	48.4	1	C1	0.000E+00
60.0 F-	0:0:0	5.414E-08	1.641E-02	45.3	48.7	295.3	48.7	295.3	48.7	1	C1	0.000E+00
80.0 F+	0:0:0	3.777E-08	1.145E-02	39.4	50.2	289.4	50.2	289.4	50.2	1	C1	0.000E+00
100.0 F-	0:0:0	2.771E-08	8.396E-03	35.0	45.6	285.0	45.6	285.0	45.6	0	C1	0.000E+00





15A1P0801A AF IS

----- Parameters sample & data -----

Site : 15A1P0  
 Sample : 15A1P090  
 Specimen : 15A1P0901B  
 Volume : 3.600 masse : n.d  
 Lat : -20.58227 Long : -69.36015 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 340.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	2.163E-07	6.007E-02	117.2	-19.9	7.2	-19.9	7.2	-19.9	0	C1	4.167E-04
5.0 F+	0:0:0	2.122E-07	5.895E-02	116.4	-24.1	6.4	-24.1	6.4	-24.1	0	C1	0.000E+00
10.0 F-	0:0:0	1.971E-07	5.475E-02	117.2	-23.3	7.2	-23.3	7.2	-23.3	0	C1	0.000E+00
15.0 F+	0:0:0	1.801E-07	5.002E-02	118.6	-22.9	8.6	-22.9	8.6	-22.9	0	C1	0.000E+00
20.0 F-	0:0:0	1.687E-07	4.686E-02	118.6	-21.1	8.6	-21.1	8.6	-21.1	0	C1	0.000E+00
25.0 F+	0:0:0	1.531E-07	4.253E-02	118.8	-20.2	8.8	-20.2	8.8	-20.2	0	C1	0.000E+00
30.0 F-	0:0:0	1.411E-07	3.920E-02	120.4	-20.1	10.4	-20.1	10.4	-20.1	0	C1	0.000E+00
40.0 F+	0:0:0	1.246E-07	3.462E-02	119.8	-19.6	9.8	-19.6	9.8	-19.6	0	C1	0.000E+00
50.0 F-	0:0:0	1.014E-07	2.817E-02	120.2	-19.8	10.2	-19.8	10.2	-19.8	0	C1	0.000E+00
60.0 F+	0:0:0	8.590E-08	2.386E-02	123.8	-18.6	13.8	-18.6	13.8	-18.6	0	C1	0.000E+00
80.0 F-	0:0:0	5.934E-08	1.648E-02	118.7	-22.7	8.7	-22.7	8.7	-22.7	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A1N2  
 Sample : 15A1N200  
 Specimen : 15A1N2001A  
 Volume : 10.800    masse : n.d  
 Lat : -20.58227    Long : -69.36015    Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 07"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	7.199E-07	6.666E-02	308.1	-17.1	308.1	-17.1	308.1	-17.1	0	C1	3.426E-04
5.0 F+	0:0:0	7.106E-07	6.580E-02	308.1	-16.6	308.1	-16.6	308.1	-16.6	0	C1	0.000E+00
10.0 F-	0:0:0	6.719E-07	6.221E-02	308.1	-16.1	308.1	-16.1	308.1	-16.1	0	C1	0.000E+00
15.0 F+	0:0:0	6.359E-07	5.888E-02	308.4	-16.0	308.4	-16.0	308.4	-16.0	0	C1	0.000E+00
20.0 F-	0:0:0	5.894E-07	5.457E-02	308.1	-15.9	308.1	-15.9	308.1	-15.9	0	C1	0.000E+00
25.0 F+	0:0:0	5.439E-07	5.036E-02	308.5	-15.7	308.5	-15.7	308.5	-15.7	0	C1	0.000E+00
30.0 F-	0:0:0	5.079E-07	4.703E-02	308.1	-15.7	308.1	-15.7	308.1	-15.7	0	C1	0.000E+00
35.0 F+	0:0:0	4.639E-07	4.295E-02	308.7	-15.4	308.7	-15.4	308.7	-15.4	0	C1	0.000E+00
40.0 F-	0:0:0	4.392E-07	4.067E-02	308.5	-15.7	308.5	-15.7	308.5	-15.7	0	C1	0.000E+00
50.0 F+	0:0:0	3.732E-07	3.456E-02	308.8	-16.0	308.8	-16.0	308.8	-16.0	0	C1	0.000E+00
60.0 F-	0:0:0	3.062E-07	2.835E-02	308.3	-14.8	308.3	-14.8	308.3	-14.8	0	C1	0.000E+00
70.0 F+	0:0:0	2.482E-07	2.298E-02	306.9	-16.2	306.9	-16.2	306.9	-16.2	0	C1	0.000E+00
80.0 F-	0:0:0	2.105E-07	1.949E-02	310.0	-14.6	310.0	-14.6	310.0	-14.6	0	C1	0.000E+00
90.0 F+	0:0:0	1.757E-07	1.627E-02	307.1	-15.8	307.1	-15.8	307.1	-15.8	0	C1	0.000E+00
100.0 F-	0:0:0	1.387E-07	1.284E-02	310.8	-16.6	310.8	-16.6	310.8	-16.6	0	C1	0.000E+00
110.0 F+	0:0:0	1.155E-07	1.069E-02	310.6	-15.4	310.6	-15.4	310.6	-15.4	0	C1	0.000E+00
120.0 F-	0:0:0	9.903E-08	9.170E-03	309.2	-14.6	309.2	-14.6	309.2	-14.6	0	C1	0.000E+00



15A1N2001A AF IS





----- Parameters sample & data -----

Site : 15A2N5  
 Sample : 15A2N5B0  
 Specimen : 15A2N5B01B  
 Volume : 10.800 masse : n.d  
 Lat : -20.59573 Long : -69.35358 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 62"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.993E-08	1.846E-03	174.2	36.0	174.2	36.0	174.2	36.0	0	C1	0.000E+00
5.0 F+	0:0:0	1.909E-08	1.768E-03	173.4	37.5	173.4	37.5	173.4	37.5	0	C1	0.000E+00
10.0 F-	0:0:0	1.831E-08	1.695E-03	169.6	36.2	169.6	36.2	169.6	36.2	0	C1	0.000E+00
15.0 F+	0:0:0	1.750E-08	1.620E-03	169.2	35.6	169.2	35.6	169.2	35.6	0	C1	0.000E+00
20.0 F-	0:0:0	1.587E-08	1.469E-03	170.5	32.5	170.5	32.5	170.5	32.5	0	C1	0.000E+00
25.0 F+	0:0:0	1.443E-08	1.336E-03	167.6	30.2	167.6	30.2	167.6	30.2	0	C1	0.000E+00
30.0 F-	0:0:0	1.252E-08	1.159E-03	170.4	29.8	170.4	29.8	170.4	29.8	0	C1	0.000E+00
40.0 F+	0:0:0	1.140E-08	1.055E-03	167.3	28.8	167.3	28.8	167.3	28.8	0	C1	0.000E+00
50.0 F-	0:0:0	9.626E-09	8.913E-04	162.4	27.3	162.4	27.3	162.4	27.3	0	C1	0.000E+00
60.0 F+	0:0:0	8.872E-09	8.215E-04	162.8	24.4	162.8	24.4	162.8	24.4	0	C1	0.000E+00
70.0 F-	0:0:0	7.013E-09	6.494E-04	163.5	25.3	163.5	25.3	163.5	25.3	1	C1	0.000E+00
80.0 F+	0:0:0	6.737E-09	6.238E-04	161.9	28.9	161.9	28.9	161.9	28.9	1	C1	0.000E+00
100.0 F-	0:0:0	5.344E-09	4.948E-04	161.5	33.6	161.5	33.6	161.5	33.6	0	C1	0.000E+00





15A2N5B01B AF IS

----- Parameters sample & data -----

Site : 15A2N0  
 Sample : 15A2N060  
 Specimen : 15A2N0601A  
 Volume : 10.800 masse : n.d  
 Lat : -20.59573 Long : -69.35358 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 62"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.221E-06	1.131E-01	33.3	-0.5	33.3	-0.5	33.3	-0.5	0	C1	4.444E-04
0.0 N0	0:0:0	1.221E-06	1.130E-01	32.5	-0.5	32.5	-0.5	32.5	-0.5	0	C1	4.352E-04
0.0 F0	0:0:0	1.221E-06	1.131E-01	30.4	-0.1	30.4	-0.1	30.4	-0.1	0	C1	0.000E+00
5.0 F+	0:0:0	1.184E-06	1.096E-01	30.3	-1.1	30.3	-1.1	30.3	-1.1	0	C1	0.000E+00
10.0 F+	0:0:0	1.126E-06	1.042E-01	30.7	-2.0	30.7	-2.0	30.7	-2.0	0	C1	0.000E+00
15.0 F-	0:0:0	1.064E-06	9.854E-02	30.6	-2.5	30.6	-2.5	30.6	-2.5	0	C1	0.000E+00
20.0 F+	0:0:0	1.001E-06	9.272E-02	30.8	-2.9	30.8	-2.9	30.8	-2.9	0	C1	0.000E+00
25.0 F-	0:0:0	9.332E-07	8.641E-02	31.2	-2.7	31.2	-2.7	31.2	-2.7	0	C1	0.000E+00
30.0 F+	0:0:0	8.668E-07	8.026E-02	31.0	-2.8	31.0	-2.8	31.0	-2.8	0	C1	0.000E+00
35.0 F-	0:0:0	8.000E-07	7.408E-02	31.2	-2.6	31.2	-2.6	31.2	-2.6	0	C1	0.000E+00
40.0 F+	0:0:0	7.528E-07	6.970E-02	30.9	-2.7	30.9	-2.7	30.9	-2.7	0	C1	0.000E+00
50.0 F-	0:0:0	6.484E-07	6.004E-02	30.5	-2.1	30.5	-2.1	30.5	-2.1	0	C1	0.000E+00
60.0 F+	0:0:0	5.512E-07	5.104E-02	30.3	-1.3	30.3	-1.3	30.3	-1.3	0	C1	0.000E+00
70.0 F-	0:0:0	4.764E-07	4.412E-02	30.5	0.3	30.5	0.3	30.5	0.3	0	C1	0.000E+00
80.0 F+	0:0:0	4.128E-07	3.822E-02	30.2	-0.1	30.2	-0.1	30.2	-0.1	0	C1	0.000E+00
100.0 F-	0:0:0	3.083E-07	2.855E-02	29.8	2.6	29.8	2.6	29.8	2.6	0	C1	0.000E+00
120.0 F+	0:0:0	2.463E-07	2.281E-02	27.8	4.4	27.8	4.4	27.8	4.4	0	C1	0.000E+00





15A2N0601A AF IS

----- Parameters sample & data -----

Site : 15A2N0  
 Sample : 15A2N070  
 Specimen : 15A2N0701A  
 Volume : 10.800 masse : n.d  
 Lat : -20.59573 Long : -69.35358 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 62"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	7.785E-07	7.208E-02	113.5	-12.3	113.5	-12.3	113.5	-12.3	0	C1	3.704E-04
0.0 F0	0:0:0	7.795E-07	7.218E-02	112.4	-12.2	112.4	-12.2	112.4	-12.2	0	C1	0.000E+00
5.0 F+	0:0:0	7.622E-07	7.058E-02	112.4	-13.4	112.4	-13.4	112.4	-13.4	0	C1	0.000E+00
10.0 F-	0:0:0	7.171E-07	6.639E-02	111.6	-14.4	111.6	-14.4	111.6	-14.4	0	C1	0.000E+00
15.0 F+	0:0:0	6.580E-07	6.092E-02	111.3	-15.2	111.3	-15.2	111.3	-15.2	0	C1	0.000E+00
20.0 F-	0:0:0	6.029E-07	5.583E-02	111.2	-15.5	111.2	-15.5	111.2	-15.5	0	C1	0.000E+00
25.0 F+	0:0:0	5.515E-07	5.107E-02	111.0	-15.3	111.0	-15.3	111.0	-15.3	0	C1	0.000E+00
30.0 F-	0:0:0	5.021E-07	4.649E-02	110.9	-15.2	110.9	-15.2	110.9	-15.2	0	C1	0.000E+00
35.0 F+	0:0:0	4.495E-07	4.162E-02	111.0	-15.6	111.0	-15.6	111.0	-15.6	0	C1	0.000E+00
40.0 F-	0:0:0	4.147E-07	3.839E-02	110.8	-15.2	110.8	-15.2	110.8	-15.2	0	C1	0.000E+00
50.0 F+	0:0:0	3.308E-07	3.063E-02	111.2	-15.4	111.2	-15.4	111.2	-15.4	0	C1	0.000E+00
60.0 F-	0:0:0	2.647E-07	2.451E-02	111.3	-15.1	111.3	-15.1	111.3	-15.1	0	C1	0.000E+00
70.0 F+	0:0:0	2.098E-07	1.943E-02	113.1	-14.4	113.1	-14.4	113.1	-14.4	0	C1	0.000E+00
80.0 F-	0:0:0	1.696E-07	1.571E-02	110.7	-14.9	110.7	-14.9	110.7	-14.9	0	C1	0.000E+00
90.0 F+	0:0:0	1.312E-07	1.215E-02	110.1	-19.6	110.1	-19.6	110.1	-19.6	0	C1	0.000E+00
100.0 F-	0:0:0	1.071E-07	9.921E-03	109.1	-18.0	109.1	-18.0	109.1	-18.0	0	C1	0.000E+00
110.0 F+	0:0:0	7.672E-08	7.103E-03	113.0	-17.8	113.0	-17.8	113.0	-17.8	1	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A2N0  
 Sample : 15A2N080  
 Specimen : 15A2N0801A  
 Volume : 10.800 masse : n.d  
 Lat : -20.59573 Long : -69.35358 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 62"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	1.555E-06	1.440E-01	239.8	-31.7	239.8	-31.7	239.8	-31.7	0	C1	0.000E+00
5.0 F+	0:0:0	1.114E-06	1.031E-01	235.7	-34.6	235.7	-34.6	235.7	-34.6	0	C1	0.000E+00
10.0 F-	0:0:0	9.336E-07	8.645E-02	234.2	-34.1	234.2	-34.1	234.2	-34.1	0	C1	0.000E+00
15.0 F+	0:0:0	8.279E-07	7.666E-02	235.6	-34.1	235.6	-34.1	235.6	-34.1	0	C1	0.000E+00
20.0 F-	0:0:0	7.566E-07	7.005E-02	234.6	-35.0	234.6	-35.0	234.6	-35.0	0	C1	0.000E+00
25.0 F+	0:0:0	7.123E-07	6.596E-02	235.4	-34.8	235.4	-34.8	235.4	-34.8	0	C1	0.000E+00
30.0 F-	0:0:0	6.362E-07	5.891E-02	233.4	-34.3	233.4	-34.3	233.4	-34.3	0	C1	0.000E+00
35.0 F+	0:0:0	5.713E-07	5.290E-02	234.8	-34.2	234.8	-34.2	234.8	-34.2	0	C1	0.000E+00
40.0 F-	0:0:0	5.222E-07	4.835E-02	235.8	-34.5	235.8	-34.5	235.8	-34.5	0	C1	0.000E+00
50.0 F+	0:0:0	4.228E-07	3.914E-02	235.4	-35.8	235.4	-35.8	235.4	-35.8	0	C1	0.000E+00
60.0 F-	0:0:0	3.615E-07	3.347E-02	238.6	-35.5	238.6	-35.5	238.6	-35.5	0	C1	0.000E+00
70.0 F+	0:0:0	2.619E-07	2.425E-02	237.2	-35.1	237.2	-35.1	237.2	-35.1	0	C1	0.000E+00
80.0 F-	0:0:0	2.086E-07	1.932E-02	238.9	-34.3	238.9	-34.3	238.9	-34.3	0	C1	0.000E+00
90.0 F+	0:0:0	1.706E-07	1.580E-02	243.3	-38.5	243.3	-38.5	243.3	-38.5	0	C1	0.000E+00
100.0 F-	0:0:0	1.451E-07	1.343E-02	234.8	-37.9	234.8	-37.9	234.8	-37.9	0	C1	0.000E+00
110.0 F+	0:0:0	1.205E-07	1.116E-02	241.5	-28.0	241.5	-28.0	241.5	-28.0	0	C1	0.000E+00
120.0 F-	0:0:0	1.064E-07	9.850E-03	244.8	-29.0	244.8	-29.0	244.8	-29.0	0	C1	0.000E+00

In situ



15A2N0801A

AF IS





----- Parameters sample & data -----

Site : 15A2N1  
 Sample : 15A2N110  
 Specimen : 15A2N1101A  
 Volume : 10.800      masse : n.d  
 Lat : -20.59573      Long : -69.35358      Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 62"  
 Observation : " no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	3.841E-07	3.557E-02	140.6	-23.8	140.6	-23.8	140.6	-23.8	0	C1	2.778E-04
0.0 F0	0:0:0	3.844E-07	3.560E-02	139.3	-24.3	139.3	-24.3	139.3	-24.3	0	C1	0.000E+00
5.0 F+	0:0:0	3.752E-07	3.474E-02	139.5	-24.1	139.5	-24.1	139.5	-24.1	0	C1	0.000E+00
10.0 F-	0:0:0	3.557E-07	3.294E-02	139.7	-23.2	139.7	-23.2	139.7	-23.2	0	C1	0.000E+00
15.0 F+	0:0:0	3.310E-07	3.065E-02	140.8	-23.0	140.8	-23.0	140.8	-23.0	0	C1	0.000E+00
20.0 F-	0:0:0	3.098E-07	2.869E-02	141.0	-22.4	141.0	-22.4	141.0	-22.4	0	C1	0.000E+00
25.0 F+	0:0:0	2.851E-07	2.639E-02	142.4	-22.7	142.4	-22.7	142.4	-22.7	0	C1	0.000E+00
30.0 F-	0:0:0	2.606E-07	2.413E-02	141.2	-21.8	141.2	-21.8	141.2	-21.8	0	C1	0.000E+00
35.0 F+	0:0:0	2.452E-07	2.270E-02	142.3	-22.5	142.3	-22.5	142.3	-22.5	0	C1	0.000E+00
40.0 F-	0:0:0	2.241E-07	2.075E-02	142.8	-22.1	142.8	-22.1	142.8	-22.1	0	C1	0.000E+00
45.0 F+	0:0:0	2.076E-07	1.922E-02	142.1	-22.2	142.1	-22.2	142.1	-22.2	0	C1	0.000E+00
50.0 F-	0:0:0	1.920E-07	1.778E-02	140.7	-23.6	140.7	-23.6	140.7	-23.6	0	C1	0.000E+00
60.0 F+	0:0:0	1.610E-07	1.491E-02	141.9	-23.0	141.9	-23.0	141.9	-23.0	0	C1	0.000E+00
70.0 F-	0:0:0	1.377E-07	1.275E-02	141.2	-22.4	141.2	-22.4	141.2	-22.4	0	C1	0.000E+00
80.0 F+	0:0:0	1.164E-07	1.078E-02	143.3	-23.4	143.3	-23.4	143.3	-23.4	0	C1	0.000E+00
90.0 F-	0:0:0	9.918E-08	9.183E-03	139.6	-21.2	139.6	-21.2	139.6	-21.2	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A2N1  
 Sample : 15A2N130  
 Specimen : 15A2N1301A  
 Volume : 10.800      masse : n.d  
 Lat : -20.59573      Long : -69.35358      Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 62"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	4.346E-08	4.024E-03	22.8	29.7	22.8	29.7	22.8	29.7	1	C1	1.296E-04
0.0 F0	0:0:0	4.218E-08	3.905E-03	24.5	31.4	24.5	31.4	24.5	31.4	1	C1	1.389E-04
5.0 F+	0:0:0	3.909E-08	3.620E-03	27.8	34.9	27.8	34.9	27.8	34.9	1	C1	0.000E+00
10.0 F-	0:0:0	3.722E-08	3.447E-03	26.9	36.9	26.9	36.9	26.9	36.9	1	C1	0.000E+00
15.0 F+	0:0:0	3.539E-08	3.277E-03	24.9	38.1	24.9	38.1	24.9	38.1	1	C1	0.000E+00
20.0 F-	0:0:0	3.240E-08	3.000E-03	25.4	37.9	25.4	37.9	25.4	37.9	1	C1	0.000E+00
30.0 F+	0:0:0	2.664E-08	2.466E-03	29.7	40.9	29.7	40.9	29.7	40.9	0	C1	0.000E+00
40.0 F-	0:0:0	2.244E-08	2.077E-03	30.1	40.1	30.1	40.1	30.1	40.1	0	C1	0.000E+00
50.0 F+	0:0:0	1.608E-08	1.489E-03	21.3	44.2	21.3	44.2	21.3	44.2	0	C1	0.000E+00
60.0 F-	0:0:0	1.371E-08	1.270E-03	19.8	47.6	19.8	47.6	19.8	47.6	0	C1	0.000E+00
70.0 F+	0:0:0	1.304E-08	1.207E-03	24.0	45.9	24.0	45.9	24.0	45.9	0	C1	0.000E+00
80.0 F-	0:0:0	7.783E-09	7.207E-04	39.4	40.8	39.4	40.8	39.4	40.8	0	C1	0.000E+00
90.0 F+	0:0:0	7.416E-09	6.867E-04	28.9	18.0	28.9	18.0	28.9	18.0	0	C1	0.000E+00
100.0 F-	0:0:0	7.841E-09	7.260E-04	44.1	28.4	44.1	28.4	44.1	28.4	0	C1	0.000E+00




15A2N1301A AF IS

----- Parameters sample & data -----

Site : 15A2N1  
 Sample : 15A2N140  
 Specimen : 15A2N1401C  
 Volume : 10.800 masse : n.d  
 Lat : -20.59573 Long : -69.35358 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 62"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	1.335E-06	1.236E-01	50.9	47.1	50.9	47.1	50.9	47.1	0	C1	5.833E-04
5.0 F+	0:0:0	1.305E-06	1.208E-01	52.3	46.4	52.3	46.4	52.3	46.4	0	C1	0.000E+00
10.0 F-	0:0:0	1.230E-06	1.139E-01	53.7	45.7	53.7	45.7	53.7	45.7	0	C1	0.000E+00
15.0 F+	0:0:0	1.149E-06	1.063E-01	54.4	45.4	54.4	45.4	54.4	45.4	0	C1	0.000E+00
20.0 F-	0:0:0	1.060E-06	9.817E-02	55.2	45.0	55.2	45.0	55.2	45.0	0	C1	0.000E+00
25.0 F+	0:0:0	9.762E-07	9.039E-02	55.7	44.3	55.7	44.3	55.7	44.3	0	C1	0.000E+00
30.0 F-	0:0:0	8.866E-07	8.209E-02	56.4	44.5	56.4	44.5	56.4	44.5	0	C1	0.000E+00
40.0 F+	0:0:0	7.685E-07	7.116E-02	57.0	44.0	57.0	44.0	57.0	44.0	0	C1	0.000E+00
50.0 F-	0:0:0	6.376E-07	5.904E-02	56.7	44.5	56.7	44.5	56.7	44.5	0	C1	0.000E+00
60.0 F+	0:0:0	5.377E-07	4.978E-02	56.3	44.6	56.3	44.6	56.3	44.6	0	C1	0.000E+00
70.0 F-	0:0:0	4.482E-07	4.150E-02	55.8	46.1	55.8	46.1	55.8	46.1	0	C1	0.000E+00
80.0 F+	0:0:0	3.749E-07	3.471E-02	55.3	46.3	55.3	46.3	55.3	46.3	0	C1	0.000E+00
90.0 F-	0:0:0	3.071E-07	2.843E-02	52.9	46.7	52.9	46.7	52.9	46.7	0	C1	0.000E+00
100.0 F+	0:0:0	2.597E-07	2.404E-02	51.2	47.4	51.2	47.4	51.2	47.4	0	C1	0.000E+00
110.0 F-	0:0:0	2.275E-07	2.106E-02	47.3	50.0	47.3	50.0	47.3	50.0	0	C1	0.000E+00
120.0 F+	0:0:0	1.832E-07	1.697E-02	45.6	49.7	45.6	49.7	45.6	49.7	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A2N1  
 Sample : 15A2N160  
 Specimen : 15A2N1601B  
 Volume : 10.800 masse : n.d  
 Lat : -20.59573 Long : -69.35358 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 62"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	8.281E-07	7.667E-02	27.1	-6.7	27.1	-6.7	27.1	-6.7	0	C1	3.148E-04
5.0 F+	0:0:0	8.071E-07	7.473E-02	27.5	-7.2	27.5	-7.2	27.5	-7.2	0	C1	0.000E+00
10.0 F-	0:0:0	7.715E-07	7.144E-02	27.7	-8.0	27.7	-8.0	27.7	-8.0	0	C1	0.000E+00
15.0 F+	0:0:0	7.292E-07	6.752E-02	27.9	-8.6	27.9	-8.6	27.9	-8.6	0	C1	0.000E+00
20.0 F-	0:0:0	6.860E-07	6.352E-02	27.9	-9.1	27.9	-9.1	27.9	-9.1	0	C1	0.000E+00
25.0 F+	0:0:0	6.290E-07	5.824E-02	28.1	-9.4	28.1	-9.4	28.1	-9.4	0	C1	0.000E+00
30.0 F-	0:0:0	5.768E-07	5.341E-02	28.3	-9.8	28.3	-9.8	28.3	-9.8	0	C1	0.000E+00
40.0 F+	0:0:0	5.001E-07	4.631E-02	28.6	-9.9	28.6	-9.9	28.6	-9.9	0	C1	0.000E+00
50.0 F-	0:0:0	4.086E-07	3.783E-02	28.5	-10.0	28.5	-10.0	28.5	-10.0	0	C1	0.000E+00
60.0 F+	0:0:0	3.327E-07	3.080E-02	28.6	-9.6	28.6	-9.6	28.6	-9.6	0	C1	0.000E+00
80.0 F-	0:0:0	2.213E-07	2.049E-02	27.6	-10.8	27.6	-10.8	27.6	-10.8	0	C1	0.000E+00
100.0 F+	0:0:0	1.446E-07	1.338E-02	27.0	-10.9	27.0	-10.9	27.0	-10.9	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 15A2N1  
 Sample : 15A2N180  
 Specimen : 15A2N1801B  
 Volume : 10.800      masse : n.d  
 Lat : -20.59573      Long : -69.35358      Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 90.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 62"  
 Observation : "no orientation"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	2.377E-07	2.201E-02	100.1	-39.6	100.1	-39.6	100.1	-39.6	0	C1	0.000E+00
5.0 F+	0:0:0	2.279E-07	2.110E-02	100.9	-40.0	100.9	-40.0	100.9	-40.0	0	C1	0.000E+00
10.0 F-	0:0:0	2.115E-07	1.958E-02	99.4	-40.7	99.4	-40.7	99.4	-40.7	0	C1	0.000E+00
15.0 F+	0:0:0	1.977E-07	1.831E-02	99.2	-40.5	99.2	-40.5	99.2	-40.5	0	C1	0.000E+00
20.0 F-	0:0:0	1.840E-07	1.704E-02	99.4	-40.7	99.4	-40.7	99.4	-40.7	0	C1	0.000E+00
25.0 F+	0:0:0	1.720E-07	1.592E-02	98.6	-40.8	98.6	-40.8	98.6	-40.8	0	C1	0.000E+00
30.0 F-	0:0:0	1.585E-07	1.468E-02	99.6	-40.6	99.6	-40.6	99.6	-40.6	0	C1	0.000E+00
40.0 F+	0:0:0	1.353E-07	1.252E-02	98.7	-41.1	98.7	-41.1	98.7	-41.1	0	C1	0.000E+00
50.0 F-	0:0:0	1.191E-07	1.103E-02	97.9	-41.4	97.9	-41.4	97.9	-41.4	0	C1	0.000E+00
60.0 F+	0:0:0	1.012E-07	9.372E-03	99.1	-41.8	99.1	-41.8	99.1	-41.8	0	C1	0.000E+00
70.0 F-	0:0:0	8.635E-08	7.995E-03	102.3	-42.8	102.3	-42.8	102.3	-42.8	0	C1	0.000E+00
80.0 F+	0:0:0	7.178E-08	6.646E-03	100.9	-44.2	100.9	-44.2	100.9	-44.2	0	C1	0.000E+00
100.0 F-	0:0:0	5.742E-08	5.317E-03	100.7	-40.1	100.7	-40.1	100.7	-40.1	0	C1	2.222E-04





15A2N1801B AF IS

----- Parameters sample & data -----

Site : 15A001  
 Sample : 15A00101  
 Specimen : 15A00101A  
 Volume : 6.000 masse : n.d  
 Lat : -20.58703 Long : -69.35482 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 13 35  
 azimuth mag : 252.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : -4.8  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 337.2  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 56"  
 Observation : "sun orientation on plaster"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	2.628E-07	4.379E-02	128.2	-30.6	15.4	-30.6	15.4	-30.6	0	C1	2.833E-04
0.0 F0	0:0:0	2.933E-07	4.888E-02	121.0	-31.5	8.2	-31.5	8.2	-31.5	0	C1	0.000E+00
5.0 F+	0:0:0	2.816E-07	4.694E-02	121.7	-31.4	8.9	-31.4	8.9	-31.4	0	C1	0.000E+00
10.0 F-	0:0:0	2.501E-07	4.169E-02	121.3	-31.6	8.5	-31.6	8.5	-31.6	0	C1	0.000E+00
15.0 F+	0:0:0	2.193E-07	3.656E-02	121.9	-30.8	9.1	-30.8	9.1	-30.8	0	C1	0.000E+00
20.0 F-	0:0:0	1.969E-07	3.281E-02	120.6	-31.5	7.8	-31.5	7.8	-31.5	0	C1	0.000E+00
25.0 F+	0:0:0	1.773E-07	2.955E-02	122.2	-30.7	9.4	-30.7	9.4	-30.7	0	C1	0.000E+00
30.0 F-	0:0:0	1.606E-07	2.677E-02	120.9	-32.5	8.1	-32.5	8.1	-32.5	0	C1	0.000E+00
35.0 F+	0:0:0	1.469E-07	2.449E-02	121.7	-31.7	8.9	-31.7	8.9	-31.7	0	C1	0.000E+00
40.0 F-	0:0:0	1.355E-07	2.259E-02	121.0	-31.5	8.2	-31.5	8.2	-31.5	0	C1	0.000E+00
45.0 F+	0:0:0	1.230E-07	2.051E-02	121.9	-31.2	9.1	-31.2	9.1	-31.2	0	C1	0.000E+00
50.0 F-	0:0:0	1.114E-07	1.857E-02	121.0	-30.5	8.2	-30.5	8.2	-30.5	0	C1	0.000E+00
55.0 F+	0:0:0	9.997E-08	1.666E-02	122.6	-32.1	9.8	-32.1	9.8	-32.1	0	C1	0.000E+00
60.0 F-	0:0:0	8.963E-08	1.494E-02	123.4	-29.1	10.6	-29.1	10.6	-29.1	0	C1	0.000E+00
65.0 F+	0:0:0	7.931E-08	1.322E-02	124.1	-30.4	11.3	-30.4	11.3	-30.4	1	C1	0.000E+00
70.0 F-	0:0:0	6.861E-08	1.143E-02	118.0	-31.1	5.2	-31.1	5.2	-31.1	1	C1	0.000E+00
75.0 F+	0:0:0	6.385E-08	1.064E-02	122.6	-32.1	9.8	-32.1	9.8	-32.1	1	C1	0.000E+00
80.0 F-	0:0:0	6.002E-08	1.000E-02	121.5	-33.0	8.7	-33.0	8.7	-33.0	1	C1	0.000E+00
90.0 F+	0:0:0	4.653E-08	7.755E-03	114.4	-32.3	1.6	-32.3	1.6	-32.3	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A002  
 Sample : 15A00201  
 Specimen : 15A00201A  
 Volume : 7.000 masse : n.d  
 Lat : -20.58703 Long : -69.35482 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 13 36  
 azimuth mag : 252.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : -5.0  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 337.0  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 56"  
 Observation : " sun orientation on plaster"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	3.721E-07	5.316E-02	116.1	-24.8	3.1	-24.8	3.1	-24.8	0	C1	3.000E-04
5.0 F+	0:0:0	3.631E-07	5.187E-02	119.6	-24.0	6.6	-24.0	6.6	-24.0	0	C1	0.000E+00
10.0 F+	0:0:0	3.323E-07	4.747E-02	120.2	-24.4	7.2	-24.4	7.2	-24.4	0	C1	0.000E+00
15.0 F-	0:0:0	3.039E-07	4.342E-02	120.6	-24.6	7.6	-24.6	7.6	-24.6	0	C1	0.000E+00
20.0 F+	0:0:0	2.810E-07	4.015E-02	120.8	-24.3	7.8	-24.3	7.8	-24.3	0	C1	0.000E+00
25.0 F-	0:0:0	2.598E-07	3.711E-02	119.6	-24.4	6.6	-24.4	6.6	-24.4	0	C1	0.000E+00
30.0 F+	0:0:0	2.389E-07	3.413E-02	120.3	-24.7	7.3	-24.7	7.3	-24.7	0	C1	0.000E+00
35.0 F-	0:0:0	2.280E-07	3.257E-02	120.2	-24.9	7.2	-24.9	7.2	-24.9	0	C1	0.000E+00
40.0 F+	0:0:0	2.160E-07	3.086E-02	119.1	-24.2	6.1	-24.2	6.1	-24.2	0	C1	0.000E+00
50.0 F-	0:0:0	1.905E-07	2.721E-02	118.2	-25.3	5.2	-25.3	5.2	-25.3	0	C1	0.000E+00
55.0 F+	0:0:0	1.814E-07	2.592E-02	118.3	-25.7	5.3	-25.7	5.3	-25.7	0	C1	0.000E+00
60.0 FX	0:0:0	1.759E-07	2.513E-02	117.6	-24.9	4.6	-24.9	4.6	-24.9	0	C1	0.000E+00
60.0 FY	0:0:0	1.665E-07	2.379E-02	119.0	-25.5	6.0	-25.5	6.0	-25.5	0	C1	0.000E+00
60.0 FZ	0:0:0	1.629E-07	2.327E-02	119.7	-25.0	6.7	-25.0	6.7	-25.0	0	C1	0.000E+00
70.0 FX	0:0:0	1.572E-07	2.245E-02	117.1	-25.8	4.1	-25.8	4.1	-25.8	0	C1	0.000E+00
70.0 FY	0:0:0	1.456E-07	2.080E-02	119.1	-26.5	6.1	-26.5	6.1	-26.5	0	C1	0.000E+00
70.0 FZ	0:0:0	1.406E-07	2.008E-02	119.4	-25.2	6.4	-25.2	6.4	-25.2	0	C1	0.000E+00
80.0 FX	0:0:0	1.324E-07	1.892E-02	117.5	-24.1	4.5	-24.1	4.5	-24.1	0	C1	0.000E+00
80.0 FY	0:0:0	1.255E-07	1.793E-02	118.3	-25.7	5.3	-25.7	5.3	-25.7	0	C1	0.000E+00
80.0 FZ	0:0:0	1.294E-07	1.848E-02	119.3	-25.9	6.3	-25.9	6.3	-25.9	0	C1	0.000E+00
90.0 FX	0:0:0	1.178E-07	1.684E-02	117.7	-25.1	4.7	-25.1	4.7	-25.1	0	C1	0.000E+00
90.0 FY	0:0:0	1.137E-07	1.624E-02	119.1	-26.8	6.1	-26.8	6.1	-26.8	0	C1	0.000E+00
90.0 FZ	0:0:0	1.094E-07	1.563E-02	120.4	-23.9	7.4	-23.9	7.4	-23.9	0	C1	0.000E+00
100.0 FX	0:0:0	1.017E-07	1.453E-02	116.9	-23.9	3.9	-23.9	3.9	-23.9	0	C1	0.000E+00
100.0 FY	0:0:0	9.455E-08	1.351E-02	120.4	-27.3	7.4	-27.3	7.4	-27.3	0	C1	0.000E+00
100.0 FZ	0:0:0	9.317E-08	1.331E-02	120.4	-25.1	7.4	-25.1	7.4	-25.1	0	C1	0.000E+00



15AO0201A



AF IS

----- Parameters sample & data -----

Site : 15A003  
 Sample : 15A00301  
 Specimen : 15A00301A  
 Volume : 5.000 masse : n.d  
 Lat : -20.58703 Long : -69.35482 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 13 48  
 azimuth mag : 250.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : -5.1  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 334.9  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 56"  
 Observation : "sun orientation on plaster"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	2.127E-07	4.255E-02	116.7	8.6	1.6	8.6	1.6	8.6	0	C1	4.600E-04
0.0 F0	0:0:0	2.112E-07	4.224E-02	116.4	9.4	1.3	9.4	1.3	9.4	0	C1	0.000E+00
5.0 F+	0:0:0	2.040E-07	4.081E-02	117.5	11.2	2.4	11.2	2.4	11.2	0	C1	0.000E+00
10.0 F-	0:0:0	1.878E-07	3.757E-02	117.9	12.6	2.8	12.6	2.8	12.6	0	C1	0.000E+00
15.0 F+	0:0:0	1.678E-07	3.356E-02	117.7	13.2	2.6	13.2	2.6	13.2	0	C1	0.000E+00
20.0 F-	0:0:0	1.486E-07	2.971E-02	117.5	13.5	2.4	13.5	2.4	13.5	0	C1	0.000E+00
25.0 F+	0:0:0	1.317E-07	2.634E-02	117.8	13.7	2.7	13.7	2.7	13.7	0	C1	0.000E+00
30.0 F-	0:0:0	1.158E-07	2.315E-02	118.1	14.5	3.0	14.5	3.0	14.5	0	C1	0.000E+00
35.0 F+	0:0:0	1.044E-07	2.087E-02	116.8	13.7	1.7	13.7	1.7	13.7	0	C1	0.000E+00
40.0 F-	0:0:0	9.378E-08	1.876E-02	117.4	13.1	2.3	13.1	2.3	13.1	0	C1	0.000E+00
45.0 F+	0:0:0	8.443E-08	1.689E-02	118.3	14.5	3.2	14.5	3.2	14.5	0	C1	0.000E+00
50.0 F-	0:0:0	7.674E-08	1.535E-02	118.9	13.5	3.8	13.5	3.8	13.5	0	C1	0.000E+00
60.0 F+	0:0:0	5.996E-08	1.199E-02	115.9	15.4	0.8	15.4	0.8	15.4	0	C1	0.000E+00
70.0 F-	0:0:0	4.850E-08	9.700E-03	119.5	13.4	4.4	13.4	4.4	13.4	0	C1	0.000E+00
80.0 F+	0:0:0	3.820E-08	7.641E-03	116.7	15.5	1.6	15.5	1.6	15.5	0	C1	0.000E+00
90.0 F-	0:0:0	3.241E-08	6.482E-03	117.8	10.6	2.7	10.6	2.7	10.6	0	C1	0.000E+00
100.0 F+	0:0:0	3.147E-08	6.293E-03	119.3	14.6	4.2	14.6	4.2	14.6	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 15A004  
 Sample : 15A00401  
 Specimen : 15A00401A  
 Volume : 4.000 masse : n.d  
 Lat : -20.58703 Long : -69.35482 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 13 48  
 azimuth mag : 250.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : -5.1  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 334.9  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 56"  
 Observation : "sun orientation on plaster"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	3.181E-07	7.952E-02	90.5	-43.7	335.4	-43.7	335.4	-43.7	0	C1	7.250E-04
0.0 F0	0:0:0	3.157E-07	7.892E-02	89.2	-43.8	334.1	-43.8	334.1	-43.8	0	C1	0.000E+00
5.0 F+	0:0:0	3.102E-07	7.754E-02	88.5	-43.9	333.4	-43.9	333.4	-43.9	0	C1	0.000E+00
10.0 F-	0:0:0	2.942E-07	7.355E-02	87.6	-43.9	332.5	-43.9	332.5	-43.9	0	C1	0.000E+00
15.0 F+	0:0:0	2.772E-07	6.930E-02	87.3	-44.6	332.2	-44.6	332.2	-44.6	0	C1	0.000E+00
20.0 F-	0:0:0	2.570E-07	6.424E-02	87.4	-44.5	332.3	-44.5	332.3	-44.5	0	C1	0.000E+00
25.0 F+	0:0:0	2.402E-07	6.005E-02	87.5	-44.6	332.4	-44.6	332.4	-44.6	0	C1	0.000E+00
30.0 F-	0:0:0	2.186E-07	5.466E-02	87.3	-43.3	332.2	-43.3	332.2	-43.3	0	C1	0.000E+00
35.0 F+	0:0:0	2.010E-07	5.026E-02	87.0	-45.4	331.9	-45.4	331.9	-45.4	0	C1	0.000E+00
40.0 F-	0:0:0	1.870E-07	4.675E-02	87.0	-45.2	331.9	-45.2	331.9	-45.2	0	C1	0.000E+00
45.0 F+	0:0:0	1.712E-07	4.279E-02	87.9	-44.8	332.8	-44.8	332.8	-44.8	0	C1	0.000E+00
50.0 F-	0:0:0	1.534E-07	3.836E-02	86.0	-45.2	330.9	-45.2	330.9	-45.2	0	C1	0.000E+00
60.0 F+	0:0:0	1.304E-07	3.260E-02	86.5	-46.0	331.4	-46.0	331.4	-46.0	0	C1	0.000E+00
70.0 F-	0:0:0	1.099E-07	2.747E-02	86.1	-46.7	331.0	-46.7	331.0	-46.7	0	C1	0.000E+00
80.0 F+	0:0:0	7.716E-08	1.929E-02	84.6	-63.5	329.5	-63.5	329.5	-63.5	1	C1	0.000E+00
90.0 F-	0:0:0	8.037E-08	2.009E-02	86.5	-46.0	331.4	-46.0	331.4	-46.0	1	C1	0.000E+00
100.0 F+	0:0:0	6.820E-08	1.705E-02	88.4	-45.7	333.3	-45.7	333.3	-45.7	1	C1	0.000E+00





15AO0401A AF IS

----- Parameters sample & data -----

Site : 15A005  
 Sample : 15A00501  
 Specimen : 15A00501B  
 Volume : 6.000 masse : n.d  
 Lat : -20.58703 Long : -69.35482 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 14 42  
 azimuth mag : 238.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : -5.4  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 322.6  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 56"  
 Observation : "sun orientation on plaster"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	2.436E-07	4.059E-02	136.7	-24.9	9.3	-24.9	9.3	-24.9	0	C1	5.167E-04
0.0 F0	0:0:0	2.425E-07	4.042E-02	141.5	-27.0	14.1	-27.0	14.1	-27.0	0	C1	0.000E+00
5.0 F+	0:0:0	2.210E-07	3.683E-02	141.6	-27.0	14.2	-27.0	14.2	-27.0	0	C1	0.000E+00
10.0 F-	0:0:0	1.843E-07	3.072E-02	142.4	-26.4	15.0	-26.4	15.0	-26.4	0	C1	0.000E+00
15.0 F+	0:0:0	1.526E-07	2.543E-02	141.0	-26.8	13.6	-26.8	13.6	-26.8	0	C1	0.000E+00
20.0 F-	0:0:0	1.324E-07	2.206E-02	141.6	-25.8	14.2	-25.8	14.2	-25.8	0	C1	0.000E+00
25.0 F+	0:0:0	1.143E-07	1.905E-02	141.0	-24.6	13.6	-24.6	13.6	-24.6	0	C1	0.000E+00
30.0 F-	0:0:0	1.021E-07	1.702E-02	139.6	-25.0	12.2	-25.0	12.2	-25.0	0	C1	0.000E+00
35.0 F+	0:0:0	8.561E-08	1.427E-02	140.7	-24.2	13.3	-24.2	13.3	-24.2	0	C1	0.000E+00
40.0 F-	0:0:0	7.924E-08	1.321E-02	138.8	-24.9	11.4	-24.9	11.4	-24.9	0	C1	0.000E+00
50.0 F+	0:0:0	6.465E-08	1.078E-02	138.5	-22.8	11.1	-22.8	11.1	-22.8	0	C1	0.000E+00
60.0 F-	0:0:0	5.430E-08	9.050E-03	144.3	-23.5	16.9	-23.5	16.9	-23.5	0	C1	0.000E+00
70.0 F+	0:0:0	4.777E-08	7.961E-03	140.4	-26.5	13.0	-26.5	13.0	-26.5	1	C1	0.000E+00
80.0 F-	0:0:0	3.918E-08	6.530E-03	134.2	-23.7	6.8	-23.7	6.8	-23.7	0	C1	0.000E+00
90.0 F+	0:0:0	3.073E-08	5.122E-03	137.1	-21.6	9.7	-21.6	9.7	-21.6	0	C1	0.000E+00
100.0 F-	0:0:0	3.177E-08	5.296E-03	123.3	-27.8	355.9	-27.8	355.9	-27.8	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A005  
 Sample : 15A00502  
 Specimen : 15A00502B  
 Volume : 5.000 masse : n.d  
 Lat : -20.58703 Long : -69.35482 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 14 42  
 azimuth mag : 238.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : -5.4  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 322.6  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 56"  
 Observation : "sun orientation on plaster"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am <sup>2</sup> )	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	2.294E-07	4.588E-02	139.7	-25.1	12.3	-25.1	12.3	-25.1	0	C1	5.600E-04
5.0 F+	0:0:0	2.091E-07	4.181E-02	141.6	-25.0	14.2	-25.0	14.2	-25.0	0	C1	0.000E+00
10.0 F-	0:0:0	1.708E-07	3.417E-02	140.7	-25.3	13.3	-25.3	13.3	-25.3	0	C1	0.000E+00
15.0 F+	0:0:0	1.410E-07	2.819E-02	141.8	-25.1	14.4	-25.1	14.4	-25.1	0	C1	0.000E+00
20.0 F-	0:0:0	1.229E-07	2.458E-02	141.7	-25.4	14.3	-25.4	14.3	-25.4	0	C1	0.000E+00
25.0 F+	0:0:0	1.058E-07	2.115E-02	141.0	-25.0	13.6	-25.0	13.6	-25.0	0	C1	0.000E+00
30.0 F-	0:0:0	9.281E-08	1.856E-02	141.9	-23.4	14.5	-23.4	14.5	-23.4	0	C1	0.000E+00
35.0 F+	0:0:0	7.891E-08	1.578E-02	140.2	-24.8	12.8	-24.8	12.8	-24.8	1	C1	0.000E+00
40.0 F-	0:0:0	7.387E-08	1.477E-02	138.6	-23.0	11.2	-23.0	11.2	-23.0	1	C1	0.000E+00
50.0 F+	0:0:0	6.266E-08	1.253E-02	138.2	-22.6	10.8	-22.6	10.8	-22.6	0	C1	0.000E+00
60.0 F-	0:0:0	5.035E-08	1.007E-02	140.5	-24.5	13.1	-24.5	13.1	-24.5	0	C1	0.000E+00
70.0 F+	0:0:0	4.079E-08	8.158E-03	141.7	-29.0	14.3	-29.0	14.3	-29.0	0	C1	0.000E+00
80.0 F-	0:0:0	3.325E-08	6.651E-03	140.9	-25.8	13.5	-25.8	13.5	-25.8	0	C1	0.000E+00
90.0 F+	0:0:0	2.948E-08	5.897E-03	141.7	-24.7	14.3	-24.7	14.3	-24.7	0	C1	0.000E+00
100.0 F-	0:0:0	2.532E-08	5.063E-03	134.2	-25.0	6.8	-25.0	6.8	-25.0	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15A006  
 Sample : 15A00601  
 Specimen : 15A00601C  
 Volume : 10.800      masse : n.d  
 Lat : -20.58703      Long : -69.35482      Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 14 46  
 azimuth mag : 238.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : -6.6  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 321.4  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 56"  
 Observation : "sun orientation on plaster"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	4.025E-07	3.727E-02	96.1	-21.6	327.5	-21.6	327.5	-21.6	0	C1	3.056E-04
0.0 F0	0:0:0	4.015E-07	3.718E-02	95.4	-21.0	326.8	-21.0	326.8	-21.0	0	C1	0.000E+00
5.0 F+	0:0:0	3.778E-07	3.498E-02	95.1	-21.2	326.5	-21.2	326.5	-21.2	0	C1	0.000E+00
10.0 F-	0:0:0	3.344E-07	3.096E-02	95.2	-21.2	326.6	-21.2	326.6	-21.2	0	C1	0.000E+00
15.0 F+	0:0:0	2.944E-07	2.726E-02	94.9	-21.0	326.3	-21.0	326.3	-21.0	0	C1	0.000E+00
20.0 F-	0:0:0	2.598E-07	2.405E-02	95.2	-20.8	326.6	-20.8	326.6	-20.8	0	C1	0.000E+00
25.0 F+	0:0:0	2.238E-07	2.072E-02	95.0	-20.8	326.4	-20.8	326.4	-20.8	0	C1	0.000E+00
30.0 F-	0:0:0	1.904E-07	1.763E-02	95.2	-20.4	326.6	-20.4	326.6	-20.4	0	C1	0.000E+00
35.0 F+	0:0:0	1.655E-07	1.532E-02	95.3	-20.6	326.7	-20.6	326.7	-20.6	0	C1	0.000E+00
40.0 F-	0:0:0	1.453E-07	1.346E-02	95.6	-19.7	327.0	-19.7	327.0	-19.7	0	C1	0.000E+00
45.0 F+	0:0:0	1.237E-07	1.145E-02	94.4	-20.3	325.8	-20.3	325.8	-20.3	0	C1	0.000E+00
50.0 F-	0:0:0	1.090E-07	1.009E-02	94.1	-20.6	325.5	-20.6	325.5	-20.6	0	C1	0.000E+00
60.0 F+	0:0:0	8.411E-08	7.788E-03	96.1	-19.2	327.5	-19.2	327.5	-19.2	0	C1	0.000E+00
70.0 F-	0:0:0	6.182E-08	5.724E-03	93.5	-20.6	324.9	-20.6	324.9	-20.6	0	C1	0.000E+00
80.0 F+	0:0:0	5.377E-08	4.979E-03	90.9	-22.1	322.3	-22.1	322.3	-22.1	0	C1	0.000E+00
90.0 F-	0:0:0	4.373E-08	4.049E-03	95.5	-20.1	326.9	-20.1	326.9	-20.1	0	C1	0.000E+00
100.0 F+	0:0:0	3.756E-08	3.478E-03	99.5	-22.0	330.9	-22.0	330.9	-22.0	0	C1	0.000E+00



15AO0601C

AF IS





----- Parameters sample & data -----

Site : 15A007  
 Sample : 15A00701  
 Specimen : 15A00701A  
 Volume : 6.000 masse : n.d  
 Lat : -20.58703 Long : -69.35482 Elevation : 0.0  
 Sampling date : 2015 9 16  
 Sampling time UTM : 14 46  
 azimuth mag : 238.0 IGRF Declination : -5.2  
 azimuth sun : 0.0 Local Declination : -6.6  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 321.4  
 core dip : 0.0  
 Strike bedding : 354.9  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12-15ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Puquio de Nunez zoneA pt GPS 56"  
 Observation : "sun orientation on plaster"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.120E-06	1.866E-01	134.8	-10.9	6.2	-10.9	6.2	-10.9	0	C1	9.167E-04
0.0 F0	0:0:0	1.119E-06	1.865E-01	130.1	-9.0	1.5	-9.0	1.5	-9.0	0	C1	0.000E+00
5.0 F+	0:0:0	1.073E-06	1.789E-01	131.2	-8.0	2.6	-8.0	2.6	-8.0	0	C1	0.000E+00
10.0 F-	0:0:0	9.706E-07	1.618E-01	131.3	-7.2	2.7	-7.2	2.7	-7.2	0	C1	0.000E+00
15.0 F+	0:0:0	8.639E-07	1.440E-01	131.7	-7.1	3.1	-7.1	3.1	-7.1	0	C1	0.000E+00
20.0 F-	0:0:0	7.642E-07	1.274E-01	131.6	-6.2	3.0	-6.2	3.0	-6.2	0	C1	0.000E+00
25.0 F+	0:0:0	6.680E-07	1.113E-01	131.7	-6.2	3.1	-6.2	3.1	-6.2	0	C1	0.000E+00
30.0 F-	0:0:0	5.790E-07	9.650E-02	131.4	-5.7	2.8	-5.7	2.8	-5.7	0	C1	0.000E+00
35.0 F+	0:0:0	5.070E-07	8.450E-02	131.6	-6.2	3.0	-6.2	3.0	-6.2	0	C1	0.000E+00
40.0 F-	0:0:0	4.554E-07	7.590E-02	131.7	-5.8	3.1	-5.8	3.1	-5.8	0	C1	0.000E+00
50.0 F+	0:0:0	3.557E-07	5.928E-02	132.9	-6.0	4.3	-6.0	4.3	-6.0	0	C1	0.000E+00
60.0 F-	0:0:0	2.886E-07	4.809E-02	132.7	-6.2	4.1	-6.2	4.1	-6.2	0	C1	0.000E+00
70.0 F+	0:0:0	2.306E-07	3.843E-02	132.3	-6.1	3.7	-6.1	3.7	-6.1	0	C1	0.000E+00
80.0 F-	0:0:0	1.895E-07	3.159E-02	132.5	-4.6	3.9	-4.6	3.9	-4.6	0	C1	0.000E+00
90.0 F+	0:0:0	1.526E-07	2.543E-02	132.0	-3.7	3.4	-3.7	3.4	-3.7	0	C1	0.000E+00
100.0 F-	0:0:0	1.236E-07	2.060E-02	132.4	-6.6	3.8	-6.6	3.8	-6.6	0	C1	0.000E+00
110.0 F+	0:0:0	9.588E-08	1.598E-02	127.0	-5.6	358.4	-5.6	358.4	-5.6	0	C1	0.000E+00
120.0 F-	0:0:0	7.891E-08	1.315E-02	130.0	-0.3	1.4	-0.3	1.4	-0.3	0	C1	0.000E+00
130.0 F+	0:0:0	6.367E-08	1.061E-02	134.0	-7.0	5.4	-7.0	5.4	-7.0	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 13BG\_0  
 Sample : 13BG\_010  
 Specimen : 13BG\_0103A  
 Volume : n.d      masse : 7.170  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 300.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 25.3  
 core dip : 35.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_Field	Mag(Am2)	Am2/kg	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	7.379E-06	1.029E-03	45.5	-8.5	350.9	-31.3	350.9	-31.3	0	C1	1.060E-06
5.0 F+	0:0:0	7.312E-06	1.020E-03	44.9	-7.8	349.9	-30.9	349.9	-30.9	0	C1	0.000E+00
10.0 F-	0:0:0	7.198E-06	1.004E-03	44.9	-8.0	350.0	-31.1	350.0	-31.1	0	C1	0.000E+00
15.0 F+	0:0:0	7.044E-06	9.824E-04	44.8	-8.0	349.9	-31.2	349.9	-31.2	0	C1	0.000E+00
20.0 F-	0:0:0	6.861E-06	9.569E-04	44.8	-8.1	350.0	-31.2	350.0	-31.2	0	C1	0.000E+00
25.0 F+	0:0:0	6.674E-06	9.309E-04	44.8	-8.1	349.9	-31.2	349.9	-31.2	0	C1	0.000E+00
30.0 F-	0:0:0	6.462E-06	9.012E-04	44.9	-8.2	350.1	-31.3	350.1	-31.3	0	C1	0.000E+00
35.0 F+	0:0:0	6.256E-06	8.725E-04	44.7	-8.3	350.0	-31.5	350.0	-31.5	0	C1	0.000E+00
40.0 F-	0:0:0	6.096E-06	8.502E-04	44.9	-8.2	350.1	-31.3	350.1	-31.3	0	C1	0.000E+00
50.0 F+	0:0:0	5.673E-06	7.913E-04	44.7	-8.1	349.8	-31.2	349.8	-31.2	0	C1	0.000E+00
70.0 F-	0:0:0	4.857E-06	6.774E-04	45.0	-8.1	350.2	-31.2	350.2	-31.2	0	C1	0.000E+00
90.0 F+	0:0:0	4.120E-06	5.747E-04	44.9	-8.2	350.1	-31.2	350.1	-31.2	0	C1	0.000E+00
110.0 F-	0:0:0	3.429E-06	4.783E-04	45.3	-8.1	350.5	-31.0	350.5	-31.0	0	C1	1.130E-06





----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_020  
 Specimen : 13BT\_0201A  
 Volume : 10.800 masse : n.d  
 Lat : -20.90000 Long : -69.32450 Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 52.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 137.3  
 core dip : 18.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	1.029E-05	9.525E-01	314.1	-32.4	350.2	-43.7	350.2	-43.7	0	C1	0.000E+00
5.0 F+	0:0:0	1.021E-05	9.452E-01	314.0	-32.6	350.1	-43.8	350.1	-43.8	0	C1	0.000E+00
10.0 F-	0:0:0	9.662E-06	8.946E-01	313.9	-32.6	349.9	-43.9	349.9	-43.9	0	C1	0.000E+00
15.0 F+	0:0:0	8.710E-06	8.065E-01	313.9	-32.8	349.8	-44.0	349.8	-44.0	0	C1	0.000E+00
20.0 F-	0:0:0	7.647E-06	7.081E-01	313.7	-33.1	349.6	-44.3	349.6	-44.3	0	C1	0.000E+00
25.0 F+	0:0:0	6.690E-06	6.194E-01	313.5	-33.2	349.3	-44.3	349.3	-44.3	0	C1	0.000E+00
30.0 F-	0:0:0	5.932E-06	5.492E-01	313.9	-33.2	349.7	-44.4	349.7	-44.4	0	C1	0.000E+00
35.0 F+	0:0:0	5.391E-06	4.992E-01	313.4	-33.1	349.2	-44.2	349.2	-44.2	0	C1	0.000E+00
40.0 F-	0:0:0	5.059E-06	4.684E-01	314.1	-33.2	349.9	-44.4	349.9	-44.4	0	C1	0.000E+00
50.0 F+	0:0:0	4.437E-06	4.108E-01	313.2	-33.1	348.9	-44.2	348.9	-44.2	0	C1	0.000E+00
60.0 F-	0:0:0	3.983E-06	3.688E-01	314.3	-33.2	350.2	-44.6	350.2	-44.6	0	C1	0.000E+00
80.0 F+	0:0:0	3.380E-06	3.130E-01	312.9	-33.3	348.5	-44.3	348.5	-44.3	0	C1	0.000E+00
100.0 F-	0:0:0	2.954E-06	2.736E-01	314.8	-33.2	350.7	-44.7	350.7	-44.7	0	C1	0.000E+00
120.0 F+	0:0:0	2.694E-06	2.494E-01	312.7	-32.9	348.4	-43.8	348.4	-43.8	0	C1	0.000E+00





13BT\_0201A AF IS

----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_020  
 Specimen : 13BT\_0202A  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 52.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 137.3  
 core dip : 18.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	7.990E-06	7.398E-01	315.6	-30.5	352.7	-42.3	352.7	-42.3	0	C1	2.065E-03
0.0 F0	0:0:0	7.344E-06	6.800E-01	315.8	-31.3	352.7	-43.1	352.7	-43.1	0	C1	0.000E+00
5.0 F+	0:0:0	7.278E-06	6.739E-01	315.7	-31.4	352.5	-43.2	352.5	-43.2	0	C1	0.000E+00
10.0 F-	0:0:0	6.877E-06	6.368E-01	315.6	-31.8	352.2	-43.6	352.2	-43.6	0	C1	0.000E+00
15.0 F+	0:0:0	6.295E-06	5.829E-01	315.6	-32.1	352.0	-43.8	352.0	-43.8	0	C1	0.000E+00
20.0 F-	0:0:0	5.719E-06	5.295E-01	315.6	-32.2	352.0	-43.9	352.0	-43.9	0	C1	0.000E+00
25.0 F+	0:0:0	5.234E-06	4.846E-01	315.4	-32.1	351.8	-43.8	351.8	-43.8	0	C1	0.000E+00
30.0 F-	0:0:0	4.861E-06	4.501E-01	315.5	-32.3	351.9	-43.9	351.9	-43.9	0	C1	0.000E+00
35.0 F+	0:0:0	4.602E-06	4.261E-01	315.4	-32.0	351.9	-43.7	351.9	-43.7	0	C1	0.000E+00
40.0 F-	0:0:0	4.459E-06	4.129E-01	315.5	-32.1	352.0	-43.8	352.0	-43.8	0	C1	0.000E+00
50.0 F+	0:0:0	4.197E-06	3.886E-01	315.4	-32.0	351.9	-43.7	351.9	-43.7	0	C1	0.000E+00
60.0 F-	0:0:0	4.045E-06	3.745E-01	315.8	-32.3	352.1	-44.1	352.1	-44.1	0	C1	0.000E+00
80.0 F+	0:0:0	3.851E-06	3.566E-01	315.5	-32.3	351.9	-44.0	351.9	-44.0	0	C1	0.000E+00
100.0 F-	0:0:0	3.716E-06	3.441E-01	315.8	-32.3	352.2	-44.1	352.2	-44.1	0	C1	0.000E+00



13BT\_0202A

AF IS




----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_020  
 Specimen : 13BT\_0203C  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 52.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 137.3  
 core dip : 18.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	4.441E-06	4.112E-01	313.1	-31.3	349.6	-42.5	349.6	-42.5	0	C1	1.222E-03
0.0 F0	0:0:0	4.360E-06	4.037E-01	315.8	-32.0	352.3	-43.8	352.3	-43.8	0	C1	0.000E+00
5.0 F+	0:0:0	4.317E-06	3.997E-01	315.5	-32.3	351.9	-44.0	351.9	-44.0	0	C1	0.000E+00
10.0 F-	0:0:0	4.076E-06	3.774E-01	314.9	-32.4	351.2	-44.0	351.2	-44.0	0	C1	0.000E+00
15.0 F+	0:0:0	3.699E-06	3.425E-01	314.9	-32.7	351.1	-44.2	351.1	-44.2	0	C1	0.000E+00
20.0 F+	0:0:0	3.300E-06	3.056E-01	315.3	-33.0	351.4	-44.6	351.4	-44.6	0	C1	0.000E+00
25.0 F-	0:0:0	2.952E-06	2.733E-01	314.8	-33.0	350.8	-44.5	350.8	-44.5	0	C1	0.000E+00
30.0 F+	0:0:0	2.678E-06	2.480E-01	314.5	-32.9	350.5	-44.3	350.5	-44.3	0	C1	0.000E+00
35.0 F-	0:0:0	2.479E-06	2.295E-01	314.4	-33.2	350.2	-44.5	350.2	-44.5	0	C1	0.000E+00
40.0 F+	0:0:0	2.358E-06	2.183E-01	313.8	-33.0	349.7	-44.2	349.7	-44.2	0	C1	0.000E+00
50.0 F-	0:0:0	2.138E-06	1.979E-01	313.4	-33.0	349.3	-44.1	349.3	-44.1	0	C1	0.000E+00
70.0 F+	0:0:0	1.880E-06	1.741E-01	312.8	-33.0	348.6	-44.0	348.6	-44.0	0	C1	0.000E+00
90.0 F-	0:0:0	1.724E-06	1.596E-01	312.7	-33.0	348.4	-43.9	348.4	-43.9	0	C1	0.000E+00
110.0 F+	0:0:0	1.608E-06	1.489E-01	311.6	-32.9	347.3	-43.6	347.3	-43.6	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_020  
 Specimen : 13BT\_0204A  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 52.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 137.3  
 core dip : 18.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	8.609E-06	7.972E-01	312.7	-28.9	350.2	-40.0	350.2	-40.0	0	C1	0.000E+00
5.0 F+	0:0:0	8.607E-06	7.969E-01	312.0	-28.7	349.4	-39.7	349.4	-39.7	2	C1	0.000E+00
10.0 F-	0:0:0	8.173E-06	7.568E-01	312.0	-29.6	349.1	-40.5	349.1	-40.5	0	C1	0.000E+00
15.0 F+	0:0:0	7.613E-06	7.049E-01	311.8	-30.0	348.7	-40.9	348.7	-40.9	0	C1	0.000E+00
20.0 F-	0:0:0	7.057E-06	6.535E-01	311.5	-30.3	348.2	-41.1	348.2	-41.1	0	C1	0.000E+00
25.0 F+	0:0:0	6.575E-06	6.088E-01	311.1	-30.3	347.9	-41.0	347.9	-41.0	0	C1	0.000E+00
30.0 F-	0:0:0	6.181E-06	5.724E-01	310.8	-30.5	347.4	-41.0	347.4	-41.0	0	C1	0.000E+00
35.0 F+	0:0:0	5.896E-06	5.459E-01	310.6	-30.7	347.1	-41.1	347.1	-41.1	0	C1	0.000E+00
40.0 F-	0:0:0	5.730E-06	5.305E-01	310.6	-30.4	347.3	-40.9	347.3	-40.9	0	C1	0.000E+00
50.0 F+	0:0:0	5.417E-06	5.016E-01	310.2	-30.6	346.7	-41.0	346.7	-41.0	0	C1	0.000E+00
60.0 F-	0:0:0	5.219E-06	4.832E-01	309.9	-30.2	346.6	-40.6	346.6	-40.6	0	C1	0.000E+00
80.0 F+	0:0:0	4.982E-06	4.613E-01	309.4	-30.3	346.0	-40.5	346.0	-40.5	0	C1	0.000E+00
100.0 F-	0:0:0	4.812E-06	4.455E-01	309.5	-30.6	345.9	-40.8	345.9	-40.8	0	C1	0.000E+00
120.0 F+	0:0:0	4.694E-06	4.346E-01	308.7	-30.4	345.2	-40.4	345.2	-40.4	0	C1	0.000E+00



13BT\_0204A



AF IS

----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_020  
 Specimen : 13BT\_0205A  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 52.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 137.3  
 core dip : 18.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	5.172E-06	4.789E-01	318.1	-29.6	355.8	-42.0	355.8	-42.0	0	C1	0.000E+00
5.0 F+	0:0:0	5.127E-06	4.747E-01	318.0	-29.9	355.6	-42.4	355.6	-42.4	0	C1	0.000E+00
10.0 F-	0:0:0	4.827E-06	4.469E-01	317.9	-30.5	355.3	-42.9	355.3	-42.9	0	C1	0.000E+00
15.0 F+	0:0:0	4.347E-06	4.025E-01	317.8	-31.0	355.1	-43.3	355.1	-43.3	0	C1	0.000E+00
20.0 F-	0:0:0	3.846E-06	3.561E-01	317.7	-31.1	354.8	-43.4	354.8	-43.4	0	C1	0.000E+00
25.0 F+	0:0:0	3.417E-06	3.164E-01	317.6	-31.1	354.8	-43.4	354.8	-43.4	0	C1	0.000E+00
30.0 F-	0:0:0	3.086E-06	2.857E-01	317.7	-30.9	354.9	-43.2	354.9	-43.2	0	C1	0.000E+00
35.0 F+	0:0:0	2.848E-06	2.637E-01	317.7	-30.9	354.9	-43.2	354.9	-43.2	0	C1	0.000E+00
40.0 F-	0:0:0	2.710E-06	2.509E-01	317.9	-31.0	355.1	-43.3	355.1	-43.3	0	C1	0.000E+00
50.0 F+	0:0:0	2.449E-06	2.268E-01	317.4	-31.1	354.5	-43.3	354.5	-43.3	0	C1	0.000E+00
70.0 F-	0:0:0	2.152E-06	1.993E-01	317.9	-31.1	355.0	-43.4	355.0	-43.4	0	C1	0.000E+00
90.0 F+	0:0:0	1.974E-06	1.828E-01	317.1	-31.1	354.1	-43.2	354.1	-43.2	0	C1	0.000E+00
120.0 F-	0:0:0	1.792E-06	1.660E-01	318.0	-31.0	355.2	-43.4	355.2	-43.4	0	C1	0.000E+00



13BT\_0205A



AF IS

----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_020  
 Specimen : 13BT\_0205B  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 52.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 137.3  
 core dip : 18.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	8.539E-06	7.907E-01	320.2	-29.9	358.1	-42.8	358.1	-42.8	0	C1	2.000E-03
150.0 D+	0:0:0	8.222E-06	7.613E-01	317.3	-32.7	353.7	-44.8	353.7	-44.8	0	C1	0.000E+00
220.0 D-	0:0:0	7.477E-06	6.923E-01	317.1	-32.4	353.6	-44.5	353.6	-44.5	0	C1	0.000E+00
260.0 D+	0:0:0	6.814E-06	6.309E-01	317.1	-32.0	353.8	-44.1	353.8	-44.1	0	C1	1.769E-03
300.0 D+	0:0:0	6.008E-06	5.563E-01	318.7	-31.9	355.7	-44.4	355.7	-44.4	0	C1	1.778E-03
340.0 D+	0:0:0	5.558E-06	5.146E-01	320.5	-33.1	357.2	-46.0	357.2	-46.0	0	C1	1.796E-03
380.0 D+	0:0:0	4.526E-06	4.191E-01	316.4	-32.4	352.8	-44.3	352.8	-44.3	0	C1	0.000E+00
420.0 D+	0:0:0	3.692E-06	3.419E-01	319.6	-31.8	356.7	-44.5	356.7	-44.5	0	C1	0.000E+00
460.0 D-	0:0:0	2.808E-06	2.600E-01	317.3	-31.2	354.4	-43.4	354.4	-43.4	0	C1	1.972E-03
500.0 D+	0:0:0	1.824E-06	1.689E-01	318.8	-31.7	355.8	-44.3	355.8	-44.3	0	C1	2.028E-03
530.0 D-	0:0:0	1.022E-06	9.461E-02	318.1	-33.6	354.2	-45.9	354.2	-45.9	0	C1	0.000E+00
560.0 D+	0:0:0	3.430E-07	3.176E-02	317.1	-32.5	353.6	-44.6	353.6	-44.6	0	C1	2.065E-03
590.0 D-	0:0:0	1.265E-07	1.171E-02	317.9	-31.7	354.8	-44.0	354.8	-44.0	0	C1	2.074E-03



13BT\_0205B

TH IS





----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_030  
 Specimen : 13BT\_0302B  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 70.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 155.3  
 core dip : 3.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.383E-05	1.281E+00	314.1	-49.1	16.7	-51.1	16.7	-51.1	0	C1	0.000E+00
150.0 D+	0:0:0	1.352E-05	1.252E+00	309.0	-50.6	11.3	-52.4	11.3	-52.4	0	C1	0.000E+00
220.0 D-	0:0:0	1.145E-05	1.060E+00	309.6	-50.7	12.0	-52.5	12.0	-52.5	0	C1	0.000E+00
260.0 D+	0:0:0	9.340E-06	8.649E-01	310.4	-50.7	12.7	-52.6	12.7	-52.6	0	C1	3.306E-03
300.0 D+	0:0:0	7.545E-06	6.986E-01	309.2	-51.1	11.4	-53.0	11.4	-53.0	0	C1	3.519E-03
340.0 D+	0:0:0	6.599E-06	6.110E-01	311.9	-50.6	14.3	-52.6	14.3	-52.6	0	C1	0.000E+00
380.0 D+	0:0:0	4.713E-06	4.364E-01	314.0	-51.8	16.4	-53.8	16.4	-53.8	0	C1	0.000E+00
420.0 D+	0:0:0	3.456E-06	3.200E-01	314.7	-51.9	17.1	-53.9	17.1	-53.9	0	C1	0.000E+00
460.0 D-	0:0:0	2.345E-06	2.171E-01	315.4	-50.8	17.9	-52.8	17.9	-52.8	0	C1	3.528E-03
500.0 D+	0:0:0	1.398E-06	1.295E-01	315.2	-50.2	17.8	-52.3	17.8	-52.3	0	C1	3.676E-03
530.0 D-	0:0:0	8.284E-07	7.670E-02	314.8	-48.8	17.5	-50.9	17.5	-50.9	0	C1	0.000E+00
560.0 D+	0:0:0	4.592E-07	4.252E-02	320.6	-47.4	23.6	-49.7	23.6	-49.7	0	C1	3.509E-03
590.0 D-	0:0:0	2.658E-07	2.461E-02	318.1	-47.0	21.1	-49.2	21.1	-49.2	0	C1	3.500E-03

In situ



13BT\_0302B



TH IS

----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_030  
 Specimen : 13BT\_0303A  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 70.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 155.3  
 core dip : 3.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	1.568E-05	1.452E+00	316.0	-50.0	18.6	-52.1	18.6	-52.1	0	C1	0.000E+00
5.0 F+	0:0:0	1.560E-05	1.445E+00	315.8	-50.2	18.4	-52.3	18.4	-52.3	0	C1	0.000E+00
10.0 F-	0:0:0	1.514E-05	1.402E+00	315.6	-50.6	18.1	-52.7	18.1	-52.7	0	C1	0.000E+00
15.0 F+	0:0:0	1.426E-05	1.320E+00	315.3	-50.9	17.9	-52.9	17.9	-52.9	0	C1	0.000E+00
20.0 F-	0:0:0	1.313E-05	1.216E+00	315.0	-51.0	17.5	-53.1	17.5	-53.1	0	C1	0.000E+00
25.0 F+	0:0:0	1.191E-05	1.103E+00	315.0	-51.2	17.5	-53.3	17.5	-53.3	0	C1	0.000E+00
30.0 F-	0:0:0	1.070E-05	9.907E-01	314.7	-51.2	17.2	-53.3	17.2	-53.3	0	C1	0.000E+00
35.0 F+	0:0:0	9.700E-06	8.981E-01	314.8	-51.2	17.3	-53.2	17.3	-53.2	0	C1	0.000E+00
40.0 F-	0:0:0	9.043E-06	8.373E-01	314.8	-51.2	17.2	-53.3	17.2	-53.3	0	C1	0.000E+00
45.0 F+	0:0:0	8.362E-06	7.743E-01	314.7	-51.2	17.2	-53.2	17.2	-53.2	0	C1	0.000E+00
50.0 F-	0:0:0	7.744E-06	7.170E-01	314.8	-51.3	17.3	-53.4	17.3	-53.4	0	C1	0.000E+00
70.0 F+	0:0:0	6.378E-06	5.906E-01	314.5	-51.0	17.0	-53.0	17.0	-53.0	0	C1	0.000E+00
90.0 F-	0:0:0	5.744E-06	5.319E-01	315.1	-51.2	17.6	-53.3	17.6	-53.3	0	C1	0.000E+00
120.0 F+	0:0:0	5.229E-06	4.842E-01	314.3	-50.9	16.8	-53.0	16.8	-53.0	0	C1	0.000E+00





13BT\_0303A AF IS

----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_040  
 Specimen : 13BT\_0402A  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 132.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 217.3  
 core dip : 14.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	5.593E-06	5.179E-01	226.3	-44.9	345.7	-34.5	345.7	-34.5	0	C1	1.917E-03
150.0 D+	0:0:0	5.365E-06	4.968E-01	227.5	-45.6	346.6	-35.4	346.6	-35.4	0	C1	0.000E+00
220.0 D-	0:0:0	4.100E-06	3.796E-01	230.7	-44.6	349.5	-34.9	349.5	-34.9	0	C1	0.000E+00
260.0 D+	0:0:0	3.600E-06	3.333E-01	232.6	-46.9	350.4	-37.5	350.4	-37.5	0	C1	1.843E-03
300.0 D+	0:0:0	3.197E-06	2.960E-01	230.0	-46.8	348.3	-36.9	348.3	-36.9	0	C1	0.000E+00
340.0 D+	0:0:0	2.952E-06	2.733E-01	229.0	-46.1	347.6	-36.0	347.6	-36.0	0	C1	0.000E+00
380.0 D+	0:0:0	2.495E-06	2.310E-01	230.2	-45.3	348.9	-35.5	348.9	-35.5	0	C1	0.000E+00
420.0 D+	0:0:0	2.085E-06	1.930E-01	228.2	-45.3	347.2	-35.2	347.2	-35.2	0	C1	0.000E+00
460.0 D-	0:0:0	1.603E-06	1.484E-01	230.2	-45.1	348.9	-35.3	348.9	-35.3	0	C1	1.963E-03
500.0 D+	0:0:0	9.646E-07	8.931E-02	229.2	-42.3	348.9	-32.4	348.9	-32.4	0	C1	1.963E-03
530.0 D-	0:0:0	5.324E-07	4.930E-02	236.3	-40.9	355.4	-32.3	355.4	-32.3	0	C1	0.000E+00
560.0 D+	0:0:0	2.958E-07	2.739E-02	228.0	-42.4	347.8	-32.3	347.8	-32.3	0	C1	1.954E-03
590.0 D-	0:0:0	1.842E-07	1.705E-02	231.3	-34.9	352.5	-25.5	352.5	-25.5	0	C1	1.898E-03





13BT\_0402A TH IS

----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_040  
 Specimen : 13BT\_0403A  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 132.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 217.3  
 core dip : 14.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	4.466E-06	4.135E-01	239.4	-45.4	356.6	-37.2	356.6	-37.2	0	C1	1.315E-03
5.0 F+	0:0:0	4.416E-06	4.088E-01	237.2	-44.6	355.0	-36.0	355.0	-36.0	0	C1	0.000E+00
10.0 F-	0:0:0	4.165E-06	3.857E-01	237.1	-45.2	354.8	-36.5	354.8	-36.5	0	C1	0.000E+00
15.0 F+	0:0:0	3.768E-06	3.489E-01	236.9	-45.4	354.5	-36.8	354.5	-36.8	0	C1	0.000E+00
20.0 F-	0:0:0	3.351E-06	3.103E-01	237.0	-45.7	354.5	-37.1	354.5	-37.1	0	C1	0.000E+00
25.0 F+	0:0:0	2.992E-06	2.770E-01	236.8	-45.9	354.3	-37.2	354.3	-37.2	0	C1	0.000E+00
30.0 F-	0:0:0	2.689E-06	2.490E-01	236.8	-45.9	354.3	-37.2	354.3	-37.2	0	C1	0.000E+00
35.0 F+	0:0:0	2.476E-06	2.292E-01	236.7	-46.1	354.1	-37.4	354.1	-37.4	0	C1	0.000E+00
40.0 F-	0:0:0	2.341E-06	2.168E-01	236.8	-46.2	354.1	-37.5	354.1	-37.5	0	C1	0.000E+00
50.0 F+	0:0:0	2.108E-06	1.952E-01	236.6	-46.5	353.9	-37.7	353.9	-37.7	0	C1	0.000E+00
60.0 F-	0:0:0	1.959E-06	1.814E-01	236.3	-46.7	353.6	-37.9	353.6	-37.9	0	C1	0.000E+00
80.0 F+	0:0:0	1.775E-06	1.643E-01	235.8	-46.9	353.1	-38.0	353.1	-38.0	0	C1	0.000E+00
100.0 F-	0:0:0	1.663E-06	1.540E-01	236.1	-47.2	353.2	-38.4	353.2	-38.4	0	C1	0.000E+00
120.0 F+	0:0:0	1.590E-06	1.473E-01	235.9	-47.4	353.0	-38.5	353.0	-38.5	0	C1	0.000E+00



13BT\_0403A

AF IS





----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_050  
 Specimen : 13BT\_0501C  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 232.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 317.3  
 core dip : 0.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	3.564E-05	3.300E+00	129.2	-41.5	356.5	-41.5	356.5	-41.5	0	C1	3.907E-03
5.0 F+	0:0:0	3.492E-05	3.233E+00	132.1	-45.1	359.4	-45.1	359.4	-45.1	0	C1	0.000E+00
10.0 F+	0:0:0	3.050E-05	2.824E+00	132.1	-45.4	359.4	-45.4	359.4	-45.4	0	C1	0.000E+00
15.0 F+	0:0:0	2.501E-05	2.315E+00	132.0	-45.6	359.3	-45.6	359.3	-45.6	0	C1	0.000E+00
20.0 F-	0:0:0	2.032E-05	1.881E+00	131.7	-45.6	359.0	-45.6	359.0	-45.6	0	C1	0.000E+00
25.0 F+	0:0:0	1.648E-05	1.526E+00	131.7	-45.5	359.0	-45.5	359.0	-45.5	0	C1	0.000E+00
30.0 F-	0:0:0	1.349E-05	1.249E+00	131.8	-45.5	359.1	-45.5	359.1	-45.5	0	C1	0.000E+00
35.0 F+	0:0:0	1.129E-05	1.046E+00	131.4	-45.5	358.7	-45.5	358.7	-45.5	0	C1	0.000E+00
40.0 F-	0:0:0	9.885E-06	9.153E-01	131.7	-45.6	359.0	-45.6	359.0	-45.6	0	C1	0.000E+00
50.0 F+	0:0:0	7.360E-06	6.815E-01	131.1	-45.9	358.4	-45.9	358.4	-45.9	0	C1	0.000E+00
60.0 F-	0:0:0	5.649E-06	5.230E-01	131.5	-45.3	358.8	-45.3	358.8	-45.3	0	C1	0.000E+00
70.0 F+	0:0:0	4.717E-06	4.368E-01	131.0	-46.5	358.3	-46.5	358.3	-46.5	0	C1	0.000E+00
80.0 F-	0:0:0	4.102E-06	3.798E-01	132.1	-45.9	359.4	-45.9	359.4	-45.9	0	C1	0.000E+00
90.0 F+	0:0:0	3.889E-06	3.601E-01	131.4	-47.1	358.7	-47.1	358.7	-47.1	0	C1	0.000E+00
100.0 F-	0:0:0	3.596E-06	3.329E-01	131.6	-45.4	358.9	-45.4	358.9	-45.4	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_050  
 Specimen : 13BT\_0505B  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 232.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 317.3  
 core dip : 0.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	3.907E-05	3.618E+00	129.2	-42.5	356.5	-42.5	356.5	-42.5	0	C1	4.380E-03
150.0 D+	0:0:0	3.747E-05	3.470E+00	131.3	-42.5	358.6	-42.5	358.6	-42.5	0	C1	0.000E+00
220.0 D-	0:0:0	3.563E-05	3.299E+00	130.0	-43.7	357.3	-43.7	357.3	-43.7	0	C1	0.000E+00
260.0 D+	0:0:0	3.468E-05	3.211E+00	128.8	-43.7	356.1	-43.7	356.1	-43.7	0	C1	3.500E-03
300.0 D+	0:0:0	3.349E-05	3.101E+00	131.4	-41.3	358.7	-41.3	358.7	-41.3	0	C1	3.500E-03
340.0 D+	0:0:0	3.252E-05	3.011E+00	128.7	-42.9	356.0	-42.9	356.0	-42.9	0	C1	3.593E-03
380.0 D+	0:0:0	2.944E-05	2.726E+00	130.0	-43.6	357.3	-43.6	357.3	-43.6	0	C1	0.000E+00
420.0 D+	0:0:0	2.470E-05	2.287E+00	130.3	-44.0	357.6	-44.0	357.6	-44.0	0	C1	0.000E+00
460.0 D-	0:0:0	1.788E-05	1.655E+00	127.9	-44.9	355.2	-44.9	355.2	-44.9	0	C1	3.870E-03
500.0 D+	0:0:0	9.575E-06	8.866E-01	132.7	-42.6	360.0	-42.6	360.0	-42.6	0	C1	0.000E+00
530.0 D-	0:0:0	3.980E-06	3.686E-01	131.1	-44.6	358.4	-44.6	358.4	-44.6	0	C1	0.000E+00
560.0 D+	0:0:0	1.343E-06	1.244E-01	130.6	-43.2	357.9	-43.2	357.9	-43.2	0	C1	4.185E-03
590.0 D-	0:0:0	4.066E-07	3.765E-02	129.1	-44.2	356.4	-44.2	356.4	-44.2	0	C1	4.111E-03



13BT\_0505B

TH IS



----- Parameters sample & data -----

Site : 13BG\_0  
 Sample : 13BG\_060  
 Specimen : 13BG\_0603B  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 213.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 298.3  
 core dip : 8.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	2.922E-06	2.705E-01	158.9	-59.4	11.1	-51.8	11.1	-51.8	0	C1	1.407E-03
150.0 D+	0:0:0	2.821E-06	2.612E-01	159.7	-59.2	11.7	-51.6	11.7	-51.6	0	C1	0.000E+00
220.0 D-	0:0:0	2.629E-06	2.434E-01	160.7	-60.4	12.7	-52.8	12.7	-52.8	0	C1	0.000E+00
260.0 D+	0:0:0	2.446E-06	2.265E-01	158.6	-60.9	11.0	-53.3	11.0	-53.3	0	C1	1.417E-03
300.0 D+	0:0:0	2.079E-06	1.925E-01	156.8	-61.1	9.5	-53.6	9.5	-53.6	0	C1	1.426E-03
340.0 D+	0:0:0	1.959E-06	1.814E-01	161.6	-61.8	13.5	-54.2	13.5	-54.2	0	C1	1.481E-03
380.0 D+	0:0:0	1.697E-06	1.572E-01	159.8	-62.6	12.2	-55.0	12.2	-55.0	0	C1	0.000E+00
420.0 D+	0:0:0	1.516E-06	1.403E-01	159.5	-62.9	12.0	-55.3	12.0	-55.3	0	C1	0.000E+00
460.0 D-	0:0:0	1.333E-06	1.234E-01	157.3	-62.8	10.2	-55.2	10.2	-55.2	0	C1	1.361E-03
500.0 D+	0:0:0	1.067E-06	9.881E-02	159.8	-63.7	12.4	-56.0	12.4	-56.0	0	C1	0.000E+00
530.0 D-	0:0:0	8.085E-07	7.486E-02	163.2	-61.6	14.8	-53.9	14.8	-53.9	0	C1	0.000E+00
560.0 D+	0:0:0	4.665E-07	4.320E-02	160.6	-61.9	12.8	-54.3	12.8	-54.3	0	C1	1.093E-03
590.0 D-	0:0:0	2.689E-07	2.490E-02	159.3	-61.6	11.7	-54.0	11.7	-54.0	0	C1	9.907E-04

In situ



13BG\_0603B


TH IS

----- Parameters sample & data -----

Site : 13BG\_0  
 Sample : 13BG\_070  
 Specimen : 13BG\_0701B  
 Volume : 10.800    masse : n.d  
 Lat : -20.90000    Long : -69.32450    Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 93.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 178.3  
 core dip : 8.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F+	0:0:0	1.309E-06	1.212E-01	307.9	-38.5	30.6	-43.1	30.6	-43.1	0	C1	0.000E+00
5.0 F-	0:0:0	1.304E-06	1.208E-01	308.1	-38.6	30.7	-43.3	30.7	-43.3	0	C1	0.000E+00
7.5 F+	0:0:0	1.295E-06	1.199E-01	308.2	-38.7	30.8	-43.3	30.8	-43.3	0	C1	0.000E+00
10.0 F-	0:0:0	1.281E-06	1.186E-01	308.3	-38.9	30.8	-43.5	30.8	-43.5	0	C1	0.000E+00
12.5 F+	0:0:0	1.265E-06	1.171E-01	308.3	-39.0	30.9	-43.7	30.9	-43.7	0	C1	0.000E+00
15.0 F-	0:0:0	1.249E-06	1.157E-01	308.4	-39.2	30.9	-43.9	30.9	-43.9	0	C1	0.000E+00
20.0 F+	0:0:0	1.214E-06	1.124E-01	308.5	-39.3	31.0	-43.9	31.0	-43.9	0	C1	0.000E+00
25.0 F-	0:0:0	1.177E-06	1.090E-01	308.5	-39.5	31.0	-44.2	31.0	-44.2	0	C1	0.000E+00
30.0 F+	0:0:0	1.138E-06	1.054E-01	308.6	-39.6	31.1	-44.2	31.1	-44.2	0	C1	0.000E+00
35.0 F-	0:0:0	1.101E-06	1.020E-01	308.7	-39.6	31.2	-44.3	31.2	-44.3	0	C1	0.000E+00
40.0 F+	0:0:0	1.070E-06	9.905E-02	308.8	-39.7	31.3	-44.4	31.3	-44.4	0	C1	0.000E+00
50.0 F-	0:0:0	9.982E-07	9.243E-02	309.1	-39.7	31.6	-44.4	31.6	-44.4	0	C1	0.000E+00
60.0 F+	0:0:0	9.284E-07	8.596E-02	309.0	-39.8	31.4	-44.5	31.4	-44.5	0	C1	0.000E+00
70.0 F-	0:0:0	8.654E-07	8.013E-02	309.1	-39.8	31.5	-44.5	31.5	-44.5	0	C1	0.000E+00
80.0 F+	0:0:0	8.082E-07	7.483E-02	309.2	-39.8	31.7	-44.6	31.7	-44.6	0	C1	0.000E+00
90.0 F-	0:0:0	7.471E-07	6.918E-02	309.1	-39.6	31.6	-44.4	31.6	-44.4	0	C1	0.000E+00
100.0 F+	0:0:0	6.885E-07	6.375E-02	309.0	-40.0	31.4	-44.7	31.4	-44.7	0	C1	0.000E+00
110.0 F-	0:0:0	6.361E-07	5.890E-02	309.4	-39.5	31.9	-44.3	31.9	-44.3	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_080  
 Specimen : 13BT\_0802A  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 8.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 93.3  
 core dip : 3.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.838E-05	1.702E+00	344.8	-39.4	347.4	-42.3	347.4	-42.3	0	C1	5.861E-03
150.0 D+	0:0:0	1.776E-05	1.644E+00	342.8	-40.5	345.2	-43.4	345.2	-43.4	0	C1	2.083E-03
220.0 D-	0:0:0	1.635E-05	1.514E+00	346.2	-40.3	348.9	-43.2	348.9	-43.2	0	C1	0.000E+00
260.0 D+	0:0:0	1.516E-05	1.404E+00	344.1	-38.8	346.7	-41.6	346.7	-41.6	0	C1	1.935E-03
300.0 D+	0:0:0	1.343E-05	1.244E+00	345.4	-37.9	348.0	-40.8	348.0	-40.8	0	C1	1.972E-03
340.0 D+	0:0:0	1.227E-05	1.136E+00	343.3	-40.5	345.8	-43.4	345.8	-43.4	0	C1	0.000E+00
380.0 D+	0:0:0	9.157E-06	8.479E-01	344.5	-40.6	347.1	-43.5	347.1	-43.5	0	C1	0.000E+00
420.0 D+	0:0:0	6.412E-06	5.937E-01	346.4	-39.1	349.1	-42.0	349.1	-42.0	0	C1	0.000E+00
460.0 D-	0:0:0	4.076E-06	3.774E-01	345.8	-39.1	348.5	-42.0	348.5	-42.0	0	C1	2.167E-03
500.0 D+	0:0:0	2.381E-06	2.205E-01	346.9	-38.8	349.6	-41.7	349.6	-41.7	0	C1	0.000E+00
530.0 D-	0:0:0	1.467E-06	1.358E-01	347.0	-37.1	349.7	-40.0	349.7	-40.0	0	C1	0.000E+00
560.0 D+	0:0:0	8.457E-07	7.830E-02	348.1	-32.7	351.0	-35.7	351.0	-35.7	0	C1	2.398E-03
590.0 D-	0:0:0	5.578E-07	5.165E-02	348.7	-33.9	351.6	-36.8	351.6	-36.8	0	C1	2.352E-03

In situ



13BT\_0802A

TH IS



----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_080  
 Specimen : 13BT\_0803C  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 8.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 93.3  
 core dip : 3.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	4.372E-05	4.048E+00	346.3	-39.5	348.9	-42.4	348.9	-42.4	0	C1	0.000E+00
5.0 F+	0:0:0	4.299E-05	3.980E+00	346.0	-39.9	348.7	-42.8	348.7	-42.8	0	C1	0.000E+00
10.0 F-	0:0:0	3.706E-05	3.432E+00	345.8	-40.4	348.4	-43.3	348.4	-43.3	0	C1	0.000E+00
15.0 F+	0:0:0	2.896E-05	2.681E+00	345.4	-40.5	348.1	-43.4	348.1	-43.4	0	C1	0.000E+00
20.0 F-	0:0:0	2.194E-05	2.032E+00	345.9	-40.8	348.5	-43.7	348.5	-43.7	0	C1	0.000E+00
25.0 F+	0:0:0	1.647E-05	1.525E+00	345.8	-41.1	348.4	-44.0	348.4	-44.0	0	C1	0.000E+00
30.0 F-	0:0:0	1.234E-05	1.142E+00	346.0	-41.0	348.6	-43.9	348.6	-43.9	0	C1	0.000E+00
35.0 F+	0:0:0	9.402E-06	8.705E-01	345.0	-41.4	347.6	-44.3	347.6	-44.3	0	C1	0.000E+00
40.0 F-	0:0:0	7.914E-06	7.328E-01	345.5	-40.5	348.1	-43.4	348.1	-43.4	0	C1	0.000E+00
50.0 F+	0:0:0	5.096E-06	4.719E-01	344.5	-41.5	347.0	-44.4	347.0	-44.4	0	C1	0.000E+00
60.0 F-	0:0:0	3.825E-06	3.542E-01	346.9	-40.5	349.5	-43.4	349.5	-43.4	0	C1	0.000E+00
80.0 F+	0:0:0	2.580E-06	2.389E-01	344.2	-41.3	346.8	-44.2	346.8	-44.2	0	C1	0.000E+00
100.0 F-	0:0:0	2.345E-06	2.171E-01	348.0	-40.6	350.8	-43.6	350.8	-43.6	0	C1	0.000E+00
120.0 F+	0:0:0	2.054E-06	1.902E-01	344.4	-41.5	346.9	-44.3	346.9	-44.3	0	C1	0.000E+00

In situ



13BT\_0803C

AF IS



----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_080  
 Specimen : 13BT\_0803D  
 Volume : 10.800 masse : n.d  
 Lat : -20.90000 Long : -69.32450 Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 8.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 93.3  
 core dip : 3.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	6.481E-05	6.001E+00	345.2	-39.6	347.9	-42.5	347.9	-42.5	0	C1	5.861E-03
150.0 D+	0:0:0	6.471E-05	5.992E+00	345.1	-40.4	347.7	-43.3	347.7	-43.3	0	C1	0.000E+00
220.0 D-	0:0:0	6.325E-05	5.856E+00	345.7	-40.8	348.3	-43.7	348.3	-43.7	0	C1	0.000E+00
260.0 D+	0:0:0	6.219E-05	5.759E+00	347.3	-39.8	350.0	-42.7	350.0	-42.7	0	C1	5.537E-03
300.0 D+	0:0:0	6.028E-05	5.581E+00	344.8	-39.5	347.4	-42.4	347.4	-42.4	0	C1	5.500E-03
340.0 D+	0:0:0	5.898E-05	5.461E+00	343.7	-38.7	346.3	-41.6	346.3	-41.6	0	C1	5.500E-03
380.0 D+	0:0:0	5.438E-05	5.036E+00	346.2	-41.0	348.8	-43.9	348.8	-43.9	0	C1	0.000E+00
420.0 D+	0:0:0	4.737E-05	4.386E+00	344.9	-41.8	347.4	-44.7	347.4	-44.7	0	C1	0.000E+00
460.0 D-	0:0:0	3.530E-05	3.268E+00	345.3	-41.3	347.9	-44.2	347.9	-44.2	0	C1	5.704E-03
500.0 D+	0:0:0	2.127E-05	1.970E+00	344.1	-40.4	346.6	-43.3	346.6	-43.3	0	C1	0.000E+00
530.0 D-	0:0:0	1.075E-05	9.957E-01	345.9	-41.3	348.5	-44.2	348.5	-44.2	0	C1	0.000E+00
560.0 D+	0:0:0	3.399E-06	3.147E-01	343.9	-39.8	346.5	-42.7	346.5	-42.7	0	C1	5.593E-03
590.0 D-	0:0:0	7.633E-07	7.068E-02	343.9	-40.6	346.5	-43.5	346.5	-43.5	0	C1	5.546E-03

In situ



13BT\_0803D



TH IS

----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_090  
 Specimen : 13BT\_0902C  
 Volume : 10.800 masse : n.d  
 Lat : -20.90000 Long : -69.32450 Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 284.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 9.3  
 core dip : 1.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	2.660E-05	2.463E+00	68.2	-38.7	348.2	-39.1	348.2	-39.1	0	C1	3.296E-03
5.0 F+	0:0:0	2.624E-05	2.430E+00	68.3	-38.9	348.3	-39.2	348.3	-39.2	0	C1	0.000E+00
10.0 F-	0:0:0	2.297E-05	2.127E+00	68.4	-39.2	348.5	-39.5	348.5	-39.5	0	C1	0.000E+00
15.0 F+	0:0:0	1.807E-05	1.673E+00	67.7	-39.5	347.7	-39.9	347.7	-39.9	0	C1	0.000E+00
20.0 F-	0:0:0	1.379E-05	1.277E+00	68.1	-39.1	348.1	-39.4	348.1	-39.4	0	C1	0.000E+00
25.0 F+	0:0:0	1.049E-05	9.713E-01	67.7	-39.4	347.8	-39.8	347.8	-39.8	0	C1	0.000E+00
30.0 F-	0:0:0	8.164E-06	7.560E-01	67.8	-39.3	347.8	-39.7	347.8	-39.7	0	C1	0.000E+00
35.0 F+	0:0:0	6.615E-06	6.125E-01	68.1	-39.3	348.1	-39.6	348.1	-39.6	0	C1	0.000E+00
40.0 F-	0:0:0	5.771E-06	5.343E-01	67.3	-39.0	347.4	-39.3	347.4	-39.3	0	C1	0.000E+00
50.0 F+	0:0:0	4.467E-06	4.136E-01	68.4	-39.1	348.5	-39.5	348.5	-39.5	0	C1	0.000E+00
60.0 F-	0:0:0	3.737E-06	3.460E-01	66.5	-39.2	346.6	-39.6	346.6	-39.6	0	C1	0.000E+00
70.0 F+	0:0:0	3.374E-06	3.124E-01	68.7	-39.2	348.7	-39.5	348.7	-39.5	0	C1	0.000E+00
80.0 F-	0:0:0	3.089E-06	2.860E-01	66.4	-39.2	346.4	-39.6	346.4	-39.6	0	C1	0.000E+00
90.0 F+	0:0:0	2.970E-06	2.750E-01	68.9	-39.2	349.0	-39.6	349.0	-39.6	0	C1	0.000E+00
100.0 F-	0:0:0	2.768E-06	2.563E-01	66.4	-39.3	346.4	-39.7	346.4	-39.7	0	C1	0.000E+00
110.0 F+	0:0:0	2.738E-06	2.535E-01	69.1	-39.3	349.1	-39.6	349.1	-39.6	0	C1	0.000E+00
120.0 F-	0:0:0	2.583E-06	2.392E-01	66.4	-39.3	346.5	-39.7	346.5	-39.7	0	C1	0.000E+00



13BT\_0902C

AF IS





----- Parameters sample & data -----

Site : 13BT\_0  
 Sample : 13BT\_090  
 Specimen : 13BT\_0903C  
 Volume : 10.800    masse : n.d  
 Lat : -20.90000    Long : -69.32450    Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 284.0    IGRF Declination : -4.8  
 azimuth sun : 0.0    Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 9.3  
 core dip : 1.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	3.268E-05	3.026E+00	71.2	-37.9	351.3	-38.2	351.3	-38.2	0	C1	3.954E-03
150.0 D+	0:0:0	3.203E-05	2.965E+00	69.1	-39.3	349.2	-39.6	349.2	-39.6	0	C1	0.000E+00
220.0 D-	0:0:0	3.032E-05	2.808E+00	70.6	-38.5	350.6	-38.9	350.6	-38.9	0	C1	0.000E+00
260.0 D+	0:0:0	2.934E-05	2.717E+00	67.8	-38.9	347.8	-39.3	347.8	-39.3	0	C1	3.269E-03
300.0 D+	0:0:0	2.762E-05	2.557E+00	67.0	-39.2	347.1	-39.6	347.1	-39.6	0	C1	3.269E-03
340.0 D+	0:0:0	2.680E-05	2.482E+00	69.4	-38.9	349.4	-39.2	349.4	-39.2	0	C1	3.278E-03
380.0 D+	0:0:0	2.318E-05	2.146E+00	68.7	-40.2	348.8	-40.6	348.8	-40.6	0	C1	0.000E+00
420.0 D+	0:0:0	1.957E-05	1.812E+00	71.3	-40.6	351.5	-40.9	351.5	-40.9	0	C1	0.000E+00
460.0 D-	0:0:0	1.411E-05	1.307E+00	68.3	-38.3	348.4	-38.7	348.4	-38.7	0	C1	0.000E+00
500.0 D+	0:0:0	7.268E-06	6.730E-01	67.8	-40.2	347.9	-40.5	347.9	-40.5	0	C1	0.000E+00
530.0 D-	0:0:0	3.001E-06	2.779E-01	69.1	-39.4	349.1	-39.7	349.1	-39.7	0	C1	0.000E+00
560.0 D+	0:0:0	1.085E-06	1.004E-01	69.3	-37.8	349.4	-38.2	349.4	-38.2	0	C1	3.824E-03
590.0 D-	0:0:0	4.203E-07	3.892E-02	71.0	-39.4	351.0	-39.7	351.0	-39.7	0	C1	3.852E-03



13BT\_0903C



TH IS

----- Parameters sample & data -----

Site : 13BT\_1  
 Sample : 13BT\_100  
 Specimen : 13BT\_1002A  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 125.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 210.3  
 core dip : 7.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	2.158E-05	1.998E+00	238.9	-40.3	354.5	-36.5	354.5	-36.5	0	C1	3.120E-03
150.0 D+	0:0:0	2.090E-05	1.935E+00	233.1	-40.7	349.0	-36.3	349.0	-36.3	0	C1	0.000E+00
220.0 D-	0:0:0	1.891E-05	1.751E+00	239.6	-40.1	355.3	-36.4	355.3	-36.4	0	C1	0.000E+00
260.0 D+	0:0:0	1.749E-05	1.619E+00	235.8	-41.0	351.5	-36.9	351.5	-36.9	0	C1	2.352E-03
300.0 D+	0:0:0	1.524E-05	1.411E+00	236.7	-41.0	352.4	-36.9	352.4	-36.9	0	C1	2.407E-03
340.0 D+	0:0:0	1.415E-05	1.311E+00	234.8	-41.4	350.5	-37.1	350.5	-37.1	0	C1	0.000E+00
380.0 D+	0:0:0	1.125E-05	1.041E+00	236.4	-41.1	352.1	-37.0	352.1	-37.0	0	C1	0.000E+00
420.0 D+	0:0:0	8.345E-06	7.727E-01	233.9	-40.4	349.9	-36.1	349.9	-36.1	0	C1	0.000E+00
460.0 D-	0:0:0	5.446E-06	5.042E-01	236.1	-40.2	352.0	-36.1	352.0	-36.1	0	C1	0.000E+00
500.0 D+	0:0:0	3.240E-06	3.000E-01	237.3	-39.7	353.1	-35.7	353.1	-35.7	0	C1	0.000E+00
530.0 D-	0:0:0	2.011E-06	1.862E-01	236.8	-38.8	352.9	-34.8	352.9	-34.8	0	C1	0.000E+00
560.0 D+	0:0:0	1.039E-06	9.623E-02	236.4	-37.6	352.7	-33.5	352.7	-33.5	0	C1	3.093E-03
590.0 D-	0:0:0	6.275E-07	5.810E-02	235.5	-35.7	352.1	-31.5	352.1	-31.5	0	C1	3.102E-03





----- Parameters sample & data -----

Site : 13BT\_1  
 Sample : 13BT\_100  
 Specimen : 13BT\_1002D  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 125.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 210.3  
 core dip : 7.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	3.040E-05	2.815E+00	234.0	-41.5	349.8	-37.2	349.8	-37.2	0	C1	0.000E+00
5.0 F+	0:0:0	3.003E-05	2.780E+00	233.8	-41.7	349.6	-37.3	349.6	-37.3	0	C1	0.000E+00
10.0 F-	0:0:0	2.700E-05	2.500E+00	233.9	-42.0	349.6	-37.7	349.6	-37.7	0	C1	0.000E+00
15.0 F+	0:0:0	2.222E-05	2.057E+00	233.9	-42.2	349.6	-37.8	349.6	-37.8	0	C1	0.000E+00
20.0 F-	0:0:0	1.824E-05	1.689E+00	233.8	-42.2	349.5	-37.9	349.5	-37.9	0	C1	0.000E+00
25.0 F+	0:0:0	1.557E-05	1.441E+00	234.0	-42.3	349.7	-37.9	349.7	-37.9	0	C1	0.000E+00
30.0 F-	0:0:0	1.375E-05	1.273E+00	233.4	-42.3	349.1	-37.9	349.1	-37.9	0	C1	0.000E+00
35.0 F+	0:0:0	1.276E-05	1.181E+00	234.3	-42.2	350.0	-37.9	350.0	-37.9	0	C1	0.000E+00
40.0 F-	0:0:0	1.214E-05	1.124E+00	233.2	-42.3	348.9	-37.9	348.9	-37.9	0	C1	0.000E+00
50.0 F+	0:0:0	1.131E-05	1.047E+00	234.5	-42.2	350.1	-37.9	350.1	-37.9	0	C1	0.000E+00
70.0 F-	0:0:0	1.043E-05	9.655E-01	232.7	-42.4	348.5	-38.0	348.5	-38.0	0	C1	0.000E+00
90.0 F+	0:0:0	1.005E-05	9.305E-01	234.7	-42.3	350.3	-38.0	350.3	-38.0	0	C1	0.000E+00
120.0 F-	0:0:0	9.549E-06	8.842E-01	232.5	-42.5	348.3	-38.0	348.3	-38.0	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 13BT\_1  
 Sample : 13BT\_100  
 Specimen : 13BT\_1003C  
 Volume : 10.800    masse : n.d  
 Lat : -20.90000    Long : -69.32450    Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 125.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 210.3  
 core dip : 7.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	3.096E-05	2.866E+00	233.5	-40.9	349.4	-36.5	349.4	-36.5	0	C1	3.981E-03
5.0 F+	0:0:0	3.052E-05	2.826E+00	232.9	-41.6	348.7	-37.2	348.7	-37.2	0	C1	0.000E+00
10.0 F-	0:0:0	2.646E-05	2.450E+00	233.6	-41.7	349.4	-37.3	349.4	-37.3	0	C1	0.000E+00
15.0 F+	0:0:0	2.076E-05	1.922E+00	233.5	-42.0	349.2	-37.6	349.2	-37.6	0	C1	0.000E+00
20.0 F-	0:0:0	1.624E-05	1.503E+00	233.3	-42.1	349.0	-37.7	349.0	-37.7	0	C1	0.000E+00
25.0 F+	0:0:0	1.334E-05	1.235E+00	234.0	-42.1	349.7	-37.7	349.7	-37.7	0	C1	0.000E+00
30.0 F-	0:0:0	1.140E-05	1.056E+00	232.7	-42.2	348.5	-37.7	348.5	-37.7	0	C1	0.000E+00
35.0 F+	0:0:0	1.039E-05	9.619E-01	234.4	-42.0	350.1	-37.6	350.1	-37.6	0	C1	0.000E+00
40.0 F-	0:0:0	9.747E-06	9.025E-01	232.4	-42.1	348.2	-37.6	348.2	-37.6	0	C1	0.000E+00
50.0 F+	0:0:0	8.945E-06	8.283E-01	234.6	-42.0	350.2	-37.7	350.2	-37.7	0	C1	0.000E+00
60.0 F-	0:0:0	8.401E-06	7.779E-01	231.6	-42.3	347.4	-37.8	347.4	-37.8	0	C1	0.000E+00
80.0 F+	0:0:0	7.964E-06	7.374E-01	234.5	-42.4	350.1	-38.1	350.1	-38.1	0	C1	0.000E+00
100.0 F-	0:0:0	7.556E-06	6.996E-01	231.4	-42.4	347.2	-37.8	347.2	-37.8	0	C1	0.000E+00
120.0 F+	0:0:0	7.375E-06	6.829E-01	234.6	-42.3	350.3	-38.1	350.3	-38.1	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 13BT\_1  
 Sample : 13BT\_100  
 Specimen : 13BT\_1003D  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 125.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 210.3  
 core dip : 7.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	3.252E-05	3.011E+00	231.4	-38.4	347.8	-33.9	347.8	-33.9	0	C1	3.917E-03
150.0 D+	0:0:0	3.250E-05	3.009E+00	229.7	-38.8	346.1	-34.0	346.1	-34.0	0	C1	0.000E+00
220.0 D-	0:0:0	3.103E-05	2.873E+00	229.4	-39.0	345.9	-34.3	345.9	-34.3	0	C1	0.000E+00
260.0 D+	0:0:0	2.939E-05	2.721E+00	231.5	-40.8	347.5	-36.2	347.5	-36.2	0	C1	3.704E-03
300.0 D+	0:0:0	2.667E-05	2.470E+00	231.1	-40.9	347.2	-36.3	347.2	-36.3	0	C1	3.685E-03
340.0 D+	0:0:0	2.487E-05	2.303E+00	231.0	-39.7	347.3	-35.1	347.3	-35.1	0	C1	3.704E-03
380.0 D+	0:0:0	1.998E-05	1.850E+00	231.9	-40.9	348.0	-36.4	348.0	-36.4	0	C1	0.000E+00
420.0 D+	0:0:0	1.516E-05	1.404E+00	231.3	-40.8	347.4	-36.3	347.4	-36.3	0	C1	0.000E+00
460.0 D-	0:0:0	9.552E-06	8.845E-01	231.9	-39.7	348.1	-35.2	348.1	-35.2	0	C1	0.000E+00
500.0 D+	0:0:0	4.440E-06	4.111E-01	230.8	-39.2	347.1	-34.6	347.1	-34.6	0	C1	0.000E+00
530.0 D-	0:0:0	2.095E-06	1.940E-01	231.1	-40.1	347.3	-35.5	347.3	-35.5	0	C1	0.000E+00
560.0 D+	0:0:0	8.296E-07	7.682E-02	232.7	-40.5	348.8	-36.1	348.8	-36.1	0	C1	3.991E-03
590.0 D-	0:0:0	3.576E-07	3.311E-02	228.6	-39.9	345.0	-35.1	345.0	-35.1	0	C1	3.935E-03





----- Parameters sample & data -----

Site : 13BT\_1  
 Sample : 13BT\_110  
 Specimen : 13BT\_1104A  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 100.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 185.3  
 core dip : 10.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	9.470E-06	8.768E-01	273.3	-36.9	1.1	-36.8	1.1	-36.8	0	C1	2.454E-03
150.0 D+	0:0:0	8.984E-06	8.319E-01	272.3	-37.3	360.0	-37.1	360.0	-37.1	0	C1	0.000E+00
220.0 D-	0:0:0	8.251E-06	7.640E-01	271.1	-38.1	358.6	-37.6	358.6	-37.6	0	C1	0.000E+00
260.0 D+	0:0:0	7.056E-06	6.533E-01	273.6	-36.9	1.4	-36.9	1.4	-36.9	0	C1	2.380E-03
300.0 D+	0:0:0	6.370E-06	5.898E-01	272.9	-38.1	0.4	-37.9	0.4	-37.9	0	C1	2.324E-03
340.0 D+	0:0:0	6.039E-06	5.592E-01	273.3	-36.9	1.1	-36.8	1.1	-36.8	0	C1	0.000E+00
380.0 D+	0:0:0	5.318E-06	4.924E-01	274.2	-37.5	1.8	-37.5	1.8	-37.5	0	C1	0.000E+00
420.0 D+	0:0:0	4.689E-06	4.342E-01	274.8	-37.9	2.3	-38.1	2.3	-38.1	0	C1	0.000E+00
460.0 D-	0:0:0	3.689E-06	3.415E-01	275.8	-34.8	4.1	-35.2	4.1	-35.2	0	C1	0.000E+00
500.0 D+	0:0:0	2.481E-06	2.297E-01	274.2	-35.1	2.5	-35.2	2.5	-35.2	0	C1	0.000E+00
530.0 D-	0:0:0	1.620E-06	1.500E-01	275.2	-34.2	3.7	-34.5	3.7	-34.5	0	C1	0.000E+00
560.0 D+	0:0:0	1.031E-06	9.550E-02	276.1	-32.7	4.9	-33.2	4.9	-33.2	0	C1	2.556E-03
590.0 D-	0:0:0	6.419E-07	5.943E-02	274.0	-31.7	3.1	-31.9	3.1	-31.9	0	C1	2.519E-03



13BT\_1104A



TH IS

----- Parameters sample & data -----

Site : 13BT\_1  
 Sample : 13BT\_110  
 Specimen : 13BT\_1105B  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 100.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 185.3  
 core dip : 10.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	5.896E-06	5.460E-01	268.7	-39.3	356.0	-38.4	356.0	-38.4	0	C1	0.000E+00
5.0 F+	0:0:0	5.848E-06	5.415E-01	268.6	-39.7	355.8	-38.7	355.8	-38.7	0	C1	0.000E+00
10.0 F-	0:0:0	5.556E-06	5.145E-01	268.7	-40.1	355.7	-39.2	355.7	-39.2	0	C1	0.000E+00
15.0 F+	0:0:0	5.056E-06	4.682E-01	268.7	-40.4	355.7	-39.4	355.7	-39.4	0	C1	0.000E+00
20.0 F-	0:0:0	4.534E-06	4.198E-01	268.7	-40.4	355.7	-39.5	355.7	-39.5	0	C1	0.000E+00
25.0 F+	0:0:0	4.062E-06	3.761E-01	268.6	-40.5	355.6	-39.5	355.6	-39.5	0	C1	0.000E+00
30.0 F-	0:0:0	3.705E-06	3.430E-01	268.6	-40.5	355.6	-39.5	355.6	-39.5	0	C1	0.000E+00
35.0 F+	0:0:0	3.459E-06	3.203E-01	268.5	-40.5	355.5	-39.5	355.5	-39.5	0	C1	0.000E+00
40.0 F-	0:0:0	3.308E-06	3.063E-01	268.6	-40.6	355.5	-39.6	355.5	-39.6	0	C1	0.000E+00
50.0 F+	0:0:0	3.046E-06	2.820E-01	268.5	-40.6	355.4	-39.6	355.4	-39.6	0	C1	0.000E+00
60.0 F-	0:0:0	2.873E-06	2.660E-01	268.5	-40.5	355.5	-39.5	355.5	-39.5	0	C1	0.000E+00
70.0 F+	0:0:0	2.757E-06	2.553E-01	268.5	-40.5	355.4	-39.5	355.4	-39.5	0	C1	0.000E+00
80.0 F-	0:0:0	2.665E-06	2.467E-01	268.5	-40.7	355.4	-39.7	355.4	-39.7	0	C1	0.000E+00
90.0 F+	0:0:0	2.598E-06	2.405E-01	268.5	-40.5	355.4	-39.5	355.4	-39.5	0	C1	0.000E+00
100.0 F-	0:0:0	2.527E-06	2.340E-01	268.5	-40.7	355.3	-39.7	355.3	-39.7	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 13BT\_1  
 Sample : 13BT\_110  
 Specimen : 13BT\_1106A  
 Volume : 10.800      masse : n.d  
 Lat : -20.90000      Long : -69.32450      Elevation : 0.0  
 Sampling date : 2013 12 8  
 Sampling time UTM : 0 0  
 azimuth mag : 100.0 IGRF Declination : -4.8  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 185.3  
 core dip : 10.0  
 Strike bedding : 355.3  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Baked Mud : baked soil surface"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	8.703E-06	8.059E-01	261.0	-40.5	348.3	-38.2	348.3	-38.2	0	C1	1.815E-03
150.0 D+	0:0:0	8.249E-06	7.638E-01	259.6	-42.4	346.4	-39.9	346.4	-39.9	0	C1	0.000E+00
220.0 D-	0:0:0	7.221E-06	6.686E-01	257.9	-41.8	345.0	-39.0	345.0	-39.0	0	C1	0.000E+00
260.0 D+	0:0:0	5.821E-06	5.390E-01	263.0	-42.8	349.5	-40.8	349.5	-40.8	0	C1	0.000E+00
300.0 D+	0:0:0	5.247E-06	4.858E-01	263.4	-42.0	350.1	-40.1	350.1	-40.1	0	C1	1.611E-03
340.0 D+	0:0:0	4.873E-06	4.512E-01	260.6	-43.5	347.0	-41.1	347.0	-41.1	0	C1	1.639E-03
380.0 D+	0:0:0	4.107E-06	3.802E-01	261.5	-41.6	348.5	-39.4	348.5	-39.4	0	C1	0.000E+00
420.0 D+	0:0:0	3.357E-06	3.109E-01	260.5	-43.3	347.0	-40.9	347.0	-40.9	0	C1	0.000E+00
460.0 D-	0:0:0	2.262E-06	2.094E-01	261.9	-43.0	348.5	-40.8	348.5	-40.8	0	C1	0.000E+00
500.0 D+	0:0:0	1.263E-06	1.169E-01	260.7	-43.6	347.1	-41.2	347.1	-41.2	0	C1	0.000E+00
530.0 D-	0:0:0	6.715E-07	6.218E-02	262.8	-41.9	349.6	-39.9	349.6	-39.9	0	C1	1.796E-03
560.0 D+	0:0:0	3.236E-07	2.996E-02	262.9	-40.8	350.0	-38.9	350.0	-38.9	0	C1	1.796E-03
590.0 D-	0:0:0	1.616E-07	1.497E-02	260.0	-39.2	347.6	-36.8	347.6	-36.8	0	C1	1.806E-03



13BT\_1106A

TH IS





----- Parameters sample & data -----

Site : 15BG\_0  
 Sample : 15BG\_010  
 Specimen : 15BG\_0104C  
 Volume : 10.800      masse : n.d  
 Lat : -20.89954      Long : -69.32336      Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 18 59  
 azimuth mag : 25.0 IGRF Declination : -5.1  
 azimuth sun : 256.0 Local Declination : -8.2  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 106.8  
 core dip : 52.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana GPS pt 120"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	3.742E-05	3.465E+00	337.3	0.6	342.9	-46.1	342.9	-46.1	0	C1	5.056E-03
5.0 F+	0:0:0	3.654E-05	3.383E+00	333.0	1.0	337.9	-43.8	337.9	-43.8	0	C1	0.000E+00
10.0 F+	0:0:0	3.470E-05	3.213E+00	333.1	1.0	338.0	-43.8	338.0	-43.8	0	C1	0.000E+00
15.0 F-	0:0:0	3.208E-05	2.970E+00	332.9	1.0	337.8	-43.7	337.8	-43.7	0	C1	0.000E+00
20.0 F+	0:0:0	2.929E-05	2.712E+00	332.9	1.1	337.8	-43.6	337.8	-43.6	0	C1	0.000E+00
30.0 F-	0:0:0	2.404E-05	2.226E+00	332.7	1.1	337.6	-43.5	337.6	-43.5	0	C1	0.000E+00
50.0 F+	0:0:0	1.733E-05	1.604E+00	332.9	1.1	337.8	-43.6	337.8	-43.6	0	C1	0.000E+00
70.0 F-	0:0:0	1.248E-05	1.155E+00	332.8	1.1	337.7	-43.5	337.7	-43.5	0	C1	0.000E+00
90.0 F+	0:0:0	9.278E-06	8.591E-01	332.8	1.2	337.7	-43.5	337.7	-43.5	0	C1	0.000E+00
110.0 F-	0:0:0	6.778E-06	6.276E-01	332.8	1.3	337.8	-43.4	337.8	-43.4	0	C1	0.000E+00
130.0 F+	0:0:0	5.142E-06	4.761E-01	332.4	1.1	337.2	-43.3	337.2	-43.3	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15BG\_0  
 Sample : 15BG\_020  
 Specimen : 15BG\_0201C  
 Volume : 8.000 masse : n.d  
 Lat : -20.89954 Long : -69.32336 Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 19 7  
 azimuth mag : 25.0 IGRF Declination : -5.1  
 azimuth sun : 258.0 Local Declination : -7.8  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 107.2  
 core dip : 35.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana GPS pt 120"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	2.298E-05	2.872E+00	329.0	-11.1	336.0	-39.8	336.0	-39.8	0	C1	3.800E-03
0.0 F1	0:0:0	2.300E-05	2.875E+00	333.3	-10.6	341.5	-40.9	341.5	-40.9	0	C1	0.000E+00
5.0 F+	0:0:0	2.263E-05	2.829E+00	333.2	-10.7	341.3	-40.9	341.3	-40.9	0	C1	0.000E+00
10.0 F-	0:0:0	2.180E-05	2.725E+00	333.0	-10.9	341.0	-41.0	341.0	-41.0	0	C1	0.000E+00
15.0 F+	0:0:0	2.085E-05	2.606E+00	333.0	-10.9	340.9	-41.1	340.9	-41.1	0	C1	0.000E+00
20.0 F-	0:0:0	1.989E-05	2.486E+00	332.9	-11.0	340.8	-41.1	340.8	-41.1	0	C1	0.000E+00
30.0 F+	0:0:0	1.794E-05	2.242E+00	332.8	-11.0	340.7	-41.1	340.7	-41.1	0	C1	0.000E+00
40.0 F-	0:0:0	1.620E-05	2.025E+00	332.6	-11.1	340.4	-41.1	340.4	-41.1	0	C1	0.000E+00
50.0 F+	0:0:0	1.420E-05	1.775E+00	332.6	-11.2	340.3	-41.2	340.3	-41.2	0	C1	0.000E+00
60.0 F-	0:0:0	1.237E-05	1.547E+00	332.5	-11.3	340.1	-41.2	340.1	-41.2	0	C1	0.000E+00
80.0 F+	0:0:0	9.403E-06	1.175E+00	332.5	-11.4	340.2	-41.4	340.2	-41.4	0	C1	0.000E+00
100.0 F-	0:0:0	7.004E-06	8.754E-01	332.4	-11.4	339.9	-41.3	339.9	-41.3	0	C1	0.000E+00
120.0 F+	0:0:0	5.283E-06	6.604E-01	332.3	-11.4	339.9	-41.3	339.9	-41.3	0	C1	0.000E+00



15BG\_0201C

AF IS



----- Parameters sample & data -----

Site : 15BG\_0  
 Sample : 15BG\_030  
 Specimen : 15BG\_0301A  
 Volume : 9.000      masse : n.d  
 Lat : -20.89954      Long : -69.32336      Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 19 12  
 azimuth mag : 13.0    IGRF Declination : -5.1  
 azimuth sun : 248.0    Local Declination : -6.8  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 96.2  
 core dip : 43.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana GPS pt 120"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.968E-05	2.187E+00	343.9	-2.4	343.8	-43.3	343.8	-43.3	0	C1	3.300E-03
0.0 F0	0:0:0	1.962E-05	2.180E+00	345.0	-2.1	345.4	-43.3	345.4	-43.3	0	C1	0.000E+00
10.0 F+	0:0:0	1.924E-05	2.137E+00	344.9	-2.3	345.3	-43.4	345.3	-43.4	0	C1	0.000E+00
20.0 F-	0:0:0	1.823E-05	2.026E+00	344.8	-2.4	345.0	-43.5	345.0	-43.5	0	C1	0.000E+00
30.0 F+	0:0:0	1.681E-05	1.868E+00	344.7	-2.5	344.9	-43.6	344.9	-43.6	0	C1	0.000E+00
45.0 F-	0:0:0	1.455E-05	1.617E+00	344.6	-2.6	344.7	-43.6	344.7	-43.6	0	C1	0.000E+00
60.0 F+	0:0:0	1.220E-05	1.356E+00	344.6	-2.6	344.6	-43.6	344.6	-43.6	0	C1	0.000E+00
80.0 F-	0:0:0	9.586E-06	1.065E+00	344.5	-2.6	344.6	-43.6	344.6	-43.6	0	C1	0.000E+00
100.0 F+	0:0:0	7.341E-06	8.157E-01	344.4	-2.6	344.4	-43.6	344.4	-43.6	0	C1	0.000E+00
120.0 F-	0:0:0	5.773E-06	6.415E-01	344.7	-2.5	344.8	-43.5	344.8	-43.5	0	C1	0.000E+00

In situ



15BG\_0301A



AF IS

----- Parameters sample & data -----

Site : 15BG\_0  
 Sample : 15BG\_040  
 Specimen : 15BG\_0401A  
 Volume : 10.800      masse : n.d  
 Lat : -20.89954      Long : -69.32336      Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 19 26  
 azimuth mag : 25.0 IGRF Declination : -5.1  
 azimuth sun : 262.0 Local Declination : -7.4  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 107.6  
 core dip : 20.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana GPS pt 120"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.358E-05	1.257E+00	323.7	-32.7	329.8	-47.7	329.8	-47.7	0	C1	1.556E-03
0.0 F0	0:0:0	1.355E-05	1.255E+00	325.9	-32.5	332.6	-48.1	332.6	-48.1	0	C1	0.000E+00
10.0 F+	0:0:0	1.288E-05	1.193E+00	325.9	-32.8	332.5	-48.4	332.5	-48.4	0	C1	0.000E+00
20.0 F-	0:0:0	1.221E-05	1.131E+00	325.8	-33.0	332.2	-48.5	332.2	-48.5	0	C1	0.000E+00
30.0 F+	0:0:0	1.150E-05	1.065E+00	325.6	-33.1	332.0	-48.6	332.0	-48.6	0	C1	0.000E+00
45.0 F-	0:0:0	1.049E-05	9.711E-01	325.6	-33.3	331.9	-48.7	331.9	-48.7	0	C1	0.000E+00
60.0 F+	0:0:0	9.341E-06	8.649E-01	325.5	-33.3	331.7	-48.8	331.7	-48.8	0	C1	0.000E+00
80.0 F-	0:0:0	7.612E-06	7.048E-01	325.5	-33.5	331.6	-48.9	331.6	-48.9	0	C1	0.000E+00
100.0 F+	0:0:0	5.822E-06	5.390E-01	325.6	-33.5	331.8	-48.9	331.8	-48.9	0	C1	0.000E+00
120.0 F-	0:0:0	4.492E-06	4.159E-01	325.1	-33.3	331.3	-48.6	331.3	-48.6	0	C1	0.000E+00



15BG\_0401A AF IS





----- Parameters sample & data -----

Site : 15BG\_0  
 Sample : 15BG\_050  
 Specimen : 15BG\_0501A  
 Volume : 10.800      masse : n.d  
 Lat : -20.89954      Long : -69.32336      Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 20 6  
 azimuth mag : 79.0 IGRF Declination : -5.1  
 azimuth sun : 323.0 Local Declination : -6.7  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 162.3  
 core dip : 45.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana GPS pt 120"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	3.362E-06	3.113E-01	294.6	-14.6	349.3	-27.6	349.3	-27.6	0	C1	5.463E-04
0.0 F0	0:0:0	3.383E-06	3.132E-01	294.2	-14.5	349.0	-27.2	349.0	-27.2	0	C1	0.000E+00
10.0 F+	0:0:0	3.280E-06	3.037E-01	293.8	-14.5	348.8	-27.0	348.8	-27.0	0	C1	0.000E+00
20.0 F-	0:0:0	3.054E-06	2.827E-01	293.4	-14.6	348.4	-26.7	348.4	-26.7	0	C1	0.000E+00
30.0 F+	0:0:0	2.746E-06	2.543E-01	293.2	-14.6	348.1	-26.6	348.1	-26.6	0	C1	0.000E+00
45.0 F-	0:0:0	2.383E-06	2.206E-01	292.7	-14.7	347.7	-26.3	347.7	-26.3	0	C1	0.000E+00
60.0 F+	0:0:0	2.067E-06	1.914E-01	292.6	-14.7	347.6	-26.3	347.6	-26.3	0	C1	0.000E+00
80.0 F-	0:0:0	1.724E-06	1.596E-01	292.1	-14.8	347.2	-26.0	347.2	-26.0	0	C1	0.000E+00
100.0 F+	0:0:0	1.423E-06	1.318E-01	292.7	-14.5	347.8	-26.2	347.8	-26.2	0	C1	0.000E+00
120.0 F-	0:0:0	1.151E-06	1.066E-01	291.4	-14.4	347.0	-25.2	347.0	-25.2	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15BG\_0  
 Sample : 15BG\_060  
 Specimen : 15BG\_0601A  
 Volume : 9.000 masse : n.d  
 Lat : -20.89903 Long : -69.32187 Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 20 11  
 azimuth mag : 136.0 IGRF Declination : -5.1  
 azimuth sun : 22.0 Local Declination : -5.4  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 220.6  
 core dip : 32.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.578E-06	1.753E-01	191.8	-67.1	316.2	-35.4	316.2	-35.4	0	C1	5.000E-04
0.0 F0	0:0:0	1.567E-06	1.741E-01	193.3	-68.9	316.6	-37.3	316.6	-37.3	0	C1	0.000E+00
5.0 F+	0:0:0	1.566E-06	1.740E-01	192.1	-69.0	316.0	-37.3	316.0	-37.3	0	C1	0.000E+00
10.0 F-	0:0:0	1.548E-06	1.721E-01	192.5	-69.0	316.2	-37.4	316.2	-37.4	0	C1	0.000E+00
15.0 F+	0:0:0	1.515E-06	1.683E-01	191.7	-69.1	315.8	-37.4	315.8	-37.4	0	C1	0.000E+00
20.0 F-	0:0:0	1.468E-06	1.631E-01	191.7	-69.0	315.8	-37.3	315.8	-37.3	0	C1	0.000E+00
25.0 F+	0:0:0	1.413E-06	1.570E-01	191.5	-69.2	315.7	-37.5	315.7	-37.5	0	C1	0.000E+00
30.0 F-	0:0:0	1.342E-06	1.491E-01	191.8	-69.2	315.8	-37.5	315.8	-37.5	0	C1	0.000E+00
35.0 F+	0:0:0	1.274E-06	1.416E-01	190.1	-68.8	315.1	-37.0	315.1	-37.0	0	C1	0.000E+00
40.0 F-	0:0:0	1.230E-06	1.367E-01	189.9	-69.5	315.0	-37.7	315.0	-37.7	0	C1	0.000E+00
50.0 F+	0:0:0	1.124E-06	1.249E-01	189.1	-69.8	314.6	-37.9	314.6	-37.9	0	C1	0.000E+00
60.0 F-	0:0:0	9.629E-07	1.070E-01	198.9	-69.1	319.0	-37.8	319.0	-37.8	0	C1	0.000E+00
70.0 F+	0:0:0	8.240E-07	9.155E-02	197.4	-71.3	317.8	-39.9	317.8	-39.9	0	C1	0.000E+00
80.0 F-	0:0:0	7.133E-07	7.926E-02	167.4	-69.7	305.1	-38.1	305.1	-38.1	0	C1	0.000E+00
90.0 F+	0:0:0	6.554E-07	7.282E-02	167.1	-70.6	305.1	-38.9	305.1	-38.9	0	C1	0.000E+00
100.0 F-	0:0:0	5.680E-07	6.311E-02	172.1	-68.2	306.9	-36.3	306.9	-36.3	0	C1	0.000E+00
110.0 F+	0:0:0	4.933E-07	5.481E-02	171.5	-70.0	306.9	-38.1	306.9	-38.1	0	C1	0.000E+00
120.0 F-	0:0:0	4.765E-07	5.295E-02	163.7	-73.8	304.5	-42.3	304.5	-42.3	0	C1	0.000E+00
130.0 F+	0:0:0	3.403E-07	3.782E-02	210.1	-77.1	320.0	-46.4	320.0	-46.4	0	C1	0.000E+00

In situ



15BG\_0601A



AF IS

----- Parameters sample & data -----

Site : 15BG\_0  
 Sample : 15BG\_080  
 Specimen : 15BG\_0802A  
 Volume : 9.000 masse : n.d  
 Lat : -20.89903 Long : -69.32187 Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 20 21  
 azimuth mag : 7.0 IGRF Declination : -5.1  
 azimuth sun : 254.0 Local Declination : -5.7  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 91.3  
 core dip : 33.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	3.962E-06	4.402E-01	2.9	-13.6	5.4	-46.6	5.4	-46.6	0	C1	7.778E-04
0.0 F0	0:0:0	3.972E-06	4.413E-01	4.8	-12.9	8.1	-45.7	8.1	-45.7	0	C1	0.000E+00
5.0 F+	0:0:0	3.956E-06	4.396E-01	4.6	-12.8	7.7	-45.6	7.7	-45.6	0	C1	0.000E+00
10.0 F-	0:0:0	3.907E-06	4.341E-01	4.6	-12.8	7.7	-45.6	7.7	-45.6	0	C1	0.000E+00
15.0 F+	0:0:0	3.830E-06	4.256E-01	4.6	-12.4	7.7	-45.3	7.7	-45.3	1	C1	0.000E+00
20.0 F-	0:0:0	3.735E-06	4.150E-01	4.7	-12.9	7.9	-45.7	7.9	-45.7	0	C1	0.000E+00
30.0 F+	0:0:0	3.498E-06	3.886E-01	4.8	-12.9	8.1	-45.7	8.1	-45.7	0	C1	0.000E+00
40.0 F-	0:0:0	3.303E-06	3.670E-01	4.8	-13.0	8.0	-45.9	8.0	-45.9	0	C1	0.000E+00
50.0 F+	0:0:0	3.084E-06	3.427E-01	4.8	-12.8	8.1	-45.6	8.1	-45.6	0	C1	0.000E+00
60.0 F-	0:0:0	2.863E-06	3.181E-01	5.0	-13.2	8.3	-46.0	8.3	-46.0	0	C1	0.000E+00
70.0 F+	0:0:0	2.644E-06	2.937E-01	4.6	-12.9	7.7	-45.7	7.7	-45.7	0	C1	0.000E+00
80.0 F-	0:0:0	2.465E-06	2.738E-01	4.3	-13.0	7.3	-45.9	7.3	-45.9	0	C1	0.000E+00
90.0 F+	0:0:0	2.269E-06	2.521E-01	4.8	-12.8	8.0	-45.7	8.0	-45.7	0	C1	0.000E+00
100.0 F-	0:0:0	2.044E-06	2.272E-01	4.8	-13.0	8.0	-45.9	8.0	-45.9	0	C1	0.000E+00
110.0 F+	0:0:0	1.869E-06	2.077E-01	5.0	-13.0	8.3	-45.9	8.3	-45.9	0	C1	0.000E+00





15BG\_0802A AF IS

----- Parameters sample & data -----

Site : 15BG\_0  
 Sample : 15BG\_090  
 Specimen : 15BG\_0903B  
 Volume : 5.000 masse : n.d  
 Lat : -20.89949 Long : -69.32024 Elevation : 0.0  
 Sampling date : 2015 9 12  
 Sampling time UTM : 20 45  
 azimuth mag : 56.0 IGRF Declination : -5.1  
 azimuth sun : 305.0 Local Declination : -6.6  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 139.4  
 core dip : 7.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana GPS pt 168"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.640E-05	3.279E+00	283.2	-60.8	319.9	-61.6	319.9	-61.6	0	C1	0.000E+00
5.0 F+	0:0:0	1.634E-05	3.267E+00	282.9	-60.7	319.7	-61.5	319.7	-61.5	0	C1	0.000E+00
10.0 F-	0:0:0	1.612E-05	3.225E+00	282.7	-60.9	319.4	-61.7	319.4	-61.7	0	C1	0.000E+00
15.0 F+	0:0:0	1.580E-05	3.159E+00	282.6	-61.0	319.2	-61.7	319.2	-61.7	0	C1	0.000E+00
20.0 F-	0:0:0	1.533E-05	3.067E+00	282.4	-61.0	319.0	-61.7	319.0	-61.7	0	C1	0.000E+00
30.0 F+	0:0:0	1.409E-05	2.818E+00	282.1	-61.0	318.8	-61.7	318.8	-61.7	0	C1	0.000E+00
40.0 F-	0:0:0	1.290E-05	2.581E+00	282.0	-61.0	318.6	-61.7	318.6	-61.7	0	C1	0.000E+00
60.0 F+	0:0:0	1.006E-05	2.013E+00	281.7	-60.9	318.3	-61.6	318.3	-61.6	0	C1	0.000E+00
80.0 F-	0:0:0	7.414E-06	1.483E+00	281.7	-61.0	318.3	-61.7	318.3	-61.7	0	C1	0.000E+00
110.0 F+	0:0:0	4.287E-06	8.575E-01	281.5	-60.7	318.3	-61.3	318.3	-61.3	0	C1	0.000E+00
130.0 F-	0:0:0	2.956E-06	5.913E-01	282.0	-60.8	318.7	-61.5	318.7	-61.5	0	C1	0.000E+00



scale: 1A/m

15BG\_0903B

AF IS





----- Parameters sample & data -----

Site : 15BG\_1  
 Sample : 15BG\_120  
 Specimen : 15BG\_1201B  
 Volume : 10.800 masse : n.d  
 Lat : -20.89840 Long : -69.33993 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 18 55  
 azimuth mag : 296.0 IGRF Declination : -5.1  
 azimuth sun : 169.0 Local Declination : -5.8  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 20.2  
 core dip : 13.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	1.414E-06	1.309E-01	27.6	-24.6	321.6	-36.0	321.6	-36.0	0	C1	7.685E-04
0.0 F+	0:0:0	1.409E-06	1.305E-01	29.8	-26.2	324.3	-37.2	324.3	-37.2	0	C1	0.000E+00
5.0 F-	0:0:0	1.392E-06	1.288E-01	29.6	-26.0	324.0	-37.1	324.0	-37.1	0	C1	0.000E+00
10.0 F+	0:0:0	1.334E-06	1.235E-01	29.3	-25.8	323.7	-36.9	323.7	-36.9	0	C1	0.000E+00
15.0 F-	0:0:0	1.251E-06	1.159E-01	29.1	-25.6	323.4	-36.8	323.4	-36.8	0	C1	0.000E+00
20.0 F+	0:0:0	1.146E-06	1.062E-01	28.9	-25.5	323.2	-36.7	323.2	-36.7	0	C1	0.000E+00
25.0 F-	0:0:0	1.026E-06	9.504E-02	28.7	-25.5	322.9	-36.7	322.9	-36.7	0	C1	0.000E+00
30.0 F+	0:0:0	9.047E-07	8.377E-02	28.2	-25.6	322.4	-36.9	322.4	-36.9	0	C1	0.000E+00
40.0 F-	0:0:0	7.591E-07	7.029E-02	26.9	-24.9	320.8	-36.3	320.8	-36.3	0	C1	0.000E+00
50.0 F+	0:0:0	6.789E-07	6.286E-02	29.3	-25.9	323.7	-37.0	323.7	-37.0	0	C1	0.000E+00
60.0 F-	0:0:0	5.875E-07	5.440E-02	28.8	-25.2	323.0	-36.4	323.0	-36.4	0	C1	0.000E+00
70.0 F+	0:0:0	5.299E-07	4.907E-02	29.0	-26.4	323.4	-37.5	323.4	-37.5	0	C1	0.000E+00
90.0 F+	0:0:0	4.320E-07	4.000E-02	29.9	-26.1	324.4	-37.1	324.4	-37.1	0	C1	0.000E+00
110.0 F-	0:0:0	3.441E-07	3.186E-02	25.1	-23.9	318.6	-35.5	318.6	-35.5	0	C1	0.000E+00
130.0 F+	0:0:0	2.975E-07	2.754E-02	23.4	-26.7	317.2	-38.5	317.2	-38.5	0	C1	0.000E+00

In situ



15BG\_1201B

AF IS



----- Parameters sample & data -----

Site : 15BG\_1  
 Sample : 15BG\_120  
 Specimen : 15BG\_1201C  
 Volume : 10.800      masse : n.d  
 Lat : -20.89840      Long : -69.33993      Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 18 55  
 azimuth mag : 296.0 IGRF Declination : -5.1  
 azimuth sun : 169.0 Local Declination : -5.8  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 20.2  
 core dip : 13.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	1.901E-06	1.760E-01	29.5	-23.1	323.4	-34.3	323.4	-34.3	0	C1	1.426E-03
5.0 F+	0:0:0	1.859E-06	1.721E-01	29.2	-23.4	323.1	-34.6	323.1	-34.6	0	C1	0.000E+00
10.0 F-	0:0:0	1.730E-06	1.601E-01	28.7	-23.1	322.5	-34.3	322.5	-34.3	0	C1	0.000E+00
15.0 F+	0:0:0	1.552E-06	1.437E-01	28.1	-22.9	321.9	-34.2	321.9	-34.2	0	C1	0.000E+00
20.0 F-	0:0:0	1.350E-06	1.250E-01	27.7	-22.7	321.4	-34.1	321.4	-34.1	0	C1	0.000E+00
25.0 F+	0:0:0	1.145E-06	1.060E-01	27.6	-22.4	321.2	-33.7	321.2	-33.7	0	C1	0.000E+00
30.0 F-	0:0:0	9.847E-07	9.117E-02	26.4	-22.5	320.0	-34.0	320.0	-34.0	0	C1	0.000E+00
35.0 F+	0:0:0	8.614E-07	7.976E-02	27.5	-22.5	321.1	-33.8	321.1	-33.8	0	C1	0.000E+00
40.0 F-	0:0:0	7.975E-07	7.384E-02	26.3	-22.8	319.8	-34.3	319.8	-34.3	0	C1	0.000E+00
50.0 F+	0:0:0	6.862E-07	6.354E-02	27.8	-21.7	321.3	-33.0	321.3	-33.0	0	C1	0.000E+00
60.0 F-	0:0:0	5.924E-07	5.485E-02	24.9	-23.2	318.3	-34.9	318.3	-34.9	0	C1	0.000E+00
70.0 F+	0:0:0	5.391E-07	4.992E-02	27.3	-21.6	320.7	-33.0	320.7	-33.0	0	C1	0.000E+00
80.0 F-	0:0:0	4.915E-07	4.551E-02	26.8	-24.1	320.6	-35.5	320.6	-35.5	0	C1	0.000E+00
90.0 F+	0:0:0	4.222E-07	3.909E-02	28.8	-20.4	322.3	-31.6	322.3	-31.6	0	C1	0.000E+00
100.0 F-	0:0:0	4.033E-07	3.734E-02	24.8	-24.9	318.5	-36.5	318.5	-36.5	0	C1	0.000E+00

In situ



15BG\_1201C



AF IS

----- Parameters sample & data -----

Site : 15BG\_1  
 Sample : 15BG\_140  
 Specimen : 15BG\_1401B  
 Volume : 10.800 masse : n.d  
 Lat : -20.89840 Long : -69.33993 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 18 59  
 azimuth mag : 306.0 IGRF Declination : -5.1  
 azimuth sun : 180.0 Local Declination : -5.7  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 30.3  
 core dip : 16.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	3.613E-05	3.346E+00	36.4	-14.9	340.6	-27.5	340.6	-27.5	0	C1	1.519E-03
5.0 F+	0:0:0	3.603E-05	3.337E+00	36.3	-14.8	340.5	-27.4	340.5	-27.4	0	C1	0.000E+00
10.0 F-	0:0:0	3.577E-05	3.312E+00	36.3	-14.8	340.5	-27.4	340.5	-27.4	0	C1	0.000E+00
15.0 F+	0:0:0	3.542E-05	3.279E+00	36.3	-14.8	340.4	-27.4	340.4	-27.4	0	C1	0.000E+00
20.0 F-	0:0:0	3.493E-05	3.234E+00	36.3	-14.8	340.5	-27.4	340.5	-27.4	0	C1	0.000E+00
30.0 F+	0:0:0	3.354E-05	3.106E+00	36.2	-14.8	340.3	-27.4	340.3	-27.4	0	C1	0.000E+00
40.0 F-	0:0:0	3.195E-05	2.958E+00	36.4	-14.7	340.5	-27.3	340.5	-27.3	0	C1	0.000E+00
50.0 F+	0:0:0	2.988E-05	2.767E+00	36.1	-14.7	340.2	-27.4	340.2	-27.4	0	C1	0.000E+00
60.0 F-	0:0:0	2.766E-05	2.561E+00	36.5	-14.7	340.6	-27.3	340.6	-27.3	0	C1	0.000E+00
70.0 F+	0:0:0	2.548E-05	2.359E+00	36.0	-14.7	340.1	-27.4	340.1	-27.4	0	C1	0.000E+00
80.0 F-	0:0:0	2.344E-05	2.170E+00	36.6	-14.7	340.8	-27.3	340.8	-27.3	0	C1	0.000E+00
90.0 F+	0:0:0	2.143E-05	1.985E+00	35.8	-14.7	339.9	-27.4	339.9	-27.4	0	C1	0.000E+00
100.0 F-	0:0:0	1.930E-05	1.787E+00	36.7	-14.7	340.9	-27.2	340.9	-27.2	0	C1	0.000E+00
120.0 F+	0:0:0	1.594E-05	1.475E+00	35.7	-14.7	339.8	-27.4	339.8	-27.4	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15BG\_1  
 Sample : 15BG\_160  
 Specimen : 15BG\_1601B  
 Volume : 7.500 masse : n.d  
 Lat : -20.89840 Long : -69.33993 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 19 6  
 azimuth mag : 9.0 IGRF Declination : -5.1  
 azimuth sun : 244.0 Local Declination : -6.1  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 92.9  
 core dip : 21.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	2.443E-05	3.257E+00	349.1	-20.1	349.4	-40.6	349.4	-40.6	0	C1	1.827E-03
10.0 F+	0:0:0	2.415E-05	3.220E+00	344.0	-20.2	343.1	-40.3	343.1	-40.3	0	C1	0.000E+00
20.0 F-	0:0:0	2.313E-05	3.084E+00	334.1	-20.6	331.1	-39.1	331.1	-39.1	0	C1	0.000E+00
30.0 F+	0:0:0	2.125E-05	2.833E+00	331.0	-20.8	327.5	-38.7	327.5	-38.7	0	C1	0.000E+00
40.0 F-	0:0:0	1.908E-05	2.544E+00	318.9	-21.3	313.6	-36.2	313.6	-36.2	0	C1	0.000E+00
60.0 F+	0:0:0	1.425E-05	1.900E+00	315.5	-21.4	309.8	-35.3	309.8	-35.3	0	C1	0.000E+00
80.0 F-	0:0:0	1.027E-05	1.369E+00	299.7	-21.8	293.1	-30.8	293.1	-30.8	0	C1	0.000E+00
100.0 F+	0:0:0	7.294E-06	9.725E-01	296.2	-21.9	289.6	-29.6	289.6	-29.6	0	C1	0.000E+00
120.0 F-	0:0:0	5.175E-06	6.900E-01	284.3	-22.3	277.9	-25.8	277.9	-25.8	0	C1	0.000E+00
120.0 F0	0:0:0	5.152E-06	6.869E-01	352.4	-21.2	353.3	-41.9	353.3	-41.9	1	C1	0.000E+00
130.0 FX	0:0:0	4.343E-06	5.791E-01	351.0	-22.7	351.5	-43.4	351.5	-43.4	0	C1	0.000E+00
130.0 FY	0:0:0	4.126E-06	5.502E-01	353.0	-24.0	353.9	-44.8	353.9	-44.8	0	C1	0.000E+00
130.0 FZ	0:0:0	3.908E-06	5.211E-01	352.2	-22.3	353.0	-43.0	353.0	-43.0	0	C1	0.000E+00



scale: 1A/m

15BG\_1601B

AF IS





----- Parameters sample & data -----

Site : 15BG\_1  
 Sample : 15BG\_190  
 Specimen : 15BG\_1901C  
 Volume : 10.800 masse : n.d  
 Lat : -20.89840 Long : -69.33993 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 20 20  
 azimuth mag : 96.0 IGRF Declination : -5.1  
 azimuth sun : 344.0 Local Declination : -5.0  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 181.0  
 core dip : 22.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	1.757E-06	1.626E-01	245.9	-58.2	313.9	-45.0	313.9	-45.0	2	C1	1.130E-03
5.0 F+	0:0:0	1.716E-06	1.589E-01	247.0	-58.8	314.2	-45.9	314.2	-45.9	0	C1	0.000E+00
10.0 F-	0:0:0	1.575E-06	1.459E-01	245.9	-59.5	313.0	-46.1	313.0	-46.1	0	C1	0.000E+00
15.0 F+	0:0:0	1.384E-06	1.282E-01	244.6	-60.4	311.5	-46.7	311.5	-46.7	0	C1	0.000E+00
20.0 F-	0:0:0	1.193E-06	1.105E-01	244.6	-60.7	311.3	-46.9	311.3	-46.9	0	C1	0.000E+00
25.0 F+	0:0:0	1.027E-06	9.508E-02	243.3	-61.5	309.9	-47.3	309.9	-47.3	0	C1	0.000E+00
30.0 F-	0:0:0	8.962E-07	8.299E-02	243.6	-61.7	310.0	-47.5	310.0	-47.5	0	C1	0.000E+00
35.0 F+	0:0:0	7.957E-07	7.368E-02	244.6	-62.3	310.1	-48.3	310.1	-48.3	0	C1	0.000E+00
40.0 F-	0:0:0	7.509E-07	6.953E-02	244.8	-62.0	310.5	-48.0	310.5	-48.0	0	C1	0.000E+00
45.0 F+	0:0:0	6.868E-07	6.360E-02	244.9	-63.5	309.4	-49.3	309.4	-49.3	0	C1	0.000E+00
50.0 F-	0:0:0	6.327E-07	5.858E-02	243.6	-63.4	308.7	-49.0	308.7	-49.0	0	C1	0.000E+00
60.0 F+	0:0:0	5.482E-07	5.076E-02	241.6	-63.7	307.3	-48.8	307.3	-48.8	0	C1	0.000E+00
70.0 F-	0:0:0	4.947E-07	4.581E-02	245.2	-63.3	309.7	-49.3	309.7	-49.3	0	C1	0.000E+00
80.0 F+	0:0:0	4.458E-07	4.128E-02	241.1	-64.8	306.2	-49.6	306.2	-49.6	0	C1	0.000E+00
90.0 F-	0:0:0	4.098E-07	3.795E-02	245.2	-64.9	308.4	-50.6	308.4	-50.6	0	C1	0.000E+00
100.0 F+	0:0:0	3.502E-07	3.242E-02	241.3	-64.3	306.7	-49.2	306.7	-49.2	0	C1	0.000E+00





15BG\_1901C AF IS

----- Parameters sample & data -----

Site : 15BG\_2  
 Sample : 15BG\_200  
 Specimen : 15BG\_2001A  
 Volume : 7.000 masse : n.d  
 Lat : -20.89957 Long : -69.33987 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 21 37  
 azimuth mag : 102.0 IGRF Declination : -5.1  
 azimuth sun : 359.0 Local Declination : -4.4  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 187.6  
 core dip : 30.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	9.250E-06	1.321E+00	270.6	-13.7	1.1	-12.1	1.1	-12.1	0	C1	0.000E+00
5.0 F+	0:0:0	9.109E-06	1.301E+00	270.3	-13.7	0.9	-12.0	0.9	-12.0	0	C1	0.000E+00
10.0 F-	0:0:0	8.777E-06	1.254E+00	270.2	-13.4	1.0	-11.6	1.0	-11.6	0	C1	0.000E+00
15.0 F+	0:0:0	8.399E-06	1.200E+00	269.9	-13.4	0.7	-11.5	0.7	-11.5	0	C1	0.000E+00
20.0 F-	0:0:0	8.009E-06	1.144E+00	269.7	-13.2	0.7	-11.3	0.7	-11.3	0	C1	0.000E+00
25.0 F+	0:0:0	7.613E-06	1.088E+00	269.6	-13.2	0.5	-11.2	0.5	-11.2	0	C1	0.000E+00
30.0 F-	0:0:0	7.184E-06	1.026E+00	269.5	-13.1	0.6	-11.1	0.6	-11.1	0	C1	0.000E+00
40.0 F+	0:0:0	6.490E-06	9.271E-01	269.5	-13.0	0.6	-11.0	0.6	-11.0	0	C1	0.000E+00
50.0 F-	0:0:0	5.774E-06	8.248E-01	269.5	-13.0	0.6	-11.0	0.6	-11.0	0	C1	0.000E+00
60.0 F+	0:0:0	5.131E-06	7.330E-01	269.7	-12.9	0.8	-11.0	0.8	-11.0	0	C1	0.000E+00
70.0 F-	0:0:0	4.596E-06	6.566E-01	269.6	-13.0	0.7	-11.0	0.7	-11.0	0	C1	0.000E+00
80.0 F+	0:0:0	4.127E-06	5.896E-01	269.3	-13.0	0.4	-10.8	0.4	-10.8	0	C1	0.000E+00
90.0 F-	0:0:0	3.697E-06	5.282E-01	269.7	-12.8	0.8	-10.9	0.8	-10.9	0	C1	0.000E+00
100.0 F+	0:0:0	3.256E-06	4.652E-01	269.6	-13.0	0.7	-11.0	0.7	-11.0	0	C1	0.000E+00
110.0 F-	0:0:0	2.932E-06	4.189E-01	269.8	-12.7	1.0	-10.9	1.0	-10.9	0	C1	0.000E+00
120.0 F+	0:0:0	2.634E-06	3.763E-01	269.4	-13.1	0.4	-11.0	0.4	-11.0	0	C1	0.000E+00
130.0 F-	0:0:0	2.362E-06	3.374E-01	270.1	-12.9	1.1	-11.2	1.1	-11.2	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15BN01  
 Sample : 15BN0101  
 Specimen : 15BN0101C  
 Volume : 10.800      masse : n.d  
 Lat : -20.98858      Long : -69.29995      Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.1  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 85.0  
 core dip : 0.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Chipana"  
 Observation : "not oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	4.760E-05	4.408E+00	279.1	-80.9	274.1	-80.9	274.1	-80.9	0	C1	4.731E-03
5.0 F+	0:0:0	4.715E-05	4.366E+00	275.4	-81.2	270.4	-81.2	270.4	-81.2	0	C1	0.000E+00
10.0 F-	0:0:0	4.506E-05	4.172E+00	275.6	-81.2	270.6	-81.2	270.6	-81.2	0	C1	0.000E+00
15.0 F+	0:0:0	4.267E-05	3.951E+00	275.6	-81.2	270.6	-81.2	270.6	-81.2	0	C1	0.000E+00
20.0 F-	0:0:0	4.052E-05	3.751E+00	276.0	-81.2	271.0	-81.2	271.0	-81.2	0	C1	0.000E+00
30.0 F+	0:0:0	3.709E-05	3.435E+00	276.3	-81.2	271.3	-81.2	271.3	-81.2	0	C1	0.000E+00
40.0 F-	0:0:0	3.466E-05	3.209E+00	276.5	-81.2	271.5	-81.2	271.5	-81.2	0	C1	0.000E+00
50.0 F+	0:0:0	3.186E-05	2.950E+00	276.4	-81.3	271.4	-81.3	271.4	-81.3	0	C1	0.000E+00
60.0 F-	0:0:0	2.905E-05	2.690E+00	276.9	-81.2	271.9	-81.2	271.9	-81.2	0	C1	0.000E+00
70.0 F+	0:0:0	2.610E-05	2.417E+00	276.2	-81.3	271.2	-81.3	271.2	-81.3	0	C1	0.000E+00
80.0 F-	0:0:0	2.362E-05	2.187E+00	276.7	-81.3	271.7	-81.3	271.7	-81.3	0	C1	0.000E+00
90.0 F+	0:0:0	2.098E-05	1.943E+00	276.2	-81.3	271.2	-81.3	271.2	-81.3	0	C1	0.000E+00
110.0 F-	0:0:0	1.637E-05	1.515E+00	277.5	-81.3	272.5	-81.3	272.5	-81.3	0	C1	0.000E+00



scale: 1A/m

15BN0101C


AF IS

----- Parameters sample & data -----

Site : 15C\_21  
 Sample : 15C\_2101  
 Specimen : 15C\_2101B  
 Volume : 9.500 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 17 14  
 azimuth mag : 145.0 IGRF Declination : -5.1  
 azimuth sun : 345.0 Local Declination : -3.2  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 231.8  
 core dip : 16.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	1.808E-05	1.904E+00	222.9	-57.1	352.8	-44.3	352.8	-44.3	0	C1	0.000E+00
5.0 F+	0:0:0	1.764E-05	1.856E+00	222.7	-57.2	352.7	-44.3	352.7	-44.3	0	C1	0.000E+00
10.0 F-	0:0:0	1.658E-05	1.745E+00	222.8	-57.2	352.8	-44.3	352.8	-44.3	0	C1	0.000E+00
20.0 F+	0:0:0	1.397E-05	1.471E+00	222.8	-57.2	352.7	-44.3	352.7	-44.3	0	C1	0.000E+00
30.0 F-	0:0:0	1.089E-05	1.146E+00	223.1	-57.5	352.9	-44.6	352.9	-44.6	0	C1	0.000E+00
40.0 F+	0:0:0	8.701E-06	9.159E-01	223.3	-57.4	353.0	-44.6	353.0	-44.6	0	C1	0.000E+00
50.0 F-	0:0:0	6.885E-06	7.247E-01	223.9	-57.1	353.6	-44.3	353.6	-44.3	0	C1	0.000E+00
60.0 F+	0:0:0	5.654E-06	5.952E-01	223.6	-57.1	353.4	-44.3	353.4	-44.3	0	C1	0.000E+00
70.0 F-	0:0:0	4.773E-06	5.024E-01	224.0	-57.1	353.6	-44.3	353.6	-44.3	0	C1	0.000E+00
80.0 F+	0:0:0	4.228E-06	4.451E-01	223.8	-56.9	353.6	-44.2	353.6	-44.2	0	C1	0.000E+00
90.0 F-	0:0:0	3.751E-06	3.949E-01	223.9	-56.9	353.7	-44.2	353.7	-44.2	0	C1	0.000E+00
100.0 F+	0:0:0	3.399E-06	3.578E-01	224.0	-56.8	353.8	-44.1	353.8	-44.1	0	C1	0.000E+00
110.0 F-	0:0:0	3.137E-06	3.302E-01	223.7	-56.9	353.5	-44.2	353.5	-44.2	0	C1	0.000E+00
120.0 F+	0:0:0	2.943E-06	3.098E-01	224.2	-56.6	354.0	-44.0	354.0	-44.0	1	C1	0.000E+00
130.0 F-	0:0:0	2.767E-06	2.913E-01	223.8	-56.7	353.7	-44.0	353.7	-44.0	0	C1	0.000E+00







----- Parameters sample & data -----

Site : 15C\_21  
 Sample : 15C\_2102  
 Specimen : 15C\_2102B  
 Volume : 9.500 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 17 17  
 azimuth mag : 177.0 IGRF Declination : -5.1  
 azimuth sun : 19.0 Local Declination : -2.7  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 264.3  
 core dip : 25.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	2.326E-05	2.449E+00	192.4	-43.7	3.7	-19.2	3.7	-19.2	0	C1	2.842E-03
5.0 F+	0:0:0	2.224E-05	2.341E+00	192.6	-43.9	3.9	-19.3	3.9	-19.3	0	C1	0.000E+00
10.0 F-	0:0:0	1.971E-05	2.074E+00	192.8	-43.8	4.0	-19.3	4.0	-19.3	0	C1	0.000E+00
15.0 F+	0:0:0	1.669E-05	1.757E+00	192.9	-43.9	4.1	-19.4	4.1	-19.4	0	C1	0.000E+00
20.0 F-	0:0:0	1.358E-05	1.429E+00	193.2	-44.1	4.3	-19.6	4.3	-19.6	0	C1	0.000E+00
25.0 F+	0:0:0	1.084E-05	1.141E+00	193.2	-44.1	4.4	-19.6	4.4	-19.6	0	C1	0.000E+00
30.0 F-	0:0:0	8.617E-06	9.071E-01	193.5	-44.3	4.5	-19.8	4.5	-19.8	0	C1	0.000E+00
40.0 F+	0:0:0	6.255E-06	6.585E-01	193.6	-44.3	4.6	-19.9	4.6	-19.9	0	C1	0.000E+00
50.0 F-	0:0:0	4.652E-06	4.897E-01	193.8	-44.7	4.7	-20.2	4.7	-20.2	0	C1	0.000E+00
60.0 F+	0:0:0	3.771E-06	3.970E-01	193.9	-44.6	4.8	-20.2	4.8	-20.2	0	C1	0.000E+00
80.0 F-	0:0:0	2.843E-06	2.993E-01	193.9	-45.3	4.7	-20.8	4.7	-20.8	0	C1	0.000E+00
100.0 F+	0:0:0	2.357E-06	2.481E-01	194.3	-45.5	5.0	-21.1	5.0	-21.1	0	C1	0.000E+00
120.0 F-	0:0:0	2.088E-06	2.198E-01	194.3	-45.9	5.0	-21.5	5.0	-21.5	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15C\_21  
 Sample : 15C\_2103  
 Specimen : 15C\_2103B  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 17 20  
 azimuth mag : 60.0 IGRF Declination : -5.1  
 azimuth sun : 261.0 Local Declination : -5.3  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 144.7  
 core dip : 33.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : " Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F+	0:0:0	3.394E-06	3.143E-01	318.5	-12.6	2.0	-35.5	2.0	-35.5	0	C1	0.000E+00
5.0 F-	0:0:0	3.264E-06	3.022E-01	318.5	-12.5	2.2	-35.5	2.2	-35.5	0	C1	0.000E+00
10.0 F+	0:0:0	3.007E-06	2.784E-01	318.4	-12.3	2.1	-35.2	2.1	-35.2	0	C1	0.000E+00
15.0 F-	0:0:0	2.685E-06	2.486E-01	318.1	-12.5	1.7	-35.2	1.7	-35.2	0	C1	0.000E+00
20.0 F+	0:0:0	2.298E-06	2.128E-01	318.0	-12.6	1.6	-35.3	1.6	-35.3	0	C1	0.000E+00
30.0 F-	0:0:0	1.521E-06	1.408E-01	317.2	-12.7	0.6	-35.1	0.6	-35.1	0	C1	0.000E+00
40.0 F+	0:0:0	1.057E-06	9.787E-02	317.4	-12.8	0.9	-35.2	0.9	-35.2	0	C1	0.000E+00
60.0 F-	0:0:0	5.631E-07	5.214E-02	317.2	-12.9	0.5	-35.2	0.5	-35.2	0	C1	0.000E+00
80.0 F+	0:0:0	3.858E-07	3.573E-02	317.5	-12.2	1.2	-34.8	1.2	-34.8	0	C1	0.000E+00
100.0 F-	0:0:0	2.959E-07	2.740E-02	317.8	-12.6	1.4	-35.2	1.4	-35.2	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15C\_22  
 Sample : 15C\_2201  
 Specimen : 15C\_2201B  
 Volume : 8.000 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 17 43  
 azimuth mag : 218.0 IGRF Declination : -5.1  
 azimuth sun : 72.0 Local Declination : -2.7  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 305.3  
 core dip : 72.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	1.384E-05	1.730E+00	55.4	-59.6	5.7	-32.6	5.7	-32.6	0	C1	1.562E-03
5.0 F+	0:0:0	1.382E-05	1.727E+00	55.6	-59.5	5.5	-32.6	5.5	-32.6	0	C1	0.000E+00
10.0 F-	0:0:0	1.375E-05	1.718E+00	55.2	-59.8	5.9	-32.7	5.9	-32.7	0	C1	0.000E+00
15.0 F+	0:0:0	1.359E-05	1.698E+00	55.6	-59.7	5.7	-32.5	5.7	-32.5	0	C1	0.000E+00
20.0 F-	0:0:0	1.334E-05	1.668E+00	55.6	-59.9	5.9	-32.5	5.9	-32.5	0	C1	0.000E+00
30.0 F+	0:0:0	1.257E-05	1.571E+00	55.6	-59.9	5.9	-32.5	5.9	-32.5	0	C1	0.000E+00
40.0 F-	0:0:0	1.177E-05	1.471E+00	55.9	-59.8	5.8	-32.4	5.8	-32.4	0	C1	0.000E+00
50.0 F+	0:0:0	1.073E-05	1.342E+00	55.8	-60.0	6.0	-32.3	6.0	-32.3	0	C1	0.000E+00
65.0 F-	0:0:0	9.271E-06	1.159E+00	55.9	-60.0	6.0	-32.3	6.0	-32.3	0	C1	0.000E+00
80.0 F+	0:0:0	7.967E-06	9.958E-01	56.2	-60.0	5.9	-32.2	5.9	-32.2	0	C1	0.000E+00
100.0 F-	0:0:0	6.307E-06	7.884E-01	56.3	-60.0	5.8	-32.1	5.8	-32.1	0	C1	0.000E+00
120.0 F+	0:0:0	4.952E-06	6.189E-01	56.3	-60.1	6.0	-32.0	6.0	-32.0	0	C1	0.000E+00
140.0 F-	0:0:0	3.950E-06	4.937E-01	55.9	-60.1	6.1	-32.2	6.1	-32.2	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15C\_23  
 Sample : 15C\_2301  
 Specimen : 15C\_2301B  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 17 45  
 azimuth mag : 172.0 IGRF Declination : -5.1  
 azimuth sun : 27.0 Local Declination : -2.5  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 259.5  
 core dip : 72.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo"  
 Observation : "oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	4.264E-06	3.949E-01	334.7	-62.8	4.7	-41.9	4.7	-41.9	1	C1	5.370E-04
0.0 F0	0:0:0	4.252E-06	3.937E-01	335.2	-62.1	5.0	-42.6	5.0	-42.6	0	C1	0.000E+00
5.0 F+	0:0:0	4.250E-06	3.935E-01	335.0	-62.0	5.1	-42.6	5.1	-42.6	0	C1	0.000E+00
10.0 F-	0:0:0	4.227E-06	3.913E-01	334.9	-61.9	5.3	-42.7	5.3	-42.7	0	C1	0.000E+00
15.0 F+	0:0:0	4.185E-06	3.875E-01	335.1	-61.9	5.2	-42.8	5.2	-42.8	0	C1	0.000E+00
20.0 F-	0:0:0	4.131E-06	3.825E-01	335.0	-61.4	5.6	-43.1	5.6	-43.1	0	C1	0.000E+00
25.0 F+	0:0:0	4.067E-06	3.765E-01	334.9	-61.8	5.4	-42.8	5.4	-42.8	0	C1	0.000E+00
30.0 F-	0:0:0	3.985E-06	3.689E-01	335.3	-61.8	5.1	-42.9	5.1	-42.9	0	C1	0.000E+00
40.0 F+	0:0:0	3.829E-06	3.545E-01	335.0	-61.6	5.4	-43.0	5.4	-43.0	0	C1	0.000E+00
50.0 F-	0:0:0	3.611E-06	3.343E-01	334.7	-61.7	5.6	-42.8	5.6	-42.8	0	C1	0.000E+00
60.0 F+	0:0:0	3.346E-06	3.098E-01	335.1	-61.5	5.5	-43.1	5.5	-43.1	0	C1	0.000E+00
70.0 F-	0:0:0	3.045E-06	2.820E-01	334.6	-61.8	5.5	-42.7	5.5	-42.7	0	C1	0.000E+00
80.0 F+	0:0:0	2.748E-06	2.545E-01	335.5	-61.7	5.1	-43.1	5.1	-43.1	0	C1	0.000E+00
90.0 F-	0:0:0	2.444E-06	2.263E-01	336.9	-62.6	3.7	-42.6	3.7	-42.6	0	C1	0.000E+00
100.0 F+	0:0:0	2.131E-06	1.973E-01	335.8	-62.9	4.1	-42.1	4.1	-42.1	0	C1	0.000E+00
110.0 F+	0:0:0	1.872E-06	1.733E-01	333.0	-62.0	6.2	-42.1	6.2	-42.1	0	C1	0.000E+00
120.0 F-	0:0:0	1.605E-06	1.486E-01	335.2	-62.3	4.8	-42.4	4.8	-42.4	0	C1	0.000E+00
130.0 F+	0:0:0	1.401E-06	1.297E-01	338.3	-62.6	2.9	-42.9	2.9	-42.9	0	C1	0.000E+00
140.0 F-	0:0:0	1.242E-06	1.150E-01	333.2	-61.7	6.3	-42.4	6.3	-42.4	0	C1	0.000E+00



15C\_2301B

AF IS





----- Parameters sample & data -----

Site : 15CN24  
 Sample : 15CN2401  
 Specimen : 15CN2401B  
 Volume : 9.000 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.1  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 85.0  
 core dip : 0.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo"  
 Observation : "not oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	3.675E-07	4.083E-02	146.2	36.9	141.2	36.9	141.2	36.9	0	C1	7.667E-04
5.0 F+	0:0:0	3.642E-07	4.046E-02	145.4	36.9	140.4	36.9	140.4	36.9	0	C1	0.000E+00
10.0 F-	0:0:0	3.526E-07	3.918E-02	145.0	36.4	140.0	36.4	140.0	36.4	0	C1	0.000E+00
15.0 F+	0:0:0	3.329E-07	3.699E-02	144.7	36.2	139.7	36.2	139.7	36.2	0	C1	0.000E+00
20.0 F-	0:0:0	3.122E-07	3.468E-02	144.6	35.9	139.6	35.9	139.6	35.9	0	C1	0.000E+00
30.0 F+	0:0:0	2.723E-07	3.025E-02	144.6	35.8	139.6	35.8	139.6	35.8	0	C1	0.000E+00
40.0 F-	0:0:0	2.433E-07	2.703E-02	144.7	35.5	139.7	35.5	139.7	35.5	0	C1	0.000E+00
50.0 F+	0:0:0	2.170E-07	2.411E-02	144.3	35.7	139.3	35.7	139.3	35.7	0	C1	0.000E+00
60.0 F-	0:0:0	1.958E-07	2.175E-02	144.6	35.3	139.6	35.3	139.6	35.3	0	C1	0.000E+00
80.0 F+	0:0:0	1.667E-07	1.853E-02	144.6	35.2	139.6	35.2	139.6	35.2	0	C1	0.000E+00
100.0 F-	0:0:0	1.447E-07	1.608E-02	143.8	35.7	138.8	35.7	138.8	35.7	0	C1	0.000E+00
120.0 F+	0:0:0	1.310E-07	1.456E-02	145.5	35.4	140.5	35.4	140.5	35.4	0	C1	0.000E+00



Down  
scale: 0.01A/m



15CN2401B      AF IS

----- Parameters sample & data -----

Site : 15CN24  
 Sample : 15CN2402  
 Specimen : 15CN2402C  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.1  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 85.0  
 core dip : 0.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo"  
 Observation : "not oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	5.375E-06	4.977E-01	7.8	-14.9	2.8	-14.9	2.8	-14.9	0	C1	0.000E+00
5.0 F+	0:0:0	5.363E-06	4.966E-01	7.7	-15.0	2.7	-15.0	2.7	-15.0	0	C1	0.000E+00
10.0 F-	0:0:0	5.319E-06	4.925E-01	7.7	-15.0	2.7	-15.0	2.7	-15.0	0	C1	0.000E+00
15.0 F+	0:0:0	5.256E-06	4.867E-01	7.7	-15.2	2.7	-15.2	2.7	-15.2	0	C1	0.000E+00
20.0 F-	0:0:0	5.166E-06	4.783E-01	7.7	-15.2	2.7	-15.2	2.7	-15.2	0	C1	0.000E+00
25.0 F+	0:0:0	5.061E-06	4.686E-01	7.6	-15.3	2.6	-15.3	2.6	-15.3	0	C1	0.000E+00
30.0 F-	0:0:0	4.929E-06	4.564E-01	7.6	-15.3	2.6	-15.3	2.6	-15.3	0	C1	0.000E+00
35.0 F+	0:0:0	4.808E-06	4.452E-01	7.6	-15.4	2.6	-15.4	2.6	-15.4	0	C1	0.000E+00
40.0 F-	0:0:0	4.700E-06	4.352E-01	7.6	-15.4	2.6	-15.4	2.6	-15.4	0	C1	0.000E+00
50.0 F+	0:0:0	4.444E-06	4.115E-01	7.6	-15.4	2.6	-15.4	2.6	-15.4	0	C1	0.000E+00
60.0 F-	0:0:0	4.179E-06	3.869E-01	7.6	-15.5	2.6	-15.5	2.6	-15.5	0	C1	0.000E+00
70.0 F+	0:0:0	3.909E-06	3.620E-01	7.5	-15.4	2.5	-15.4	2.5	-15.4	0	C1	0.000E+00
80.0 F-	0:0:0	3.654E-06	3.383E-01	7.6	-15.5	2.6	-15.5	2.6	-15.5	0	C1	0.000E+00
90.0 F+	0:0:0	3.384E-06	3.133E-01	7.6	-15.5	2.6	-15.5	2.6	-15.5	0	C1	0.000E+00
100.0 F-	0:0:0	3.110E-06	2.880E-01	7.6	-15.6	2.6	-15.6	2.6	-15.6	0	C1	0.000E+00
110.0 F+	0:0:0	2.861E-06	2.649E-01	7.6	-15.6	2.6	-15.6	2.6	-15.6	0	C1	0.000E+00
120.0 F-	0:0:0	2.642E-06	2.446E-01	7.6	-15.6	2.6	-15.6	2.6	-15.6	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15CN24  
 Sample : 15CN2403  
 Specimen : 15CN2403D  
 Volume : 10.800      masse : n.d  
 Lat : -20.98858      Long : -69.29995      Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.1  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 85.0  
 core dip : 0.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo"  
 Observation : "not oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	6.597E-07	6.109E-02	8.2	-14.4	3.2	-14.4	3.2	-14.4	0	C1	5.833E-04
5.0 F+	0:0:0	6.583E-07	6.096E-02	8.1	-14.5	3.1	-14.5	3.1	-14.5	0	C1	0.000E+00
10.0 F-	0:0:0	6.465E-07	5.986E-02	7.9	-15.0	2.9	-15.0	2.9	-15.0	0	C1	0.000E+00
15.0 F+	0:0:0	6.270E-07	5.806E-02	7.8	-15.4	2.8	-15.4	2.8	-15.4	0	C1	0.000E+00
20.0 F-	0:0:0	6.079E-07	5.629E-02	7.8	-15.7	2.8	-15.7	2.8	-15.7	0	C1	0.000E+00
25.0 F+	0:0:0	5.880E-07	5.444E-02	7.7	-15.9	2.7	-15.9	2.7	-15.9	0	C1	0.000E+00
30.0 F-	0:0:0	5.670E-07	5.250E-02	7.7	-16.1	2.7	-16.1	2.7	-16.1	0	C1	0.000E+00
35.0 F+	0:0:0	5.471E-07	5.066E-02	7.7	-16.2	2.7	-16.2	2.7	-16.2	0	C1	0.000E+00
40.0 F-	0:0:0	5.315E-07	4.922E-02	7.7	-16.2	2.7	-16.2	2.7	-16.2	0	C1	0.000E+00
50.0 F+	0:0:0	4.964E-07	4.596E-02	7.6	-16.7	2.6	-16.7	2.6	-16.7	0	C1	0.000E+00
60.0 F-	0:0:0	4.673E-07	4.327E-02	7.6	-16.4	2.6	-16.4	2.6	-16.4	0	C1	0.000E+00
70.0 F+	0:0:0	4.377E-07	4.053E-02	7.8	-16.8	2.8	-16.8	2.8	-16.8	0	C1	0.000E+00
80.0 F-	0:0:0	4.147E-07	3.840E-02	7.6	-16.7	2.6	-16.7	2.6	-16.7	0	C1	0.000E+00
100.0 F+	0:0:0	3.661E-07	3.389E-02	7.8	-16.9	2.8	-16.9	2.8	-16.9	0	C1	0.000E+00
120.0 F-	0:0:0	3.335E-07	3.088E-02	7.4	-16.7	2.4	-16.7	2.4	-16.7	0	C1	0.000E+00





----- Parameters sample & data -----

Site : 15CN24  
 Sample : 15CN2404  
 Specimen : 15CN2404B  
 Volume : 8.000 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.1  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 85.0  
 core dip : 0.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo"  
 Observation : "not oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 F0	0:0:0	4.982E-07	6.228E-02	110.8	-67.6	105.8	-67.6	105.8	-67.6	0	C1	2.125E-04
5.0 F+	0:0:0	4.964E-07	6.205E-02	110.4	-67.6	105.4	-67.6	105.4	-67.6	0	C1	0.000E+00
10.0 F-	0:0:0	4.856E-07	6.070E-02	110.4	-67.7	105.4	-67.7	105.4	-67.7	0	C1	0.000E+00
15.0 F+	0:0:0	4.691E-07	5.864E-02	110.4	-67.7	105.4	-67.7	105.4	-67.7	0	C1	0.000E+00
20.0 F-	0:0:0	4.447E-07	5.559E-02	110.3	-68.0	105.3	-68.0	105.3	-68.0	0	C1	0.000E+00
25.0 F+	0:0:0	4.174E-07	5.217E-02	110.2	-68.0	105.2	-68.0	105.2	-68.0	0	C1	0.000E+00
30.0 F-	0:0:0	3.854E-07	4.818E-02	109.2	-68.0	104.2	-68.0	104.2	-68.0	0	C1	0.000E+00
40.0 F+	0:0:0	3.424E-07	4.280E-02	109.9	-67.8	104.9	-67.8	104.9	-67.8	0	C1	0.000E+00
50.0 F-	0:0:0	2.993E-07	3.741E-02	109.7	-67.8	104.7	-67.8	104.7	-67.8	0	C1	0.000E+00
60.0 F+	0:0:0	2.659E-07	3.324E-02	109.1	-67.5	104.1	-67.5	104.1	-67.5	0	C1	0.000E+00
70.0 F-	0:0:0	2.357E-07	2.946E-02	108.1	-67.9	103.1	-67.9	103.1	-67.9	0	C1	0.000E+00
80.0 F+	0:0:0	2.143E-07	2.679E-02	109.5	-67.1	104.5	-67.1	104.5	-67.1	0	C1	0.000E+00
90.0 F-	0:0:0	1.919E-07	2.399E-02	110.7	-66.0	105.7	-66.0	105.7	-66.0	0	C1	0.000E+00
100.0 F+	0:0:0	1.759E-07	2.198E-02	109.2	-69.3	104.2	-69.3	104.2	-69.3	0	C1	0.000E+00
110.0 F-	0:0:0	1.540E-07	1.925E-02	106.3	-65.8	101.3	-65.8	101.3	-65.8	0	C1	0.000E+00



Down  
scale: 0.01A/m

15CN2404B      AF IS





----- Parameters sample & data -----

Site : 15CN24  
 Sample : 15CN2405  
 Specimen : 15CN2405A  
 Volume : 10.800 masse : n.d  
 Lat : -20.98858 Long : -69.29995 Elevation : 0.0  
 Sampling date : 2015 9 13  
 Sampling time UTM : 0 0  
 azimuth mag : 0.0 IGRF Declination : -5.1  
 azimuth sun : 0.0 Local Declination : n.d  
 Orientation : "use AGICO code A12\_0\_3\_90"  
 core azimuth : 85.0  
 core dip : 0.0  
 Strike bedding : 355.0  
 Dip bedding : 0.0  
 Formation : "Pica surface glasses"  
 Age : "12 - 15 ka"  
 Rock type : "Subaerial : Vitrified Object : Silicate Glass"  
 Locality : "Quebrada Guatacondo"  
 Observation : "not oriented"

dc applied magnetic field : 0.0  $\mu$ T

Step code	dc_field	Mag(Am2)	A/m	Dsc	Isc	Dis	Iis	Dtc	Itc	q	Mag	K
0.0 N0	0:0:0	6.960E-07	6.444E-02	94.5	79.7	89.5	79.7	89.5	79.7	0	C1	2.500E-04
0.0 F+	0:0:0	6.914E-07	6.402E-02	97.3	80.0	92.3	80.0	92.3	80.0	0	C1	0.000E+00
5.0 F-	0:0:0	6.881E-07	6.371E-02	96.4	80.1	91.4	80.1	91.4	80.1	0	C1	0.000E+00
10.0 F+	0:0:0	6.696E-07	6.200E-02	94.9	80.2	89.9	80.2	89.9	80.2	0	C1	0.000E+00
15.0 F-	0:0:0	6.419E-07	5.943E-02	94.9	80.5	89.9	80.5	89.9	80.5	0	C1	0.000E+00
20.0 F+	0:0:0	6.124E-07	5.670E-02	94.6	80.7	89.6	80.7	89.6	80.7	0	C1	0.000E+00
30.0 F-	0:0:0	5.509E-07	5.101E-02	93.6	80.9	88.6	80.9	88.6	80.9	0	C1	0.000E+00
40.0 F+	0:0:0	5.034E-07	4.661E-02	91.3	81.2	86.3	81.2	86.3	81.2	0	C1	0.000E+00
50.0 F-	0:0:0	4.505E-07	4.171E-02	91.2	83.4	86.2	83.4	86.2	83.4	0	C1	0.000E+00
60.0 F+	0:0:0	4.166E-07	3.858E-02	90.3	81.5	85.3	81.5	85.3	81.5	0	C1	0.000E+00
70.0 F-	0:0:0	3.807E-07	3.525E-02	89.5	81.7	84.5	81.7	84.5	81.7	0	C1	0.000E+00
80.0 F+	0:0:0	3.470E-07	3.213E-02	86.4	81.9	81.4	81.9	81.4	81.9	0	C1	0.000E+00
90.0 F-	0:0:0	3.201E-07	2.964E-02	89.9	81.1	84.9	81.1	84.9	81.1	0	C1	0.000E+00
100.0 F+	0:0:0	2.933E-07	2.716E-02	90.4	81.7	85.4	81.7	85.4	81.7	0	C1	0.000E+00
120.0 F-	0:0:0	2.310E-07	2.139E-02	86.2	81.5	81.2	81.5	81.2	81.5	0	C1	0.000E+00



scale: 0.01A/m

15CN2405A

AF IS