

The WEAP Method: a New Age in the Analysis of the Acheulean Handaxes

Paula García-Medrano, Nick Ashton, Marie-Hélène Moncel, Andreu Ollé

▶ To cite this version:

Paula García-Medrano, Nick Ashton, Marie-Hélène Moncel, Andreu Ollé. The WEAP Method: a New Age in the Analysis of the Acheulean Handaxes. Journal of Paleolithic Archaeology, in Press, 10.1007/s41982-020-00054-5. hal-02908710

HAL Id: hal-02908710

https://hal.science/hal-02908710

Submitted on 6 Nov 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

The WEAP Method: A new age in the analysis of the Acheulean handaxes

Paula García-Medrano^{1,5} Nick Ashton¹ Marie-Hélène Moncel² Andreu Ollé^{3,4}

Abstract

This paper presents a unified methodology to describe critical features in lithic assemblages. in order to better interpret the Middle Pleistocene hominin occupation of Western Europe, in the context of the Western European Acheulean Project (WEAP). This project aims to characterise the Acheulean technology of Western side of Europe by the analysis of 10 key assemblages in this area, to generate an in depth regional comparison in particular on the Large Cutting Tools (LCTs). Nevertheless, to go beyond the local perspective and gain a regional point of view requires a deep understanding of the underlying technology to identify the differences or similarities in processes and traditions of manufacture. The different criteria to analyse and to categorise the results make it difficult to compare data from different research traditions (British, French and Spanish). But after decades of intense work on technological analysis and although many technological approaches have been developed, there are still differences in methods between the different countries. It was necessary to develop a unified, yet flexible, protocol to characterize the LCTs that could be adapted to the technological characteristics of each area or site. It also had to be a system that could describe tools technology and morphology, combined with a proper statistical treatment, to sum up all the data and compare the results. And due to the recent development of innovative technologies, it is timely to move the research forward to make more detailed comparisons between sites. In this paper, we test the WEAP Method with three very different European sites, Galería and Gran Dolina-subunit TD10.1 (both in Atapuerca, Spain) and Boxgrove (Sussex, UK).

Keywords. Middle Pleistocene; Acheulean; Handaxes; Typology; Chaine operatoire; Geometric Morphometrics

¹Dept. Britain, Europe and Prehistory, British Museum, Frank House, 56 Orsman Road N1 5QJ, London, UK.

²Dept. of Prehistory, CNRS-UMR 7194, National Museum of Natural History, Institut de Paléontologie Humaine, 1 rue René Panhard, 75013 Paris, France

³Institut Català de Paleoecologia Humana i Evolució Social (IPHES), Zona educacional 4, Campus, Sescelades URV (Edifici W3), 43007 Tarragona, Spain.

⁴Àrea de Prehistòria, Universitat Rovira i Virgili (URV), Fac. Lletres, Av. Catalunya, 35, 43002 Tarragona, Spain.

⁵Corresponding author: <u>pgarciamedrano@gmail.com</u> (Tlf. +34 620957489)

1. Introduction

The Western European Acheulean Project (WEAP, Marie Skłodowska Curie IF-EF-ST Fellowship, Project ID: 748316) aims to characterize the diversity of the techno-complexes in Europe during the Middle Pleistocene through analysis of Acheulean technology, usually characterised by the production of handaxes and cleavers and other Large Cutting Tools (LCTs). Over the last decade, new data indicate that the earliest human dispersals into north-west Europe occurred from c. 1Ma from the Iberian Peninsula to southern and north-west France, and to Britain (Parfitt et al. 2010; Ashton and Lewis 2012; Mosquera et al. 2013). The sequences of cold and temperate events over the last million years suggest repeated phases of colonisation and decolonisation between south-west and north-west Europe (MacDonald et al. 2012) that responded to changes in climate.

Within the Acheulean techno-complex, handaxes have been significant for identifying cultural regions from their mode of shaping and morphological end forms (Roche 2005; Gowlett 2006) and are considered as a significant marker of human cognition and skills (Wynn 2002; Stout 2011). The effectiveness and apparent versatility of these tools were crucial on the persistence of those instruments over more than 1.5 million years and over a vast geographical area (Clark 1994; Moncel et al. 2018). However, despite the apparent stability of the Acheulean shown by the persistent presence of handaxes, understanding the variability of this techno-complex continues to be a major research challenge. Taking into consideration the geographic framework of this study there are significant differences in terms of research tradition that hinder any comparative study. Indeed, the research in Britain has generally used the typology of Wymer (1968), the morphometry of Roe (1968) and the reduction sequences of Newcomer (1971) and Wenban-Smith (1989). Over the same period, French researchers adopted the typology developed by Bordes (1961), which was largely replaced by the more complex concepts of the chaîne opératoire (Boëda et al. 1990). Chaîne opératoire was also used in Spain, together with the Logical Analytic System (Carbonell et al. 1995a). The different criterion used for analysing and categorizing the results has made it almost impossible to compare data from the different countries. Until now there were only superficial comparisons between the major sites in Western Europe (Moncel et al. 2015; Nicoud 2013a,b).

WEAP is an ambitious research project whose first step is to devise a unified methodology and a common methodology to describe critical features in the lithic assemblages, in order to better interpret the Middle Pleistocene hominin occupation of Western Europe. This will be achieved through the combination of (1) the development of a common methodological approach to the study of handaxes from several sites and countries, and (2) the application of innovative technologies (3D records and statistics). Digitization and 3D analyses clearly provide a new tool to measure the shape considering plan and profile shapes at the same time and combined with thickness of tools. In addition, using 3D models we can also measure shape in terms of internal variability of assemblages, or distance significance between groups, or even explore and compare the mean shapes of each group. Finally, the 3D models have become really exciting data for the dissemination to both the scientific community and the general public, helping us to move the research forward and make more accurate comparisons between sites for a regional understanding of the occupation of Western Europe.

1.1. Previous systems of analysis

From the beginning of prehistoric studies to the middle decades of the 20th century, typology was the most common form of analysis, often using type fossils and resulting in cultural-historical frameworks with a perceived evolution of stone tools through time (Breuil 1954:

Cahen et al. 1981). From the second half of the 20th century, new approaches appeared, aiming to highlight the cultural implications of lithic technology and the processes of manufacture of lithic tools, often drawing from the implications of knapping experiments (Crabtree 1975; Tixier 1991). Although some of the early experiments lacked scientific rigour (Johnson 1978), it was still a valuable tool for research. Francois Bordes (1961) was the first to combine a typological approach with statistical methods, with the aim of classifying industries according to morphological, functional and technological criteria. Variability in the composition of assemblages, particularly in tool types, led to the classification of a range of cultural groups (Bordes 1961). Even though typology continued to be used, Bordes was the first to include experiments and consider the value of the technology in interpreting the archaeological record.

Between the late 1960s and early 1970s, in response to the empirical typological tradition, the analytical and structural typology of Georges Laplace appeared (Laplace 1972; 1974). His classificatory system hoped to break down the morphotechnical structures of lithic implements into a series of significant attributes, on the basis of which a typology could be established. Subjectivity in classification was reduced and an open typology was created, in opposition to that of Bordes (1961). However, despite the new theoretical approach, Laplace retained old concepts from the most traditional descriptive archaeology, as well as the typological approach and cultural perspective. This promising approach was not widely adopted due to the increased use of more traditional empirical typologies, such as that of Bordes.

One of the most important developments in Palaeolithic research was made by André Leroi-Gourhan (1964), who introduced the concept of the *chaîne operatoire*, borrowed from ethnology and social anthropology (Mauss 1947; Pelegrin et al. 1988). Due to the limitations of traditional typologies, from the 1980s there has been an emphasis on production processes. The *chaîne operatoire* approach, as applied to lithic industries, implied the recognition of spatial-temporal relationships through phases of production. The use of this concept was quickly adopted in France during the 1980s and led to a new, dynamic field of research on technology.

The emphasis on reduction processes has given a qualitative improvement to research and contributed to surpassing traditional typology. Nevertheless, the main handicap has been similar: the strong dependency of the categories on empirical typologies, as well as the difficulty of moving beyond traditional cultural interpretative frameworks. In many cases, the technological analysis has only justified the typological descriptions, simply complementing the information (Carbonell et al. 2006).

The Logical Analytical System (LAS) appeared at the beginning of the 1980s, which was derived from Laplace and preserved his analytical structure, but eliminated the strong typological emphasis (Carbonell et al. 1983). From a theoretical point of view, there were three inspirational sources (Rodríguez 2004) with the: analytical typology of Laplace (1972); analytical archaeology of Clarke (1968); and historical logic of Thompson (1981). Initially, the LAS classified basic lithic industries, in particular pebble tools (Carbonell et al. 1983), after which the system was slightly adapted to provide a qualitative interpretation (Carbonell et al. 1995b). The system refers to a systematic and processual reading of the lithic record by an association of characters. These characters are the result of three interrelated components. The morphotechnical component corresponds to a group of technical characteristics generated during the production process, which are observed in the final morphology of the artefact. The morphopotential component provides information regarding the theoretical potential capacity of action on a certain lithic morphology (Airvaux 1987), while the morphofunctional component refers to the actual way in which the artefact was used. More recent works slightly modified the LAS fundaments, trying to establish bridges with more widely accepted methodological approaches, and strongly reduced its initial theoretical issues. The general concepts of mobility matrices and diacritical shaping analysis were first revised by Carbonell et al. (1995c). It was then, necessary to incorporate a deep diachronical analysis, trying to remove the theoretical concepts and making the first attempt to standardize concepts (Ollé et al. 2013; García-Medrano et al. 2014; Mosquera et al. 2018) to get a flexible version of the LAS avoiding old theoretical concepts, completely adapted to the particularities of each record and adding new complementary methods such as the morphometry (García-Medrano et al. 2019).

All these approaches from the historical systems can be formulated from two main perspectives:

- The techno-economic approach attempts to analyse the technical hominin behaviour from an economical perspective, starting with raw material sources as a means of understanding the mobility of human groups, use of landscapes and different stages of production with a spatial view of the *chaîne operatoire* (e.g. Collina-Girard 1975; Geneste 1985; Tavoso 1984; Perles 1991; Turg 1992; Jaubert 1995).
- The techno-psychological approach aims to determine the knowledge required to manufacture artefacts, focusing on the cognitive and psycho-motor actions as part of the technical processes (e.g. Roche 1980; Böeda 2013; Boeda et al. 1990 Pelegrin 1986; Guilbaud 1987, 1996; Texier 1995).

Although most of the technical systems and *chaînes operatoires* still continue to use traditional, empirical and descriptive typologies, the majority of studies strongly emphasise technological aspects, analysing both the whole knapping sequence and the object itself (Delagnes 2017; Soressi and Geneste 2011; Tostevin 2011; Van Peer and Wurz 2006).

1.2. Handaxes and other Large Cutting Tools

Handaxes are the best known and iconic Acheulean artefact and have been analysed more than any other tool. They were made from more than 1.5 Ma, distributed through Africa, Asia and Europe (Wynn 1995; Wynn and Gowlett 2017), and classified according to shape, shaping strategies and style (Sharon 2007). More recently they have been recognised as just one of several large tools that characterise the Acheulean, to which the more general term 'Large Cutting Tool" (LCTs) has been given.

1.2.1. Definitions

The debate regarding the term to refer to large Acheulean tool types has been intense, and researchers have been divided between the use of the terms "biface" or "handaxe", and even between the use of "biface" or "Large Cutting Tool" to refer to more than one tool-type (e.g. de Mortillet 1973; Kleindienst 1962; Isaac 1968; Leakey 1971; Harris 1978; Roe 1981; Clark 1991; Débenath and Dibble 1994; Isaac et al. 1997; Deacon and Deacon 1999; Noll 2000; Ambrose 2001; Sharon 2007). In any case, it seems to be generally accepted that biface is a generic term to refer to a bifacial piece and handaxe is mainly used as a specific type. Nevertheless, de la Torre (2006) pointed out that: "While the term biface is probably the most widely used in recent literature to encompass all typical Acheulean forms (i.e. picks, knives, cleavers and bifacial handaxes), it is here advocated that 'handaxe' would be more accurate as a generic term, for in many Acheulean assemblages (particularly in the early African sites), LCTs are often unifacial (rather than bifacial) tools".

So, this discussion is completely open. In this case, we propose to use "Large Cutting Tool (LCT)" to refer to both unifacial and bifacial Acheulean tools, conventionally larger than 10cm and shaped in a standardised way. They include not only handaxes but also cleavers, picks, and other heavy-duty tools (Sharon 2007). And we propose the use of term *handaxe* to refer to this specific tool-type. The definition given by Kleindienst (1962) fits well with what we are trying to record. According to this author the handaxes are characterised by: "... a cutting

edge around the entire circumference of the tool, or more rarely around the entire circumference with the exception of the butt. The emphasis in the manufacture, if distinguishable, seems to have been upon the point and both edges. Usually bilaterally symmetrical, and more or less biconvex in major and minor sections (i.e., along the major and minor axes) ... There is a large variation in size, degree and quality of the workmanship, and plan-view, primarily according to the curvature of the edges, the length: width ratio, and the placement of the greatest width relative to the length of the tool".

The other key Acheulean tool-type is the cleaver. They have been documented particularly in southern Europe, Africa, the Levant and India, and are sometimes as numerous as handaxes. However, there are problems of definition (Mourre 2003). In the French literature there is a minimalist definition for cleavers (or *hachereaux*) as being exclusively made on flakes, with an unretouched transverse cutting edge (Texier 1956). In North Africa seven such cleaver types (0 to 6) have been defined (Texier 1956; Roche and Teixier 1995, 162). Problems of definition have arisen in Europe, where in Spain for example, large cobbles were often shaped to produce a straight transversal, distal edge, which was sometimes retouched (García-Medrano et al. 2014, 2015). In Britain and France, cleavers include all bifacially knapped tools with a transverse cutting edge (i.e. bifacial cleavers of Bordes, 1961). This can include, square-ended handaxes, which Roe (1994, 151-153) suggested should have a transverse or oblique edge greater than half the width of the tool. In this case, we prefer the original definition of Texier (1956), and the other cases (on cobbles or with retouched distal ends) will be considered as handaxe "cleaver-type", specifying the particular features of those tools.

1.2.2. Typology and chaîne operatoire on LCT characterisation

The typology of Bordes (1961) has been the most inclusive and influential system for studying LCTs, having been widely used in the Lower and Middle Palaeolithic of Europe and the Levant (Débenath and Dibble 1994). It is based on measurements and indices that provide shape descriptions and classification, combined with some technological features, but since its introduction has been criticised (McPherron 2006). Kleindienst (1962) suggested a less formal typology for African LCTs, and did not include measurements and ratios. In contrast, in Britain Roe (1968, 2006) developed a metrical system, which was not strictly typological, but through simple ratios provided a graphical means of plotting and comparing assemblages.

LCTs have also been analysed to understand the complete manufacturing process. The life cycle of LCTs begins with raw material collection, sometimes from outcrops or sources some distance from the site. The knapping proceeds, sometimes in different locations, through to use, potentially re-sharpening and reuse before final discard. Boxgrove, Q1B, provides a rare example where all these stages can be recognised on the same site (Roberts and Parfitt 1999; Pope and Roberts 2005; García-Medrano et al. 2019).

For Britain, reduction has often been described as three stages, with roughing-out, shaping, and finishing phases (Newcomer 1971; Wenban-Smith 1989; Wenban-Smith and Ashton 1998). The roughing-out consists of the initial shaping of the nodule by large alternate sequences of removals by direct percussion with a hard-hammer. The attributes of the original blank can often be identified. The second stage uses a soft hammer to thin and shape the piece to create the main morphology of the final tool. The third stage, finishing, consists of final shaping to produce sharp, straight edges and give a final symmetry to the piece.

1.2.3 The traditional interpretation of the LCT variability

Handaxes are considered to be one of the two main innovations of the Acheulean, alongside the production of large flakes (Isaac 1969, 1986), and have important cognitive implications. Manufacture entails planning, with a hierarchical organization of activities that may be fragmented and therefore show an understanding of space and time (Wynn 1989; Toth 1991). In addition, handaxe shaping implies demands on the x, y, and z functions of working memory (Stout 2015). All the inferred technical requirements of Acheulean flaking are consistent with the marked increase in brain size observed in early *Homo erectus* (Antón 2003). The morphological variability documented within Middle Pleistocene LCTs has been widely discussed and variously interpreted by different researchers.

- a) Some authors have argued that lithic raw material qualities and the way they were adapted to the knapping strategies, were the main determining factors in handaxe morphology, and that in Britain pointed forms were often produced on elongated nodules (Ashton and McNabb 1994; White 1995; White 1998a; Ashton and White 2003). Although other authors have argued that raw material constraints did not significantly affect either the blank production process or LCT shape and size variability (Sharon 2008).
- b) Other researchers have proposed that an important determinant of shape and size variation is the degree of reduction (McPherron 1999; White 2006; Ashton 2008; Emery 2010; Iovita and McPherron 2011). One such model suggested that the initial morphology of handaxes was dominated by pointed, thick forms that through resharpening became thinner and more ovate in form (McPherron 1999). Therefore, differences in handaxe morphology were a by-product of reduction and re-use.
- c) There are long-standing proposals that cultural tradition was the prime influence with the final morphology of handaxes reflecting the mental templates of knappers (Roe 1968; Wenban-Smith et al. 2000; Wenban-Smith 2004). In a more nuanced interpretation it has been suggested that raw material may have been selected according to the desired end-form and was not a limiting factor. Furthermore, it could be demonstrated that there were intensively reduced and finely-made pointed forms of handaxe, which countered both the raw material and resharpening hypotheses (Wenban-Smith et al. 2000). More recently, weight has been added to the cultural interpretation through an improved dating framework for Britain, where distinct handaxe forms characterise different interglacial stages (Bridgland and White 2015; White et al. 2017, in press).
- d) The debate concerning morphology also considered functional hypotheses (Crompton and Gowlett 1993; Gowlett and Crompton 1994; Gowlett 2006). Through study of the relative breadth and length of handaxes from Africa and Europe, Gowlett (2011) concluded that there was a preference for handaxes of greater length, but similar shape, implying a sense of proportion among the Acheulean knappers, derived from a long period of social transmission for technological success.
- e) The social role of handaxes has also been emphasised; skill has an effect on refinement and symmetry with finished forms influencing individual relationships (Gamble 1999; Stout 2002; Petraglia 2006). Kohn and Mithen (1999) and Mithen (2005) argued that this could play a role in sexual relationships, although this interpretation has been widely debated (Nowell and Lee Chang 2009; Spikins 2012).

2. Archaeological context

WEAP aims to characterize the occupational pattern of western Europe during the Middle Pleistocene, from 700Ka (MIS17) to 250Ka (MIS8-7), through the study of Acheulean LCTs from 10 archaeological sites in Britain, France and Spain. These tools and their persistence over time are a perfect marker for probable cultural relationships, and could be the base for reconstructing potential dispersals into Europe and to describe the variability of these tools over time an space. The chronological range includes two major glaciations that may have led to depopulation of Europe during MIS 16 and MIS 12 (Ashton and Lewis 2012; Moncel et

al. 2015; Hosfield 2016). For this paper we focus on three sites as examples of the application of the WEAP method: from Atapuerca (Spain), the Galería sequence, and Gran Dolina-subunit TD10.1, and from Boxgrove (UK), the assemblage from Quarry 1B (Fig. 1). To show the full technological variability we have also used artefacts from the other studied sites when illustrating the attributes measured and categories established.

Galería complex is located on the western side of the Sierra de Atapuerca. Five main infilling phases (GI to GV) and a paleosol (GVI) have been distinguished (Ollé and Huguet 1999; Pérez-González et al. 1999, 2001; Vallverdú 2002). Only units GII and GIII are archeo-paleontological deposits. Unit GII is divided into two subunits, separated by a continuous organic layer. Several dating methods have been used in Galería, and they contributed a huge amount of data. Although such a combination of techniques is still offering some incongruence, we can situate the sequence between MIS11 and MIS8 (Table 1). Two human fossils were recovered at Galería (TZ area). The first (from unit GII) is an adult mandible fragment with two molars (Bermúdez de Castro and Rosas 1992) and the second, from the base of GIII, is a neurocranial fragment of an adult (Arsuaga et al. 1999). Both remains display common features with the fossils from the Sima de los Huesos site (Arsuaga et al. 1997), located less than 2 km from Galería, and have been attributed to the same clade.

Table 1. Different datings methods applied in Galería site (Atapuerca) and their results by subunits (from base to top: Glla, Gllb, Gllla, Glllb) (Aguirre, 2001; Berger et al., 2008; Falguères et al., 2001, 2013; Demuro et al., 2014; Arnold et al., 2015).

The taphonomy suggests waterlogged ground conditions and semi-darkness in the cave, which may explain the limited domestic activity shown by the lithics. The preferred interpretation is that hominins made sporadic, but repeated, short-term visits for retrieving, in competition with carnivores, animal carcasses that had fallen through a natural shaft into the cave (Díez and Moreno 1994; Huguet et al. 2001; Ollé et al. 2005; Cáceres et al. 2010). A gradual reduction in meat supply could explain decreasing use of the cave by both humans and carnivores. According to this model, Galería would have been a 'complementary settlement area' in the complex karst network of Atapuerca where hominins made occasional, planned visits (Carbonell et al. 1995a,b; Ollé et al. 2013; García-Medrano et al. 2014; 2017). All 54 handaxes and cleavers from the Galería sequence have been included in this paper.

Gran Dolina site (TD) is a cave, located ca. 50 m north of Galería. The sequence, up to 18m thick, was initially divided into 11 units (TD1 to TD11 Fig. 2) (Gil et al., 1987) with later small revisions (Parés and Pérez-González 1999; Pérez-González et al. 2001; Rodríguez et al. 2011). Most of the archaeological record is from unit TD10, which is divided into four lithostratigraphic subunits (from the base TD10.4 to TD10.1). A series of ESR/UTh dates give an age of 430±59ka for subunit TD10.3. However, a slightly discordant TL date gives an age of 244±26ka for the bottom of unit TD10.2. The stratigraphic succession finishes with the archaeologically sterile unit TD11, dated to between 240±44 and 55±14ka (Falguères et al. 1999, 2013; Berger et al. 2008; Rodríguez et al. 2011).

TD10.1 is one the richest levels at Atapuerca, yielding 48,000 faunal remains and more than 20,000 artefacts (Ollé et al. 2013). The archaeological assemblage has been interpreted as a base-camp, with high intensity occupations and successive short-term occupations (Carbonell et al. 2001; López-Ortega et al. 2011; Márquez et al. 2001; Rodríguez 2004; Blasco et al. 2013a,b; Rodríguez-Hidalgo et al. 2015). High intensity occupation is shown by abundant remains from faunal processing and domestic activities (Blasco 2013a,b), as well as in the complete lithic knapping sequences (Carbonell et al. 2001; Márquez et al. 2001; Rodríguez 2004; García-Medrano et al. 2015). The faunal assemblages, characterised by elements with high nutritional values, suggest that hominins had primary access to animals,

and that they transported the richest anatomical parts of the carcasses into the cave. A total of 28 handaxes and cleavers has been analysed for this paper.

Figure 1. Location of some Middle Pleistocene sites in Western Europe. In black, those sites included in WEAP. In grey, other sites of the same period, not included in WEAP. In red, the sites used in this paper to test the WEAP method.

Boxgrove Q1B. The site consists of a sequence of Middle Pleistocene marine, freshwater and terrestrial sediments exposed in the former Eartham Quarry at Boxgrove. Archaeological and faunal remains occur in all the main sedimentary units, but are best preserved *in situ* within an intertidal deposit, the Slindon Silt Member (Units 4a-c). The units were formed within a semi-enclosed marine embayment at the onset of marine regression (Roberts and Pope 2009; 2018). Artefact concentrations are visible on the surface of these intertidal silts in a soil horizon - Unit 4c - and in rare freshwater pond and overflow deposits that derive from springs at the base of the Chalk cliff –Units 3c, 3/4, 4u, 4– (Holmes et al. 2010). Known as the waterhole, the pond deposits are correlated with the soil horizon. The site has been attributed though mammalian biostratigraphy to the last temperate stage of the Cromerian Complex, MIS 13 (524-478 ka). Cold stage sediments overlying the temperate sequence and transitional mammalian faunas suggest that the main archaeological horizons date to the final part of the interglacial just before the ensuing Anglian Cold Stage (MIS 12) (Roberts and Parfitt 1999; Roberts and Pope 2018).

The lithic collection is exceptional in terms of the density of knapping, including complete reduction sequences with more than 350 handaxes from Q1B (García-Medrano et al. 2019). Typologically, refined ovate handaxes predominate with regular and sharp edges (Roberts and Parfitt 1999). Previous analyses of the flakes indicated that soft hammers were used (Wenban-Smith 1989), confirmed by the recovery of 41 bone hammers and three antler hammers from the Q1B (Roberts and Parfitt 1999; Stout et al. 2014). For this paper, 50 handaxes from the Q1B Unit 4 have been analysed.

3. The WEAP Method

3.1. Technological analysis

WEAP proposes, for the first time, a single method of analysis, drawing together a selection of criteria considered significant from previous research methodologies applied to the Western Acheulean record, including typological, technological and processual issues, together with new proposals on morphometrics.

As we have explored, different systems of analysis applied in different countries have made it almost impossible to properly compare the data from different sites, their being only occasional comparisons between the main Acheulean assemblages in Western Europe (e.g. Moncel et al. 2015, 2018). The project has developed a common methodological approach, selecting the most significant technological and metrical features from the classical approaches. WEAP's method is based on three main premises: 1) standardizing and simplifying terminology; 2) avoiding the classification of tools before analysis; 3) analysing each tool in two different ways: as a sole unit, from a morphotechnical point of view, and as the sum of three different parts (distal, middle and proximal areas). Due to the recent development of innovative technologies, it is timely to move the research forward to make more detailed comparisons between sites. In total, 400 handaxes and cleavers, made on several raw material types (Table 2) have been included in WEAP, of which 132 have been included as examples of the method in this paper. This study is based on detailed analyses of the whole lithic component of each site.

For Britain all handaxes are made on either flint cobbles (e.g. Brandon Fields and Swanscombe) or on large flint nodules (e.g. Boxgrove). The French assemblages have greater variety of raw materials, although most tools are made on flint nodules and cobbles (St Pierre and Cagny) and millstone slabs (La Noira), the latter also having a few handaxes made on flint cobbles. In levels 8 and 7 of Menez Dregan, the use of quartzite and quartz cobbles for shaping bifaces and cleavers is documented, as well as sandstone. Atapuerca has the highest diversity of raw materials, from chert to limestone from the sequence of Galería and Gran Dolina-subunit TD10.1. The most common rock is flint or chert, followed by a group generically labelled in Atapuerca as sandstone, that actually includes sandy schists and metasandstone, and then by quartz and quartzite. Our method will be used to compare the LCTs from Boxgrove and Atapuerca (Galería and TD10.1).

Table 2. Boxgrove Q1B and Atapuerca (Galería and Gran Dolina-subunit TD10.1) assemblages: MIS, number of tools, type of tools (Handaxes and cleavers) and raw materials, considering 4 categories (Chert and Flint, including all the siliceous chemical sedimentary rocks, with micro or cryptocrystalline grains); Quartz and quartzite (including filonian quartz, and the whole set of metamorphic rocks with high content of quartz); Other metamorphic rocks (schist, sandstone, metasandstone); limestone.

3.1.1. The tool as a single unit: technological features and linear measures

A LCT can be viewed as a single unit that can be defined by features that make it unique from: raw material and blank type; facial working; edge form; bifacial and bilateral symmetry; number of scars; linear measurements; and weight (Table 3).

Table 3. Technological features considered to analyse LCT.

Figure 2. Type of blanks a) Nodule (Boxgrove_Q1B_1753); b) cobble (Galería, Ata17_GIIIa_H20_19); c) flake (Galería, ATA95_TN2B_E27_1); d) unknown blank. Final tools, from top to bottom: Boxgrove_Q1B_7097; Galería, ATA94_TN2B_F27_2; Galería, ATA96_TZ_GIIc_L2_48; Boxgrove_Q1B_5162.

- Blank type is a key feature. Shaping can start on blocks (broken from bedrock), nodules (eroded from bedrock, Fig. 2a), cobbles (from river gravels, Fig. 2b) and large flakes (Fig. 2c). The use of flakes implies two stages with the production of the flake (débitage) and its shaping (façonnage). When shaping is intensive, blank type cannot be identified and is designated as unknown (Fig. 2d).
- Number of faces. Handaxes and cleavers have one (unifacial, Fig. 3a) or two shaped faces (bifacial, Fig. 3b) and the shaping is face by face or alternate. When shaping is long and flexible, and adapted to the raw material form, sometimes trifacial roughouts are produced (Fig. 3c; García-Medrano, et al. 2019). A trifacial tool is not always the main aim, just a consequence of the shaping process.
- Cortex location is given according to the metrical division of the tool (butt, middle or tip, or in more than one area), without face distinction (Fig. 7).
- The edge is analysed by the delineation (profile), which can be straight (Fig. 4a), sinuous (Fig. 4b) or curved (Fig. 4c). A pronounced form of sinuous edge is a twisted profile, which on some British sites seems to be intentional (White et al. 2019; Fig. 8d).
- Bifacial symmetry is simply given as symmetrical (Fig. 4f) or non-symmetrical (Fig. 4e), and whether the tool has a plano-convex profile (Fig. 4d).
- The number of scars on each face includes all removals larger than 10mm, according to the technical length of the removal (from the impact point to the more distant point). This attribute has been used to measure reduction intensity. Here we have used theScar Density Index (SDI), calculated by the number of scars (≥ 10mm) per surface area (cm²) (Shipton and Clarkson 2015a,b). However, recent studies point out the limits of this method and calculate reduction intensity according to the

remaining mass and the metrical features of the associated flakes (Lombao et al. 2019 a,b) or according to the Flaked Area Index (Li et al. 2015).

Figure 3. Faciality: a) unifacial (Galería, ATA94_TN2B_G22_5, tool on quartzite); b) bifacial (Elveden, Sturge_89, tool on flint); c) trifacial (Boxgrove_Q1B_505, rough-out on flint).

Figure 4. On the left, **edge delineation**: a) straight (La Noira_Upper_VIb_116); b) sinuous (Brandon Fields 15); c) incurved (La Noira_Upper_179). On the right, **symmetry**: d) plan-convex (Boxgrove_Q1B_1418); e) non-symmetric (S.Pierre_D38.23.7540); f) symmetric (Boxgrove_Q1B_11080).

For Bordes, the measurements were the basis of his handaxe morphological types (*triangulaires*, *subtriangulaires*, *cordiformes*, *discoid*, *ovate* and *limandes*) according to three main criteria: length against width, thickness against width, and Bordes' edge shape (Bordes, 1961). However, the boundaries between the categories are arbitrary and intermediate shapes exist. In an attempt to resolve this problem, Roe (1968) included three new measures: distal width (B1), proximal width (B2) and distal thickness (T1), to distinguish three shapes: pointed, oval and cleaver-type tools. For our method, we retain all these measures to describe the tools (Table 4) (Fig. 5), and compare the results with the morphological and technical features such as reduction intensity.

Table 4. Linear measures applied to the metrical analysis of handaxes and cleavers.

The measurements have also been used to produce ratios to enhance handaxe description (Bordes 1961; Roe 1964, 1968). Elongation is given as length/width with values > 1.5 described as elongated. Refinement is measured by width/thickness with refined handaxes having values > 2.35.

Figure 5. Metrical features and their localization on handaxes and cleavers.

In addition to the basic measurements and ratios, we have measured six angles along one edge (the most continuous and regular one) according to the division of these tools in five parts: A1 (midpoint of tip), A2 (1/5 of the length), A3 (2/5), A4 (3/5), A5 (4/5) and A6 (midpoint of butt). Where there is cortex, the angle has not been recorded.

With all these measurements it should be acknowledged that there is no consistent way to position an asymmetric and irregular object such as a handaxe; measurement is often subjective, dependent on the analyst, and manual measurements also include errors. In order to minimize these problems, we use 3D models and new computational software.

Figure 6. Plan and profile view of a 3D model of a handaxe with the centre of mass (red point) and the basic measurements marked (Handaxe, Galeria_Ata95_GIIa_TN2B_H23_1).

Software specially designed for this purpose by the Hebrew University of Jerusalem has been used: ARTIFACT-3D (Grosman et al. 2008). Artifact3-D software was developed for documenting artefacts that do not show simple shape or surface features (scars, ridges, engravings, etc.). The programme procedures enable the automatic positioning of non-symmetric objects such as lithic artefacts, bones and stone vessels. The traditional drawing of lithic artefacts depends on how artefacts are positioned and results may vary substantially according to the analyst. Moreover, differences in artefact positioning lead to differences in the simplest metric record. The programme positions the artefact by deducing its intrinsic geometric properties and generates views, dimensions, and sections selected algorithmically

without concomitant interpretation according to the centre of mass (Fig. 6) (Grosman et al. 2008). The programme also enables a large repertoire of measurements, the production of sections or the addition of visual aids. In addition to the linear measures, the software calculates quantities that are otherwise difficult to measure, such as volume (cm³), surface area (cm²), the location of the centre of mass and the moment of inertia (Grosman 2016).

3.1.2. Tool as the sum of three different parts, in a functional sense

The division of each tool into three parts is based on the metrical distinction of Roe (1968), with the distal end (1/5 length), the proximal end (4/5 length) and the remaining middle sector. Therefore, each technological analysis is undertaken three times. The technological features considered are (Table 2):

Figure 7. Localization of cortex: a) total cortical (Menez Dregan, MD1_7_115638); b) non cortical (Boxgrove_Q1B_Unit4_10575; c) cortical butt (Galeria_Ata93_GIlb_TN5_G25_30); d) cortex at mid-proximal part (Brandon Fields_Sturge_14); e) cortex at mid-distal part (Boxgrove_Q1B_Unit4_1731; f) cortex at mid part (Boxgrove_Q1B_Unit4_1090). **Type of hammer**: hard (a,c) and soft (b, f).

Figure 8. Number of removal series: a) one removal sequence (Galería_Ata88_GIlla_TG10A_G17_83); b) two removal sequences (Boxgrove_Q1B_Unit4_L1191); c) two removal sequences plus final retouch concentrated on tip (Boxgrove_Q1B_Unit4_L1097). **Shaping strategies on one tool**: d) the same strategy on the whole tool (Elveden_Sturge_92); e) one area with a specific treatment (La Noira_Upper_BFN_VI_62); f) final retouch covering the previous sequence of removals (Boxgrove_Q1B_Unit4_L1731).

- Type of hammer. The most part of cases, the identification of the type of hammer used is not easy. If possible, the assignation depends on the combination several features, such as the depth of removals on edge, the invasiveness on the surface, the thickness of removals and the angle of blows. The most traditional adscription suggests that low angles, with high invasiveness ratios and marginal modification on edges could be ascribed to the use of soft hammer. On the contrary, high angle values, with thick removals and deep effect on edges could be related with the use of soft hammer. Nevertheless, the limit between them are sometimes very diffuse. Hard (Fig. 7a,c), soft (Fig. b,f) or the combination of both.
- Removal sequence is the number of discrete sequences of flake removals on a sector of a handaxe. The simplest is one series (Fig. 8a), with two series sometimes recognisable and/or with the addition of final retouch. First removal sequence may be partially or completely erased by subsequent series (Fig. 8b), although they might be identified towards the centre of a tool. Secondary sequences are often distributed on a smaller area of the tool, while final retouch can be even more localised such as a tip (e.g. Fig. 8c) or edge. A specific form of retouch is a tranchet removal across the surface of the tip to create a fresh, unretouched edge on one of the faces (Fig. 8c), or shallow retouch, which aims to reduce the thickness of the piece and the irregularities of the surface. Removal series have a direct effect on the edge of the tool, steepness and the surface of each face (invasiveness).
- Depth of removals, refers to the concavity generated by a removal in tool's frontal planform. Deep scars (Fig. 9a) generate an irregular edge, whereas marginal scars leave the edge largely unchanged and are usually from soft-hammer use (Fig. 9b).
- Invasiveness of the removals can either be non-invasive when the removals are short, concentrated on the edge of the tool (Fig. 9c), or invasive when they affect around the 50% or more of the tool's surface (Fig. 9d). Final retouch should also be defined as invasive and non-invasive, as some forms such as tranchet removal may affect larger areas of a sector (Fig. 8f).
- General type of shaping, as a general description. Once all those features are recorded, we can assess if the different areas of the tool were treated in a similar

- way (Fig. 8d), or with a different combination of removals (Fig. 8e) or with application of final retouch, covering the rest of the removal series up (Fig. 8f).
- Differences in patination and staining can distinguish instances of reuse of tools after protracted lengths of time (Fig. 9e). The number and location of different patinas are counted.

Figure 9. Depth of scars on edge: a) deep (Cagny La Garenne_CA_Gar87_CAF); b) marginal (Saint Pierre_LA_D_38.23.7519). **Invasiveness**, scars on tool's surface: c) non-invasive (La Noira_Lower_BFNIII_156); d) invasive (Boxgrove_Q1B_Unit4_6135). **Double patinas** on one tool (e, Boxgrove_Q1B_Unit4_L141).

3.2. Geometric Morphometrics on LCT analysis

While there are several morphometric approaches, landmark-based GM is a powerful tool for the quantitative description of shape variability within and between groups of tools (Lycett & Chauchan 2010). It is a variant of the methods used for the quantitative study of shape between physical objects (Herzlinger & Grosman 2018). This approach has been used by archaeologists, adopted from biology. It is based on a finite number of points – landmarks – placed on the surface of a piece and expressed by two or three Cartesian coordinates. These landmarks should have respective points across all specimens in the sample. While in biology, homology can be based on phylogenetic, developmental or functional considerations, readily identifiable homologous landmarks are missing for cultural objects (Lycett & Chauchan 2010; Okumura & Araujo 2018). The landmarks represents concrete points, which define a shape, and the semi-landmarks reproduce shapes but are not equal points between specimens. For that, the study of archaeological artefacts uses semi-landmarks, which are localised according a consistent geometric positioning of the tools (Dryden & Mardia 1998; Bookstein 1997).

Figure 10. Two possible morphometrical methods to analyse the toll's shape. **a)** 60 equally spaced points, on a 2D image (using tpsDig2 software), and **b)** 5000 points defining outlines and tool surfaces, using a 3D model (software AGMT3D). **c)** Example of procrustes superimposition process, which remove size, translates, and rotates (i.e., orientation) the outlines from the original shape data. Original outline data (left) *vs.* procrustes aligned data (right).

Shape can be analysed either as 2D images or 3D models. For 2D images, tool outlines have been created using 60 equally spaced semi-landmarks along the perimeter of the tool (Fig. 10). Those points have been generated automatically with the tpsDig2 software (Rohlf 2009). Once the extraction of coordinate data is made, the pieces were oriented according to their maximum length from the tip with the starting point manually digitized. The XY coordinates of the different points per specimen were saved in a .NTS file, and then exported to PAST software (Paleontological Statistics; Hammer et al. 2001). A 2D Procrustes superimposition of the XY outline coordinate data was performed, which scaled, rotated and translated the XY data, bringing all handaxe outlines to a standardized size, orientation, and position before subsequent analysis. In this way, the differences in landmarks can be attributed exclusively to shape differences between different objects.

For performing the landmarks-based GM shape analysis on 3D models, open access Artifact GeoMorph Toolbox 3D (AGMT3-D) has been used, a software designed specifically to study archaeological objects. AGMT3-D consists of a data-acquisition procedure for automatically positioning 3D models in space and fitting them with grids of 3D semi-landmarks. In fact, each point of the grid consists of two semi-landmarks, one placed on each artefact face, so that a grid of 50×50 provides 5000 landmarks (Fig. 3c). The top and bottom latitudes capture the exact 3D outline of the artefact's distal and proximal ends. Therefore, this protocol

provides a list of landmarks that accurately expresses the artefact's volumetric configuration. It also provides a number of analytical tools and procedures that allow the processing and statistical analysis of the data (Herzlinger & Grosman 2018). For this paper, the data obtained with the 3D models is presented.

The multivariate outline data was projected into two dimensions so that the underlying shape variables could be qualitatively examined and compared. In order to interpret the meaning of the Principal Component Analysis (PCA), results from a morphological perspective, Procrustes superimposed shape data were examined utilizing thin-plate splines to facilitate visualization of shape changes from the group mean along relative warp (i.e. principal component) axes (Hammer and Harper 2006). By examining the morphological deformations and XY plots of specimens from the PCA scatters, it was possible to interpret the shape variation by itself, without the size effect, and compare the different tools within a site or between different sites. In addition, the derived principal component scores also permitted application of other quantitative tests of multivariate equality of means between the groups (Costa 2010; Herzlinger & Grosman 2018).

4. The Middle Pleistocene LCT from Atapuerca (Galería and Gran Dolina-subunit TD10.1) and Boxgrove (Quarry 1B).

All the technological features have been combined using PCA, which allow interpretation of the record according to a reduced number of factors or principal components (PC). Each PC explains a certain percentage of the variance of the assemblage and the weight of each variable, through the location of points in the scatter, can be assessed (Fig. 11). In this case, PC1 explains almost 43% of the variance, and PC2 over 27%, so between them we can explain more than 70% of the variance of our record. With the first five PCs 100% of the variance can be explained.

Boxgrove, TD10.1 and Galería-Glla represent clear differences in the handaxes. In an intermediate space, there are the upper levels of Galería (GIIIa and GIIIb) and level GIIb. The technological features have been tested with both the general attributes of the tool, and the three morphofunctional parts: tip, middle and butt. It is clear that the global technological features provide less information than if each part is considered independently. Only the type of blank (marked in yellow) makes a significant difference. For example, Boxgrove is characterised by the use of nodules or unknown type of blanks, GIIa, by the use of cobbles, TD10.1, by the large use of flakes. Other parameters also have an influence, but the results are less clear.

If the three sectors of each tool are considered, then much more information can be extracted. First, the tip provides evidence of the largest technological variability between Atapuerca and Boxgrove (marked in blue). The butt also records a slight diversity (marked in pink). The middle part of the tools shows little difference between the sites. Evaluating the distribution of technological features of tips and sites, axis 1 explains 61.71% of the variability and axis 2, 16.46% (Fig. 12). It can be seen how the specific character of Boxgrove is explained by use of invasive secondary retouch on tips, as well as tranchet removals. The whole Atapuerca sites/units retain the same features on axis 1.

Figure 11. PCA with all the technological features considered according the different sites: Galería (Glla, Gllb, Gllla, Gllb), Gran Dolina-subunit TD10.1 and Boxgrove. In the lower part, the effect of each variable in the PC1 and PC2. The tools' parts which differentiate more the samples are marked in blue (Tip) and pink (Butt). In yellow, the technological feature with more influence on tools (the type of blank).

Nevertheless, two groups can be distinguished according to axis 2. The first one is the lower part of Galería (Glla) where the handaxes present mainly one series with non-invasive removals and with a deep impact on the edges. TD10.1 and Gllb are mainly influenced by the use of two series of non-invasive removals. Glllb is separate due to non-invasive retouch around the tip.

The Correspondence Analysis (CA) on butts (Fig. 13) explains nearly 80% of the distribution, with Boxgrove and Atapuerca again showing two different knapping strategies. The butts of the LCTs from Boxgrove are characterised by a specific management of two series of removals, and a final retouch with a marginal impact. By contrast, at Atapuerca most of the butts have one series of removals where differences are due to the invasiveness of the removal series. Glla are characterised by a large number of unworked cortical butts or a single non-invasive series. For TD10.1 and Gllb, the first removal series is invasive, the second one being non-invasive.

Figure 12. Correspondence analysis with all the technological features of the tip of LCT from Galería, Gran Dolina-subunit TD10.1 and Boxgrove.

Figure 13. Correspondence analysis with all the technological features of the butt of LCT from Galería, Gran Dolina-subunit TD10.1 and Boxgrove.

The metrical distribution of these LCTs generates a pattern where tool refinement and elongation generate an inverse relationship, where elongation decreases while refinement increases (Fig. 14). In conclusion the Boxgrove handaxes are shorter but their refinement is the highest. The Atapuerca LCTs are longer, but have less refined shapes.

Figure 14. Graphical distribution of elongation (length/width) and refinement (width/thickness) values along the sites/units considered.

Figure 15. Set of angles taken along the LCT edge. The points reflect the mean values on each case.

Regarding edge angles, Boxgrove handaxes show a range of angles along the perimeter (Fig.15). The difference in angle between the distal and the medium part of the tool is much more pronounced, with angles more acute around the tip and greater intensity of final retouch (25°-35°). In contrast, the middle and proximal parts have similar angles, which result from two series of removals or final retouch being applied to the proximal ends. The Atapuerca assemblages show a different pattern to Boxgrove, with distal angles between 45°-55° and variable values along the perimeter. This could be related to the limited use of secondary removal series or final retouch. Variation is more pronounced on the middle to proximal parts, where larger areas of cortex are preserved.

Combined with the technological analysis, we can make the morphometrical analyses using 3D models with AGMT3D software, using a web of 5000 semi-landmarks. A general comparison shows that Boxgrove and Atapuerca share oval shapes (Fig. 16; PC1, 33.95% and PC2, 22.37%). However, Boxgrove tends towards refined 'tear drop' shapes with acute angles. The LCTs from Atapuerca show wider and thicker shapes with higher angles between the faces. These morphological distinctions are significantly different in terms of group inter-point distances (Ranksum=3904; p=<0.01) and inter-point distances between group means (Ranksum=9264; n1=53; n2=50; p=<0.01). Euclidean distances enable measurement of shape variability for each group with Boxgrove (203.64) being much more homogenous than Atapuerca (347.93).

Figure 16. PCA on Boxgrove and Atapuerca LCT (black dots, Atapuerca handaxes; yellow dots, Atapuerca cleavers; red crosses, Boxgrove handaxes).

Comparison of the Atapuerca assemblages show that most LCTs have a similar distribution with oval/global shapes, the biggest difference being shown by TD10.1 (Fig. 17; PC1, 24,40% and PC2, 16,33%). The main differences between sites come from the thickness, represented in the PC1, from globular and thicker pieces at Atapuerca to a more 'tear drop' shape with thinner profiles at Boxgrove.

Figure 17. PCA on Boxgrove and Atapuerca LCT, including all the studied assemblages (GIIa, GIIb, GIIIb, TD10.1). In the upper part is the whole scatter plot and in the lower part is the mean values of each group.

The distribution along PC2 shows differences in tip and butt shapes. In the case of Atapuerca, the extremities are more pointed and the profiles more symmetrical. By contrast, the Boxgrove handaxes are more rounded near the distal ends, with a clear tendency to plano-convex or very asymmetric profiles. This approach is innovative, combining the plan shape with the profile view, allowing the interpretation of the tool's thickness in relation to the general shape. On this PCA, we can visualize the changes produced to the tip and also the butt, which can be shown in both PC1 and PC2. The handaxes from Atapuerca show more irregular butts and a tendency to thicker pointed tips, whereas Boxgrove LCTs record wider and thinner butts, due to intense shaping in this area.

5. Discussion and Conclusions

The final goal of WEAP is to compare handaxes from Middle Pleistocene assemblages in Western Europe, to generate an in depth regional comparison. After decades of intense work on technological analyses, it was necessary to develop a unified, yet flexible, protocol to characterize the LCTs that could be adapted to the technological characteristics of each area or site. It also had to be a system that could describe tools technology and morphology, combined with a proper statistical treatment, to sum up all the data and compare the results. A great effort has been made to find a common, flexible and simplified method, with the combination of the British, French and Spanish schools of research, and with the agreement of three researchers, representing those traditions. Together, we have selected several key technological features key to make comparable several assemblages, with marked differences and with specific characteristics. In addition, this new approach has been combined with others techniques such as the Geometrics Morphometrics and in this paper, we present as a methodological proposal, by testing it on LCT assemblages from Atapuerca (Galería and Gran Dolina-subunit TD10.1) and Boxgrove, Q1B. These are two of the most important Acheulean sites in Western Europe.

This new approach helps to not only describe and characterise the differences in LCTs between sites, but also observe similarities intrinsic to a single tool type. A large corpus of LCTs has been analysed (n = 400). The generalist term of Acheulean includes a great technological and morphometrical variability. That cannot be explained simply by the raw materials, the type of blank or the intensity of reduction. This proposal tries to define an easy way to make comparisons between different assemblages despite their variability, by using a combination of technological features that are key to defining a LCT. The Atapuerca sites from 450ka to 250ka record the use of several raw material types from Neogene and Cretaceous chert, to quartzite, sandstone and limestone, all with different sizes, shapes and knapping properties. Tools from the base of Galería are made mainly on quartzite cobbles, while in GIIb flakes are used for shaping and new raw materials of sandstone and Neogene

chert are introduced. Boxgrove LCTs are all made on flint nodules that are variable in size and shape (between 100-300mm, García-Medrano et al., 2019). There are a large number of fractures that presented problems for the knapping process, which often led to adaptation of the *chaîne opératoire*, to maintain the end goal of the knapping, or mental template. Despite of raw material differences, the same end-forms are produced.

The method is based on the idea that a tool is not only a unit, but a sum of three different morphofunctional parts (tip, middle and butt) (Boëda 1990) We have taken a general consideration of the tool with the main purpose of the shaping process, adapted to the raw material characteristics, being to produce long functional edges with a distal/useful extremity opposite a proximal butt.

Each tool can be divided into three main parts – tip, middle and butt – each treated in specific ways, which through analysing each part independently can provide more detailed information. The same technological features have been recorded on the three parts: type of hammer, number of removal series, depth of edge scars and invasiveness (regarding both façonnage and final retouch). A complete set of measurements are also recorded, including elongation and refinement indices. The use of the geometrical morphometrical analysis helped us to define not only the differences between shapes but also to define the form of intermediate shapes. The use of 3D models enables the extraction of data including linear measurements, surface areas, volumes and angles. The models are also the basis for the Geometrics Morphometrical analysis, using a new software (AGMT3D), to combine plan and profile shapes.

The analysis of each tool in three independent parts shows the small role played by the middle part of the tool in distinguishing sites. In most cases, between tip and butt (i.e. the middle sector), the handaxes and cleavers share common technological features. The differences come from the morphology, especially between the localization of the maximum width and the thickness of the tools. Boxgrove and Atapuerca share the localization of the maximum width at the mid-point of the piece. With respect to the thickness, it is crucial to use 3D models of the Geometrics Morphometrical approach in combining the plan and the profile shape of tools. The tools from Boxgrove, with a clear 'tear-drop' plan shape, are thinner than those from Atapuerca, which is clearly related to the type of shaping. In Boxgrove, several removal series are combined with final retouch. For Atapuerca, in TD10.1 it is due to the use of only one removal series, while for the base of Galería more cortex has been retained.

From a technological point of view, the PCA and the CA allows visualisation and analysis of how the tip and butt are primarily responsible for the variability between sites, where the number of removal series and the use of final retouch are the main criteria. The amount of cortex and the type of shaping also have an effect, depending on the site. The LCTs from Boxgrove indicate several removal series, combined with intense final retouch on the tip, using tranchet removals. The butt area shows a specific management with final retouch. This removal series has a marginal effect on edges, but they are invasive across the tool surfaces. These result in less elongated pieces with a higher refinement index, combined with lower angle values. Morphometrically, Boxgrove handaxes can be characterized as having a clear "tear-drop shape", with thinner tools, wider tips and lower butt angles.

Figure 18. Cluster analysis between the different levels of Galería, Gran Dolina-subunit TD10.1 and Boxgrove.

In contrast, the LCTs from Atapuerca have a larger variability in shape and morphology, which may be expected from a longer chronological range (450ka to 250ka). The removal

series has a deep effect producing sinuous edges, and being non-invasive, leaves large cortical patches on the middle to butt areas. At the base of Galería, LCTs are often cortical, associated with a specific manufacture of the tips, with one removal series and final retouch. In the upper levels of Galería, the tips are shaped by two series of removals and a final retouch, and non-invasive removals on the butt. Morphometrically, the handaxes from Atapuerca are more globular, more elongated and less refined. These measures decrease over time, the tools become less elongated and less refined also.

A Cluster analysis (Fig.18) has been applied, combining the PCA whole set of technological features and the CA on the specific tools' parts. We can see how the lower levels of Galería (GIIa) and Boxgrove represent two independent tool groups and that there is a clear association between the upper levels of Galería. TD10.1 handaxes appear close to the tools of the middle part of the sequence.

This paper has shown how the use of a unified and flexible method of analysis on a large corpus of LCTs, goes beyond the particularities of each site, and combining a short list of technological features with a deep morphological and metrical analysis can enhance understanding of the variability of Acheulean tools over time and space and to highlight differences between regions. This is just a first step in our search for a common language, an easy way to apply a unified method considering just significant features, defining them in a simple and clear way, and incorporating new methodologies which complement the definition of technological variability. We consider that this is the best way to make meaningful regional interpretations, surpassing the local particularities and descriptions, which in the most cases have already been done.

The main aim is to apply this method in the WEAP project, comparing 10 different archaeological sites, and trying to assess a regional perspective which allows us to interpret the Middle Pleistocene occupational pattern through the technological analysis of LCTs. With a simple description of features and a clear explanation of how to define them, we would like to provide a useful method for other researchers who could apply this method to other assemblages and obtain comparable data. Therefore, we are working on the creation of an open database which will be very useful not only to share information but also to compare and test results.

6. Acknowledgement

P.G.M. has fellowship from the European Union's Horizon 2020 research and innovation programme under the Marie Sklodowska-Curie grant agreement N. 748316. This study has been developed at the Dpt. Britain, Europe and Prehistory (British Museum) at the Franks House. The University of Bradford and Dr. Adrian Evans, throughout the "Fragmented Heritage AHRC Project", have led us the scanner to work with. We feel really thankful with the Hebrew University of Jerusalem, Dr. Leore Grosman and Antoine Miller, who have help us with the Artifact3-D and AGMT3-D softwares.

7. Conflict of interest.

On behalf of all authors, the corresponding author states that there is no conflict of interest.

8. References

Airvaux, J. (1987). Les potentialites morphologiques. In E. Carbonell, M. Guilbaud & R. Mora (Eds), **Sistemes d'anàlisi en Prehistòria** (pp.17–67). Girona: Centre de Recerques Paleoecosociales (CRPES).

Antón, S. C. (2003). Natural history of Homo erectus. **Yearbook of Physical Anthropology**, 46, 126–170.

Arnold, L.J. & Demuro, M. (2015). Insights into TT-OSL signal stability from single-grain analyses of known-age deposits at Atapuerca, Spain. **Quaternary Geochronology**, 30, 472-478.

Arsuaga, J.L., Gracia, A., Lorenzo, C., Martínez, I. & Julia Pérez, P. (1999). Resto craneal humano de Galería/Cueva de los Zarpazos (Sierra de Atapuerca). In E. Carbonell, A. Rosas & J. C. Díez Fernández-Lomana (Eds.), **Atapuerca: Ocupaciones humanas y paleoecología del yacimiento de Galería** (pp. 233 –236). Junta de Castilla y León: Consejería de Educación y Cultura.

Arsuaga, J.L., Bermúdez de Castro, J.M. & Carbonell, E.E. (1997). The Sima de los Huesos Hominid Site. **Journal of Human Evolution**, 33(2/3 Special Issue), 105–421.

Ashton, N. (2008). Transport, curation and resharpening of lithics in the lower middle Paleolithic. **Lithics**, 29, 6–17.

Ashton, N. & McNabb, J. (1994). Bifaces in perspective. In N. Ashton & A. David (Eds.), **Stories in stone. Lithic Studies Society Occasional Paper**, 4, 182–191.

Ashton, N.M. & Lewis, S.G. (2012). The environmental contexts of early human occupation of north-west Europe: the British Lower Palaeolithic record. **Quaternary International**, 271, 50–64.

Ashton, N. & White, M. J. (2003). Bifaces and raw materials: flexible flaking in the British early Paleolithic. In M. Soressi & H. L. Dibble (Eds.), **Multiple approaches to the study of bifacial technologies** (pp. 109–123). Pennsylvania: Museum of Archaeology and Anthropology.

Berger, G.W., Pérez-Gonzélez, A., Carbonell, E., Arsuaga, J.L., Bermúdez de Castro, J.M. & Ku, T.-L. (2008). Luminescence chronology of cave sediments at the Atapuerca paleoanthropological site, Spain. **Journal of Human Evolution**, 55, 300–311.

Bermúdez de Castro & J.M., Rosas, A. (1992). A human mandibular fragment from the Atapuerca Trench (Burgos, Spain). **Journal of Human Evolution**, 22, 41–46.

Blasco, R., Rosell, J., Domínguez-Rodrigo, M., Lozano, S., Pastó, I., Riba, D., et al. (2013a). Learning by heart: cultural patterns in the faunal processing sequence during the Middle Pleistocene. **PLoS ONE** 8 (2), e55863. http://dx.doi.org/10.51371/journal.pone.0055863.

Blasco, R., Rosell, J., Fernández Peris, J., Luis Arsuaga, J.L., Bermúdez de Castro, J.M. & Carbonell, E. (2013b). Environmental availability, behavioural diversity and diet: a zooarchaeological approach from the TD10-1 sublevel of Gran Dolina (Sierra de Atapuerca, Burgos, Spain) and Bolomor Cave (Valencia, Spain). **Quaternary Science Reviews,** 70, 124–144.

Boëda, É., Geneste, J.M. & Meignen, L. (1990). Identification de chaînes opératoires lithiques du Paléolithique ancien et moyen. **Paléo**, 2, 43–80.

Boëda, É. (2013). **Techno-logique & Technologie. Une Paléo-histoire des objets lithiques tranchants**, Collectionne Préhistoire au Présent. Paris: Archeo-editions.

Bordes, F. (1961). Typologie du Paléolithique Ancien et Moyen. Bordeaux: Delmas.

Breuil, H. & Kelley, H. (1954). Le Paléolithique ancien. **Bulletin de la Société Préhistorique Française**, 51, 9–26.

Cáceres, I., Huguet, R., Rosell, J., Esteban Nadal, M., Saladié, P., Díez, J.C., et al. (2010). El yacimiento de Galería (Sierra de Atapuerca, Burgos, España): un enclave para la obtención de recursos cárnicos en el Pleistoceno Medio. **Zona Arqueológica**: 1ª Reunión de científicos sobre cubiles de hiena (y otros grandes carnívoros) en los yacimientos arqueológicos de la Península Ibérica, 157–165.

Cahen, D., Karlin, C., Keeley, L.H. & van Noten, F. (1981). Èthodes d'analyse technique, spatiale et fonctionnelle d'ensembles lithiques. **Hellinium**, 20, 209–259.

Carbonell, E., Guilbaud, M. & Mora, R. (1983). Utilizacion de la lógica analitica para el estudio de tecno-complejos a cantos tallados. **Cahier Noir**, 1: 3–64.

Carbonell, E., Mosquera, M., Ollé, A., Rodríguez, X.P., Sala, R., Vaquero, M., et al. (1992). New elements of the Logical Analytic System. **Cahier Noir**, 6.

Carbonell, E., Bermúdez de Castro, J.M., Arsuaga, J.L., Díez, J.C., Rosas, A., Cuenca-Bescós, G., et al. (1995a). Lower Pleistocene hominids and artefacts from Atapuerca-TD6 (Spain). **Science**, 269, 826–830.

Carbonell, E., Márquez, B., Mosquera, M., Ollé, A., Rodríguez, X.P., Sala, R., et al. (1995b). Atapuerca Trinchera Galería (Spain): strategies and operational models of lithic industry. **Cahier Noir** 7, 41–83.

Carbonell, E., Giralt, S., Márquez, B., Martín, A., Mosquera, M., Ollé, A., et al. (1995c). The litho-technical assemblage of the Sierra de Atapuerca in the frame of the European Middle Pleistocene. In: J. M. Bermúdez de Castro, J. L. Arsuaga & E. Carbonell (Eds.), **Human Evolution in Europe and the Atapuerca Evidence** (pp. 445–555). Valladolid: Junta de Castilla y León.

Carbonell, E., Mosquera, M., Ollé, A., Rodríguez Álvarez, X.P., Sahnouni, M., Sala, R., et al. (2001). Structure morphotechnique de l'industrie lithique du Pléistocène Inférieur et Moyen d'Atapuerca (Burgos, Espagne). **L'Anthropologie**, 105, 259–280.

Carbonell, E., Rodríguez, X.P., Mosquera, M., Ollé, A., Sala, R., Vaquero, M., et al. (2006). El sistema Lógico Analítico: una herramienta para el estudio de la tecnología. In F. Gusi (Ed.), **Dialektikê. Cahiers de Typologie Analytique**. Hommage à Georges Laplace (pp. 44–62). Castelló: Servei d'Investigacions Arqueològiques i Prehistòriques.

Clark, J. D. (1994). The Acheulian industrial complex in Africa and elsewhere. Integrative paths to the past. In R. S. Corrucini & R. L. Ciochon (Eds), **Paleoanthropology advances in honor of F. Clark Howell** (pp. 451–469). New Jersey: Pretice-Hall.

Clarke, D. L. (1968). Analytical Archaeology. London: Methuen.

Collina-Girard, J. (1975). Les industries archaïques sur galets des terrasses quaternaires de la plaine du Roussillon (Pyrénées-Orientales, France). Doctoral Thesis. Marsella: Universite de Provence.

Crabtree, D. E. (1975). Comments on Lithic Technology and Experimental Archaeology. In E. H. Swanson (Ed.), **Lithic Technology: Making and Using Stone Tools**. (pp. 105–114). Pocatello: Idaho State University Museum.

Crompton, R. H., & Gowlett, J. A. J. (1993). Allometry and multidimensional form in Acheulean bifaces from Kilombe, Kenya. **Journal of Human Evolution**, 25(3), 175–199.

Deacon, H.J. & Deacon J. (1999). **Human Beginning in South Africa**. Cape Town: David Philip Publishers.

Debénath, A. & Dibble, H.L. (1994). Handbook of Paleolithic Typology I: Lower and Middle Paleolithic of Europe. Philadelphia: University of Pennsylvania.

Delagne, C. (2017). Once upon a time... the (hi)story of the concept of the *chaîne opératoire* in French prehistory. **World Archaeology**, 49, 158–173.

Demuro, M., Arnold, L.J., Parés, J.M., Pérez-González, A., Ortega, A.I., Arsuaga, J.L., et al. (2014). New luminescence ages for the Galería Complex Archaeological site: resolving chronological uncertainties on the Acheulean Record of the Sierra de Atapuerca, Nothern Spain. **PLoS ONE**, 9(10), e110169, http://dx.doi.org/10.1371/journal.pone.0110169.

Díez, C. & Moreno, V. (1994). El yacimiento Galería (Atapuerca, Burgos): evolución de un espacio en el Pleistoceno Medio. **Boletín del Seminario de Estudios de Arte y Arqueología**, 60, 9–24.

Emery, K. (2010). Reexamination of variability in handaxe form in the British Palaeolithic. Doctoral Thesis, London: University College of London Archaeology.

Falguères, C., Bahain, J.-J., Yokoyama, Y., Arsuaga, J.-L., Bermúdez de Castro, J.M., Carbonell, E., et al. (1999). Earliest humans in Europe: the age of TD6 Gran Dolina. Atapuerca, Spain. **Journal of Human Evolution**, 37, 343–352.

Falguères, C., Bahain, J.-J., Yokoyama, Y., Bischoff, J., Arsuaga, J.-L., Bermúdez de Castro, J.M., et al. (2001). Datation par RPE et U-Th des sites pléistocènes d'Atapuerca: Sima de los Huesos, Trinchera Dolina et Trinchera Galería. Bilan géochronologique. **L'Anthropologie**, 105(1), 71–81.

Falguères, C., Bahain, J.-J., Bischoff, J.L., Pérez-González, A., Ortega, A.I., Ollé, A., et al. (2013). Combined ESR/U-series chronology of Acheulian hominid-bearing layers at Trinchera Galería site, Atapuerca, Spain. **Journal of Human Evolution**, 65, 168–184.

Mortillet, G. de (1873). Classification des diverses périodes de l'âge de la pierre. Extrait du Compte Rendu du Congrès International d'Anthropologie et d'Archéologie Préhistoriques VI, Bruxelles, 1872 (pp. 432–444). Bruxelles: Typ. de M. Weissenbruch.

Gamble, C. (1999). The Palaeolithic societies of Europe. Cambridge: World Archaeology.

García-Medrano, P., Ollé, A., Mosquera, M., Cáceres, I., Díez, C. & Carbonell, E. (2014). The earliest Acheulean technology at Atapuerca (Burgos, Spain): oldest levels of the Galería site (GII Unit). **Quaternary International**, 353, 170–194.

García-Medrano, P., Ollé, A., Mosquera, M., Cáceres, I. & Carbonell, E. (2015). The nature of technological changes: the Middle Pleistocene stone tool assemblages from Galería and Gran Dolina-subunit TD10.1 (Atapuerca, Spain). **Quaternary International**, 368, 92–111.

García-Medrano, P., Cáceres, I., Ollé, A. & Carbonell, E. (2017). The occupational pattern of the Galería site (Atapuerca, Spain): A technological perspective. **Quaternary International**, 433, 363–378.

García-Medrano, P., Ollé, A., Roberts, M.B. & Ashton, N. (2019). The mental template in handaxe manufacture: new insights into Acheulean lithic technological behaviour at Boxgrove, Sussex, UK. **Journal of Archaeological Method and Theory**, 26, 396–422.

Geneste, J. M. (1985). Analyse lithique d'industries moustériennes du Périgord: une approche technologique du comportement des groupes humains au Paléolithique moyen. Doctoral Thesis, Universite de Bordeaux.

Gowlett, J.A.J. (2006). The elements of design form in Acheulian bifaces: modes, modalities, rules and language. In N. Goren-Inbar, N. & G. Sharon (Eds.), **Axe Age: Acheulian Tool-making from Quarry to Discard** (pp. 203–221). London: Equinox.

Gowlett, J. A. J. (2011). Innovation and the Evolution of Human Behaviour. The Vital Sense of Proportion: Transformation, Golden Section, and 1:2 Preference in Acheulean Bifaces. **PaleoAnthropol**, Special Issue, 174–187.

Gowlett, J. A. J., & Crompton, R. H. (1994). Kariandusi: Acheulian morphology and the question of allometry. **African Archaeological Review**, 12, 1–40.

Grosman, L., Smikt, O. & Smilansky, U. (2008). On the application of 3-D scanning technology for the documentation and typology of lithic artifacts. **Journal of Archaeological Science**, 35, 3101–3110.

Grosman, L. (2016). Reaching the Point of No Return: The Computational Revolution in Archaeology. **Annual Review of Anthropology**, 45, 129–45.

Guilbaud, M. (1987). Le debitage comme expression d'une realite psychique. In E. Carbonell, M. Guilbaud & R. Mora (Eds), **Sistemes d'anàlisi en prehistòria** (pp. 149–179). Girona: C.R.P.E.S.

Guilbaud, M. (1996). Psycotechnic analysis and culture change: origins of the upper Paleolithic as seen through the example of Saint-Cesaire. In E. Carbonell & M. Vaquero (Eds.), **The Last Neandertals, The First Anatomically Modern Humans: A Tale about the Human Diversity** (pp. 337-354). Tarragona: Universitat Rovira i Virgili.

Holmes, J. A., Atkinson, T., Fiona Darbyshire, D. P., Horne, D. J., Joordans, J., Roberts, M. (2010). Middle Pleistocene climate and hydrological environments at the Boxgrove hominin site (West Sussex, UK) from ostracod records. **Quaternary Science Review**, 29(13-14), 1515–1527.

Huguet, R., Díez Fernández-Lomana, J.C., Rossell, J., Cáceres, I., Moreno Lara, V., Ibáñez, N. (2001). Le gisement de Galería (Sierra de Atapuerca, Burgos, Espagne): un modele archéozoologique de gestion du territoire durant le Pléistocène. **L'Anthropologie**, 105(1), 237–258.

Isaac, G. (1968). The Acheulian site Complex at Olorgesailie, Kenya: A contribution to the interpretation of Middle Pleistocene culture in East Africa. Doctoral Thesis. Cambridge: University of Cambridge.

Isaac, G. (1969). Studies of early culture in East Africa. World Archaeology, 1(1), 1-28.

Isaac, G. (1986). Fundation stones: early artefacts as indicators of activities and abilities. In G. N. Bailey, P. Callow & C.B.N. McBurney (Eds.), **Stone Age prehistory: studies in memory of Charles McBurney** (pp. 221–241). Cambridge: Cambridge University Press.

lovita, R., & McPherron, S. (2011). The handaxe reloaded: A morphometric reassessment of Acheulian and Middle Paleolithic handaxes. **Journal of Human Evolution**, 61(1), 61–74.

Jaubert, J. (1995). Schemas operatoires et outillages peu elabores: le cas du Paleolithique inferieur et moyen de Coudoulous I (Lot). **Cahier Noir**, 7, 85–100.

Johnson, L. L. (1978). A History of Flint-Knapping Experimentation, 1838-1976. **Current Anthropology**, 19, 337–372.

Kleindienst, M. R. (1962). Components of the East African Acheulian assemblage: an analytic approach. In G. Mortelmans (Ed.), **Actes du IVème Congrès panafrican de Préhistoire et de l'Étude du Quaternarie**, 40 (pp. 80–105). Tervuren (Bélgique): Musée Royal de l'Afrique Centrale.

Kohn, M., & Mithen, S. (1999). Handaxes: products of sexual selection? **Antiquity**, 73(281), 518–526.

Laplace, G. (1972). La typologie analytique et structurale: Base rationnelle d'étude des industries lithiques et osseuses. **Banques des données archéologiques. Colloques nationaux du CNRS**, 932: 91–143.

Laplace, G. (1974). De la dynamique de l'analyse structurale ou la typologie analytique. **Rivista di scienze preistoriche**, XXIX: 3–71.

Leroi-Gourhan, A. (1964). Le geste et la parole I: Technique et langage. Paris: Albin Michel.

Li, H., Kuman, K. & Li, C. (2015). Quantifying the Reduction Intensity of Handaxes with 3D Technology: A Pilot Study on Handaxes in the Danjiangkou Reservoir Region, Central China. **PLoS ONE**, 10(9): e0135613, doi:10.1371/journal.pone.0135613

Lombao, D., Cueva-Temprana, A., Rabuñal, J. R., Morales, J. I. & Mosquera, M. (2019). The effects of blank size and knapping strategy on the estimation of core's reduction intensity. **Journal of Archaeological and Anthropological Sciences**, 11(10), 5445-5461

Lombao, D., Rabuñal, J. R., Cueva-Temprana, A., Morales, J. I. & Mosquera, M. (2019). A new method to infer the reduction intensity on cores and handaxes: the Volumetric Reconstruction Method (VRM). **Proceedings of the European Society for the study of Human Evolution (ESHE)** 8: 111.

López-Ortega, E., Rodríguez, X. P. & Vaquero, M. (2011). Lithic refitting and movement connections: the NW area of level TD10-1 at the Gran Dolina site (Sierra de Atapuerca, Burgos, Spain). **Journal of Archaeological Science**, 38, 3112–3121.

MacDonald, K., Martinón-Torres, M.; Dennell, R. W. & Bermúdez de Castro, J. M. (2012). Discontinuity in the record for hominin occupation in south-western Europe: Implications for occupation of the middle latitudes of Europe. **Quaternary International**, 271, 84–97.

Márquez, B., Ollé, A., Sala i Ramos, R. & Vergès, J. M. (2001). Perspectives méthodologiques de l'analyse functionnelle des ensembles lithiques du Pléistocène Inférieur et Moyen d'Atapuerca (Burgos, Espagne). **L'Anthropologie**, 105, 281–299.

Mauss, M. (1947). Manuel d'ethnographie. Paris: Payot.

McPherron, S. P. (1999). Ovate and pointed handaxe assemblages: two points make a line. **Préhistoire Européenne**, 14, 9–32.

McPherron, S. P. (2006). What typology can tell us about the Acheulian handaxe production? In N. Goren-Inbar and G. Sharon (Eds.), **Axe Age: Acheulian tool-making from quarry to discard** (pp. 267-286). London: Equinox.

Mithen, S. (2005). The singing Neanderthals: the origins of music, language, mind and body. London: Weidenfeld and Nicolson.

Moncel, M. H., Ashton, N., Lamotte, A., Tuffeau, A., Cliquet, D. & Despriée, J. (2015). The Early Acheulian of north-western Europe. **Journal of Anthropological Archaeology**, 40: 302–331.

Moncel, M. H., Arzarello, M., Boëda, E., Bonilauric, S., Chevrierc, B., Gaillarda, C., et al. (2018). Assemblages with bifacial tools in Eurasia (third part). Considerations on the bifacial phenomenon throughout Eurasia. **Comptes Rendus Paleovol**, 17(1-2): 77–97.

Mosquera, M., Ollé, A. & Rodríguez, X. P. (2013). From Atapuerca to Europe: tracing back the earliest peopling of Europe, **Quaternary International**, 295, 130–137.

Mosquera, M., Ollé, A., Rodríguez-Álvarez, X. P. & Carbonell, E. (2018). Shedding light on the Early Pleistocene of TD6 (Gran Dolina, Atapuerca, Spain): The technological sequence and occupational inferences. **PLoS ONE**. 13, e0190889, doi.org/10.1371/journal.pone.0190889

Mourre, V. (2003). **Implications culturelles de la technologie des hachereaux**. Doctoral Thesis, Paris : Université de Paris X-Nanterre.

Newcomer, M. H. (1971). Some quantitative experiments in handaxe manufacture. **World Archaeology**, 3(1), 85–104.

Nicoud, E. (2013a). What Does the Acheulean Consist of? The Example of Western Europe (MIS 16-9). **Mitteilungen der Gesellschaft für Urgeschichte**, 22, 41–60.

Nicoud, E. (2013b). Complexité des stratigraphies regionals et nouveau modèle d'apparition et de diffusion du phénomène Acheuléen en Europe de l'Òuest. **Quaternaire**, 24(4), 407–417.

Noll, M. P. (2000). **Components of Acheulian Lithic Assemblage variability at Olorgesailie, Kenya**. Doctoral Thesis. Illinois: University of Illinois, http://hdl.handle.net/2142/85334

Nowell, A., & Lee Chang, M. (2009). The case against sexual selection as an explanation of Handaxe morphology. **PaleoAnthropology**, 77–88.

Ollé, A. & Huguet, R. (1999). Secuencia arqueoestratigráfica del yacimiento de Galería, Atapuerca. In E. Carbonell, A. Rosas & J. C. Díez (Eds.), **Atapuerca: Ocupaciones humanas y paleoecología del yacimiento de Galería.** (pp. 55-62). Zamora: Junta de Castilla y León.

Ollé, A., Cáceres, I. & Vergès, J.M., 2005. Human occupations at Galería Site (Sierra de Atapuerca, Burgos, Spain) after the technological and taphonimical data. In M. Molines, M. H. Moncel, J. L. Monnier (Eds.), **Les premiers peuplements en Europe. Colloque International : Données récents sur les modalitès de peuplement et sur le cadre**

chronostratigraphique, géologique et paléogèographique des industries du Paléolithique ancient et moyen en Europe (pp. 269–280). Oxford : British Archaeological Reports International Series, S 1364.

Ollé, A., Mosquera, M., Rodríguez, X.P., de Lombera-Hermida, A., García-Antón, M.D., García-Medrano, P. et al. (2013). The Early and Middle Pleistocene technological record from Sierra de Atapuerca (Burgos, Spain). **Quaternary International**, 295, 138–167.

Parés, J.M. & Pérez-González, A. (1999). Magnetochronology and stratigraphy at Gran Dolina section, Atapuerca (Burgos, Spain). **Journal of Human Evolution**, 37, 325–342.

Parfitt, S.A., Ashton, N., Lewis, S., Abel, R., Coope, G.R., Field, M.H., et al. (2010). Early Pleistocene human occupation at the edge of the boreal zone in northwest Europe. **Nature**, 466, 229–233.

Petraglia, M. D. (2006). The Indian Acheulian in global perspective. In N. Goren-Inbar & G. Sharon (Eds.), **Axe age: Acheulian tool-making from quarry to discard** (pp. 389–414). London: Equinox.

Pelegrin, J. (1986). **Technologie lithique: une méthode appliquée à l'étude de deux séries du Périgordien ancien, Roc de Combe couche 8, La Côte niveau III**. Doctoral Thesis. Paris: Universite de Paris X.

Pelegrin, J., Bodu, P., Carlin, C. & J. Tixier. (1988). Chaines operatoires: un outil pour le préhistorien. **Technologie Préhistorique. Notes et monographies Techniques**, 25, 55–62.

Pérez-González, A., Parés, J.M., Gallardo, J., Aleixandre, T., Ortega, A.I. & Pinilla, A. (1999). Geología y estratigrafía del relleno de Galería de la Sierra de Atapuerca (Burgos). In: E. Carbonell, A. Rosas, & J. C. Díez Fernández-Lomana (Eds.), **Atapuerca: Ocupaciones humanas y paleoecología del yacimiento de Galería** (pp. 31–42). Zamora: Junta de Castilla y León.

Pérez-González, A., Parés, J.M., Carbonell, E., Aleixandre, T., Ortega, A.I., Benito Calvo, A. et al. (2001). Géologie de la Sierra de Atapuerca et stratigraphie des remplissages karstiques de Galería et Dolina (Burgos, Espagne). **L'Anthropologie**, 105(1), 24–43.

Perles, C. (1991). Economie dees matières premieres et economie du débitage: deux conceptions opposées? In S. Beyries, L. Meignen & J. P. Texier (Eds.), 25 Ans d'Études technologiques en Préhistoire: Bilan et perspectives. **Precedings Xième Rencontres Internationales d'Archéologie et Histoire d'Antibes** (pp. 35-46). Antibes: APDCA.

Pope, M. & Roberts, M. B. (2005). Observations on the relationship between individuals and artefact scatters at the Middle Pleistocene site of Boxgrove, West Sussex. In C. Gamble & M. Porr (Eds.), **The hominid individual in context: Archaeological investigations of Lower & Middle Palaeolithic landscapes, locales & artefacts** (pp. 81–97). London: Routledge.

Roberts, M., & Parfitt, S. (1999). **Boxgrove. A Middle Pleistocene hominid site at Eartham quarry, Boxgrove, West Sussex**. London: English Heritage.

Roberts, M. B. & Pope, M. I. (2009). The archaeological and sedimentary records from Boxgrove and Slindon. In R. M. Briant, M. R. Bates, R. T. Hosfield, F. F. Wenban-Smith

(Eds.), **The Quaternary of the Solent Basin and West Sussex Raised Beaches** (pp. 96-122). London: Quaternary Research Association Field Guide.

Roberts, M. & Pope, M. (2018). The Boxgrove wider area project. Mapping the early Middle Pleistocene deposits of the Slindon Formation across the Coastal Plain of West Sussex and eastern Hampshire. Spoilheap Monograph 15. Suffolk: Lavenham Press.

Roche, H. (1980). Premiers outils taillés d'Afrique. Paris : Société d'Ethnographie

Roche, H. (2005). From simple flaking to shaping: stone-knapping evolution among early hominins. In V. Roux & B. Bril (Eds.), **Stone Knapping: The Necessary Conditions for a Uniquely Hominin Behaviour (**pp. 35-48). Cambridge: McDonald Institute Monographs.

Roche, H. & Texier, P.J. (1995). Evaluation of technical competence of Homo erectus in East Africa during the Middle Pleistocene. In J. R. F. Bower & S. Sartono (Eds.), **Evolution and ecology of Homo Erectus. Human evolution in its ecological context**, vol.1. Leiden: Leiden University.

Rodríguez, X.P. (2004). **Technical systems of lithic production in the Lower and Middle Pleistocene of the Iberian Peninsula. Technological variability between north-eastern sites and the Sierra de Atapuerca sites.** Oxford: BAR International Series.

Rodríguez, J., Burjachs, F., Cuenca-Bescós, G., García, N., Van der Made, J., Pérez González, A., et al. (2011). One million years of cultural evolution in a stable environment at Atapuerca (Burgos, Spain). **Quaternary Science Reviews**, 30(11-12), 1396–1412.

Rodríguez-Hidalgo, A., Saladié, P., Ollé, A. & Carbonell, E. (2015). Hominin subsistence and site function of TD10.1 bone bed level at Gran Dolina site (Atapuerca) during the late Acheulean. **Journal of Quaternary Science**, 30(7), 679–701.

Roe, D.A. (1968). British Lower and Middle Palaeolithic Handaxe Groups. **Proceedings of the Prehistoric Society**, 34, 1–82.

Roe, D.A. (1994). A metrical analysis of selected sets of handaxes and cleavers from Olduvai Gorge. In M. D. Leakey & M. D. Roe (Eds.), **Olduvai Gorge**, 5 (pp. 146–234). Cambridge: Cambridge University Press.

Roe, D.A. (2006). Some thoughts about the Acheulean cleavers. In N. Goren-Inbar, N. & G. Sharon (Eds.), **Axe-age: Acheulian Tool-making from quarry to discard** (pp. 313–334). London: Equinox.

Rohlf, F.J. 2009, TpsDig2. http://life.bio.sunysb.edu/morph/morphmet/tpsdig2w32.exe

Sharon, G. (2007). Acheulian large flake industries: Technology, chronology, and significance. Oxford: BAR International Series.

Sharon, G. (2008). The impact of raw material on Acheulian large flake production. **Journal of Archaeological Science**, 35(5), 1329–1344.

Shipton, C., & Clarkson, C. (2015a). Flake scar density and handaxe reduction intensity. **Journal of Archaeological Science: Reports**, 2, 169–175.

Shipton, C., & Clarkson, C. (2015b). Handaxe reduction and its influence on shape: An experimental test and archaeological case study. **Journal of Archaeological Science: Reports**, 3, 408–419.

Soressi, M., Geneste, J.-M., 2011. The History and Efficacy of the Chaîne Opératoire Approach to Lithic Analysis: Studying Techniques to Reveal Past Societies in an Evolutionary Perspective. **PaleoAnthropology**, 334–350.

Spikins, P. (2012). Goodwill hunting? Debates over the 'meaning' of lower Palaeolithic handaxe form revisited. **World Archaeology**, 44(3), 378–392.

Stout, D. (2002). Skill and cognition in stone tool production. An ethnographic case study from Iran Jaya. **Current Anthropology**, 43(5), 693–722.

Stout, D. (2011). Stone toolmaking and the evolution of human culture and cognition. **Philosophical Transaction Royal Society B**, 366, 1050–1059.

Stout, D. (2015). Cognitive demands of lower Paleolithic toolmaking. **PLoS One**, 10(4), e0121804, https://doi.org/10.1371/journal.pone.0121804.

Stout, D., Apel, J., Commander, J. & Roberts, M. (2014). Late Acheulean technology and cognition at Boxgrove, UK. **Journal of Archaeological Science**, 41, 576–590.

Tavoso, A. (1984). Reflexion sur l'economie des matieres premieres au Mousterien. **Bulletin du la Société Préhistorique Française**, 81, 79–82. Thompson, E. P. (1981). **Miseria de la Filosofía**. Barcelona: Critica

Texier, P. J. (1985). Chilhac III: ¿un gisement palentologique villafranchien soliflue? **Bulletin du la Société Préhistorique Française**, 82, 68–70.

Tixier, J. (1956). Le hachereau dans l'Acheuléen nord-africain. In Notes typologiques, Congrès Prèhistorique de France. **Compte Rendu de la XVè Session, Poitiers-Angoulème 1956** (pp. 914–923). Paris : Société Préhistorique Française.

Tixier, J. (1991). Cogitations non conclusives. In **25 Ans d'Études technologiques en Préhistoire. Bilan et perspectives. XI Rencontres Internationales d'Archéologie et Histoire d'Antibes** (pp. 391-394). Juan-Les-Pines: APDCA.

Toth, N. (1991). The importance of experimental replicative and functional studies in Paleolithic archaeology. In J. D. Clark (Ed.), **Cultural beginnings: approaches to understanding early hominid life-ways in the African savanna** (pp. 109–124). Bonn: Rudolf Habelt.

Tostevin, G. B. (2011). Levels of Theory and Social Practice in the Reduction Sequence and Chaîne Opératoire Methods of Lithic Analysis. **PaleoAnthropology**, 351–375.

Turq, A. (1992). Le Paleolithique inférieur et moyen entre les vallées de la Dordogne et du Lot. Doctoral Thesis, Universite de Bordeaux I.

Vallverdú, J. (2002). **Micromorfología de las facies sedimentarias de la Sierra de Atapuerca y del nivel J del Abric Romaní**. Doctoral Thesis. Tarragona: Universitat Rovira i Virgili, https://www.tdx.cat/handle/10803/8598

Van Peer, P. & Wurz, S. (2006). The *chaîne opératoire* concept in Middle Palaeolithic lithic studies: some problems and solutions. In **Core reduction**, *chaîne opératoire*, and other

methods: The epistemologies of different approaches to lithic analysis. 71st Annual Meeting of the Society for American Archaeology. Puerto Rico, pp. 1–14.

Wenban-Smith, F.F. (1989). The use of canonical variates for determination of biface manufacturing technology at Boxgrove Lower Palaeolithic site and the behavioural implications of this technology, **Journal of Archaeological Science**, 16, 17–26.

Wenban-Smith, F.F. (2004). Handaxe typology and lower Paleolithic cultural development: ficrons, cleavers and two giant handaxes from Cuxton. **Lithics**, 25, 11–21.

Wenban-Smith, F.F. & Ashton, N. (1998). Raw material and lithic technology. In N. Ashton, S. G. Lewis, & S. Parfitt (Eds.), **Excavations at the Lower Palaeolithic site at east farm, Barnham, Suffolk 1989–94** (pp. 237–244). London: British Museum Occasional Paper.

Wenban-Smith, F.F., Gamble, C., & Apsimon, A. (2000). The Lower Palaeolithic site at red barns, Portchester, Hampshire: bifacial technology, raw material quality and organisation of archaic behaviour. **Proceedings of the Prehistoric Society**, 66, 209–255.

White, M. J. (1995). Raw materials and biface variability in southern Britain: a preliminary examination. **Lithics**, 15, 1–20.

White, M. J. (1998a). Twisted ovate bifaces in the British lower Palaeolithic: some observations and implications. In N. Ashton, F. Healy, & P. Pettitt (Eds.), **Stone age archaeology: essays in honour of John Wymer** (pp. 98–104). Oxford: Oxbow Books.

White, M. J. (1998b). On the significance of Acheulean biface variability in southern Britain. **Proceedings of the Prehistoric Society**, 64, 15–44.

White, M. J. (2006). Axeing claevers: reflections on broad-tipped large cutting tools in the British earlier Paleolithic. In N. Goren-Inbar & G. Sharon (Eds.), **Axe age Acheulian tool-making from quarry to discard** (pp. 365–386). London: Equinox.

White, M., Ashton, N. & Bridgland, D. (2019). Twisted Handaxes in Middle Pleistocene Britain and their Implications for Regional-scale Cultural Variation and the Deep History of Acheulean Hominin Groups. **Proceedings of the Prehistoric Society** doi:10.1017/ppr.2019.1

Wymer, J.J. (1968). Lower Palaeolithic Archaeology in Britain as Represented by the Thames Valley. London: John Baker.

Wynn, T. (1989). The evolution of spatial competence. University of Illinois Press.

Wynn, T., 2002. Archaeology and cognitive evolution. **Behavioural and Brain Sciences**, 25, 389–402.

Wynn, T. & Gowlett, J. (2018). The handaxe reconsidered. **Evolutionary Anthropologie**, 27, 21–29.