



Environmental side effects of the injudicious use of antimicrobials in the era of COVID-19

Muhammad Usman Iftikhar, Muhammad Umar Farooq, Khalil Hanna

► To cite this version:

Muhammad Usman Iftikhar, Muhammad Umar Farooq, Khalil Hanna. Environmental side effects of the injudicious use of antimicrobials in the era of COVID-19. *Science of the Total Environment*, 2020, 745, pp.141053. 10.1016/j.scitotenv.2020.141053 . hal-02930222

HAL Id: hal-02930222

<https://hal.science/hal-02930222>

Submitted on 20 Nov 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

**Environmental side effects of the injudicious use of antimicrobials in the era of
COVID-19**

Muhammad Usman^{1*}, Muhammad Farooq^{2*}, Khalil Hanna^{3,4*}

¹ PEIE Research Chair for the Development of Industrial Estates and Free Zones,
Center for Environmental Studies and Research, Sultan Qaboos University,
Al-Khoud 123, Muscat, Oman


² Department of Clinical Sciences, College of Veterinary and Animal Sciences,
Jhang, University of Veterinary and Animal Sciences, Lahore, Pakistan

³ Univ Rennes, Ecole Nationale Supérieure de Chimie de Rennes, CNRS, ISCR
(Institut des Sciences Chimiques de Rennes) – UMR 6226, F-35000, Rennes,
France

⁴ Institut Universitaire de France (IUF), MESRI, 1 rue Descartes, 75231 Paris,
France.

*For correspondence:

muhammad.usman@squ.edu.om (M. Usman), muhammad.farooq@uvas.edu.pk (M.
Farooq), khalil.hanna@ensc-rennes.fr (K. Hanna)



Abstract

Use of antimicrobials in the treatment and prevention of COVID-19, caused by novel coronavirus SARS-CoV-2, is on the rise. The increased use of antimicrobials can have serious consequences on the environment. Antibiotics have had a reasonable role in bacterial co-infections with regards to the management of COVID-19. However, recent evidences suggest that there has been injudicious prescription of antimicrobials. Moreover, a large number of people are self-medicating with antibiotics in a misguided attempt to protect themselves from the virus. This practice is especially prevalent in developing communities. Although common soaps are effective at inactivating enveloped viruses, such as the SARS-CoV-2, use of antibacterial products bearing biocides has increased during this pandemic. Since current wastewater treatment techniques are unable to offer complete elimination of antibacterial biocides. These compounds can then accumulate in different environmental compartments thus, disrupting the functioning of native microbes. These microbes are involved in the biogeochemical cycling of elements and environmental remediation. In addition, the presence of antimicrobial elements in the environment can stimulate antimicrobial resistance. Concrete actions are needed to address this issue. Development of an antimicrobial policy specific for COVID-19 is urgently needed. Investments into improving wastewater infrastructure as well as public awareness is crucial. Moreover, global monitoring programs and multidisciplinary collaborations are required to understand the environmental impact of this pandemics.

Keywords: COVID-19; Antibiotics in environment; Antibacterial soaps; Antimicrobial resistance (AMR); Wastewater contamination

1. Introduction

The ongoing global pandemic of coronavirus disease 2019 (named as COVID-19) is today's most significant health concern. This disease was first reported in Wuhan, China in December 2019. On January 30th, 2020 the World Health Organization (WHO) declared this outbreak a Public Health Emergency of International Concern and on March 11th, 2020 it was characterized as a "pandemic". As of June 30, 2020, this pandemic has infected >10 millions of people and caused >0.5 million deaths. There is a global urgency to develop vaccines to prevent infection and create treatments for this disease. As a response to this pandemic there has been rapid adaptation of infection control and antimicrobial stewardship programs.

Use of antibiotics in the treatment and prevention of COVID-19 is rising (Rawson et al., 2020a) despite it being a viral disease (caused by a novel coronavirus—SARS-CoV-2). Therefore, researchers have become increasingly concerned about the in-clinic impacts of COVID-19 on overall levels of antimicrobial resistance (AMR) (Hsu, 2020).

It is well recognized that excessive use of antimicrobials in medicine and agriculture drives AMR which is a global threat to human, animal and environmental health (Maillard et al., 2020). According to the US Center for Disease Prevention and Control (2019), up to 50% of antibiotic use is not medically justified. This situation is particularly worse in developing communities which have unregulated over-the-counter sales and a weak water and sewage infrastructure. For example, a recent typhoid fever outbreak in Pakistan has been associated to the antibiotic resistance caused by inappropriate use of drugs as well as poor sanitation and contaminated water supplies (Cohen, 2018). Recent estimates by UN Interagency Coordination Group on Antimicrobial Resistance (2019) suggest that AMR diseases are responsible for about 700,000 annual deaths worldwide. Without concrete action, the death toll could reach up to 10 million a year by 2050.

The intent of this communication is to highlight the consequences of COVID-19 management on the environment. The focus will be on the unnecessary use of antibacterial drugs and personal hygiene products in the treatment and prevention of COVID-19. A brief description of these issues is provided below.

2. Excessive use of therapeutic antimicrobials

Antibiotics have reasonable roles in the management of COVID-19 particularly to treat suspected or confirmed bacterial co-infections (Rawson et al., 2020a). The World Health Organization has advised that antibiotics should not be used for the purposes of treating COVID-19 except in the presence of bacterial co-infections (WHO, 2020). However, growing evidence suggest that very high proportion of COVID-19 patients are being unnecessarily treated with antibiotics. Empirical antibiotics were prescribed for 90% of patients despite low confirmation of secondary bacterial infections (<10%) (Lai et al., 2020). Wei et al. (2020) also noted that antibiotics were started on admission in 59% of COVID-19 patients despite the absence of definitive evidence of bacterial coinfection in these patients. Moreover, 98% of these prescriptions were empiric. Similarly, another very recent review of data from covid-19 cases, mostly from Asia, reported that >70% of patients received antimicrobial treatment despite only <10% having bacterial or fungal coinfections (Rawson et al., 2020a). Moreover, the same study found that broad spectrum antibiotics, intended to kill a wide range of bacteria, are being administered. Overuse of these antibiotics can stimulate AMR in the acute care settings (Hsu, 2020; Rawson et al., 2020b). Premature hype surrounding possible treatments for COVID-19 could also spike the prescription of antibiotics. This has been seen for the antibiotic azithromycin in combination with the drug hydroxychloroquine causing shortages in the US (Reardon, 2020). Though unmeasured, there is a possibility of a large number of people taking antibiotics in misguided attempts to self-medicate to protect themselves from the virus. This has the potential to be very prevalent in developing communities where antibiotics can be easily obtained without

a prescription. A high proportion of these drugs in bioactive forms is excreted into the wastewater from where they may enter in natural systems (Slater et al., 2011). Release of antibiotic resistant bacteria along with large quantities of antibiotics to the wastewater would spur the AMR and other unintended consequences on the environment. A recent review detailing pharmaceutical pollutants in global aquatic systems found antibiotics as the most-frequently detected compounds (Patel et al., 2019). It should be noted that wastewater is the major hotspot for AMR as it is characterized by extremely high bacterial loads coupled with subtherapeutic antibiotics (Berendonk et al., 2015).

3. Excessive use of non-therapeutic antimicrobials

Proper hand hygiene has been recognized as the first line of defense against this pandemic. Therefore, frequent hand-washing with plain soap and water for at least 20 seconds has been advised as an impactful way to prevent the spread of COVID-19 (WHO, 2020). Soaps contain surfactants that dissolve the lipid-bilayer, an integral part of SARS-CoV-2 envelop, leading to the deactivation of virus. These deactivated viral molecules are then encapsulated within micelles which are then washed away (Chaudhary et al., 2020). A 20-second wash provides sufficient time for the soap molecules to dissolve the lipid-bilayer of the SARS-CoV-2 virus.

All regular soaps available in the marketplace have the basic ingredients and chemistry required to disrupt the virus (Chaudhary et al., 2020). Common soaps are effective at inactivating the enveloped viruses such as the SARS-CoV-2 therefore, antibacterial soaps are not required (UNESCO, 2020). The US-Food and Drug Administration (FDA) has also advocated the same and moved to ban 19 antimicrobial chemicals from soaps acknowledging their dangerous impacts (McNamara and Levy, 2016). Despite this, use of antibacterial soaps and disinfectants has increased during this pandemic as evident from sharp increase in their sale worldwide (Matters, 2020). Similar increase

in demand for antibacterial products/soaps was noted in the era of 2009 Swine flu (Hickman, 2009; Slater et al., 2011).

Antibacterial products contain high amounts of biocides which result in a sharp increase in their presence in wastewater. As a matter of fact, antimicrobial chemicals from soaps could occur in wastewater biosolids (that are land applied as soil conditioners) at multiple orders of magnitude higher than the concentrations of antibiotics (McClellan and Halden, 2010). This may pose severe risks to ecosystem and to the spread of AMR in the environment. In addition to the AMR, persistence of these biocides in the environment is a major environmental threat that calls for suitable remediation (McNamara and Levy, 2016). Moreover, presence of these biocides can sabotage the wastewater treatment processes that rely on microbial activity (McNamara et al., 2014). These compounds may enter into soil system disrupting the functioning of native biota playing crucial roles in biogeochemical cycling of elements and environmental remediation (Patel et al., 2019).

4. Concluding remarks and recommendations

Antibiotic stewardship principles should continue to be applied and promoted in the times of COVID-19 (Huttner et al., 2020). However, development of an antimicrobial policy specific for COVID-19 is urgently needed. For this, coordinated strategies at the individual, health-care and policy levels are essential (Rawson et al., 2020b).

Since current wastewater treatment techniques are unable to offer complete elimination of these compounds (Kümmerer et al., 2018; Rodriguez-Mozaz et al., 2020), our daily exposure to various antibiotics, biocides and their active metabolites in environment becomes inevitable. Pollutant input prevention at the production source complemented with wastewater treatment is crucial to ensure water safety (Kümmerer et al., 2018). However, effective input prevention in case of antimicrobials and other pharmaceuticals calls for responsible use of drugs and personal care products by individuals. Intensive information campaigns should be launched to educate the masses about the ecological consequences of misusing antibacterial products. A large

portion of the population is creating the habit of regular hand washing as a result of the pandemic. These practices will remain embedded even after the pandemic subsides. Therefore, educating the public about the unwanted effects of antimicrobial/antibacterial products during the pandemic will have the greatest opportunity to instilling change. Governments should ensure that advertising material and message of hygienic products are aligned with COVID-19 guidelines. We also urge researchers to evaluate the environmental consequences of the response measures to COVID-19 by focusing on therapeutic as well as non-therapeutic antimicrobials.

Acknowledgments

Dr. M. Usman gratefully acknowledges the research grant from PEIE Research Chair for the Development of Industrial Estates and Free Zones, Sultan Qaboos University, Oman (CHAIR/DVC/MADAYN/20/02).

References

173

174

175 UN Interagency Coordination Group on Antimicrobial Resistance. No time to wait:
 176 Securing the future from drug-resistant infections. Report to the Secretary-
 177 General of the United Nations Washington, 2019.

178 Berendonk, TU., Manaia, CM., Merlin, C., Fatta-Kassinos, D., Cytryn, E., Walsh, F.,
 179 Bürgmann, H., Sørum, H., Norström, M., Pons, M-N., Kreuzinger, N.,
 180 Huovinen, P., Stefani, S., Schwartz, T., Kisand, V., Baquero, F, Martinez, JL.
 181 2015. Tackling antibiotic resistance: the environmental framework. Nat. Rev.
 182 Microbiol. 13, 310-317. DOI: <https://doi.org/10.1038/nrmicro3439>

183 Chaudhary, NK., Chaudhary, N., Dahal, M., Guragain, B., Rai, S., Chaudhary, R.,
 184 Sachin, K., Lamichhane-Khadka, R, Bhattarai, A. 2020. Fighting the SARS
 185 CoV-2 (COVID-19) Pandemic with Soap. Preprints, 2020050060.

186 Cohen, J. 2018. 'Frightening' typhoid fever outbreak spreads in Pakistan. Science
 187 361, 214. DOI: <https://doi.org/10.1126/science.361.6399.214>

188 Control, CfDPa. Measuring Outpatient Antibiotic Prescribing.
 189 [https://www.cdc.gov/antibiotic-use/community/programs-](https://www.cdc.gov/antibiotic-use/community/programs-measurement/measuring-antibiotic-prescribing.html)
 190 [measurement/measuring-antibiotic-prescribing.html](https://www.cdc.gov/antibiotic-use/community/programs-measurement/measuring-antibiotic-prescribing.html), 2019.

191 Hickman, M. Soap and medicine sales soar due to swine flu. The Independent, 2009.

192 Hsu, J. 2020. How covid-19 is accelerating the threat of antimicrobial resistance. BMJ
 193 369, m1983. DOI: <https://doi.org/10.1136/bmj.m1983>

194 Huttner, BD., Catho, G., Pano-Pardo, JR., Pulcini, C, Schouten, J. 2020. COVID-19:
 195 don't neglect antimicrobial stewardship principles! Clin. Microbiol. Infect. 26,
 196 808-810. DOI: <https://doi.org/10.1016/j.cmi.2020.04.024>

197 Kümmerer, K., Dionysiou, DD., Olsson, O, Fatta-Kassinos, D. 2018. A path to clean
 198 water. Science 361, 222. DOI: <https://doi.org/10.1126/science.aau2405>

199 Lai, C-C., Shih, T-P., Ko, W-C., Tang, H-J, Hsueh, P-R. 2020. Severe acute
 200 respiratory syndrome coronavirus 2 (SARS-CoV-2) and coronavirus disease-
 201 2019 (COVID-19): The epidemic and the challenges. Int. J. Antimicrob.
 202 Agents 55, 105924. DOI: <https://doi.org/10.1016/j.ijantimicag.2020.105924>

203 Maillard, J-Y., Bloomfield, SF., Courvalin, P., Essack, SY., Gandra, S., Gerba, CP.,
 204 Rubino, JR, Scott, EA. 2020. Reducing antibiotic prescribing and addressing
 205 the global problem of antibiotic resistance by targeted hygiene in the home
 206 and everyday life settings: A Position Paper. Am. J. Infect. Control, DOI:
 207 <https://doi.org/10.1016/j.ajic.2020.04.011>

208 Matters, C. Coronavirus: Supplies run low of anti-bacterial hand-soaps.
 209 <https://www.cleaning-matters.co.uk/Coronavirus-anti-bacterial-soaps>, 2020.

210 McClellan, K, Halden, RU. 2010. Pharmaceuticals and personal care products in
 211 archived U.S. biosolids from the 2001 EPA national sewage sludge survey.
 212 Water Res. 44, 658-668. DOI: <https://doi.org/10.1016/j.watres.2009.12.032>

213 McNamara, PJ., LaPara, TM, Novak, PJ. 2014. The Impacts of Triclosan on
 214 Anaerobic Community Structures, Function, and Antimicrobial Resistance.
 215 Environ. Sci. Technol. 48, 7393-7400.
 216 DOI: <https://doi.org/10.1021/es501388v>

217 McNamara, PJ, Levy, SB. 2016. Triclosan: an Instructive Tale. Antimicrob. Agents
 218 Chemother. 60, 7015. DOI: <https://doi.org/10.1128/AAC.02105-16>

219

- Patel, M., Kumar, R., Kishor, K., Mlsna, T., Pittman, CU, Mohan, D. 2019.
Pharmaceuticals of Emerging Concern in Aquatic Systems: Chemistry,
Occurrence, Effects, and Removal Methods. Chem. Rev. 119, 3510-3673.
DOI: <https://doi.org/10.1021/acs.chemrev.8b00299>
- Rawson, TM., Moore, LSP., Zhu, N., Ranganathan, N., Skolimowska, K., Gilchrist,
M., Satta, G., Cooke, G, Holmes, A. 2020a. Bacterial and fungal co-infection
in individuals with coronavirus: A rapid review to support COVID-19
antimicrobial prescribing. Clin. Infect. Dis. ciaa530.
DOI: <https://doi.org/10.1093/cid/ciaa530>
- Rawson, TM., Ming, D., Ahmad, R., Moore, LSP, Holmes, AH. 2020b. Antimicrobial
use, drug-resistant infections and COVID-19. Nat. Rev. Microbiol.
DOI: <https://doi.org/10.1038/s41579-020-0395-y>
- Reardon, S. 2020. Antibiotic treatment for COVID-19 complications could fuel
resistant bacteria. Science. DOI: <https://doi.org/10.1126/science.abc2995>
- Rodriguez-Mozaz, S., Vaz-Moreira, I., Varela Della Giustina, S., Llorca, M., Barceló,
D., Schubert, S., Berendonk, TU., Michael-Kordatou, I., Fatta-Kassinos, D.,
Martinez, JL., Elpers, C., Henriques, I., Jaeger, T., Schwartz, T., Paulshus, E.,
O'Sullivan, K., Pärnänen, KMM., Virta, M., Do, TT., Walsh, F, Manaia, CM.
2020. Antibiotic residues in final effluents of European wastewater treatment
plants and their impact on the aquatic environment. Environ. Int. 140, 105733.
DOI: <https://doi.org/10.1016/j.envint.2020.105733>
- Slater, FR., Singer, AC., Turner, S., Barr, JJ, Bond, PL. 2011. Pandemic
pharmaceutical dosing effects on wastewater treatment: no adaptation of
activated sludge bacteria to degrade the antiviral drug Oseltamivir (Tamiflu®)
and loss of nutrient removal performance. FEMS Microbiol. Lett. 315, 17-22.
DOI: <https://doi.org/10.1111/j.1574-6968.2010.02163.x>
- UNESCO. 2020. How Soap Kills COVID-19 on Hands.
<https://en.unesco.org/news/how-soap-kills-covid-19-hands>.
- Wei, W., Ortwine, JK., Mang, NS., Joseph, C., Hall, BC, Prokesch, BC. 2020.
Limited Role for Antibiotics in COVID-19: Scarce Evidence of Bacterial
Coinfection. medRxiv, DOI: <https://doi.org/10.1101/2020.06.16.20133181>
- WHO. 2020. Q&A on coronaviruses (COVID-19).
<https://www.who.int/emergencies/diseases/novel-coronavirus-2019/question-and-answers-hub/q-a-detail/q-a-coronaviruses>.