

# Human-driven atoll island expansion in the Maldives Virginie Duvat

# ▶ To cite this version:

Virginie Duvat. Human-driven atoll island expansion in the Maldives. Anthropocene, 2020, 32 (100265), 10.1016/j.ancene.2020.100265. hal-02937661

# HAL Id: hal-02937661 https://hal.science/hal-02937661

Submitted on 21 Sep 2022

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

Version of Record: https://www.sciencedirect.com/science/article/pii/S221330542030031X Manuscript\_65fb7f966ed6f691ad0ac487b88a5cdf

# Human-driven atoll island expansion in the Maldives

Virginie K.E. Duvat

UMR LIENSs 7266, La Rochelle University-CNRS, Institute of Littoral and Environment, 2 rue Olympe de Gouges, 17000 La Rochelle, France.

ORCID: 0000-0002-9336-3833

virginie.duvat@univ-lr.fr

# Acknowledgements

This work was supported by the French National Research Agency under the STORISK (No.

ANR-15-CE03-0003) and the INSeaPTION projects. The INSeaPTION project is part of ERA4CS,

an ERA-NET initiated by JPI Climate, and funded by FORMAS (SE), BMBF (DE), BMWFW (AT),

IFD (DK), MINECO (ES), ANR (FR) with co-funding by the European Union (Grant 690462).

1

#### Human-driven atoll island expansion in the Maldives

2

#### 3 Abstract

4 This study assesses the evolution of 104 inhabited and 82 resort islands across the Maldives 5 between 2004-2006 and 2014-2016 and investigates the contribution of human drivers. Using 6 multi-date satellite imagery, we show that 59.1% of these islands expanded as a result of 7 human intervention, including mainly land reclamation (often associated with harbor 8 development) and the construction of engineering structures. Land reclamation drove island 9 expansion on 93.5% of inhabited islands, whereas land reclamation and/or the effects of 10 engineered structures (especially groins and breakwaters) were involved in 79.2% of the 11 resort islands. Almost 52% of the islands that increased in size experienced growth rates 12  $\geq$ 10%, with 13 inhabited and 6 resort islands exhibiting growth rates  $\geq$ 50%. As a result of 13 widespread human intervention, these islands behave very differently from both the 14 documented Pacific islands and the Maldivian islands of Gaafu-Alifu Dhaalu Atoll (most of 15 which are 'natural'), 15.5% and 19.5% of which underwent expansion over the past decades, 16 respectively. Changes on the islands were driven by political-institutional (one-size-fits-all 17 risk reduction policy based on hard engineering in inhabited islands), demographic 18 (population growth) and socioeconomic (developing and securing outer inhabited islands and 19 post-tsunami tourism growth) factors. The Maldivian island model of 'reclamation-20 fortification' has detrimental impacts on the environment while also questioning the future 21 capacity of the Maldives to face a hard path under increasing risks. Results from the Maldives 22 more broadly offer lessons for other island countries and territories by highlighting the 23 importance of distinguishing between inhabited and exploited and natural islands, and 24 accounting for path dependencies, when designing adaptation solutions.

# 26 Keywords

27 Land area change, shoreline change, human disturbances, socioeconomic development,
28 sustainability, Indian Ocean.

29

# 30 **1. Introduction**

31 Atolls are ring-shaped reefs that enclose a central lagoon and support islands composed of 32 unconsolidated or poorly lithified carbonate sand and gravel (Woodroffe & Biribo, 2011). Because they are small (generally  $<1 \text{ km}^2$ ), low-lying (generally <4 m in elevation), 33 34 comprising unconsolidated material (Woodroffe, 2008), atoll islands are increasingly at risk 35 of marine flooding (Storlazzi et el., 2018; Giardino et al., 2018) and coastal erosion (Shope et 36 al., 2017; Shope and Storlazzi, 2019) under climate change. The risk arises because a range of 37 environmental changes will likely alter the attenuation of wave energy and sediment supply to 38 islands by the reef ecosystem (Quataert et al., 2015; Perry et al., 2018). These changes include 39 sea-level rise (Oppenheimer et al., 2019), increased storm wave heights (Mentaschi et al., 2017; Vitousek et al., 2017), coral reef degradation caused by ocean warming (illustrated by 40 41 mass coral bleaching caused by the 2015-2016 ENSO event; MacClanahan et al., 2019) and 42 acidification (Gattuso et al., 2015), and local human disturbances (Duvat et al., 2019; Duvat 43 and Magnan, 2019). Since the pioneer study by Webb and Kench (2010), however, increasing 44 assessments of atoll island change over the recent decades proved the prevailing persistence 45 of the land area of individual islands and atolls. This occurred despite higher (i.e. up to 46 5.1 ±0.7mm/y in Tuvalu over the 1950-2009 period; Becker et al., 2012) than average 47 (~1.8 mm/y for the twentieth century; Church et al., 2013) rates of sea-level rise in some atoll 48 regions. Collectively, these assessments showed that, over the past three to five decades, only 49 11.4% of the 709 documented Indo-Pacific islands decreased in size, whereas 15.5% 50 increased and 73.1% remained stable in area (Duvat, 2019).

51 Multidecadal assessments of atoll island change, however, may not reflect very recent 52 changes in island behavior caused by changes in the magnitude or nature of controlling 53 factors. These factors include, in particular, accelerating sea-level rise (IPCC, 2019) and 54 increasing local human disturbances observed on some atolls (e.g. Duvat et al., 2017; Duvat 55 and Magnan, 2019). To fill this gap, some studies investigated recent (since the mid-1990s or 56 early 2000s) short-term (over 4 to 12 years) changes. These studies, which mainly covered 57 uninhabited (that is, either natural or remote and cultivated) islands, found: (1) higher rates of 58 change for short periods compared to multidecadal time periods (Rankey, 2011; Mann et al., 59 2016; Duvat and Pillet, 2017); (2) differing trends between atoll regions over recent years, with erosion prevailing on some atolls – e.g. Aranuka in Kiribati (2005-2009; Rankey, 2011) 60 61 and Wotje in the Marshall Islands (2004-2012; Ford, 2013) – while stability (e.g. Tuvalu, 62 2005-2014; Kench et al., 2018) and accretion (Maiana, Kiribati, 2005-2009; Rankey, 2011; 63 Takapoto, French Polynesia, 1995-2013; Duvat and Pillet, 2017) predominated on others. 64 Changes were mainly attributed, first, to climate variability (e.g., absence of major storm 65 explaining island expansion on Takapoto; Duvat and Pillet, 2017); second, to autogenic 66 processes driving island adjustment to variations in external energy and/or sediment supply 67 (e.g., Maiana; Rankey, 2011; Taku, Papua New Guinea; Mann et al., 2016); third, to human 68 factors, generally activities near villages (e.g., Maiana and Aranuka; Rankey, 2011; Takapoto; 69 Duvat and Pillet, 2017). These studies investigating short-term island changes thus 70 emphasized two key points: first, the high variability of island behavior (erosion, stability, 71 accretion) depending on the local context; and second, the prominent contribution of natural 72 drivers to observed changes.

As a complement to these studies, the present study investigates recent short-term (from
2004-2006 to 2014-2016) changes in island land area and the drivers of these changes on 104
inhabited and 82 resort islands of the Maldives, using satellite imagery. Building upon a

76 previous paper (Duvat and Magnan, 2019) that highlighted the rapidity of human-driven 77 island change resulting from land reclamation, harbor dredging and the construction of coastal protection structures, this study provides new data for the changes in 82 resort islands. It also 78 79 compares the directions and modes of change of inhabited and resort islands and investigates 80 the main political, demographic and socioeconomic drivers of change on these two types of 81 islands. The present article thus addresses the following questions: (1) To what extent did the 82 Maldivian inhabited and resort islands behave differently from 'natural' (that is, unsettled and 83 unexploited, or agricultural) Indo-Pacific and inhabited Pacific atoll islands? (2) What were 84 the main modes and drivers of island areal change on these two types of islands? (3) Which 85 underlying political-institutional, demographic and socioeconomic factors drove island 86 change? (4) What are the future implications of recent changes?

#### 87 **2. The Maldivian context**

88 The Maldives Archipelago extends 890 km between 0°34'S and 6°57'N in the central Indian 89 Ocean. It comprises 21 atolls and 4 oceanic reef platforms supporting 1,149 islands that cover a land area of 227.4 km<sup>2</sup> (Figure 1; GoM, 2015; Naseer and Hatcher, 2004). Maldivian islands 90 91 formed on a foundation of lagoonal sediments between 5500 and 2500 yr B.P., depending on 92 atolls (Kench et al., 2005; Perry et al., 2013). Because they are very low-lying (80% of land area  $\leq 1$ m above mean sea level) and very small (0.20 km<sup>2</sup> on average), these islands are 93 94 especially and increasingly (Wadey et al., 2017) vulnerable to flooding (e.g. flood events of 95 1987, 2007, 2015) under contemporary sea-level rise (Harangozo, 1992; Woodroffe, 2005; 96 Woodworth, 2005; Khan et al., 2010). Between 1950 and 2009, relative sea-level trend values 97 were of  $1.3 \pm 0.4$  and  $1.4 \pm 0.4$  mm/yr at Male' (North Kaafu Atoll) and Gan (Seenu Atoll), 98 respectively (Palanisamy et al., 2014). Between 1989-1991 and 2015, the rates of sea-level 99 rise accelerated, reaching values of  $4.38 \pm 0.4$  mm/yr and  $3.46 \pm 0.2$  mm/yr at Male' (1991-100 2015) and Gan (1989-2015), respectively (Wadey et al., 2017). Because subsidence is low 101 (i.e. of between 0.09 m and 0.16 mm/kyr), it is a minor contributor to relative sea-level rise in 102 the Maldives (Gischler et al., 2018). The Maldivian climate is characterized by a reversal in 103 winds and waves between the northeast monsoon (December to February) and the southwest 104 monsoon (May to September), which causes a reversal in longshore sediment drift and 105 marked changes in shoreline position between seasons (Kench and Brander, 2006; Kench, 106 2012). In addition, the Maldives Islands are affected by tropical depressions forming in the 107 eastern part of the Indian Ocean and by distant-source swells (e.g. May 2007 event) 108 originating from depressions forming in the temperate latitudes of the southern hemisphere 109 (Aslam and Kench, 2017; Wadey et al., 2017).

110 In 2016, the Maldives had 188 inhabited islands hosting 402,071 inhabitants and 126 resort 111 islands that received the majority of the 1,286,135 international tourists visiting the country 112 (GoM, 2017). Both population growth (doubling of the population every ~25 years since the 113 1960s; GoM, 2018) and tourism development (increase in total bed capacity by 7% from 2012 114 (25,691 beds) to 2017 (38,737 beds); GoM, 2017) put high pressure on the limited land area 115 of the country and of individual islands. The small size of islands resulted in the scattering of 116 the population into small communities, with 61.7% of the inhabited islands hosting less than 117 1,000 inhabitants in 2014 (GoM, 2015). It also led to a dramatic increase in the number of 118 resort islands (from 126 in 2016 to 142 in 2018) to host continuously growing international 119 tourists (1,484,272 in 2018) (ADB, 2019).

Since the 1990s, the small size and the physical instability of the shoreline of these islands have increasingly appeared as a constraint and been addressed through engineering solutions. The latter include raising islands (that is, the creation of artificial elevated islands; Brown et al., 2020), artificially expanding existing islands (Naylor, 2015; Aslam and Kench, 2017; Fallati et al., 2017; Duvat and Magnan, 2019) and armoring and stabilizing shorelines (Shaig, 2011; Kench, 2012; Hinkel et al., 2018). Following the 2004 Indian Ocean Tsunami, which 126 killed 82 people and displaced 30,000 people (half of whom had returned to their islands after 127 two weeks) due to the heavy damage to 8,500 houses (Kan et al., 2007; GoM, 2009), island 128 expansion and fortification have been enhanced. The National Population Consolidation 129 Program (NPCP) has led the fortification of the islands. This program was already in place 130 before the Indian Ocean Tsunami but accelerated in response to this event. Following the 131 tsunami, the Seventh National Development Plan was adopted. This plan aimed at 132 concentrating the country's population on a limited number of 'safer' (i.e. raised and 133 protected by engineered structures) islands to better ensure the reduction of risks, while also 134 boosting socioeconomic development through the provision of infrastructure and public 135 facilities (Shaig, 2008; Suppasri et al., 2015).

136 The long-term (1969-2006/2014) study of shoreline changes conducted on Gaafu Alifu-137 Dhaalu Atoll (see location in Figure 1), which considered 184 islands, most of which are 138 uninhabited, found that 45% of the islands decreased in size while 55% remained stable or 139 increased in area (Aslam and Kench, 2017). Erosional patterns were mainly observed on 140 small islands and interpreted as resulting from changes in the nearshore process regime (i.e. 141 increased sediment mobilization and transport) caused by sea-level rise and/or from a deficit 142 in the sediment budget of islands. Island expansion was attributed principally to land 143 reclamation, which occurred on twelve islands and caused a 93.8 ha increase in land area on 144 the atoll scale. The constructive role of ocean swell on the southern rim of the atoll was a 145 secondary cause of the expansion of islands.



*Figure 1. Location of the study islands.* 

- 148 Panels a and b respectively show the location of the Maldives in the Central Indian Ocean and the
- spatial distribution of the 104 inhabited and 82 resort study islands. The latter are numbered from
- *north to south. The Supplementary Material uses the same numbering.*

151

# 152 **3. Materials and Methods**

# 153 **3.1. Short-term change in the land area of islands**

154 In line with a study analyzing recent land use change in the Maldives (Fallati et al., 2017), we 155 used Google Earth historical satellite images (resolution of 0.5 m) from 2004-06 and 2014-16 156 to assess recent change in the land area of islands. Due to the limited availability of images, 157 which is common on atolls (e.g., Webb and Kench, 2010; Ford and Kench, 2015; Ford, 2013; 158 Aslam and Kench, 2017), we used two different sets (i.e., 2004-2006 and 2014-16) to document the each island at the two periods considered. The limitations encountered were 159 160 variations in the dates at which the images were taken, even across a given atoll, and cloud 161 cover masking some shoreline sections and islands. To optimize image coverage for a 162 country-wide assessment, we therefore had to use a large number of images. As a result, the 163 initial and final image used differ between islands (see Supplementary Tables 2 and 3). The 164 images allowed assessment of areal change on the islands over the last decade  $\pm 1$  year for a total of 186 islands. Of these, 104 are inhabited while 82 are resort islands. The 186 sample 165 166 islands are distributed across the entire archipelago (Figure 1), and respectively represented 167 55.3% and 65.1% of the Maldivian inhabited (188) and resort (126) islands in 2016. Together, 168 they covered a land area of  $\sim 9.24$  ha, which represented  $\sim 31.1\%$  of the land area of the 169 country, in 2014-16. At this date, the study islands had an average size of 49.7 ha, and 170 minimum and maximum land areas of respectively 1.4 ha and 693 ha (Supplementary Tables 171 2 and 3).

In line with previous studies including inhabited islands (Duvat et al., 2017), we used the stability line as a shoreline proxy. This indicator is appropriate to capture medium to longterm changes on islands change, as it is not affected by seasonal beach change. It corresponds to the vegetation line along natural shoreline and to the outer limit of human-built structures

176 (e.g., seawalls, infrastructures, reclaimed areas) along artificial shoreline. Because many of 177 the Maldivian inhabited and resort islands have artificial shorelines, using this proxy was 178 particularly relevant. Because of the widespread removal of the coastal vegetation, digitizing 179 artificial shorelines was much easier than those on natural islands with overhanging tree 180 branches (Purkis et al., 2016). The only difficulty faced when digitizing the stability line was, 181 on some islands, uncertainty on the status of bare ground— that is, whether it corresponded to 182 reclaimed (i.e., stabilized) area. On the few islands where uncertainty was high, we excluded 183 bare ground from the stabilized part of the island. For each island, we controlled the accuracy 184 of shoreline digitization by checking inter-date consistency, i.e. always providing the same 185 solution to the same problem.

186 We used the stability line to calculate island land area at each date. The two sources of 187 uncertainty included image resolution (0.5 m) and shoreline digitization, estimated to be <1 m 188 based on repeated (n: 10 times) shoreline digitization by the same operator on a representative 189 sample of 20 islands. These uncertainty values are consistent with those obtained in previous 190 studies (Biribo and Woodroffe, 2013; Ford, 2013; Mann and Westphal, 2014). In line with 191 previous assessments (Webb and Kench, 2010; McLean and Kench, 2015; Aslam and Kench, 192 2017; Duvat, 2019; Kench et al., 2018), we used the  $\pm 3\%$  threshold to determine significant 193 change. We therefore considered that a change falling within -3% and +3% was not 194 significant, i.e., indicated areal stability, whereas changes <-3% and >+3% respectively 195 corresponded to a reduction and to a gain in island land area.

# 196 **3.2.** Attribution of areal change on islands

# 197 **3.2.1. Potential drivers of island areal change**

Over the timeframe of analysis, three main drivers may have caused marked island change.
These factors include (1) the Indian Ocean Tsunami, for the eight inhabited islands and nine
resort islands for which we used pre-tsunami images for the initial date (see Supplementary

201 Tables 2 and 3); (2) the May 2007 and May 2015 swell events (Wadey et al., 2017); (3) 202 human intervention, especially harbor dredging and extension, island artificial expansion and 203 the effects of engineered structures (Aslam and Kench, 2017; Fallati et al., 2017; Duvat and 204 Magnan, 2019). A study investigating the morphological impacts of the Indian Ocean 205 Tsunami on Baa (South Maalhosmadulu) Atoll (see Figure 1) concluded that it had limited 206 impact on the land area of islands on this atoll (Kench et al., 2006). Pertaining to the May 207 2007 and 2015 swell events, available studies reported extensive flooding in highly-exposed 208 western and southern islands, but no erosional impact. We therefore assumed that these events 209 likely caused limited change to island land area over the period of analysis. Because human 210 interventions have influenced changes in the Maldives islands over short periods of time 211 (Kench, 2012; Aslam and Kench, 2017; Fallati et al., 2017; Duvat and Magnan, 2019), we 212 paid special attention to this driver of change.

# 213 **3.2.2.** Contribution of anthropogenic drivers to areal change of islands

214 Because the Maldives exhibited rapid population growth and tourism development over the 215 period of analysis, we made a special effort to detect the contribution of local human 216 disturbances to island areal change. The latter include land reclamation, harbor development, 217 engineered protection structures, quays and jetties, beach nourishment, vegetation destruction 218 or planting, and dredging in reef flat (Webb and Kench, 2010; Ford, 2012; Hamylton and 219 East, 2012; Biribo and Woodroffe, 2013; Yates et al., 2013; Purkis et al., 2016; Aslam and 220 Kench, 2017; Duvat et al., 2017; Duvat et al., 2019). As in most previous studies, this 221 contribution focused on interpreting images. We first classified islands into two categories, 222 based on the occurrence (coded A) or non-occurrence (coded n.a.) of direct (i.e., visually 223 detectable on images) human disturbances in 2014-2016. Some islands which exhibited 224 human disturbances in 2004-2006 showed no additional human disturbances in 2014-2016 225 (coded A/). We then focused on the islands that exhibited additional human disturbances in 226 2014-2016 compared to 2004-2006, and classified them based on the human disturbance(s)227 observed (see categories in Tables 1 and 2).

228 We assessed land reclamation on a binary basis: 1. Yes; 2. No. We did not estimate the 229 surface of reclaimed areas because it was difficulty to (i) discern pre-2004-06 reclaimed areas, 230 and (ii) establish if land gains were entirely due to reclamation or also to other factors (e.g., 231 current-driven sediment deposition, beach nourishment). The absence of comprehensive and 232 updated official data on land reclamation did not allow us to overcome these uncertainties. As 233 in previous studies (Aslam and Kench, 2017; Duvat et al., 2017), however, we were able to 234 assess with a high confidence level the occurrence of reclamation and its overall contribution 235 (i.e. high vs. low) to island change.

236 Concerning harbor development, we inventoried "proper" harbors having facilities (i.e., quay, 237 jetty or breakwaters), which are the major infrastructure found on inhabited and resort islands. 238 A proper harbor disrupts longshore and cross-shore sediment transport and deposition 239 (Kench, 2012), which can cause a change in island area over time through a marked increase or decrease in sediment accumulation along the shoreline. In addition, the extension of 240 241 harbors or dredging in reef flat provides important volumes of materials used for land 242 reclamation (Aslam and Kench, 2017; Duvat and Magnan, 2019). The latter is generally 243 carried out either at harbor ends or in harbor area (qualified as "land reclamation at harbor end 244 or in harbor area"), or along the entire shoreline (qualified as "extensive reclamation"). The 245 large-scale reclamation projects implemented by the Government to support the development 246 of regional centers (meant to reduce inequalities between the capital region and outer islands) 247 and implement the National Population Consolidation Program (Shaig, 2008) were also 248 classified as "extensive reclamation".

The third human disturbance examined was the establishment of coastal (longitudinal or transversal) and marine (longitudinal) engineered protection structures along island shoreline

251 and reef crest. While longitudinal coastal (mostly seawalls and riprap) and marine 252 (breakwaters) structures are common in inhabited islands, groins and foreshore breakwaters 253 are widely used on resort islands (Shaig, 2011). Whereas groins are employed to intercept 254 sediments and to stabilize artificially-nourished beaches, breakwaters are used to reduce wave 255 energy and thereby promote sediment deposition along the shoreline. All of these structures 256 have a high influence on island areal change, by inhibiting sediment deposition, which may 257 lead to land loss (e.g. wave reflection by seawalls), or promoting sediment deposition and 258 thereby causing land gain (e.g. foreshore breakwaters). For each island, we qualitatively 259 assessed changes in the presence of such structures based on the comparison of the two sets of 260 images.

261 Other detectable human disturbances (vegetation removal, jetty construction, beach 262 nourishment, etc.), which played a secondary role in island areal change, were also 263 inventoried based on visual detection.

264 **4. Results** 

# **4.1. Change in island area**

The sample islands comprise 104 inhabited islands and 82 resort islands, with the former generally much larger than the latter in 2014-16. The proportion of islands exceeding 50 ha in size was respectively nil and of 46.1% for the resort and inhabited sample islands (Supplementary Table 1). In addition, 65.8% of the resort islands had a land area <10 ha in 2014-16 against 1.9% of the inhabited islands.

Over the past decade, 59.1% of islands (110 islands, including 62 inhabited and 48 resort islands) increased in size ( $x \ge 3\%$ ), whereas 38.2% (71 islands, including 42 inhabited and 29 resort islands) were stable and only 2.7% (5 resort islands) decreased in size (Figure 2; Supplementary Tables 2 and 3). These data mean that 97.3% of islands either expanded or were stable in area between 2004-2006 and 2014-2016. The proportions of expanding and

276 stable islands were almost similar for inhabited and resort islands-that is, respectively of 277 59.6% and 58.5% for expansion, and of 40.4% and 35.3% for stability. The five resort islands 278 that decreased in size exhibited rates of change comprised between -3.6% (Kanifushi, Baa 279 Atoll) and -17.7% (Kandoomafushi, South Kaafu Atoll). These islands had areas between 2.4 280 (islands Nos. 11 and 33 in Supplementary Table 3) and 15.8 ha (island No. 53) in 2004-06. 281 The results highlight the physical instability of the smallest islands, especially those of less 282 than 10 ha (Duvat, 2019), which predominantly underwent rapid expansion (Figure 2). A 283 correlation between island size and the amplitude of change also showed the smallest islands 284 undergoing the largest changes. Importantly, 51.8% of the islands that increased in size (57 285 islands out of 110, including 33 inhabited and 24 resort islands) experienced growth rates 286  $\geq$ 10%, with 13 inhabited and 6 resort islands exhibiting rates  $\geq$ 50%.



Figure 2. Decadal change in island land area on 186 inhabited and resort islands in theMaldives.

290 The yellow area corresponds to areal stability (3% < x < -3%), while the green and red areas 291 respectively indicate island expansion  $(x \ge 3\%)$  and contraction  $(x \le -3\%)$ . The sample islands, 292 including islands >100 ha, predominantly exhibited growth (110 islands; 59.1%) and secondarily 293 experienced stability (71 islands; 38.2%). Only 5 small resort islands showed contraction.

294

# **4.2.** Contribution of human activities to island areal change

More than 90% of the inhabited islands (94 out of 104) and 85% of the resort islands (70 out of 82) exhibited additional human disturbances in 2014-16 compared to 2004-2006. Direct human disturbances contributed to island areal change on 98.1% of inhabited islands (i.e. 102 islands out of 104; Table 1) and 93.9% of resort islands (i.e. 77 islands out of 82; Table 2). Only 8.1% of islands (7 islands) experimented areal change without any detectable human influence.

302 The main types of human disturbances involved in the areal change of islands were different 303 between inhabited and resort islands (Tables 1 and 2). Land reclamation occurred on 96.7% 304 (89 out of the 92) of the inhabited islands that experienced additional human disturbances in 305 2014-16 compared to 2004-06. On 91.0% (81) of these islands (A1 to A5 in Table 1), land 306 reclamation was associated with the dredging or extension of an existing harbor, or with the 307 dredging of one or more new harbor(s) in the island reef flat. Land reclamation occurred either in the harbor area only (49 islands; A1, A2, A4), or on a larger scale, i.e. along most of 308 309 the harbor coast or even along other shoreline sections (32 islands; A3, A5). Except for the 310 two islands of Seenu Atoll that exhibited areal gains of 8.0 ha and 24.0 ha (islands Nos 101 311 and 104, respectively; Supplementary Table 2), the islands that experienced land reclamation 312 in harbor area only exhibited areal gains of less than 4 ha. Areal gains due to land reclamation 313 in harbor area caused a maximum island expansion of 11.6% (island No 76). In contrast, the 314 islands that experienced extensive land reclamation (i.e. including outside the harbor area) 315 showed much greater areal gains (i.e. >20 ha for 12 islands, with a maximum gain of 76.8 ha

316 for island No75; Supplementary Table 3). Gains in land area were  $\geq 10\%$  of initial island area 317 for 33 of these islands (31.7%). Thirteen of these islands (12.5%) experienced gains  $\geq$ 50%, 318 with 5 islands (4.8%) even experiencing gains  $\geq 100\%$  (Nos 41, 44, 74, 75 and 79, with a 319 maximal value of 384% for island No 75). Most atolls had islands exhibiting such high 320 growth rates. All in all, land reclamation (either associated with harbor dredging or not) was 321 involved in 58 out of the 62 islands that expanded over the period of analysis. These results 322 emphasize the major role of harbor dredging in providing the materials needed for artificially 323 expanding inhabited islands. This means that the considerable and unprecedented effort made 324 by the Government of the Maldives to equip these islands with harbors largely explains the 325 widespread (i.e. in most atolls) and dramatic island expansion observed.

326 Among the 82 resort islands sampled in 2014-16, 29.3% (24 islands) were still unexploited in 327 2004-06. These data reflect the rapid growth of tourism between 2004-06 and 2014-16 (101 328 resort islands in 2011; 115 in 2015; 126 in 2016; GoM, 2017). On resort islands, human 329 intervention consisted of the establishment of hard protection structures along island shoreline 330 (noted on 41 islands; Table 2 and Supplementary Table 3) and/or on island reef flat (foreshore 331 breakwaters, noted on 17 islands). Among the former, 19 showed no other detectable human 332 intervention, while 22 also experienced other disturbances such as land reclamation, dredging 333 or the construction of a quay or jetty. Human intervention secondly consisted of land 334 reclamation, which affected 39.0% of islands (32 islands). Land reclamation was associated 335 with harbor extension or dredging on 8 islands, but also noted on 23 islands where no harbor 336 works were present. On these latter islands, we often observed sediment extraction from the 337 island reef flat or lagoon, and sometimes associated with beach nourishment (see A11 in 338 Table 2). Although no quantitative data are available on sediment extraction, we assume that 339 the latter has significantly contributed to island growth. Focusing on the 48 resort islands 340 (58.5% of the total) that exhibited expansion over the period of analysis, we note that 341 respectively 14 (29.2%) and 13 (27.1%) experienced land reclamation and the construction of 342 new protection structures, whereas 11 additional islands (22.9%) exhibited both types of 343 interventions. Such works were also carried out on islands that remained stable or that 344 decreased in size. Among the 29 resort islands that exhibited areal stability, for example, three 345 experienced land reclamation whereas 13 had new protection structures. Likewise, two out of 346 the five islands that decreased in size were equipped with protection structures. The maximum 347 areal gain, noted on two islands (Nos 36 and 50 in Supplementary Table 3), reached up to 348 3.7 ha. Gains in land area were  $\geq 10\%$  of initial island area for 24 islands (50.0% of expanding 349 resort islands). Six of these islands experienced gains  $\geq$ 50%, with two islands even exhibiting 350 gains  $\geq 100\%$  (maximum value: 140%, No 52). These findings emphasize the major 351 contribution of rapid tourism growth to island areal gain, even though resort islands 352 experienced smaller areal gains compared to inhabited islands. The proportion of islands 353 exhibiting high growth rates was higher in the central tourist atolls of North Kaafu, Alifu and 354 South Kaafu, compared to other atolls. On South Kaafu Atoll, for example, 10 out of the 14 355 resort islands experienced gains  $\geq 10\%$ , 4 of which even exhibiting rates  $\geq 50\%$ .

- 356
- Table 1. Human disturbances involved in inhabited island areal change between 2004-2006
- and 2014-2016 (see Supplementary Table 2 for details).

Driver	Number of islands
	affected
A1. Land reclamation at harbor end or in harbor area	5
A2. New harbor(s) dredged in reef flat associated with land reclamation at harbor end	32
or in harbor area	
A3. New harbor(s) dredged in reef flat associated with extensive land reclamation	16
A4. Harbor extension with limited or moderate land reclamation at harbor end or in	12
harbor area	
A5. Harbor extension with extensive land reclamation	16
A6. Extensive land reclamation	8
A7. Other changes (e.g. breakwater construction or extension)	3
Sub-total	92
n.a. Inhabited island exhibiting no significant human disturbance in 2014-2016	2
A/ Inhabited island exhibiting influential human disturbances in 2004-2006 showing	10
no additional human disturbances in 2014-2016	
Total	104

- 360 Ninety-two inhabited islands (88.46%) exhibited areal change due to human disturbances between
- 361 2004-2006 and 2014-2016. This table emphasizes the major contribution of harbor dredging
- 362 *associated with land reclamation in inhabited island areal change.*
- 363
- Table 2. Human disturbances involved in resort island areal change between 2004-2006 and
- 365 2014-2016 (see Supplementary Table 3 for details).

Driver	Number of islands affected
A1. Land reclamation at harbor end or in harbor area	4
A2. New harbor dredged in reef flat associated with land reclamation at harbor end or	3
in harbor area	
A3. Extensive land reclamation	6
A4. Engineered protection structures (breakwaters, groins, seawalls)	19
A5. Land reclamation + engineered protection structures	14
A6. New harbor dredged in reef flat associated with land reclamation at harbor end or	1
in harbor area + engineered structures	
A7. New harbor dredged in reef flat	1
A8. Dredging in reef flat	1
A9. Dredging in reef flat + engineered structures	6
A10. Dredging in reef flat + land reclamation	3
A11. Beach nourishment*	2
A12. Vegetation destruction	2
A13. Quay or jetty	2
A14. Quay or jetty + engineered protection structures	1
Sub-total	65
n.a. Resort island exhibiting no significant human disturbance in 2014-2016	5
A/ Resort island exhibiting influential human disturbances in 2004-2006 showing no	12
additional human disturbances in 2014-2016	
Total	82

366 This table highlights the major contributions of land reclamation (A1, A2, A5, A6, A10, A15) and

- 367 engineered protection structures (A4, A5, A6, A9, A14, A15) in resort island areal change. \* Under-
- 368 *estimated due to detection difficulties.*
- 369

## **4.3. Direction and modes of change in inhabited and resort islands**

371 Beyond the general trend described above, inhabited islands exhibited contrasting degrees of

- 372 human modification over the decade of analysis. Whilst land reclamation was the main driver
- 373 of change on these islands, its influence varied substantially between islands. Four types of
- 374 situations are possible. First, islands experience only limited and localized (i.e. in harbor area)
- 375 land reclamation that did not generate any gain (x<3%) in land area (e.g. +0.9% in the case of

376 Kodey; Figure 3a). These islands represent 36.7% of the inhabited islands affected by land reclamation. Second, islands exhibit a moderate to significant  $(3\% \le x \le 10\%)$  gain in land area, 377 378 which represent 26.7% of reclaimed islands. Third, islands exhibit a marked areal gain (e.g. 379 +17.9% for Ukulhas; Figure 3a) due to extensive land reclamation associated with harbor 380 dredging. These islands represent 22.2% of reclaimed islands. Fourth, islands exhibit total 381 transformation in shape, size and sometimes position on the reef flat, following extensive land 382 reclamation, like Thulhaddhoo and Vilufushi (Figures 3c and 3d). These islands are present in 383 nine atolls and represent 14.4% of inhabited islands affected by land reclamation. 384 Thimarafushi (Thaa Atoll, No 75) was considerably extended for airport construction between 2010 and 2012 (+76.8 ha, from 20 ha in 2005 to 96.8 ha in 2016), for example, which led to 385 386 the incorporation of the nearby islet of Hiriyanfushi.



388 Figure 3. Patterns of change on inhabited islands.

389 a shows an island that underwent limited shoreline and areal change (+1 ha corresponding to a gain 390 of 0.9%). The main change observed was localized lagoon shoreline advance caused by harbor 391 dredging-induced land reclamation. b shows an island that experienced marked changes (+3.2 ha 392 corresponding to a gain of 17.9%), as a result of harbor extension and associated extensive land 393 reclamation. c and d show islands that underwent dramatic shoreline and areal change (+22.5 ha 394 corresponding to a gain of 105.1% for Thulhaadhoo; +42 ha corresponding to a gain of 241.4% for 395 Vilufushi) due to extensive land reclamation. On such islands, the entire shoreline is now artificial, i.e. 396 fixed by engineered structures.

397

398 Over the period of analysis, resort islands also experienced various degrees of human-induced 399 areal change. Some islands underwent limited change in area and configuration. This occurred 400 both on islands that were already exploited in 2004-06 and affected by additional human 401 disturbances in 2014-16 (e.g. Alidhoo; Figure 4b), and on islands that were natural in 2004-06 402 and then became a resort island (e.g. Havoddaa, Figure 4c). At the other end, some resort 403 islands have undergone marked changes in area and configuration, as a result of the 404 cumulative effects of land reclamation, additional coastal protection structures and beach 405 nourishment. Halaveli (No44) expanded by 40.0%, for example, due to land reclamation and 406 increased sediment deposition. Extension of foreshore breakwaters along the reef crest caused 407 the sediment deposition, with the breakwaters now forming a nearly-continuous protection 408 around the island (Figure 4a). In some cases, extensive land reclamation caused a marked 409 increase in land area and a complete change in the shape of the islands, as illustrated by 410 Maadhoo, South Kaafu Atoll (+140%; Figure 4d). The islands that expanded through land 411 reclamation were often equipped with groins, meant to stabilize beaches (Figures 4a and 4d). 412 The impacts of tourism development on island areal change were highly variable, with some 413 of the most recently-developed resort islands (e.g. Maadhoo, opened in 2016; Figure 4d) 414 undergoing total transformation.



416 *Figure 4. Patterns of change on resort islands.* 

417 a shows an island that experienced major shoreline and areal change (+1.2 ha corresponding to a418 land area gain of 40%), as a result of land reclamation. The establishment of foreshore breakwaters 419 has increased sediment deposition on the reef flat and at the coast, which has allowed the development 420 of the coastal vegetation. b illustrates limited shoreline and areal change (+0.3 ha corresponding to421 an areal gain of 2.2%). It also shows the use of foreshore breakwaters to protect water bungalows 422 from waves. On this island, breakwaters have so far not caused major changes to island 423 configuration. c shows that despite its change from natural to a resort island in 2015, Havoddaa 424 (8.4 ha) experienced limited shoreline change and no areal change to date. d shows the land-425 reclamation-induced expansion of Maadhoo (3.6 ha in 2016; + 140%). c and d respectively illustrate 426 environment-friendly and environmentally-destructive tourism development.

427

428 **5. Discussion** 

#### 429 5.1. Originality of the trajectory of change of inhabited and resort Maldivian islands

430 Study islands behaved very differently from both inhabited Pacific atoll islands and 431 Maldivian rural and unsettled islands, which mainly exhibited stability over the past decades. 432 Fifty-nine percent of study islands underwent expansion, against 15.5% of the documented 433 Indo-Pacific 709-island sample mainly comprising rural and natural islands (Duvat, 2019) and 434 19.5% of the 184 predominantly unsettled Gaafu Alifu-Dhaalu islands (Aslam and Kench, 435 2017). In one decade, 31.7% and 50.0%, respectively, of the inhabited and resort islands that 436 increased in size experienced growth rates  $\geq 10\%$ . Respectively, 21% and 12.5% of these 437 islands exhibited growth rates  $\geq$ 50%. These rates contrast with those of naturally accreting 438 islands, which rarely exceed 10%. Land reclamation contributed to island expansion on 439 93.5% of inhabited islands and 52% of resort islands.

# 440 5.2. Political-institutional, demographic and socioeconomic drivers of inhabited island 441 expansion

442 Over the period of analysis, the M.A. Gayoom (1978-2008, Progressive Party of Maldives) 443 and A. Yameen (2013-2018, Progressive Party of Maldives) administrations - shortly interrupted by the 2008-2012 M. Nasheed Presidency (Maldivian Democratic Party) - gave 444 445 priority to socioeconomic development to reduce tensions between the capital region (including Male', Hulhumale' and Villingili islands) and peripheral atolls. These tensions 446 447 result from high disparities with regards to access to staple goods, jobs, education and health 448 facilities (Arnall and Kothari, 2015; Hirsch, 2015; Speelmann et al., 2016). To reduce these 449 tensions and especially put an end to chronic shortages of products affecting human well-450 being and economic activity in outer atolls (Hirsch, 2015), the Government made 451 unprecedented nation-wide investments in harbor development between 2004-2006 and 2014-452 2016. These investments also aimed at repairing the tsunami-induced damage caused to harbors and jetties on 104 inhabited islands (GoM, 2009). Harbor development provided large 453

amounts of construction materials used to expand densely populated islands through land
reclamation (Naseer, date unknown). This investment, in turn, led to increased shoreline
armoring due to (i) the stabilization of newly-reclaimed areas by protection structures, and (ii)
the erection of defenses in areas adjacent to harbors and affected by shoreline destabilization
(Shaig, 2011; Kench, 2012).

459 Political-institutional factors likely explain why one single island development model (the 460 'reclamation-fortification model') was implemented across the whole archipelago. The 461 centralization of power at the highest levels of government leads to the standardization of risk 462 reduction action on the ground. The non-consultation and non-involvement of local level 463 governments, NGOs and concerned communities in decision-making and implementation 464 reduce opportunities for the diversification of experiments and explain the spread of the 'reclamation-fortification model' across the whole country. This model, which originates in 465 466 the initial choice of hard protection by Maldivian politicians, has since then persisted due to 467 institutional inertia (Ratter et al., 2019, p. 175). Shoreline and island fortification generally 468 meet the preference of inhabitants, who view hard engineering as a "true" and permanent 469 solution providing value-for-money (Shaig, 2011). This preference comes from: (1) the 470 inhabitants' view that the Government is responsible for and should therefore fund coastal 471 protection; (2) the fact that the Government funds hard protection, but not soft measures, 472 which reinforces the view that hard engineering is the only appropriate solution; (3) the 473 disproportionate damage caused by the 2004 Indian Ocean Tsunami to unprotected outer 474 islands compared to armored Male', which reinforced this view (Shaig, 2008; Sovacool, 475 2012; Ratter et al., 2019).

476 Since the 1980s, the socioeconomic tensions highlighted above have caused massive
477 population movements from outer atolls to the capital area, including Male' (128,768
478 inhabitants in 2016) and, since the mid-2000s, the artificial and raised island of Hulhumale'

479 (from 2,866 in 2006 to 15,769 inhabitants in 2014), created to meet housing, commercial and 480 development needs of the capital area (Mohit and Azim, 2012). These population movements 481 have led to the continued population and economic growth of the Male' region, which has 482 further exacerbated the preexisting socioeconomic gap and thus reinforced the attractiveness 483 of the capital region (Speelmann, et al., 2016). To reduce these population movements, the 484 Government has, since the 1960s, designed successive population consolidation policies 485 aimed at regrouping the population in a limited number of large islands that would provide 486 public facilities and economic opportunities (Shaig, 2008). These policies have all failed until 487 the 2004 Indian Ocean Tsunami, which opened a 'policy window' for population 488 consolidation through the Safe Island Development Program (SIDP) aimed at (i) improving 489 public service delivery (including transportation, through harbor and airport development) 490 and social development, (ii) increasing economic growth, and (iii) reducing environmental vulnerability, on a limited number of outer islands. Even though financial and technical 491 492 constraints have limited the implementation of the SIDP, this program is responsible for the transformation and high expansion rates of those islands designated regional or growth 493 494 centers. This process is illustrated by Vilufushi, Thaa Atoll (Figure 3d), which is one of the 495 five new regional centers of the country (Plewa, 2018). During the tsunami, Vilufushi 496 suffered widespread destruction and its population was evacuated to nearby Buruni. Its 497 reconstruction included its expansion through reclamation (+42 ha; +241.4%), the armoring 498 of the entire shoreline and the construction of 309 new houses, which allowed the population 499 to be back on the island in May 2009 (GoM, 2009). This new enlarged and safer island, aimed 500 at acting as an attractive regional center, illustrates the emergence of a new inhabited island 501 type, represented by thirteen islands in this study.

# 502 **5.3. Post-tsunami tourist recovery drives resort island change**

503 By causing an unprecedented economic crisis - with damages equaling to 62% of the 504 country's GDP, making the Maldives the hardest hit country in Asia (Luetz, 2017) - the 505 Indian Ocean Tsunami pushed for the prioritization of economic recovery through tourism 506 growth. Twenty-one resort islands totaling 4,000 beds (23% of the total) were devastated and 507 closed after the Tsunami, which had all reopened by April 2009. To speed up the recovery 508 process and generate additional economic opportunities, many new resorts have been 509 authorized after the tsunami (GoM, 2009), which explains the marked increase in the number 510 of resort islands and engineering works contributing to island expansion between 2004-06 and 511 2014-16. Over this period, tourism recovery and growth led to the construction of airports in 512 peripheral atolls, which required the extensive reclamation of some inhabited islands. 513 Thimarafushi Island, Thaa Atoll (No 75; Supplementary Table 2), illustrates the process of 514 extensive reclamation (+76.8 ha) for constructing an airport.

# 515 **5.4. Implications of the Maldivian 'reclamation-fortification island model'**

516 The 'reclamation-fortification island model' raises environmental and financial issues, with 517 major implications on the security of future populations. First, it compromises (through reef 518 flat destruction, obstruction of sediment transport and annihilation of coastal accommodation 519 space) the capacity of the 'self-maintained' (Temmerman et al., 2013) reef-island system to 520 adjust to sea-level rise through vertical growth, causing a path-dependency to engineering 521 (Duvat and Magnan, 2019). In turn, this path-dependency to engineering questions the future 522 capacity of the Maldives to ensure (technically and financially) the maintenance and 523 upgrading of defense structures to contain increasing sea-related risks. Internal funding will 524 be increasingly challenged by the impacts of increasing disaster frequency on tourism 525 revenues (flood-related and potentially Covid-like), while international funding is uncertain. 526 Lastly, the accelerated human-induced degradation of the reef ecosystem will amplify the 527 negative impacts of climate change on food supply. The impacts are all the more urgent as

fish consumption is key to population diet (per capita consumption of 181 kg/yr; HohneSparboth, 2013), with consumption of reef fish increasing at household level (Sattar et al.,
2014).

531

#### 532 Conclusions

533 In summary, analysis of 104 inhabited and 82 resort islands across the Maldives archipelago 534 produced the following answers to the research questions posed. First, this study shows that 535 the Maldivian inhabited and resorts islands behave very differently from both 'natural' Indo-536 Pacific and Pacific inhabited atoll islands between 2004-2006 and 2014-2016. Fifty-nine 537 percent of the former underwent expansion, compared to 15.5% of the documented Indo-538 Pacific 709-island sample (Duvat, 2019) and 19.5% of the predominantly natural islands of 539 Gaafu-Alifu Dhaalu Atoll, Maldives (Aslam and Kench, 2017). Respectively, 31.7 and 50.0% 540 of expanding inhabited and resort islands experienced growth rates  $\geq 10\%$ , with respectively 541 21 and 12.5% of these islands even exhibiting growth rates  $\geq$ 50%, while naturally accreting 542 islands show growth rates <10%.

543

544 Second, results show that the main modes of areal changes on the islands were different 545 between inhabited and resort islands. Land reclamation, often associated with harbor 546 development, drove island expansion on 93.5% of inhabited islands, whereas land 547 reclamation and/or the effects of engineered structures (especially groins and breakwaters) 548 were involved in 79.2% of resort islands.

549

550 Third, the factors underlying the expansion of islands were different between these two 551 islands types. The implementation of one single island model, the 'reclamation-fortification 552 island model', in inhabited islands was likely due to a combination of political-institutional 553 (effort made by the Government to develop and secure outer islands), demographic 554 (population growth) and socioeconomic (reduce disparities between the capital region and 555 outer islands) factors. Simultaneously, the unprecedented economic crisis caused by the 556 Indian Ocean Tsunami pushed for the prioritization of economic recovery through tourism 557 growth over the 2004-2006/2014-2016 period. This process was achieved through the 558 expansion of already operating and the development of new resort islands, which encouraged 559 airport development, all of which pushed for land reclamation and increased use of 560 engineered structures.

561

Fourth, this study highlights the long lasting implications of the 'reclamation-fortification island model', which compromises the capacity of the reef-island system to naturally adjust to sea-level rise. This limitation creates a path dependency to engineering (which has heavy technical and financial implications under increasing risks implying structure maintenance and upgrading over time). It is also detrimental to local, including reef-based, fish supply, which plays a major role in outer island population diet.

568

569 Finally, results from the Maldives Islands provide lessons for other island countries and 570 territories worldwide. They show that in these settings, densely urbanized and developed 571 coastal areas may have undergone rapid and marked physical transformation over the past 572 decade, as a result of the widespread use of engineering solutions to face both climate (i.e., to 573 reduce increasing coastal risks) and socioeconomic (i.e., to face population growth and boost 574 economic development) challenges. The underlying endogenous (i.e., political-institutional, socioeconomic, cultural, etc.) and exogenous (e.g., impact of the Indian Ocean Tsunami on 575 576 international tourism in the Maldives) drivers involved in the widespread use of engineering solutions have, at least in some islands, already generated a hard path dependency that 577

578	reduces the range of options available to face future climate challenges. Such results advocate
579	first, for distinguishing between developed (i.e., inhabited and exploited) and natural islands,
580	and second, for accounting for path dependencies, when designing adaptation strategies. This
581	means that adaptation solutions must absolutely be island-specific in these settings.
582	
583	Data availability
584	All data generated during this study are included in this published article and its
585	Supplementary Material.
586	
587	References
588	Asian Development Bank (ADB), 2019. Maldives economic update 2019, 33 p.
589	Arnall, A., Kothari, U., 2015. Challenging climate change and migration discourse: different
590	undestandings of timescale and temporality in the Maldives. Global Environ. Change 31,
591	199-206. https://doi.org/10.1016/j.gloenvcha.2015.01.011
592	Aslam, M., Kench P.S., 2017. Reef island dynamics and mechanisms of change in Huvadhoo
593	Atoll, Republic of the Maldives, Indian Ocean. Anthropocene 18, 57-68.
594	http://dx.doi.org/10.1016/j.ancene.2017.05.003.
595	Becker M, Meyssignac B, Letetrel C, Llovel W, Cazenave A and Delcroix T., 2012. Sea level
596	variations at tropical Pacific islands since 1950. Global Planet. Chang. 80-81, 85-98.
597	http://dx.doi.org/10.1016/j.gloplacha.2011.09.004.
598	Biribo, N., Woodroffe, C.D., 2013. Historical area and shoreline change of reef islands
599	around Tarawa Atoll, Kiribati. Sustain. Sci. 8, 345–362. http://dx.doi.org/10.1007/s11625-
600	013-0210-z
601	Brown, S., Wadey, A.P., Nicholls, R.J., Shareef, A., Khaleel, Z., Hinkel, J., Lincke, D.,
602	McCabe, M.V., 2020. Land raising as a solution to sea-level rise: An analysis of coastal

- flooding on an artificial island in the Maldives. Flood Risk Management
- 604 e12567. https://doi.org/10.1111/jfr3.12567
- 605 Church, J.A., Clark, P.U., Cazenave, A., Gregory, J.M., Jevrejeva, S., Levermann, A.,
- 606 Marrifield, M.A., Milne, G.A., Nerem, S., Nunn, P.D., et al., 2013. Sea level change. In
- 607 Stocker TF, Qin D, Plattner GK, Tignor M, Allen SK, Boschung J, Nauels A, Xia Y, Bex V,
- 608 Midgley PM (eds). Climate Change: The Physical Science Basis. Contribution of Working
- 609 Group 1 to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change.
- 610 Cambridge and New York: Cambridge University Press.
- 611 Duvat, V.K.E., 2019. A global assessment of atoll island planform changes over the past
- decades. WIREs Clim. Change 10, e557. https://doi.org/10.1002/wcc.557
- 613 Duvat, V.K.E., Magnan, A.K., 2019. Rapid human-driven undermining of atoll island
- 614 capacity to adjust to ocean climate-related pressures. Sci Rep 9, 15129.
- 615 http://doi.org/10.1038/s41598-019-51468-3.
- 616 Duvat, V.K.E., Pillet, V, 2017. Shoreline changes in reef islands of the Central Pacific:
- 617 Takapoto Atoll, Northern Tuamotu, French Polynesia. Geomorphology 282, 96-118.
- 618 https://doi.org/10.1016/j.geomorph.2017.01.002
- 619 Duvat, V.K.E., Salvat, B., Salmon, C., 2017. Drivers of shoreline change in atoll reef islands
- 620 of the Tuamotu Archipelago, French Polynesia. Global Planet. Chang. 158, 134–154.
- 621 http://dx.doi.org/10.1016/j.gloplacha.2017.09.016.
- 622 Duvat V.K.E., Stahl, L., Costa, S., Maquaire, O., Magnan, A., 2019. Taking control of human
- 623 disturbances on atoll islands: lessons learnt from the Tuamotu Archipelago, French
- 624 Polynesia. Sustain. Sci. https://doi.org/10.1007/s11625-019-00722-8.
- 625 Fallati, L., Savini, A., Sterlacchini, S., Galli, P., 2017. Land use and land cover (LULC) of the
- 626 Republic of the Maldives: first national map and LULC change analysis using remote-

- sensing data. Environ. Monit. Assess. 189, 417. http://dx.doi.org/doi: 10.1007/s10661-0176120-2.
- 629 Ford, M., 2012. Shoreline changes on an urban atoll in the central Pacific Ocean: Majuro
- 630 Atoll, Marshall Islands. J. Coast. Res. 28, 11–22. https://doi.org/10.2112/JCOASTRESD-
- 631 11-00008.1<u>.</u>
- 632 Ford, M., 2013. Shoreline changes interpreted from multi-temporal aerial photographs and
- high resolution satellite images: Wotje Atoll, Marshall Islands. Remote Sens. Environ. 135,
- 634 130–140. https://doi.org/10.1016/j.rse.2013.03.027.
- 635 Ford, M.R. Kench, P.S., 2015. Multi-decadal shoreline changes in response to sera level rise
- 636 in the Marshall Islands. Anthropocene 11, 14-24.
- 637 http://dx.doi.org/10.1016/j.ancene.2015.11.002
- 638 Gattuso, J-P., Magnan, A., Billé, R., Cheung, W.W.L., Howes, E.L., Joos, F., Allemand, D.,
- Bopp, L., Cooley, S.R., Eakin, C.M., Hoegh-Guldberg, O., Kelly, R.P., Pörtner, H.-O.,
- 640 Rogers, A.D., Baxter, J.M., Laffoley, D., Osborn, D., Rankovic, A., Rochette, J., Sumaila,
- 641 U.R., Treyer, S., Turley, C., 2015. Contrasting futures for ocean and society from different
- 642 anthropogenic  $CO_2$  emissions scenarios. Science 349, aac4722.
- 643 Giardino, A., Nederhoff, K., Vousdoukas, M., 2018. Coastal hazard risk assessment for small
- 644 islands: assessing the impact of climate change and disaster reduction measures on Ebeye
- 645 (Marshall Islands). Reg. Environ. Change 18(8), 2237-2248. https://doi.org/10.1007/s10113-
- 646 018-1353-3
- 647 Gischler, E., Humblet, M., Braga, J.C., Eisenhauer, A., 2018. Last interglacial reef facies and
- 648 late Quaternary subsidence in the Maldives, Indian Ocean. Mar. Geol. 406, 34-41.
- 649 https://doi.org/10.1016/j.margeo.2018.09.001
- 650 Government of the Maldives (GoM), Ministry of Finance and Treasury, Department of
- 651 National Planning, 2009. Maldives 4 years after the tsunami: progress and remaining gaps.

- 652 Available at: https://maldivesindependent.com/files/2015/03/Maldives-Four-Years-After-
- 653 the-Tsunami.pdf
- 654 Government of the Maldives (GoM), National Bureau of Statistics, 2015. Population and
- Housing Census 2014. Available at: http://statisticsmaldives.gov.mv/census-2014/
- 656 Government of the Maldives (GoM), Ministry of Tourism, 2017. Tourism year book 2017.
- 657 http://statisticsmaldives.gov.mv/yearbook/2017/tourism/
- 658 Government of the Maldives (GoM), 2018. Statistical Yearbook 2018.
- 659 http://statisticsmaldives.gov.mv/yearbook/2018/
- 660 Hamylton, S., East, H., 2012. A Geospatial Appraisal of Ecological and Geomorphic Change
- on Diego Garcia Atoll, Chagos Islands (British Indian Ocean Territory). Remote Sens. 4,
- 662 3444-3461. http://dx.doi.org/10.3390/rs4113444.
- 663 Harangozo, S.A., 1992. Flooding in the Maldives and its implications for the global sea level
- rise debate, in: Sea level changes: determination and effects, geophysical monograph 69.
- 665 IUGG, vol 11, pp 95–100.
- 666 Hinkel, J., Aerts, J.C.J.H., Brown, S., Jiménez, J.A., Lincke, D., Nicholls, R.J., Scussolini, P.,
- 667 Sanchez-Arcilla, A.A., Vafeidis, A., Addo, K.A., 2018. The ability of societies to adapt to
- twenty-first century sea-level rise. Nature Clim. Change 8, 570-578.
- 669 https://doi.org/10.1038/s41558-018-0176-z
- 670 Hirsch, E., 2015. "It won't be any good to have democracy if we don't have a country":
- 671 climate change and the politics of synecdoche in the Maldives. Global Environ. Change 35,
- 672 190-198. https://doi.org/10.1016/j.gloenvcha.2015.09.008
- 673 Hohne-Sparborth, T., 2013. A socio-economic assessment of the tuna fisheries in the
- 674 Maldives. Technical report. http://ipnlf.org/perch/resources/socio-economic-assessment-of-
- 675 the-tuna-fisheries-in-the-maldives.pdf.

- 676 IPCC, 2019. IPCC Special Report on the Ocean and Cryosphere in a Changing Climate [H.-
- 677 O. Pörtner, D.C. Roberts, V. Masson-Delmotte, P. Zhai, M. Tignor, E. Poloczanska, K.
- Mintenbeck, A. Alegría, M. Nicolai, A. Okem, J. Petzold, B. Rama, N.M. Weyer (eds.)]. In
  press.
- Kan, H., Ali, M., Riyaz, M., 2007. The 2004 Indian Ocean Tsunami in the Maldives: scale of
- the disaster and topographic effects on atoll reefs and islands. Atoll Res. Bull. 554, 1-65.
- 682 Kench, P.S., McLean, R.F., Nichol, S.L., 2005. New model of reef-island evolution:
- 683 Maldives, Indian Ocean. Geology 33(2), 145-148. https://doi.org/10.1130/G21066.1
- Kench, P.S., 2012. Compromising reef island shoreline dynamics: legacies of the engineering
- paradigm in the Maldives, in: Cooper, J.A.G., Pilkey, O.H. (Eds.), Pitfalls of Shoreline
- 686 Stabilization: Selected Case Studies. Coastal Research Library 3, # Springer
- 687 Science+Business Media Dordrecht, pp. 165-186.
- 688 Kench, P.S., Brander, R.W., 2006. Response of reef island shorelines to seasonal climate
- oscillations: South Maalhosmadulu atoll, Maldives. J. Geophys. Res. 111, F01001.
- 690 https://doi.org/10.1029/2005JF000323
- 691 Kench, P.S., McLean, R.F., Brander, R.W., Nichol, S.L., Smithers, S.G., Ford, M.R., Parnell,
- K.E., Aslam, M., 2006. Geological effects of tsunami on mid-ocean atoll islands: the
- Maldives before and after the Sumatran tsunami. Geology 34, 177-180.
- 694 https://doi.org/10.1132/G21907.1
- 695 Kench P.S., Ford, M.R., Owen S.D., 2018. Patterns of island change and persistence offer
- alternate adaptation pathways for atoll nations. Nat. commun. 9, 605.
- 697 https://doi.org/10.1038/s41467-018-02954-1
- Khan, T.M.A., Quadir, D.A., Murty, T.S., Kabir, A., Aktar, F., Sarker, M.A., 2010. Relative
- sea level changes in Maldives and vulnerability of land due to abnormal coastal inundation.
- 700 Mar. Geod. 25(1-2), 133-143. https://doi.org/10.1080/014904102753516787

- 701 Luetz, J., 2017. Climate change and migration in the Maldives: some lessons for policy
- 702 makers in: Filho, W.L. (Ed.), Climate change adaptation in Pacific countries, Climate
- 703 Change Management. https://doi.org/10.1007/978-3-319-50094-2\_3
- 704 MacClanahan, T., Darling, E.S., Maina, J.M., Muthiga, N.A., D'agata, S., Jupiter, S.D.,
- 705 Arthur, R., Wilson, S.K., Mangubhai, S., Nand, Y., Ussi, A.M., Humphries, A.T., Patankar,
- V.J., Guillaume, M.M.M., Keith, S.A., Shedrawi, G., Julius, P., Grimsditch, G., Ndagala, J.,
- 707 Leblond, J., 2019. Temperature patterns and mechanisms influencing coral bleaching during
- 708 the 2016 El Niño. Nat. Clim. Change Letters. https://doi.org/10.1038/s41558-019-0576-8
- Mann, T., Westphal, H., 2014. Assessing long-term changes in the beach width of reef islands
- based on temporally fragmented remote sensing data. Remote Sens. 6, 6961–6987.
- 711 https://doi.org/10.3390/rs6086961
- 712 Mann, T., Bayliss-Smith, T., Westphal, H., 2016. A geomorphic interpretation of shoreline
- change rates on reef islands. J. Coast. Res. 32(3), 500-507.
- 714 https://doi.org/10.2112/JCOASTRES-D-15-00093-1
- 715 McLean, R.F., Kench, P.S., 2015. Destruction or persistence of coral atoll islands in the face
- of 20th and 21st century sea-level rise? WIREs Clim. Change, wcc.350.
- 717 http://dx.doi.org/10.1002/wcc.350
- 718 Mentaschi, L., Vousdoukas, M.I., Voukouvalas, E., Dosio, A., & Feyen, L., 2017. Global
- changes of extreme coastal wave energy fluxes triggered by intensified teleconnection
- 720 patterns. Geophys. Res. Lett. 44, 2416-2426. https://doi.org/10.1002/2016GL072488.
- 721 Mohit, M.A., Azim, M., 2012. Assessment of residential satisfaction with public housing in
- Hulhumale', Maldives. Procedia. Social and Behavioural Sciences 50, 756-770.
- 723 https://doi.org/j.sbspro.2012.08.078
- Naseer, A., date unknown. Pre- and post-tsunami coastal planning and land-use policies and
- issues in the Maldives, pp. 147-163.

- Naseer, A., Hatcher, B.G., 2004. Inventory of the Maldives' coral reefs using morphometrics
- 727 generated from Landsat ETM+ imagery. Coral Reefs 23, 161-168.
- 728 https://doi.org/10.1007/s00338-003-0366-6
- 729 Naylor, A.K., 2015. Island morphology, reef resources, and development paths in the
- 730 Maldives. Prog. Phys. Geog., 1-22. https://doi.org/10.1177/0309133315598269
- 731 Oppenheimer, M., Glavovic, B., Hinkel, J., van de Wal, R., Magnan, A., Abd-Elgawad, A.,
- 732 Cai, R., Cifuentes-Jara, M., Deconto, R.M., Ghosh, T., Hay, J., Isla, F., Marzeion, B.,
- 733 Meyssignac, B., Sebesvari, Z., 2019. Sea level rise and implications for low lying islands,
- coasts and communities, in: Pörtner, H-O, Roberts, D.C., Masson-Delmotte, V., Zhai, P.,
- 735 Tignor, M., Poloczanska, E., Mintenbeck, K., Nicolai, M., Okem, A., Petzold, J., Rama, B.,
- 736 Weyer (Eds.), The Ocean and Cryosphere in a Changing Climate, IPCC WGI and WGII
- 737 Report, Cambridge University Press, Cambridge, Chapter 4.
- 738 Palanisamy, H, Cazenave, A, Meyssignac, B, Soudarin, L, Wöppelmann, G., Becker, M.,
- 739 2014. Regional sea level variability, total relative sea level rise and its impacts on islands
- and coastal zones of the Indian Ocean over the last sixty years. Global Planet. Change 116,
- 741 54-67. <u>https://doi.org/10.1016/j.gloplacha.2014.02.001</u>
- 742 Perry, C.T., Kench, P.S., Smithers, S., Yamano, H., O'Leary, M., Gulliver, P., 2013. Time
- scales and modes of reef lagoon infilling in the Maldives and controls on the onset of reef
- island formation. Geology 41(10), 1111-1114. https://doi.org/10.1130/G34690.1
- 745 Perry, C.T., Alvarez-Filip, L., Graham, N.A.J., Mumby, P.J., Wilson, S.K., Kench, P.S.,
- 746 Manzello, D.P., Morgan, K.M., Slangen, A.B.A., Thomson, D.P., Januchowski-Hartley, F.,
- 747 Smithers, S.G., Steneck, R.S., Carlton, R., Edinger, E.N., Enochs, I.C., Estrada-Saldivar, N.,
- Haywood, M.D.E., Kolodziej, G., Murphy, G.N., Pérez-Cervantes, E., Suchley, A.,
- 749 Valentino, L., Boenish, R., Wilson, M., Macdonald, C. 2018. Loss of coral reef growth

- capacity to track future increases in sea level. Nature 558, 396–400.
- 751 http://dx.doi.org/10.1038/s41586-018-0194-z.
- Plewa, P., 2018. Migration in Maldives. A country profile 2018. International Organization
  for Migration, 240 p.
- 754 Purkis, S.J., Gardiner, R., Johnston, M.W., Sheppard, C.R.C., 2016. A half-century of
- coastline change in Diego Garcia, the largest atoll island in the Chagos. Geomorphology
- 756 261, 282-298. http://dx.doi.org/10.1016/j.geomorph.2016.03.010
- 757 Quataert, E., Storlazzi, C., van Rooijen, A., Cheriton, O., van Dongeren, A., 2015. The
- influence of coral reefs on wave-driven flooding of tropical coastlines. Geophys. Res. Lett.
- 42, 6407–6415. https://doi.org/10.1002/2015GL064861
- 760 Rankey, E.C., 2011. Nature and stability of atoll island shorelines: Gilbert Island Chain,
- Kiribati, equatorial Pacific. Sedimentology 58, 1831-1859. http://dx.doi.org/10.1111/j.13653091.2011.01241.x.
- 763 Ratter, B., Hennig, A., Zahid, 2019. Challenges for shared responsibility. Political and social
- framing of coastal protection transformation in the Maldives. Die Erde, Journal of the
- 765 Geographical Society of Berlin, 150(3), 169-183. https://doi.org/10.12854/erde-2019-426
- 766 Sattar, S.A., Wood, E., Islam, F., Najeeb, A., 2014. Current status of the reef fisheries of
- 767 Maldives and recommendations for management. Darwin Reef Fish Project, Marine
- 768 Research Centre/Marine Conservation Society (UK).
- 769 https://www.mrc.gov.mv/assets/Uploads/February-2014-Current-Status-of-the-Reef-
- 770 Fisheries-of-Maldives-and-Recommendations-for-Management.pdf
- 571 Shaig, M., 2008. Settlement planning for natural hazard resilience in small island states: the
- population and development consolidation approach. PhD thesis, James Cook University,
- 773 448 p.

- 574 Shaig, M., 2011. Survey of climate change adaptation measures in Maldives. Integration of
- 775 Climate Change Risks into Resilient Island Planning in the Maldives Project. Prepared for
- the Ministry of Housing and Environment and UNDP, 130 p.
- 577 Shope, J. B., Storlazzi, C.D., Hoeke, R. K., 2017. Projected atoll shoreline and run-up
- changes in response to sea-level rise and varying large wave conditions at Wake and
- 779 Midway Atolls, Northwestern Hawaiian Islands. Geomorphology 295, 537-550.
- 780 <u>https://doi.org/10.1016/j.geomorph.2017.08.002</u>
- 781 Shope, J. B., Storlazzi, C.D., 2019. Assessing Morphologic Controls on Atoll Island
- Alongshore Sediment Transport Gradients Due to Future Sea-Level Rise. Front. Mar. Sci. 6.
- 783 https://doi.org/10.3389/fmars.2019.00245.
- 784 Sovacool, B.K., 2012. Expert views of climate change adaptation in the Maldives. Clim.
- 785 Change 114, 295-300. https://doi.org/10.1007/s10584-011-0392-2
- 786 Speelmann L.H., Nicholls R.J., Dyke J., 2016. Contemporary migration intentions in the
- 787 Maldives: the role of environmental and other factors. Sustain. Sci. 12, 433-451.
- 788 https://doi.org/ 10.1007/s11625-016-0410-4
- 789 Storlazzi, C.D., Gingerich, S.B., von Dongeren, A., Cheriton, O.M., Swarzenski, P.W.,
- 790 Quataert, E., Voss, C.I., Field, D.W., Annamalai, H., Piniak, G.A., McCall, R. 2018. Most
- atolls will be uninhabitable by the mid-21st century because of seal level rise exacerbating
- wave-driven flooding. Science Advances 4, eaap9741. http://dx.doi.org/
- 793 10.1126/sciadv.aap9741
- 794 Suppasri, A., Goto, K., Muhari, A., Ranasinghe, P., Riyaz, M., Affan, M., Mas, E., Yasuda,
- M., Imamura, F., 2015. A decade after the 2004 Indian Ocean Tsunami: The Progress in
- 796 Disaster Preparedness and Future Challenges in Indonesia, Sri Lanka, Thailand and the
- 797 Maldives. Pure Appl. Geophys. 172, 3313-3341. https://doi.org/10.1007/s00024-015-1134-6

- 798 Temmerman, S., Meire, P., Bouma, T.J., Herman, P.M.J., Ysebaert, T., De Vriend, H.J.,
- Ecosystem-based coastl defence in the face of global change. Nature 504, 79-83.
- 800 https://doi.org/10.1038/nature12859
- 801 Vitousek, S., Barnard, P.L., Fletcher, C.H., Frazer, N., Erikson, L., Storlazzi, C.D., 2017.
- 802 Doubling of coastal flooding frequency within decades due to sea-level rise. Sci. Rep. 7(1),
- 803 1399. https://doi.org/10.1038/s41598-017-01362-7.
- 804 Wadey, M., Brown, S., Nicholls, R.J., Haigh, I., 2017. Coastal flooding in the Maldives: an
- assessment of historic events and their implications. Nat. Haz. 89 (1), 131-159.
- 806 http://dx.doi.org/10.1007/s11069-017-2957-5.
- 807 Webb, A., Kench, P.S., 2010. The dynamic response of reef islands to sea-level rise: evidence
- from multi-decadal analysis of island change in the Central Pacific. Global Planet. Change
- 809 72, 234–246. http://dx.doi.org/10.1016/j.gloplacha.2010.05.003.
- 810 Woodroffe, C.D., 2005. Late Quaternary sea-level highstands in the central and eastern Indian
- 811 Ocean: a review. Global Planet. Change 49(1-2), 121-138.
- 812 https://doi.org/10.1016/j.gloplacha.2005.06.002
- 813 Woodroffe, C.D., Biribo, N., 2011. Atolls, in: Encyclopedia of modern coral reefs.
- 814 Encyclopedia of earth sciences series. In: Hopley D. (Ed.), Dordrecht, Netherlands,
- 815 Springer.
- 816 Woodroffe, C.D., 2008. Reef-island topography and the vulnerability of atolls to sea-level
- 817 rise. Global Planet. Change 62, 77-96. http://dx.doi.org/10.1016/j.gloplacha.2007.11.001.
- 818 Woodworth, P.L., 2005. Have there been large recent sea level changes in the Maldive
- 819 Islands? Global Planet. Change 49(1), 1-18. https://doi.org/10/1016/j.gloplacha.2005.04.001
- 820 Yates, M.L., Le Cozannet, G., Garcin, M., Salai, E., Walker, P., 2013. Multi-decadal atoll
- shoreline change on Manihi and Manuae, French Polynesia. J. Coast. Res. 29, 870–892.
- 822 http://dx.doi.org/10.2112/JCOASTRES-D-12-00129.1.